© 05hr_CRule_05-014_AC-Ag_pt09

Details:

(FORM UPDATED: 07/12/2010)

WISCONSIN STATE LEGISLATURE ... PUBLIC HEARING - COMMITTEE RECORDS

2005-06

(session year)

Assembly

(Assembly, Senate or Joint)

Committee on ... Agriculture (AC-Ag)

COMMITTEE NOTICES ...

- Committee Reports ... CR
- Executive Sessions ... ES
- Public Hearings ... PH
- Record of Comm. Proceedings ... RCP

INFORMATION COLLECTED BY COMMITTEE FOR AND AGAINST PROPOSAL

- Appointments ... Appt
- Clearinghouse Rules ... CRule
- Hearing Records ... bills and resolutions

(ab = Assembly Bill) (sb = Senate Bill) (ar = Assembly Resolution)

(**sr** = Senate Resolution)

(ajr = Assembly Joint Resolution) (sjr = Senate Joint Resolution)

Miscellaneous ... Misc

Application for Local Approval New or Expanded Livestock Facility



Wisconsin Department of Agriculture, Trade and Consumer Protection 2811 Agriculture Drive P.O. Box 8911 Madison, WI 53708-8911 (608) 224-4622 (608) 224-4500

Introduction

Use this application form to obtain local approval for a <u>new</u> or <u>expanded</u> livestock facility (cattle, swine, poultry, sheep or goats) that will exceed 500 "animal units" (or a lower threshold established by local zoning ordinance prior to July 19, 2003).

Some local governments require local approval, but others do not. Check with your local government (county and town or municipality) to see if local approval is required in your area. In some cases, you may need local approval from more than one local government (for example, the county and the town, or 2 towns if your livestock facility straddles the town line). But the application and approval process should be the same.

The construction of a new or altered *livestock structure* does not, by itself, constitute an "expansion" (unless there will also be an increase in *animal units*). If you already have a permit or local approval, you may not need another approval unless your planned expansion exceeds the number of animals previously authorized by your local government.

Local approval, if required, is governed by statewide uniform standards in Wisconsin Statutes s. 93.90 and Wisconsin Administrative Code chapter *ATCP 51*. This application documents compliance with those standards.

Completing the Application

If local approval is required, complete this entire application form (including the worksheets). Follow the instructions in the application form. Attach all of the supplementary documentation required. Your application must be complete, credible and internally consistent.

The application form and worksheets ask for information to show compliance with Wisconsin livestock facility siting standards. A local government has *very limited* authority to modify the standards by local ordinance (modifications, if any, must be reflected in the local version of this application form).

As part of your application, you must specify the number of *animal units* that you will keep at a new or expanded livestock facility. If the local government approves your requested number, this will be the maximum number that you may keep for 90 days or more in any 12-month period.

A local government may require you to submit up to 4 duplicate copies of the complete application and worksheets. But you are not required to submit duplicate copies of attachments such as maps, photographs, engineering design specifications, incident response plans or employee training plans.

Worksheets

This application includes the following worksheets:

- Animal units (worksheet 1)
- Odor management (worksheet 2)
- Waste and nutrient management (worksheet 3)
- Waste storage facilities (worksheet 4)
- Runoff management (worksheet 5)

Complete the worksheets following all instructions (including those on each worksheet). You may use a convenient automated spreadsheet in place of Tables A and B of *worksheet 2* if you prefer (results are identical). The spreadsheet is available at www.datcp.state.wi.us.

If the Wisconsin Department of Natural Resources (*DNR*) has issued a Wisconsin Pollutant Discharge Elimination System (*WPDES*) permit for your proposed livestock facility, you can check a box on worksheets 3, 4 and 5, and submit a copy of that permit with the worksheets. A *WPDES* permit does not affect the requirements for completing worksheets 1 and 2.

Fees

A local government may require a fee to offset its reasonable costs to review and process this application. The fee, if any, must be established by local ordinance and may not exceed \$1,000. A local government may NOT charge any other fee, or require you to post any bond or security.

Local Approval Process

If you complete the application properly, the local government MUST APPROVE the proposed livestock facility unless it finds, based on clear and convincing evidence in the local record, that the facility fails to meet the state standards.

Within 45 days after you submit your application, the local government must notify you whether your application is complete. If you failed to complete part of the application, you must submit the missing information. The local government must grant or deny the application within 90 days after it declares the application complete. The local government must make a record of its decision making process, and the evidence supporting its decision. The record must include your application.

Appeal of Local Decision

If you disagree with the local government's decision on your application, you may appeal that decision to the Wisconsin Livestock Facility Siting Review Board ("Board"). Other "aggrieved persons" may also appeal to the Board. An "aggrieved person" includes any person who resides or owns land within 2 miles of your proposed livestock facility.

You must file your appeal within 30 days after the local government issues its decision (or, if you pursue a local administrative appeal process first, within 30 days after that appeal process is complete). The Board will review the local decision based on the evidence in the local record (it will not hold a new hearing or accept new testimony or evidence). You must file your appeal in writing at the following address:

Wisconsin Livestock Facility Siting Review Board c/o Secretary, Department of Agriculture, Trade and Consumer Protection P.O. Box 8911 Madison, WI 53708-8911

Terms Used in this Application Form

In this application form, you will see a number of *italicized* terms. Those terms are defined below (for more specific definitions, see *ATCP 51*):

- "Affected Neighbors" Residences or high-use buildings, other than those owned by the applicant or by persons who have agreed to exclude them from the applicant's odor score calculation. The total odor score for a livestock facility depends, in part, on the proximity and density of "affected neighbors."
- "Animal housing area" That portion of an animal housing structure to which animals have access, and in which manure may accumulate. "Animal housing area" includes holding areas, free-stalls and travel lanes. It does NOT include feed alleys, storage areas or milking parlors (other than holding areas).
- "Animal lot" -- A feedlot, barnyard or other outdoor facility where livestock are concentrated for feeding or other purposes. Pastures and winter grazing areas are NOT "animal lots." Treat multiple "animal lots" as a single "animal lot" if runoff from the animal lots drains to the same treatment area or if runoff from the animal lot treatment areas converges or reaches the same surface water within 200 feet of any of those treatment areas.
- "Animal units" Equivalent units of *livestock*. The number of animals constituting an "animal unit" varies by species. For example, one milking dairy cow equals 1.4 "animal units." A beef animal over 600 lbs. equals 1.0 "animal units." A pig over 55 lbs. equals 0.4 "animal units." A laying chicken equals 0.01 "animal unit." The number of "animal units" kept at a *livestock facility* means the largest number of "animal units" that will be at the *livestock facility* on at least 90 days in any 12-month period. Calculate "animal units" according to Worksheet 1.
- **"BARNY runoff model"** The Wisconsin version of a model that is commonly used to predict nutrient runoff from *animal lots*. An Excel computer spreadsheet version is available on the DATCP website (engineering directory).
- "Certified agricultural engineering practitioner" A practitioner who is properly qualified under ATCP 50.46.
- "Cluster" Any group of one or more *livestock structures* within a *livestock facility*. If you wish to do so, you may calculate separate odor scores for "clusters" that are separated by more than 750 feet.
- "DATCP" Wisconsin Department of Agriculture, Trade and Consumer Protection. The application form cites DATCP rules including Wis. Adm. Code chs. ATCP 51 (livestock facility siting), ATCP 50 (soil and water resource management) and ATCP 17 (livestock premises registration).
- **"DNR"** Wisconsin Department of Natural Resources. The application form cites DNR rules including Wis. Adm. Code chs. *NR* 243 (*WPDES* permits), *NR* 811 (community wells) and *NR* 812 (private wells)
- "Expanded livestock facility" -- The entire livestock facility created by an expansion, including new, existing and altered livestock structures (existing structures are subject to less rigorous standards). Your application must indicate the maximum number of animal units that you will keep at the "expanded livestock facility."
- "Expansion" An increase in the largest number of animal units kept at a livestock facility on at least 90 days in any 12-month period. The acquisition of an existing livestock facility, by the operator of an adjacent facility, is not an "expansion" unless the operator increases the largest

number of animal units kept at the combined livestock facilities on at least 90 days in any 12-month period.

"High-use building" – A residential building that has at least 6 distinct dwelling units; a restaurant, hotel, motel, or tourist rooming house; a school building; a hospital or licensed care facility; or a business or workplace that is open at least 40 hours a week. The odor score for your livestock facility depends, in part, on the proximity and density of neighboring "high-use buildings."

"Karst features" – Sinkholes, fractured bedrock or like features that may result in direct pollution runoff to groundwater.

"Livestock" - Cattle, swine, poultry, sheep or goats.

"Livestock facility" – A feedlot, dairy farm, or other operation where *livestock* are or will be fed, confined, maintained, or stabled for a total of 45 days or more in any 12-month period. A "livestock facility" includes all of the land parcels on which the facility is located, but it does NOT include a parcel used only for *pasture* or as a *winter grazing area*. Treat multiple "livestock facilities" as a single "livestock facility" if any of the following apply:

- The "livestock facilities" are located on land parcels that touch each other (or are separated only by a stream, road or utility corridor).
- You use some of the same livestock structures to collect or store manure from the "livestock facilities."
- Manure from the "livestock facilities" is applied to the same land.

"Livestock structure" – A building or structure such as a barn, milking parlor, feed storage facility, feeding facility, animal lot or waste storage structure. Pastures, winter grazing areas and machine sheds are NOT "livestock structures."

"Local approval" – A license, permit, special zoning exception, conditional use permit, or other local authorization for a *new or expanded livestock facility*. This application form applies, regardless of the form of local approval. However, this application form does NOT cover any of the following permits (for which separate requirements may apply):

- Building, electrical or plumbing permits (if local standards are consistent with state code).
- Manure storage system permits (see ATCP 50.56), UNLESS construction is part of a new or expanded livestock facility.
- Permits required by certain local ordinances related to shoreland zoning, floodplain zoning, construction site erosion control or stormwater management.

"New livestock facility" - A livestock facility used for the first time, or for the first time in at least 5 years.

"NRCS" – The Natural Resource Conservation Service of the United States Department of Agriculture. Wisconsin livestock siting standards refer to NRCS Technical Guide standards.

"Pasture" – Land on which livestock graze or otherwise seek feed in a manner that maintains the vegetative cover over all of the grazing or feeding area.

"Premises ID" – The unique ID number assigned to your *livestock facility* under the Wisconsin Livestock Premises Registration Program (*ATCP 17*). Go to www.datcp.state.wi.us for more information. To register your livestock facility, go to http://www.wiid.org/.

"Qualified nutrient management planner" -- A person, other than the applicant, who is qualified under ATCP 50.48.

"Substantially altered" livestock structure – A livestock structure that undergoes a material change in construction or use such as:

- An increase in the capacity of a waste storage facility.
- The addition of a liner to a waste storage facility
- An increase of more than 20% in the area or capacity of a livestock structure used to house, feed, or confine livestock or to store livestock feed.
- An increase of more than 20% in the number of *animal units* that will be kept in a *livestock* structure on at least 90 days in any 12- month period.

"Waste storage structure" – An embankment structure, excavated pit, dugout or fabricated structure that is used to store manure, milking center waste or other organic waste generated by a *livestock facility*. For the purposes of waste storage structure setback (application form, A-2) and worksheet 2, "a waste storage structure" does not include a structure used to collect and store waste under an animal housing facility, or a manure digester consisting of a sealed structure in which manure is subjected to managed biological decomposition.

"Waste storage facility" -- A waste storage structure and any attached piping or equipment used to load or unload the structure.

"Winter grazing area" – Cropland or *pasture* where *livestock* feed on dormant vegetation or crop residue, with or without supplementary feed, during the period October 1 to April 30. "Winter grazing area" does *not* include any of the following:

- An area, other than a pasture, where livestock are kept during the period from May 1 to September 30.
- An area which at any time has an average of more than 4 animal units per acre.
- An area from which livestock have unrestricted access to navigable waters of the state.
- An area in which manure deposited by livestock causes nutrient levels to exceed standards in ATCP 51.16.

"WPDES permit" – Wisconsin Pollutant Discharge Elimination System permit issued by DNR for concentrated animal feeding operation over 1000 *animal units*, or for operations of any size that discharge pollutants directly to waters of the state.



Wisconsin Department of Agriculture, Trade and Consumer Protection

2811 Agriculture Drive, PO Box 8911, Madison WI 53708-8911 Phone: (608) 224-4622 or (608) 224-4500

Application for Local Approval New or Expanded Livestock Facility

Wis. Statutes s. 93.90 Wis. Adm. Code ch. ATCP 51

| 1. Legal Name of App | licant (Bu | siness | Entity): AE | BC Dairy, | Inc. | | | |
|--|------------------|----------|--------------------|-------------------|--------------------------|------|---|--|
| 2. Type of Business E | ntity: che | ck one | • | | | | | |
| □Individual | ⊠Corpo | ration | □Partner | rship | Cooperative | | С | |
| □Trust | Other | | Describe: | | | | | |
| 3. Other names, if any, | , under wh | ich app | olicant does | business (l | ist all): N/A | | *************************************** | |
| 4. Contact Individual: | | Name: | Bob Jone | es | | | | |
| Phone: 555-555-555 | | | | E-mail: AE | BCdairy@datcp.state.wi | .us | | |
| 5. Business Address: | | Street | Address: 1 | 23 S. Main | Street | | ************************************** | ************************************** |
| City/Village/Town: Anytherapy | town | | | | County: Anywhere | | State: WI | Zip: 55555 |
| 6. Principal Owners o | r Officers | (list if | applicant is | an entity ot | ner than an individual): | | | |
| Name: Bob Jones | | | | | Title: President | | Phone: 555-5 | 55-5555 |
| Address: 123 S. Main S | Street | | | | City: Anytown | | State: WI | Zip: 55555 |
| Name: Joe Smith | | | | | Title: Vice-Presiden | t | Phone: 555-5 | 555-5555 |
| Address: 456 S. Main S | Street | | | | City: Anytown | | State: WI | Zip: 55555 |
| Name: | | | | | Title: | | Phone: | |
| Address: | | | | City: State: Zip: | | | Zip: | |
| 7. Description of Prope | osed <i>Live</i> | stock | Facility | | | | I | |
| Check one: | ⊠ New <i>Li</i> | vestock | c Facility | ☐ Expande | ed Livestock Facility | Pren | nises ID: 0000 | Q0S |
| Address of Proposed Livestock Facility: | | 1 | 21 S. Main | Street | | | | |
| City/Village/Town: Anyt | own | | | | County: Anywhere | | State: WI | Zip: 55555 |
| Town # 00N | | Ra | inge # (E or | ·W) 00 E | Section # 34 NW | • | 1/4 Section # | NE |

| · | | Application (continue) | nued) |
|-------------------------------|-------------------|--|-------|
| 8. Total <i>Animal Units</i> | | | |
| Enter total animal units from | m worksh e | eet 1: | |
| Total <i>Animal Units</i> : | 876 | This is the maximum <i>livestock facility</i> size for which the applicant requests approval at this time. | |

9. Area Map of Livestock Facility

Attach a scale map or aerial photo of the proposed *livestock facility* and surrounding area. The map or photo must be appropriately sized and marked, so that it clearly and legibly shows all of the following:

- All existing and proposed livestock structures. Label each livestock structure to show structure type, and whether
 existing or proposed.
- The area lying within 2 miles of any of the *livestock structures*. Show all existing buildings, property lines, roadways, and navigable waters lying within that area.
- All residences and high use buildings within 3,000 ft. of any livestock structure. Show which (if any) of those buildings are owned by the applicant, or by persons who have agreed to exclude the buildings from the applicant's odor worksheet calculations.
- Topographic lines at 10 ft. elevation intervals.
- Map scale and north direction indicator.

10. Site Map of Livestock Facility

Attach a scale map or aerial photo of the proposed *livestock facility* site. The map or photo shall be appropriately sized and marked, so that it clearly and legibly shows all of the following:

- All existing and proposed livestock structures. Label each livestock structure to show structure type, and whether
 existing or proposed.
- The area lying within 1,000 ft. of any of the livestock structures. Show all existing buildings, property lines, roadways, navigable waters, and known karst features within that area.
- Topographic lines, at 2 ft. elevation intervals, for the area within 300 feet of the livestock structures.
- Map scale and north direction indicator.

11. Location of Livestock Structures

The applicant certifies that:

- All livestock structures comply with applicable local property line and road setbacks (see ATCP 51.12).
- All waste storage structures comply with setbacks in ATCP 51.12(2).
- All *livestock structures* comply with applicable local shoreland, wetland, and floodplain zoning ordinances (copies available from local government).
- Wells comply with the Wisconsin well code (NR 811 and 812). New or substantially altered livestock structures are separated from existing wells (including neighbors' wells) by setback distances required in NR 811 and 812.

12. Employee Training Plan

Attach an Employee Training Plan for employees who will work at the *livestock facility*. You determine plan contents, as long as the plan identifies all of the foilowing:

- Training topics including, at a minimum, nutrient management, odor management, runoff management, manure and waste handling, employee safety, and environmental incident response.
- The number and job categories of employees to be trained.
- The form and frequency of training, which at minimum must include a plan for at least one training per year.
- Training presenters (these may include livestock facility managers, consultants or professional educators).
- A system for taking and recording attendance.

13. Environmental Incident Response Plan

Attach an Environmental Incident Response Plan for the *livestock facility*. You determine plan contents, as long as the plan identifies all of the following:

- Types of environmental incidents covered. These must include, at a minimum, overflows and spills from waste storage facilities, catastrophic system failures, manure spills during transport and application, movement of manure during or after application, catastrophic mortality disposal emergency, and odor complaints.
- The name and business telephone number of at least one individual who will handle public questions and concerns related to environmental incidents.
- The names and telephone numbers of first responders (e.g. DNR, fire departments, excavation contractors)
- Incident response procedures, including emergency response, recordkeeping and reporting procedures.

14. Other Laws

The following laws, among others, may apply to the operation of a *livestock facility*. Local approval of a *livestock facility* siting application is NOT based on these laws, except as specifically provided in *ATCP 51*. However, violations may have other legal consequences:

- Soil conservation and nonpoint pollution laws (contact your county land conservation department). Livestock
 facilities that have 1,000 or more animal units, or that discharge pollutants directly to waters of the state, must also
 obtain a WPDES permit from DNR.
- Pesticide and agricultural chemical laws administered by DATCP.
- Animal disease control laws administered by DATCP.
- Animal mortality laws administered by DATCP.
- Vehicle weight limits and state prohibitions against spilling waste on roads.
- Food safety and animal health licenses administered by *DATCP*. All livestock operations must register, and some (such as dairy farms) must hold a state license.
- Air pollution control regulations administered by DNR.
- Building, electrical, plumbing and sanitation codes administered by the Wisconsin Department of Commerce. A local authority may disapprove a proposed livestock facility that violates a conforming local code.
- Construction site erosion control laws administered by DNR
- Local erosion control and stormwater management ordinances.
- Petroleum storage laws administered by the Wisconsin Department of Commerce.
- High capacity well regulations administered by DNR.

| | Application (continued) |
|--|--|
| 15. Worksheets | |
| Complete worksheets as required (follow instructions on each worksheet) ar | nd attach to application. |
| Worksheet 1 – Animal Units. | |
| Worksheet 2 – Odor Management. | |
| Worksheet 3 – Waste and Nutrient Management. If you hold a WPDE livestock facility (for an equal or greater number of anima worksheet, and submit a copy of the permit with this apple | If units), check the appropriate box on this |
| Worksheet 4 – Waste Storage Facilities. If you hold a WPDES permit facility (for an equal or greater number of animal units), cand submit a copy of the permit with this application. | from <i>DNR</i> for the same proposed <i>livestock</i> heck the appropriate box on this worksheet, |
| Worksheet 5 – Runoff Management. If you hold a WPDES permit from (for an equal or greater number of animal units), check the submit a copy of the permit with this application. | DNR for the same proposed livestock facility appropriate box on this worksheet, and |
| | |
| Authorized Signature: | |
| I certify that the information contained in this application (including workshee accurate to the best of my knowledge. | ets and all attachments) is complete and |
| Signature of Applicant or Authorized Representative | Date |
| | |
| Print Name | Title |
| For Office Use Only: | |
| | |
| Application # | |
| Date Application Received: | |
| Date of Notice Confirming Complete Application: | |
| Decision Date: | |
| Approved or Disapproved: | |



Wisconsin Department of Agriculture, Trade and Consumer Protection

2811 Agriculture Drive, PO Box 8911, Madison WI 53708-8911 Phone: (608) 224-4622 or (608) 224-4500

Worksheet 1 - Animal Units

Instructions: Use this worksheet to determine the number of *animal units* for which you request approval. You may request approval for a number that is large enough to accommodate current *and potential future* expansions. If the local government approves the requested number of *animal units*, that is the maximum number that you may keep for 90 days or more in any 12-month period. You may not exceed that number without additional approval.

To complete this worksheet:

- 1. Identify each type of *livestock* that you might keep. Enter the maximum number of animals of each type that you might keep for at least 90 days in any 12-month period.
- 2. Multiply the number of animals of each type by the relevant Animal Unit Factor to obtain animal units of each type.
- 3. Sum the animal units for all livestock types to obtain the Total Animal Units for which you request approval.

| Lives | tock Type | Animal Unit Factor | 3 , 1 | Animal Units For | Proposed Facility |
|--------------|---|------------------------|-------|------------------|-------------------|
| Exam | ole – Milking & Dry Cows | | : | 1.4 x 800 | = 1120 AU |
| He H | Milking and Dry Cows | 1.4 | | 1.4 x 400 | = 560 AU |
| Dairy Cattle | Heifers (800 lbs. to 1200 lbs.) | 1.1 | | 1.1 x 200 | = 220 AU |
| airy | Heifers (400 lbs. to 800 lbs.) | 0.6 | , | 0.6 x 140 | = 84 AU |
| | Calves (up to 400 lbs.) | 0.2 | | 0.2 x 60 | = 12 AU |
| - | Steers or Cows (600 lbs. to market) | 1.0 | , | 1.0 x | = |
| Beef | Calves (under 600 lbs.) | 0.5 | | 0.5 x | = |
| | Bulls (each) | 1.4 | | 1.4 x | = |
| | Pigs (55 lbs. to market) | 0.4 | 52.50 | 0.4 x | = |
| Swine | Pigs (up to 55 lbs.) | 0.1 | | 0.1 x | = |
| Sw | Sows (each) | 0.4 | | 0.4 x | = |
| | Boars (each) | 0.5 | ٠. | 0.5 x | = |
| | Layers (each) | 0.01 | | 0.01 x | = |
| | Broilers (each) | 0.005 | | 0.005 x | = |
| <u>~</u> | Broilers – continuous overflow watering | 0.01 | | 0.01 x | = |
| Poultry | Layers or Broilers - liquid manure system | 0.033 | | 0.033 x | = |
| Δ. | Ducks – wet lot (each) | 0.2 | | 0.2 x | = |
| | Ducks - dry lot (each) | 0.01 | | 0.01 x | = |
| | Turkeys (each) | 0.018 | | 0.018 x | = |
| Sheep | (each) | 0.1 | | 0.1 x | = |
| Goats | (each) | 0.1 | | 0.1 x | = |
| | Total <i>Animal Unit</i> s | for Which Applicant Re | que | sts Approval | = 876 |

| Signature of Applicant or Authorized Representative | * | Date |
|---|---|------|



Wisconsin Department of Agriculture, Trade and Consumer Protection 2811 Agriculture Drive, PO Box 8911, Madison WI 53708-8911 Phone: (608) 224-4622 or (608) 224-4500

| | | 3001.1 | 4.3 |
|---|---|--|--|
| nstructions: vorksheet if an | This worksheet addresses od ny of the following apply (chec | or from <i>livestock structures.</i> k box if applicable): | You are NOT required to complete this |
|] I am requ | esting approval for a new live | stock facility with fewer than | 500 animal units. |
| I am requ | esting approval for an expand | ded livestock facility with few | er than 1,000 animal units. |
| | ck structures will be at least 2 residence or high-use building | | dence or <i>high-use building</i> (does not include a |
| worksheet step predicted odor | s). If you did NOT check any | of the above boxes, you mu (Box 3) for your proposed <i>live</i> | age with your application (do not complete ust complete this worksheet to calculate the estock facility. To meet odor management or score of 500 or more. |
| f <i>livestock stru</i> separate works | octures are located in clusters sheet for each cluster. If you | that are separated by more t choose that option, each <i>clus</i> | than 750 feet, you may elect to complete a ster must meet the odor management standard |
| Tables A and E | rksheet must include T ables A 3 if you prefer (submit spreads 2 DATCP website, <u>www.datcp</u> | sheet output instead of tables | nvenient automated spreadsheet in place of s, results will be identical). The spreadsheet is |
| Step 1: Co sti yo Step 2: Co | LETE THIS WORKSHEET, Formplete Table A to determinate fuctures. Be sure to account will use. Enter the Prediction of the Table B to determinate in Box 1 below (NOT Become in Box 1 below (NOT Become in Box 1 below) | ne the Predicted Odor from nt for the odor managemen cted Odor in Box 2 below (ne your Separation Score. | nt practices (NOT Box 1). |
| Step 3: Su | ubtract Box 2 from Box 1. E | inter the total in Box 3. Thi | is is your Total Odor Score. |
| | 717 Box 1 Separation Score (from Step 2) | Box 2 Predicted Odor (from Step 1) | 599 Box 3 Total Odor Score |
| total predi appre | odor score of 500 or more (Bo icted odor to 350 or less, or inc | ox 3). You may add odor man crease your total odor score t rove, a <i>livestock facility</i> with (| licted odor of 350 or less (Box 2) and an nagement practices to lower your to 500 or more. A local government may (i) an odor score less than 500 but not reater than 380. |
| Signature of A | pplicant or Authorized Representative | ve | Date |

 TABLE A: Predicted Odor from Livestock Structures

 Instructions: Complete Table A. Enter Col. F Total on page A-6 in Box 2 (NOT Box 1). Enter Column G result on page A-8 in Table B, Step 1.

| 6 (6) | Г | | | | | | |
|--|---------|----------------|--|---|----|----|----|
| Column H Weighted Distance (ft.) (multiply columns F and G) | 0006 | 1700 | | | | | |
| Column G Distance to Nearest Affected Neighbor (in feet) | 750 | 850 | | | | | |
| Column F Predicted Odor (multiply columns B, C, and E) | 12 | 2 | ************************************** | *************************************** | | | |
| rr Odor ctice pply to 3 area, 13. ractices.) | | | | | | | |
| Multiplier for Odor Mgmt Practice (list all that apply to each housing area, from Chart 3. | 6. | 6. | | | | | |
| M. Ente | 8. | œί | | | | | |
| Column D Odor Management Practice Codes (list all that apply to each housing area, from Chart 3) | | | | | | | |
| Coludor Ma Practic (list all the | 5 | 2 | | | | | |
| 0 | A1 | A1 | | | | | |
| Column C Animal Housing Area Size (sq. ft.) (Express in 10,000's, round up to 2 decimal places) (Example: 15,523 sq. ft. = 1.55) | 4.0 | 1.35 | | | | | |
| Column B Odor Generation Number (from Chart 2) | 4 | 2 | | | | | |
| Column A Column B Odor Type Generation Number (Enter relevant 4-letter code from Chart 2) (from Chart 2) p p 1.1 | 1. DBSH | 2. DBBP | 3. | 4. | 5. | 6. | 7. |

| Column A Waste Storage Type (Enter 4-letter type code from Chart 2) | Column B Odor Generation Number (from Chart 2) | Column C Exposed Surface Area (sq. ft.) (in 10,000's) (Ex: 75,575 = 7.56) | Column D Odor Management Practice Codes (list all that apply to each facility from Chart 3) | Multiplier for Odor Mgmt Practice (list all that apply to each facility from Chart 3. Enter "1" if no practices) | or Odor ortice My to each Chart 3. | Column F Predicted Odor (multiply columns B, C, and E) | Column G Distance to Nearest Affected Neighbor (In feet) | Column H Weighted Distance (ft.) (multiply columns F and G) |
|---|--|---|---|--|---|--|--|---|
| 1. WSLT | 13 | 10.08 | E2 | 8. | | 105 | 1000 | 105000 |
| 2. | | | | | | | | |
| 3. | | | | | | | | |
| 4. | | | | | | | | |

Animal Lots - list each

| from Chart 2) (from Chart 2) (ex: 7438 = .74) | .74) facil | all that apply to each acility from Chart 3) | Odor Mgmt Practice (list all that apply to each facility from Chart 3. Enter "1" if no practices.) | (multiply columns B, C, and E) | Nearest Affected Neighbor (in feet) | Weighted Distance (ft.) (multiply columns F and G) |
|---|------------|--|--|-----------------------------------|-------------------------------------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Enter on page A-6, Box 2

Column F Total

Column H Total

(H Total) + (F Total) Enter on page A-8, Table B, Step 1

115700

972

119

Table B: Separation Score

| INSTRUC | TIONS | RESULTS | |
|--|--|----------------------------|--|
| | Step 1: Enter, at right, the result from Table A, column G (page A-7). | | |
| | | 972 | |
| Step 2: Select mult the compass directi the livestock facility affected neighbor. | on looking from to the nearest | Multiplier: | |
| Compass Direction | Multiplier | 1.2 | |
| North | 1.0 | | |
| Northeast | 1.0 | | |
| East | 1.1 | | |
| Southeast | 1.2 | | |
| South | 1.2 | | |
| Southwest | 1.2 | | |
| West | 1.3 | | |
| Northwest | 1.1 | | |
| Step 3: Calculate v separation distance nearest affected near multiplier). Enter at | Wind-adjusted Separation Distance (ft.) | | |
| | | 1167 | |
| Step 4: Determine neighbor density an | | Low or High Density? | |
| Low density = No m residences and no h buildings within 130 used in Step 1 | High | | |
| High density = 6 or or at least one high- within 1300 ft of the Step 1. | use buildings | | |
| Step 5: Use results Chart 1 to find your Score. Enter at righ A-6 in Box 1 (not Bo | Separation t and on Page | Separation Score 717 | |

Chart 1: Separation Score

| Wind-Adjusted Separation Distance (ft.) Low Density High Density 0-99 585 583 100-149 586 584 150-199 591 587 200-249 596 590 250-299 601 594 300-349 607 598 350-399 614 603 400-449 621 608 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 1400-1499 836 1500-1599 1600-1699 890 1700-1799 1800-1899 948 1900-1999 1900-2999 1010 <t< th=""><th>Chart 1: Se</th><th>paration Sc</th><th>ore</th></t<> | Chart 1: Se | paration Sc | ore |
|--|-------------|-------------|--------------|
| 100-149 586 584 150-199 591 587 200-249 596 590 250-299 601 594 300-349 607 598 350-399 614 603 400-449 621 608 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1074 2300-2399 1107 2400-2499 1141 2500-2749 1294 <th>Separation</th> <th>Low Density</th> <th>High Density</th> | Separation | Low Density | High Density |
| 150-199 591 587 200-249 596 590 250-299 601 594 300-349 607 598 350-399 614 603 400-449 621 608 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 < | 0-99 | 585 | 583 |
| 200-249 596 590 250-299 601 594 300-349 607 598 350-399 614 603 400-449 621 608 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 11074 2300-2399 1107 2400-2499 1141 2500-2749 1294 | 100-149 | 586 | 584 |
| 250-299 601 594 300-349 607 598 350-399 614 603 400-449 621 608 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 363 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1294 | 150-199 | 591 | 587 |
| 300-349 607 598 350-399 614 603 400-449 621 608 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1294 | 200-249 | 596 | 590 |
| 350-399 614 603 400-449 621 608 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1074 2300-2399 1107 2400-2499 1141 2500-2749 1294 | 250-299 | 601 | 594 |
| 400-449 621 608 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1294 | 300-349 | 607 | 598 |
| 450-499 628 613 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1294 | 350-399 | 614 | 603 |
| 500-599 640 622 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 400-449 | 621 | 608 |
| 600-699 657 635 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 450-499 | 628 | 613 |
| 700-799 675 649 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 500-599 | 640 | 622 |
| 800-899 695 665 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 600-699 | 657 | 635 |
| 900-999 716 681 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 700-799 | 675 | 649 |
| 1000-1099 738 699 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 800-899 | 695 | 665 |
| 1100-1199 761 717 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1074 2300-2399 1107 2400-2499 1141 2500-2749 1294 | 900-999 | 716 | 681 |
| 1200-1299 785 737 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1000-1099 | 738 | 699 |
| 1300-1399 810 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1100-1199 | 761 | 717 |
| 1400-1499 836 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1200-1299 | 785 | 737 |
| 1500-1599 863 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1300-1399 | 810 | |
| 1600-1699 890 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1400-1499 | 836 | |
| 1700-1799 919 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1500-1599 | 863 | |
| 1800-1899 948 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1600-1699 | 890 | |
| 1900-1999 979 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1700-1799 | 919 | |
| 2000-2099 1010 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1800-1899 | 948 | |
| 2100-2199 1042 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 1900-1999 | 979 | |
| 2200-2299 1074 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 2000-2099 | 1010 | |
| 2300-2399 1107 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 2100-2199 | 1042 | |
| 2400-2499 1141 2500-2749 1203 2750-2999 1294 | 2200-2299 | 1074 | |
| 2500-2749 1203 2750-2999 1294 | 2300-2399 | 1107 | |
| 2750-2999 1294 | 2400-2499 | 1141 | |
| | 2500-2749 | 1203 | |
| 3000-3249 1389 | 2750-2999 | 1294 | |
| | 3000-3249 | 1389 | |

Chart 2: Odor Generation Numbers

| Animal Housing Area Type | Housing/ Management Type Code | Manure Management Method | Odor Generation Number |
|--|-------------------------------------|--|------------------------------|
| Dairy Stanchion | DSDH | Daily to weekly haul | 2 |
| | DBSS | Slatted floor (includes floor surface and pit below) | 6 |
| Dairy Free Stall and | DBSH | Scrape to storage, or daily to weekly haul | 4 |
| Beef & Dairy Heifers (Forage Ration) | DBAF | Alley flush to storage | 10 |
| | DBBP | Bedded pack | 2 |
| Deef Ciniching | BFSF | Slatted floor (includes floor surface and pit below) | 12 |
| Beef Finishing (High Energy Ration) | BFSH | Scrape to storage, or daily to weekly haul | 8 |
| | BFBP | Bedded pack | 4 |
| Pork Gestation/ Farrow/ | PGSF | Slatted floor (includes floor surface and pit below) | 46 |
| Nursery | PGPP | Pull plug to storage | 22 |
| | PFSF | Slatted floor (includes floor surface and pit below) | 34 |
| Pork Finishing | PFPP | Pull plug to storage | 20 |
| FOIRTHISHING | PFSS | Scrape systems to storage | 11 |
| | PFDB | Deep bedded | 4 |
| | PBLT | Broiler (litter) | 1 |
| Poultry | PDLQ | Ducks (liquid) | 20 |
| . outuy | PLAY | Layers | 20 |
| | P T DL | Turkey and Ducks (litter) | 2 |

| Type Codes | Waste Storage Facility Types Note: Storage under slatted floor is addressed under animal housing. | Odor Generation Number |
|---------------|--|------------------------------|
| WSSS | Solid (stack) | 2 |
| WSLT | Long term (6 months or longer as determined in Column E of worksheet 3) | 13 |
| WSST | Short term (less than 6 months as determined in Column E of worksheet 3) | 28 |

| Animal Lot Codes | = 441 = 441 = 1 | Animal Lot Types | Odor Generation Number |
|---------------------|-----------------------|------------------------|------------------------------|
| ALPV | Paved | | 4 |
| UPDB | | Dairy/Beef/Sheep/Goats | 6 |
| UPSW | Unpaved | Swine/Poultry | 11 |

Chart 3: Odor Management Practices

| Category | Practice Code | Practice Name (Practices must meet specifications on pages A-11 to A-13) | Multiplier* |
|-----------------------------|------------------|--|-------------|
| | | Animal Housing Area | |
| Α | A1 | Diet manipulation | 0.8 |
| | B1 | Bio-filter | 0.1 |
| В | B2 | Vegetable oil sprinkling (for swine only) | 0.4 |
| (Choose only 1) | B3 | Fresh water flush | 0.4 |
| | B4 | Treated water flush | 0.7 |
| С | C1 | Windbreak | 0.9 |
| D | D1 | Frequent cleaning of animal housing area | 0.9 |
| | | Waste Storage Facilities | |
| E (Choose only 1) | E1 | Anaerobic digestion | 0.2 |
| | E2 | Chemical or biological additives | 0.8 |
| | E3 | Compost | 0.2 |
| | E4 | Dilution | 0.6 |
| | F1 | Aeration | 0.3 |
| | F2 | Bio cover | 0.4 |
| F | F3 | Geotextile cover | 0.5 |
| (Choose only 1) | F4 | Impermeable cover | 0.1 |
| | F5 | Natural crust | 0.3 |
| | F6 | Bottom fill | 0.9 |
| G | G1 | Windbreak | 0.9 |
| | | Animal Lots | |
| Н | H1 | Frequent cleaning of animal lot | 0.4 |
| (Choose only 1) | H2 | Drag animal lot | 0.5 |
| I | I1 | Animal lot moisture control | 0.8 |
| J | J1 | Windbreak | 0.9 |

^{*}Smaller multiplier = more odor controlled (e.g. a multiplier of 0.4 represents a 60% control).

Innovative Odor Management Practices (all odor sources):

You may take credit for odor management practices not listed in Chart 3 if *DATCP* pre-approves a multiplier for each of those practices. Follow the procedure in *ATCP* 51.14(5)(c) to obtain DATCP approval. If you obtain *DATCP* approval, you may include the approved practice and multiplier in odor worksheet calculations, in the same manner as for odor management practices listed in Chart 3 (attach *DATCP* approval to your application).

Odor Management Practice Specifications

Odor management practices identified in Chart 3 must meet the following specifications:

Animal Housing

Diet manipulation (A1) - Limit protein in animal diet by one of the following means:

- Match nutrient supply with animal requirements.
- Formulate low-protein amino acid supplemented diets.
- Add phytase enzyme ingredients.
- · Process ingredients in ways that limit protein content of processed feed.
- Use phase feeding.
- Use split sex feeding.
- Minimize feed wastage.

Bio-filter (B1) – Vent air from *animal housing areas* through a bio-filter consisting of compost and wood chips, mixed at a rate of 30:70 to 50:50 (ratio by weight of compost to wood chips). The mixture must be at least 40% moisture by weight. The bio-filter must be 10" to 18" thick, and must have an area of at least 50 to 85 sq. ft. per 1000 cu. ft. per minute (cfm) of airflow.

Vegetable oil sprinkling (B2) – Sprinkle vegetable oil on floors in *animal housing areas* (swine) each day. Apply oil at start-up rate of approximately 40 milliliters per square meter per day (mL/m²-day) in the first 1-2 days of each production cycle. During the remainder of each production cycle, apply oil at maintenance rate of 5 mL/m²-day. Avoid oil applications to pens near fans, to areas near heaters, and to areas surrounding feeders.

Fresh water flush (B3) – Use fresh water to flush manure from floors of *animal housing areas* into collection or *waste storage structures*. Flush at least 3 times a day, and more often if necessary, to prevent manure from drying and sticking to floors. Flush must be adequate to remove manure solids effectively.

Treated water flush (B4) – Use treated manure effluent to flush manure from floors of *animal housing areas* into collection or *waste storage structures*. Flush at least 3 times a day, and more often if necessary, to prevent manure from drying and sticking to floors. Flush with waste storage effluent treated by one of the following means:

- Dilution (see E4 below).
- Aeration (see F1 below).
- Anaerobic digestion (see E1 below).

Windbreak (C1) – Maintain a solid or porous windbreak, 10 to 50 feet from the odor source, which reduces forward momentum of airflow and vertically disperses the odor plume. The length of a windbreak shall be at least half of the perimeter of the animal housing. A windbreak may be constructed of vegetation or other materials. Vegetation windbreaks must contain at least 3 rows of trees and shrubs, of both fast and slow-growing species, that are well suited for the site. Windbreaks must be designed and constructed according to NRCS Technical Guide Standard 380 (June 2002).

Frequent cleaning of animal housing area (D1) – Scrape and remove manure from animal housing areas at least 3 times a day.

Waste Storage Facilities

Anaerobic digestion (E1) – Subject manure to managed biological decomposition within a sealed oxygen-free container ("digester"). Anaerobic digestion must meet design and operational standards necessary to achieve adequate odor control, including requirements for solids concentration, flow rates, retention time, and minimum temperatures. Systems must meet the following:

- Plug flow digester. Treats manure with a total solids concentration of 8 to 14%. Must be kept in the digester for at least 20 days at a temperature of 95 to 104 F. (35 to 40 degrees C). The digester's ratio of flow path width to fluid depth must be between 3.5:1 and 5:1.
- Complete mix digester. Treats manure with a total solids concentration of 2.5 to 10%. Must be kept in the digester for at least 17 days at a temperature of 95° to 104° F. (35° to 40° degrees C.). The digester must have appropriated mixing devices to ensure complete mixing.
- Fixed film digester. Treats manure with a total solids concentration of not more than 5%. Must be kept in the digester for 1 to 6 days at a temperature of 59° to 99° F (15° to 39° C). Microbial support material must have at least 3-inch openings.
- Other systems. Use proprietary design and performance specifications that are commonly accepted and provide adequate odor mitigation.

Chemical or biological additives (E2) – Apply, to stored manure, chemical or biological additives that are scientifically proven to be effective in reducing odor from that manure when applied under applicable conditions and in applicable amounts.

Compost (E3) – Aerobically treat solid or semi-solid manure to create compost. Compost must have a carbon: nitrogen ratio of 25:1 to 40:1, and must consist of at least 40 to 60% moisture by weight. Composted material must be held at a temperature of more than 130° F. (54° C.) for more than 5 days.

Dilution (E4) – Reduce the solid content of stored manure to an average of less than 2% solids through separation, multi-tiered pits or other means.

Aeration (F1) – Use aeration equipment to maintain aerobic activity in stored manure. Aeration must maintain an average of 2 milligrams of dissolved oxygen per liter of manure stored in the upper foot of manure stored in the aerated structure between April and October.

Bio-cover (F2) — Cover the surface of waste storage structure with an 8" to 12" thick blanket of dry wheat, barley or good quality straw. The blanket must cover nearly all of the waste surface between the months of April and October. Add to the blanket as necessary (typically every 6 weeks to 4 months) to maintain the required cover.

Geotextile cover (F3) – Cover the surface of waste storage structure with a geotextile membrane that is at least 2.4 mm thick. The membrane must cover nearly all of waste surface between the months of April and October.

Impermeable cover (F4) – Cover the surface of waste storage structure with an impermeable barrier that prevents gas from escaping. Gas must be drawn off, and either treated or burned.

Natural crust (F5) – Maintain a natural crust of dry manure on the surface of stored manure. The natural crust must cover a substantial amount of the surface area of the stored manure, for most of the time between the months of April and October.

Bottom fill (F6) – Add manure to a liquid *manure storage structure* from the bottom so as to not disturb the surface of the stored manure.

Windbreak (G1) – Maintain a solid or porous windbreak, 10 to 50 feet from the odor source, which reduces forward momentum of airflow and vertically disperses the odor plume. The length of a windbreak shall be at least half of the perimeter of the waste *storage facility*. A windbreak may be constructed of vegetation or other materials. Vegetation windbreaks must contain at least 3 rows of trees and shrubs, of both fast and slow-growing species, that are well suited for the site. Windbreaks must be designed and constructed according to *NRCS* **T**echnical Guide Standard 380 (June 2002).

Animal Lots

Frequent cleaning of animal lots (H1) – Scrape and remove manure from animal lot surfaces at least once every 3 days. You may leave an undisturbed, compacted manure layer (1 to 2 inches thick) on the surface of unpaved animal lots to provide good surface sealing.

Drag animal lots (H2) – Drag manure in *animal lots* with harrow or disk at least once every 7 days during the months period of April though October, to aerate and dry the manure.

Animal lot moisture control (I1) – Prevent runoff water from flowing onto *animal lots* from roofs and other surfaces. Use diversions or roof runoff systems identified in *ATCP 50.70 or ATCP 50.85*. Animal lots must have a grade of at least one percent to promote drainage and drying.

Windbreak (J1) — Maintain a solid or porous windbreak, 10 to 50 feet from the odor source, which reduces forward momentum of airflow and vertically disperses the odor plume. The length of a windbreak shall be at least half of the perimeter of the *animal lot*. A windbreak may be constructed of vegetation or other materials. Vegetation windbreaks must contain at least 3 rows of trees and shrubs, of both fast and slow-growing species, that are well suited for the site. Windbreaks must be designed and constructed according to *NRCS* Technical Guide Standard 380 (June 2002).



Wisconsin Department of Agriculture, Trade and Consumer Protection

2811 Agriculture Drive, PO Box 8911, Madison WI 53708-8911 Phone: (608) 224-4622 or (608) 224-4500

Worksheet 3 - Waste and Nutrient Management

| Instructions: You must complete Parts units you may be exempt from Part C, do nutrient management planner (you must | A and B of this worksheet. If your <i>livestock facility</i> will have fewer than 500 animal epending on results of Part B. If Part C applies, it must be signed by a qualified also sign). |
|--|---|
| You are NOT required to complete this we the same or greater number of animal uncopy of the WPDES permit with your app | vorksheet if you already hold a WPDES permit for the proposed livestock facility (fonits). Simply check the following box, sign at the bottom of this page, and include a blication. |
| ☐ I enclose a copy of my WPDES pen | mit in place of Worksheet 3. |

| Description of Storage | Column A Waste Storage Capacity (Gallons or Tons) | Column B Source of Waste (Animal Waste, Wastewater, Leachate, etc) | Average Annual Volume of Waste Produced from Each Source (Gallons or Tons) | Column D Total Average Annual Volume Waste Produced (Gallons or Tons) | Storage Duration in Days (Column A divided by Column D times 365 days) |
|--------------------------|--|---|--|--|--|
| Francis I loit d | 5 000 000 | Animal waste | 4,000,000 gallons | | |
| Example: Unit 1 - lagoon | 5,000,000 gallons | Wastewater | 1,000,000 gallons | 7,000,000 gallons | 260 days |
| | | Leachate | 2,000,000 gallons | | |
| Unit 1 | | Animal waste | 5,500,000 | | |
| | 5,300,000 | Wastewater | 1,175,000 | 9,175,000 | 210 |
| | | Leachate | 2,500,000 | | |
| Unit 2 | | | | | |
| Unit 3 | | | | | |

| Applicant affirms that the information provided in Part A is accurate. | |
|--|------|
| | |
| | |
| Signature of Applicant or Authorized Representative | Date |

| Arm-lwr- 11/04 August 2005 | | | Worksheet 3 (continue |
|--------------------------------------|--|---|------------------------|
| Part B – Land Base | for Applying Nuti | rients | |
| 1. Enter total animal units in pro | posed livestock facility (from | worksheet 1):876 | • |
| b. Processed and sold as con | Q0 %. Attach map mmercial fertilizer, under a fer | l be: showing where waste will be applied to la rtilizer license:%. e ways: | |
| 3. Multiply the percent in line 2a | by the number of animal unit | s in line 1. Result (# of animal units): | 876 |
| 4. Acres of cropland currently av | ailable for land application (o | wned, rented, or landspreading agreemer | nt): 1000 |
| 5. Divide # of acres in line 4 by | of animal units in line 3 to ol | btain ratio of acres to animal units: 1.4 | 4 |
| 6. Is the ratio in line 5 equal to o | • • | per <i>Animal Unit</i> | vise, complete Part C. |
| | | | |
| | Dairy Beef | 1.5 | |
| | Swine | 1.0 | |
| | Chickens/Ducks | 2.5 | |
| | Turkeys | 5.5 | |
| | Sheep/Goats | 2.0 | |
| Applicant affirms that the | exceed this ratio of acres | vorksheet. | |
| Signature of Applicant or Auth | orized Representative | | Date |

| a narrative included which describes proposed manufe collection, transportation, and application methods? | X | |
|---|---|--|
| I certify that the documentation supporting this checklist is complete and accurate: | | |
| Signature of <i>Qualified Nutrient Management Planner</i> , other than applicant: (qualified by 1. NAICC-CPCC, 2. ASA-CCA, 3. ASA-Professional Agronomist, 4. SSSA-Soil Scientist) | | |
| Signature of Applicant or Authorized Representative: | | |
| | | |



Wisconsin Department of Agriculture, Trade and Consumer Protection 2811 Agriculture Drive, PO Box 8911, Madison WI 53708-8911 Phone: (608) 224-4622 or (608) 224-4500

Mosto Ctorone Feellitie

| Worksneet 4 - Waste 3 | Storage Facilities |
|---|--|
| Instructions: This worksheet must be practitioner. This worksheet must ider structures and transfer systems). | e signed by a registered professional engineer or certified agricultural engineering ntify every waste storage facility in the proposed livestock facility (including storage |
| You are NOT required to complete thi the same or greater number of animal copy of the WPDES permit with your a | s worksheet if you already hold a WPDES permit for the proposed livestock facility (for lunits). Simply check the following box, sign at the bottom of this page, and include a application. |
| I enclose a copy of my WPDES p | ermit in place of Worksheet 4. |
| racilities comply with IVRCS Technical | ies: Design specifications for the following new or substantially altered waste storage Guide Standards 313 (November 2004) and 634 (November 2004). In specifications for each facility.] One storage facility – design specifications |
| Existing Facilities Retained: The followin | lowing waste storage facilities will continue in use without being substantially altered. |
| ☐ The facility (list each facility was constructed within the last 10 yea signs of structural failure or significant |) was constructed of concrete or steel or both, ars according to then-existing <i>NRCS</i> technical standards, and shows no apparent leakage. |
| ☐ The facility (list each facility according to then-existing <i>NRCS</i> tech leakage. |) was constructed within the last 3 years nical standards, and shows no apparent signs of structural failure or significant |
| ☐ The facility (list each facility |) was constructed to NRCS technical standards , is in good condition and repair and shows no apparent signs of structural failure or |
| ☐ The facility (list each facility |) is in good condition and repair, shows no significant leakage, and is located on a site at which the soils and separation NRCS technical guide manure storage facility standard 313, table 1 (November, |
| The facility (list each facilityshows no apparent signs of structural ocated on a site at which the soils cor (November, 2004). |) is in good condition and repair, failure or significant leakage, is located entirely above ground, and is mply with NRCS Technical Guide Manure Storage Facility Standard 313, Table 5 |
| Facilities To Be Abandoned: The folwith NRCS Technical Guide Standard | lowing waste storage facilities will be closed according to a closure plan that complies 360 (June 2001). [Attach closure plan for each facility.] N/A |
| Fotal Storage Capacity : The waste stapacity of <u>5,300,000</u> gallons or ton | storage facilities in the proposed livestock facility have a combined useable storage s (cannot include required "freeboard" in useable capacity). |
| Professional Engineer's Embossed Seal | Print Name of Engineer (include WI License No.) or Certified Agricultural Engineering Practitioner |
| | |

Date

Signature of Engineer or Practitioner

Arm-lwr- 11/04 August 2005



Wisconsin Department of Agriculture, Trade and Consumer Protection

2811 Agriculture Drive, PO Box 8911. Madison WI 53708-8911

Phone: (608) 224-4622 or (608) 224-4500

Worksheet 5 - Runoff Management

| Instructions: | This worksheet m | ust be signed by a registered | professional engin | neer or certified a | gricultural engineering |
|-------------------------|--------------------|--------------------------------|--------------------|---------------------|-------------------------|
| <i>practitioner</i> (yo | u must also sign). | Signers attest to statements i | in this worksheet. | You are respons | ible for compliance. |

You are NOT required to complete this worksheet if you already hold a WPDES permit for the proposed livestock facility (for

| the same or greater number of <i>animal units</i>). Simply check the following box, sign at the bottom of this page, and inclinate | ude a |
|--|-------|
| copy of the WPDES permit with your application. | |
| The state of the s | |

I enclose a copy of my WPDES permit in place of Worksheet 5.

Animal Lots¹

- 1. New or Substantially Altered Animal Lots: All new or substantially altered animal lots will be constructed according to the attached design specifications that comply with NRCS Technical Guide Standard 635 (January, 2002). [Identify animal lots and attach design specifications for each animal lot.] N/A
- 2. Existing Animal Lots Near Surface Waters: The following animal lots are located within 300 feet of a stream² or 1,000 feet of a lake. According to the BARNY runoff model, each of these animal lots has (or with minor alterations³ will have) predicted average annual phosphorus runoff of less than 5 lbs. per year (measured at the end of the treatment area). Runoff does not discharge to any direct conduit to groundwater. [Identify animal lots and minor alterations if any.] N/A
- 3. Other Existing Animal Lots: The following animal lots are NOT located within 300 feet of a stream² or 1,000 feet of a lake. According to the BARNY runoff model, each animal lot has (or with minor alterations will have), a treatment area that reduces phosphorus runoff to an average of less than 15 lbs. per year (measured at the end of the treatment area). Runoff does not discharge to any direct conduit to groundwater. [Identify animal lots and minor alterations if any.] N/A

Feed Storage

- 1. General. The operator agrees to manage feed storage to prevent significant discharge of leachate or polluted runoff to waters of the state.
- 2. Existing Feed Storage (High Moisture Feed). Existing paved areas and bunkers that may be used to store or handle high moisture feed (70% or higher moisture content) will meet the following standards: N/A
 - a) Surface water runoff will be diverted from entering the paved area or bunker. 4
 - b) Surface discharge of leachate will be collected before it leaves any paved area or bunker, if the paved area covers more than one acre. Collected leachate will be stored and disposed of in a manner that prevents discharge to waters of the state.1

¹ Treat multiple lots as one animal lot if runoff from the animal lots drains to the same treatment area or if runoff from the animal lot treatment areas converges or reaches the same surface water within 200 feet of any of those treatment areas.

Indicated by a solid or dashed blue line on a 1:24,000 scale USGS topographic map.

[&]quot;Minor alterations" are repairs or improvements that do not result in a substantially altered animal lot. "Minor alterations" may include conservation practices such as runoff diversions, contouring, and planting vegetation.

Runoff may be diverted by means of earthen diversions, curbs, walls, gutters, waterways or other practices, as appropriate.

- 3. New or Substantially Altered Feed Storage Structures (High Moisture Feed): New or substantially altered feed storage structures (buildings, silos, bunkers or paved areas) used to store or handle high moisture feed (70% or higher moisture content) will be designed, constructed and maintained to the following standards [attach design specifications]: N/A
 - a) Surface water runoff will be diverted from entering the feed storage structure.²
 - b) Surface discharge of leachate will be collected before it leaves the feed storage structure.3
 - c) The top of the feed storage structure floor will be at least 3 vertical feet from groundwater and bedrock. 4
 - Any feed storage structure with an area greater than 10,000 sq. ft. will have a subsurface drainage system to collect leachate that may leak through the structure floor. The subsurface drainage system must consist of drainfill material below the surface material, a tile drainage network designed to collect the leachate and deliver it to storage, and a subliner. The tile drainage network must, at a minimum, be installed at the perimeter of the structure only on the downgradient side(s). The sub-liner must, at a minimum, consist of one of the following:
 - Two feet of soil, either in place or installed, having a minimum of 50% fine soil particles (that pass a #200 soil sieve).
 - Two feet of soil, either in place or installed, having a minimum of 30% fine soil particles (that pass a #200 soil sieve) and a minimum PI (plasticity index) of 7.
 - A 40 mil liner of HDPE, EPDM or PVC.
 - A geosynthetic clay liner.
 - e) Collected leachate will be stored and disposed of in a manner that prevents discharge to waters of the state. 2

Nonpoint Pollution Standards

The livestock facility will be designed, constructed and maintained to do all of the following:

- 1. Divert runoff from contact with *animal lots*, *waste storage facilities*, paved feed storage areas or manure piles within 300 ft. of a stream or 1,000 ft. of a lake.
- 2. Avoid having any unconfined manure pile within 300 ft. of a stream or 1,000 ft. of a lake.
- 3. Prevent any overflow of waste storage facilities.
- 4. Restrict livestock access to waters of the state, as necessary to maintain adequate vegetative cover on banks adjoining the water (this does not apply to properly designed, installed and maintained livestock or farm equipment crossings).

| | Signature of Applicant or Authorized Representative | Date |
|--|---|------|
| Professional Engineer's Embossed Seal | Print Name of Engineer (include WI License No.) or Certified Practitioner | |
| | Signature of Engineer or Practitioner | Date |
| | Name of Firm and Address | |

¹ Use safe methods to dispose of collected leachate. For example, leachate may be transferred to waste storage structures and then applied to land at agronomic rates.

Runoff may be diverted by means of earthen diversions, curbs, walls, gutters, waterways or other practices, as appropriate.
 Use safe methods to dispose of collected leachate. For example, leachate may be transferred to waste storage and then applied to land at agronomic rates.

⁴ A tile system or curtain drain may be used to intercept lateral groundwater seepage, as necessary, to achieve the required distance to groundwater.