## ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

<ul> <li>mold and other moisture problems.</li> <li>10. Summary of the businesses, business sectors, associations representing business, local governmental units, and individua Is that may be affected by the proposed rule that were contacted for comments.</li> <li>Representatives of the following: building contractors engaged in construction of housing; building inspectors; the construction material supplyindustry; and remodeling contractors engaged in the remodeling of housing</li> <li>11. Identify the local governmental units that participated in the development of this EIA.</li> <li>12. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Uti Iity Rate Payers, Local Governmental Units and the State's Economyas a Whole (Include Implementation and Compliance Costs Expected to be Incurred)</li> <li>No significant negative economic or fiscal impact is expected.</li> <li>13. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule</li> <li>Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and</li> </ul>			
SPS 322, Uniform Dwelling Code, Energy conservation         3. Subject         Craw space ventilation.         4. Fund Sources Affected         GPR       FED         GPR       FED         No Fiscal Effect of Implementing the Rule         In determinate       Decrease Existing Revenues         Could Absorb Within Agency's Budget         Decrease Existing Revenues         State's Economy         State's Economy         By State's Economy         State's Economy         By Could Absorb Within Agency's Budget         Local Government Units         Proposed rule revisions would disallow crawl space ventilation in one- and two-family dwellings, which has been shown to cause molet and other moisture problems.         9. Policy Problem Addressed by the Rule         To Summaryof the businesses, business sectors, associations representing business, local governmental units, and individual Is tha may be affected by the proposed rule that were contacted for comments.         Representatives of the following: building contractors engaged in construction of housing: building inspectors; the construction matrial supplyindustry; and remodeling contractors engaged in the remodeling of housing: 11. Identify the local governmental units and the State's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public UtilityRate Payers, Local Governmental Units and the State's Economic and Fiscal Impact on Specific Businesses Building inspectors; the construction matrial supplyi			
Crawl space ventilation.         4. Fund Sources Affected         GPR       FED       ØPRO       PRS       SEG       SC. 20.165(2)(i)         6. Fiscal Effect       Increase Existing Revenues       Increase Costs       Increase Costs         Indeterminate       Decrease Existing Revenues       Could Absorb Within Agency's Budget         Indeterminate       Decrease Existing Revenues       Could Absorb Within Agency's Budget         Indeterminate       Decrease Existing Revenues       Decrease Costs         7. The Rule Will Impact the Following (Check All That Apply)       State's Economy       Specific Businesses/Sectors         Local Government Units       Public Utility Rate Payers       Small Businesses (if checked, complete Attachment A)         8. Would Implementation and Compliance Costs Be Greater Than \$20 million?       Yes       Mo         9. Policy Problem Addressed by the Rule       The morposed rule revisions would disallow crawl space ventilation in one - and two-family dwellings, which has been shown to cause mold and other moisture problems.         10. Summary of the businesses, business sectors, associations representing business, local governmental units, and individual is tha may the affected by the proposed rule travisors engaged in construction of housing building inspectors; the construction material supplyindustry; and remodeling ontractors engaged in the remodeling of housing         11. Identify the local governmental units that participated in the development of t			
GPR       FED       PRO       PRS       SEG       20.165(2)(i)         6. Fiscal Effect of Implementing the Rule       Increase Existing Revenues       Increase Costs         1 Indeterminate       Decrease Existing Revenues       Could Absorb Within Agency's Budget         20.165(2)(i)       State's Economy       Specific Businesses/Sectors         2.1000       Local Government Units       Public Utility Rate Payers         2.1011       Small Businesses (if checked, complete Attachment A)         8. Would Implementation and Compliance Costs Be Greater Than \$20 million?         9. Policy Problem Addressed bythe Rule         The proposed rule revisions would disallow crawl space ventilation in one- and two-familydwellings, which has been shown to cause mold and other moisture problems.         10. Summary of the businesses, business sectors, associations representing business, local governmental units, and individuals tha may be affected by the proposed rule that were contacted for comments.         Representatives of the following: building contractors engaged in the remodeling of housing         11. Identify the local governmental units that participated in the development of this EIA.         12. Summaryof Rule's Economic and Fiscal Impacton Specific Businesses, Business Sectors, Public UtilityRate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementing the Rule Home owners and building contractors will note a likewed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls withentil			
No Fiscal Effect       Increase Existing Revenues       Increase Costs         Indeterminate       Decrease Existing Revenues       Could Absorb Within Agency's Budget         Indeterminate       Decrease Existing Revenues       Decrease Cost         7. The Rule Will Impact the Following (Check All That Apply)       Specific Businesses/Sectors         Local Government Units       Public Utility Rate Payers         Small Businesses (if Checked, complete Attachment A)         8. Would Implementation and Compliance Costs Be Greater Than \$20 million?         Yes       No         9. Policy Problem Addressed by the Rule         The proposed rule revisions would disallow crawl space ventilation in one- and two-family dwellings, which has been shown to cause mold and other moisture problems.         10. Summaryof the businesses, business sectors, as sociations representing business, local governmental units, and individual is tha may be affected by the proposed rule that were contacted for comments.         Representatives of the following: building contractors engaged in the remodeling of housing.         11. Identify the local governmental units that participated in the development of this EIA         12. Summaryof Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public UtilityRate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementing the Rule Incurred)         No significant negative economic or fiscal impact is expected.       13. Benefils of Implementing the Rule and Atternati	-		
□       State's Economy       □       Specific Businesses/Sectors         □       Public Utility Rate Payers         □       Small Businesses (if checked, complete Attachment A)         8. Would Implementation and Compliance Costs Be Greater Than \$20 million?         □       Yes       ⊠ No         9. Policy Problem Addressed by the Rule         The proposed rule revisions would disallow crawl space ventilation in one- and two-familydwellings, which has been shown to cause mold and other moisture problems.         10. Summaryof the businesses, business sectors, associations representing business, local governmental units, and individuals tha may be affected by the proposed rule that were contacted for comments.         Representatives of the following: building contractors engaged in construction of housing; building inspectors; the construction material supply industry, and remodeling contractors engaged in the remodeling of housing         11. Identify the local governmental units that participated in the development of this EIA         12. Summaryof Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred)         No significant negative economic or fiscal impact is expected.         13. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule         Che- and two-family dwellings are expected to have insulated crawl spaces with openings for cross ventilation and crawl space walls will be re	□ No Fiscal Effect □ Increase Existing Revenues □	Could Absorb Within Agency's Budget	
<ul> <li>Yes No</li> <li>Policy Problem Addressed by the Rule The proposed rule revisions would disallow crawl space ventilation in one- and two-family dwellings, which has been shown to cause mold and other moisture problems.</li> <li>Summary of the businesses, business sectors, associations representing business, local governmental units, and individuals that may be affected by the proposed rule that were contacted for comments. Representatives of the following: building contractors engaged in construction of housing; building inspectors; the construction material supplyindustry; and remodeling contractors engaged in construction of housing</li> <li>Identify the local governmental units that participated in the development of this EIA.</li> <li>Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public UtilityRate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred)</li> <li>No significant negative economic or fiscal impact is expected.</li> <li>Benefits of Implementing the Rule and Aternative(s) to Implementing the Rule Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls will be required to have insulation. The alternative would be to continue to allow uninsulated crawl space walls wit ventilation as a crawl space design option.</li> <li>Long Range Implications of Implementing the Rule One- and two-family dwellings are expected to have fewer mold and moisture problems in crawl spaces.</li> <li>Compare With Approaches Being Used by Federal Government See comparison in the rule analysis that accompanies the proposed rule revisions.</li> <li>Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) See comparison in the rule analysis that accompanies the proposed rule revisions.</li> <li>Contact Phone Number</li> <td colspan="3">State's Economy       Specific Businesses/Sectors         Local Government Units       Public Utility Rate Payers</td></ul>	State's Economy       Specific Businesses/Sectors         Local Government Units       Public Utility Rate Payers		
The proposed rule revisions would disallow crawl space ventilation in one- and two-family dwellings, which has been shown to cause mold and other moisture problems.         10. Summaryof the businesses, business sectors, associations representing business, local governmental units, and individuals tha may be affected by the proposed rule that were contacted for comments.         Representatives of the following: building contractors engaged in construction of housing; building inspectors; the construction material supplyindustry; and remodeling contractors engaged in the remodeling of housing         11. Identify the local governmental units that participated in the development of this EIA.         12. Summaryof Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred)         No significant negative economic or fiscal impact is expected.         13. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule         Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls will be required to have insulation. The alternative would be to continue to allow uninsulated crawl space walls wit ventilation as a crawl space design option.         14. Long Range Implications of Implementing the Rule         One- and two-family dwellings are expected to have fewer mold and moisture problems in crawl spaces.         15. Compare With Approaches Being Used by Federal Government         See comparison in the rule analysis that accompa			
may be affected by the proposed rule that were contacted for comments.         Representatives of the following: building contractors engaged in construction of housing; building inspectors; the construction         material supplyindustry; and remodeling contractors engaged in the remodeling of housing         11. Identify the local governmental units that participated in the development of this EIA.         12. Summary of Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public UtilityRate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred)         No significant negative economic or fiscal impact is expected.         13. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule         Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls will be required to have insulation. The alternative would be to continue to allow uninsulated crawl space walls wit ventilation as a crawl space design option.         14. Long Range Implications of Implementing the Rule One- and two-family dwellings are expected to have fewer mold and moisture problems in crawl spaces.         15. Compare With Approaches Being Used by Federal Government See comparison in the rule analysis that accompanies the proposed rule revisions.         16. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) See comparison in the rule analysis that accompanies the proposed rule revisions.         17. Contact Name       18. Contact Phone Number <td colspan="3">The proposed rule revisions would disallow crawl space ventilation in one- and two-family dwellings, which has been shown to cause</td>	The proposed rule revisions would disallow crawl space ventilation in one- and two-family dwellings, which has been shown to cause		
12. Summaryof Rule's Economic and Fiscal Impact on Specific Businesses, Business Sectors, Public UtilityRate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred)         No significant negative economic or fiscal impact is expected.         13. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule         Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls will be required to have insulation. The alternative would be to continue to allow uninsulated crawl space walls wit ventilation as a crawl space design option.         14. Long Range Implications of Implementing the Rule         One- and two-family dwellings are expected to have fewer mold and moisture problems in crawl spaces.         15. Compare With Approaches Being Used by Federal Government See comparison in the rule analysis that accompanies the proposed rule revisions.         16. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) See comparison in the rule analysis that accompanies the proposed rule revisions.         17. Contact Name       18. Contact Phone Number	Representatives of the following: building contractors engaged in construction of housing; building inspectors; the construction		
Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred)         No significant negative economic or fiscal impact is expected.         13. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule         Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls will be required to have insulation. The alternative would be to continue to allow uninsulated crawl space walls with ventilation as a crawl space design option.         14. Long Range Implications of Implementing the Rule         One- and two-family dwellings are expected to have fewer mold and moisture problems in crawl spaces.         15. Compare With Approaches Being Used by Federal Government         See comparison in the rule analysis that accompanies the proposed rule revisions.         16. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota)         See comparison in the rule analysis that accompanies the proposed rule revisions.         17. Contact Name       18. Contact Phone Number	11. Identify the local governmental units that participated in the development of this EIA.		
Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls will be required to have insulation. The alternative would be to continue to allow uninsulated crawl space walls wit ventilation as a crawl space design option.         14. Long Range Implications of Implementing the Rule         One- and two-family dwellings are expected to have fewer mold and moisture problems in crawl spaces.         15. Compare With Approaches Being Used by Federal Government         See comparison in the rule analysis that accompanies the proposed rule revisions.         16. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota)         See comparison in the rule analysis that accompanies the proposed rule revisions.         17. Contact Name       18. Contact Phone Number	Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred)		
One- and two-family dwellings are expected to have fewer mold and moisture problems in crawl spaces.         15. Compare With Approaches Being Used by Federal Government See comparison in the rule analysis that accompanies the proposed rule revisions.         16. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) See comparison in the rule analysis that accompanies the proposed rule revisions.         17. Contact Name       18. Contact Phone Number	Home owners and building contractors will not be allowed to have uninsulated crawl spaces with openings for cross ventilation and crawl space walls will be required to have insulation. The alternative would be to continue to allow uninsulated crawl space walls with		
See comparison in the rule analysis that accompanies the proposed rule revisions.         16. Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota) See comparison in the rule analysis that accompanies the proposed rule revisions.         17. Contact Name       18. Contact Phone Number			
See comparison in the rule analysis that accompanies the proposed rule revisions.         17. Contact Name         18. Contact Phone Number			
Dan Smith 608-261-4463	17. Contact Name	18. Contact Phone Number	
	Dan Smith	608-261-4463	

This document can be made available in alternate formats to individuals with disabilities upon request.