mailing, mailing list and stenographic services, equipment rental services, commercial testing laboratories.

- ix. Automobile repair, automobile services, garages.
- x. Establishments rendering amusement and recreation services, including motion picture theaters.
- xi. Elementary and secondary schools, colleges, universities, professional schools, junior colleges, vocational schools, and public and private libraries.
- d. There shall be no open burning by any person of tree waste, vegetation, refuse, or debris in any form.
- e. The use of incinerators for the disposal of any form of solid or liquid waste shall be prohibited.
- f. The use of motor vehicles is prohibited except in emergencies with the approval of local or state police.
- (d) When the secretary determines that an air pollution episode condition exists at one or more monitoring sites solely because of emissions from a limited number of sources, he may order such source or sources to put into effect the emission control action programs which are applicable for each episode stage.
  - (e) Tables for emission reduction:

TABLE 1. EMISSION REDUCTION OBJECTIVES FOR PARTICULATE MATTER

Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
I. Coal or oil-fired electric power generating facilities.	a. Substantial reduction by utiliza- tion of fuels having lowest available ash content.	a. Maximum reduction by utilization of fuels having lowest available ash content.	a. Maximum reduction by utilization of tuels having lowest available ash content.
	<ul> <li>Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.</li> </ul>	<ul> <li>Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.</li> </ul>	<ul> <li>Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.</li> </ul>
	<ul> <li>Substantial reduction by diverting electric power generation to facilities outside of Alert Area.</li> </ul>	<ul> <li>Maximum reduction by diverting electric power generation to facilities outside of Warning Area.</li> </ul>	c. Maximum reduction by diverting ele- tric power generation to facilities outside of Emergency Area.
2. Coal or oil-fired process steam generating facilities.	<ul> <li>Substantial reduction by utiliza- tion of fuels having lowest available ash content.</li> </ul>	<ul> <li>Maximum reduction by utilization of fuels having lowest available ash content.</li> </ul>	<ul> <li>a. Maximum reduction by reducing her and steam demands to absolute necessi- ties consistent with preventing equip- ment damage.</li> </ul>
	b. Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmos- pheric turbulence for boiler lancing and soot blowing.	<ul> <li>Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.</li> </ul>	<ul> <li>Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.</li> </ul>
	<ul> <li>Reduction of steam load demands consistent with continuing plant operations.</li> </ul>	c. Reduction of steam load demands consistent with continuing plant operations.	c. Taking the action called for in the emergency plan.
		d. Making ready for use a plan of action to be taken if an emergency develops.	
3. Manufacturing, processing, and mining industries.  OR  Other persons required by the Department to prepare standby plans.	<ul> <li>Substantial reduction of air con- taminants from manufacturing oper- ations by curtailing, postponing, or deferring production and allied operations.</li> </ul>	a. Maximum reduction of air con- taminants from manufacturing oper- ations by, if necessary, assuming rea- sonable economic hardship by postponing production and allied operations.	a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring pro- duction and allied operations to the ex- tent possible without causing injury to persons or damage to equipment.
	<ul> <li>Maximum reduction by deferring trade waste disposal operations which emit particles, gases, vapors or maledorous substances.</li> </ul>	b. Maximum reduction by deferring trade waste disposal operations which emit particles, gases, vapors or malodorous substances.	b. Elimination of air contaminants fron trade waste disposal processes which emit particles, gases, vapors or malodor ous substances.
	<li>c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.</li>	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Maximum reduction of heat load demands for processing.
4. Refuse disposal operations.	a. Maximum reduction by prevention of open burning.	a. Maximum reduction by prevention of open burning.	a. Maximum reduction by prevention o
	b. Substantial reduction by limiting burning of refuse in incinerators to the hours between 12:00 Noon and 4:00 p.m.	b. Complete elimination of the use of incinerators.	b. Complete elimination of the use of incinerators.

655

TABLE 2. EMISSION REDUCTION OBJECTIVES FOR SULFUR OXIDES

Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
<ol> <li>Coal or oil-fired electric power generating facilities.</li> </ol>	<ul> <li>a. Substantial reduction by utiliza- tion of fuels having lowest available sulfur content.</li> </ul>	a. Maximum reduction by utilization of fuels having lowest available sul- fur content.	a. Maximum reduction by utilization of fuels having lowest available sulfur content.
	<ul> <li>Substantial reduction by diverting electric power generation to facilities outside of Alert Area.</li> </ul>	b. Maximum reduction by diverting electric power generation to facilities outside of Warning Area.	<ul> <li>Maximum reduction by diverting electric power generation to facilities outside of Emergency Area.</li> </ul>
2. Coal or oil-fired process steam generating facilities.	<ul> <li>a. Substantial reduction by utiliza- tion of fuels having lowest available sulfur content.</li> </ul>	a. Maximum reduction by utilization of fuels having the lowest available sulfur content.	<ul> <li>a. Maximum reduction by reducing heat and steam demands to absolute necessi- ties consistent with preventing equip- ment damage.</li> </ul>
	<ul> <li>Roduction of steam load demands consistent with continuing plant operations.</li> </ul>	b. Reduction of steam load demands consistent with continuing plant operations.	b. Taking the action called for in the emergency plan.
		<ul> <li>Reduction of heat load demands for processing consistent with con- tinuing plant operations.</li> </ul>	
3. Manufacturing and processing industries.  OR  Other persons required by the Department to prepare standby plans.	<ul> <li>a. Substantial reduction of air con- taminants from manufacturing oper- ations by curtailing, postponing, or deferring production and allied operations.</li> </ul>	a. Maximum reduction of air con- taminants from manufacturing oper- ations by, if necessary, assuming rea- sonable economic hardship by postponing production and allied operations.	a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing or deferring pro- duction and allied operations to the ex- tent possible without causing injury to persons or damage to equipment.
	<ul> <li>Maximum reduction by deferring trade waste disposal operations which emit particles, gases, vapors or malodorous substances.</li> </ul>	b. Maximum reduction by deferring trade waste disposal operations which emit particles, gases, vapors or malodorous substances.	<ul> <li>Elimination of air contaminants from trade waste disposal processes which emit particles, gases, vapors or malodor- ous substances.</li> </ul>
	<ul> <li>Reduction of heat load demands for processing consistent with con- tinuing plant operations.</li> </ul>	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Maximum reduction of heat load demands for processing.

NR 154

Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
Stoam-electric power generating facilities.	a. Substantial reduction by utiliza- tion of fuel which results in the for- mation of less air contaminant.	a. Maximum reduction by utilization of fuel which results in the forma- tion of less air contaminant.	<ol> <li>Maximum reduction by diverting elec- tric power generation to facilities outside of Emergency Area.</li> </ol>
	<ul> <li>Substantial reduction by diverting electric power generation to facilities outside of Alert Area.</li> </ul>	b. Maximum reduction by diverting electric power generation to facilities outside of Warning Area.	
2. Process steam generating facilities.	a. Substantial reduction by utiliza- tion of fuel which results in the for- mation of less air contaminant.	a. Maximum reduction by utilization of fuel which results in the forma- tion of less air contaminant.	<ul> <li>a. Maximum reduction by reducing heat and steam demands to absolute necessi- ties consistent with preventing equip- ment damage.</li> </ul>
	<ul> <li>Reduction of steam load demands consistent with continuing plant operations.</li> </ul>	b. Reduction of steam load demands consistent with continuing plant operations.	
		<ul> <li>c. Making ready for use a plan of ac- tion to be taken if an emergency develops.</li> </ul>	
3. Manufacturing and processing industries.  OR  Other persons required by the Department to prepare standby plans.	<ul> <li>a. Substantial reduction of air con- taminants from manufacturing oper- ations by curtailing, postponing, or deferring production and allied operations.</li> </ul>	a. Maximum reduction of air con- taminants from manufacturing oper- ations by, if necessary, assuming rea- sonable economic hardship by postponing, production and allied operations.	a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing, or deferring pro- duction and allied operations to the ex- tent possible without causing injury to persons or damage to equipment.
The court is great grown, the model and the co	<ul> <li>Maximum reduction by deferring trade waste disposal operations which emit particles, gases, vapors or malodorous substances.</li> </ul>	<ul> <li>Maximum reduction by deferring trade waste disposal operations which emit particles, gases, vapors or malodorous substances.</li> </ul>	<ul> <li>Elimination of air contaminants from trade waste disposal processes which emit particles, gases, vapors or malodor- ous substances.</li> </ul>
	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Maximum reduction of heat load demands for processing.
4. Stationary internal combustion engines.	a. Reduction of power demands for pumping consistent with continuing operations.	a. Reduction of power demands for pumping consistent with continuing operations.	a. Maximum reduction by reducing power demands to absolute necessities consistent with personnel safety and preventing equipment damage.
region dustri introduction in live up 1000 p.m. 1		b. Maximum reduction by utilization of fuels or power source which re- sults in the formation of less air contaminants.	b. Maximum reduction by utilization of fuels or power source which results in the formation of less air contaminants.
		concammants.	

TABLE 4. EMISSION REDUCTION OBJECTIVES FOR HYDROCARBONS

Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
Petroleum products storage and distribution.	a. Substantial reduction of air con- taminants by curtailing, postponing, or deferring transfer operations.	a. Maximum reduction of air con- taminants by assuming reasonable economic hardship by postponing transfer operations.	a. Elimination of air contaminants by curtailing, postponing, or deferring transfer operations to the extent possi- ble without causing damage to equipment.
2. Surface coating and proparation.	<ul> <li>Substantial reduction of air con- taminants by curtailing, postponing, or deferring transfer operations.</li> </ul>	<ul> <li>Maximum reduction of air con- taminants by assuming reasonable economic hardship by postponing transfer operations.</li> </ul>	a. Elimination of air contaminants by curtailing, postponing, or deferring transfer operations to the extent possi- ble without causing damage to equipment.
o. Manufacturing and processing industries.  OR  Other persons required by the Department to prepare standby plans.	a. Substantial reduction of air con- taminants from manufacturing oper- ations by curtailing, postponing, or deferring production and allied operations.	a. Maximum reduction of air con- taminants from manufacturing oper- ations by, if necessary, assuming rea- sonable economic hardship by postponing, production and allied operations.	a. Elimination of air contaminants from manufacturing operations by ceasing, curtailing, postponing, or deferring production and allied operations to the extent possible without causing injury to persons or damage to equipment.

TABLE 5. EMISSION REDUCTION OBJECTIVES FOR CARBON MONOXIDE

TABLE 5. EMISSION REDUCTION OBJECTIVES FOR CARBON MONOXIDE			
Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
Manufacturing industries     OR     Other persons required by the     Department to prepare standby     plans.	a. Substantial reduction of air con- taminants from manufacturing oper- ations by curtailing, postponing, or deferring production and allied operations.	a. Maximum reduction of air con- taminants from manufacturing oper- ations by, if necessary, assuming rea- sonable economic hardship by postponing production and allied operations.	a. Elimination of air contaminants in manufacturing operations by ceasing curtailing, postponing or deferring p duction and allied operations to the tent possible without causing injury persons or damage to equipment.
2. Refuse disposal operations.	a. Maximum reduction by prevention of open burning.	a. Maximum reduction by prevention of open burning.	a. Maximum reduction by prevention

NR 154

History: Cr. Register, March, 1972, No. 195, eff. 4-1-72; renum. (1) and (2) to be (2) and (3) and am., cr. (1), Register, June, 1975, No. 234, eff. 7-1-76.

NR 154.21 Limitations on county, regional, or local regulations. Nothing in these rules shall be construed to limit the provisions of any county, regional, or local ordinance, regulation, or resolution which is more stringent or restrictive.

History: Cr. Register, March, 1972, No. 195, eff. 4-1-72.

NR 154.22 Severability. Should any section, paragraph, phrase, sentence, or clause of this chapter be declared invalid or unconstitutional, the remainder of this chapter shall not be affected thereby.

History: Cr. Register, March, 1972, No. 195, eff. 4-1-72.