Route	From	To
USH 41	IL Line S. of Pleasant Prai-	IH 94 S.W. of Oak
	rie	Creek
USH 41	National Avenue in	Garfield Avenue in
	Milwaukee	Milwaukee
USH 41	107th St. in Milwaukee	MI Line at Marinette
	III 49 NI W - COL-L	OTTI OO - TT
STH 42	IH 43 N.W. of Sheboygan	STH 32 at Howards
C	***	Grove
STH 42	IH 43 at Manitowoc	STH 57 S.W. of Stur-
ŧ		geon Bay
IH 43	IH 90 at Beloit	USH 41 in Howard
STH 44	STH 73 at Manchester	USH 41 S.W. of
		Oshkosh
(10) USH 45	IL Line S. of Bristol	CTH "B" in Eden
USH 45	USH 41 N. of Oshkosh	CTIL D IN EUCH
	USII 41 N. UI USIIKUSII	STH 150 W. of Mena-
TIOTT (F	CONT. SA . C UI	sha
USH 45	STH 76 at Greenville	MI Line at Land
		O'Lakes
STH 47	USH 10 in Appleton	STH 29 in Shawano
STH 47	USH 45 N. of Aniwa	USH 8 W. of Rhine-
		lander
STH 48	STH 70 in Grantsburg	STH 87 S. of
511140	DITI 10 III GIZIGDUIS	Cuentahana
CITATE AO	TIOTE AT EL . C.D	Grantsburg
STH 49	USH 41 E. of Brownsville	USH 10 at Weyauwega
(11)STH 50	USH 12 W. of Lake Geneva	45th Ave. in Kenosha
USH 51	S. Corp. Limits of Janes-	USH 14 at Janesville
120	ville	
USH 51	IH 90 E. of Stoughton	STH 16 S.E. of Port-
and the second	g .	age
USH 51	STH 78 N. of Portage	USH 2 N. of Hurley
STH 52	USH 45 N, of Aniwa	USH 45 in Antigo
USH 53	USH 14-61 in La Crosse	USH 10 in Osseo
USH 53	IH 94 S.E. of Eau Claire	
	OTHER ALL Mahana	IH 535 in Superior
STH 54	STH 71 at Melrose	STH 80 at Dexterville
STH 54	STH 73 in Port Edwards	USH 41 at Green Bay
(11m) USH 51	IL Line at Beloit	Broad St. in Beloit
(12)STH 57	IH 43 N. of Saukville	STH 172 S. of Green
		Bay
STH 57	IH 43 in Green Bay	Sturgeon Bay
STH 59	STH 11 in Monroe	USH 14 in Union
STH 59		USH 164 E. of Wauke-
5.11.00		sha
(13) STH 60	STH 113 in Lodi	
		IH 43 E. of Grafton
USH 61	IA Line at Dubuque, IA	STH 129 S.E. of
TTOTT 04		Lancaster
USH 61	STH 129 N.E. of Lancaster	
USH 63	MN Line at Red Wing,	USH 2 W. of Ashland
	MN	
STH 64	STH 65 in New Richmond	STH 13 in Medford
STH 64	USH 45 in Antigo	USH 41 in Marinette
(14) STH 65	USH 10 in Ellsworth	STH 64 at New
(11)~111 00	CELL TO III THISMOLDII	Richmond
STH 66	HCH K1 of Ctorions Boint	Rosholt
OTH 67	USH 51 at Stevens Point	
STH 67	IH 94 S. of Oconomowoc	STH 28 in Mayville
STH 67	CTH "B" S. of St. Cloud	USH 151 N. of Kiel
STH 68	STH 33 at Fox Lake	STH 49 at Waupun
		Register, March, 1995, No. 471
		<u> </u>

Trans 276		,
Route	From	To
STH 69	IL Line	CTH "PB" at Paoli
(15) STH 70	STH 48 in Grantsburg	USH 53-63 in Spooner
STH 71	STH 54 at Melrose	STH 80 in Elroy
STH 73	IH 90 N. of Edgerton	STH 19 in Marshall
STH 73	USH 151 S.W. of Columbus	STH 54 in Wisconsin
5111 10	CDIT 101 D. W. Or Columbus	Rapids
STH 73	STH 13 W. of Pittsville	STH 64 S. of Gilman
(15m) STH 70	MN Line	STH 48 in Grantsburg
(16) STH 76	USH 10 W. of Appleton	USH 45 at Greenville
STH 78	IH 90-94 S. of Portage	USH 51 N. of Portage
STH 79	USH 12 N.W. of Me-	STH 170 at Boyceville
1311113	nomonie	Bill 110 at Boycevine
(17) STH 80	STH 11 S. of Cuba City	USH 14 at Richland
(11)6111 00	BIH H B. Of Ouba Oity	Center
மூய வ	OTH 99 in Union Conton	
STH 80	STH 33 in Union Center	STH 13 at Pittsville
STH 81	STH 35 N.E. of Beetown	STH 23 S. of Darling-
OMIT 01	OTHER STATE OF Manuaca	ton
STH 81	STH 11 N. of Monroe	STH 11 S. of Brodhead
STH 82	STH 80 N. of Elroy	USH 51 W. of Mon-
OWIT OO	OFFIT 100 C - LITLL	tello
STH 83	STH 167 S. of Hartford	STH 60 in Hartford
STH 85	USH 10 in Durand	STH 37 S.W. of Eau
OTTLE OH	TIGHT OF GLOS I BUILD	Claire
STH 87	USH 8 in St. Croix Falls	STH 48 S. of
amrr oo	TTOTT 4 () T	Grantsburg
STH 89	USH 14 N. of Darien	USH 12 in Whitewater
STH 89	IH 94 at Lake Mills	STH 73 in Columbus
(17m) STH 81	STH 11 S. of Brodhead	STH 213 in Beloit
(18) IH 90	MN Line at La Crosse	IL Line at Beloit
STH 92	STH 69 W. of Belleville	STH 69 in Belleville
STH 93	USH 53 in Galesville	USH 53 in Eau Claire
IH 94	MN Line at Hudson	IL Line S. of Pleasant
		Prairie
STH 95	USH 53 at Blair	STH 73 S. of
		Neillsville
STH 97	STH 13 in Marshfield	STH 29 S. of Athens
STH 98	STH 73 W. of Loyal	STH 13 in Spencer
(19)STH 100	IH 94 in Oak Creek	IH 43 in Milwaukee
		Co.
STH 103	STH 49 S. of Brandon	USH 151 at LaMartine
(20) STH 110	USH 41 at Oshkosh	USH 10 E. of Fremont
STH 117	STH 29-47 in Bonduel	STH 22 in Cecil
STH 119	IH 94 in Milwaukee	STH 38 in Milwaukee
(21) STH 121	STH 93 in Independence	USH 53 in Pigeon Falls
STH 124	USH 53 N. of Eau Claire	STH 64 E. of Bloomer
STH 128	STH 29 in Spring Valley	STH 170 in Glenwood
		City
STH 129	USH 61 S.E. of Lancaster	USH 61 N.E. of
		Lancaster
(22) STH 131	USH 14-61 at Readstown	STH 56 at Viola
STH 131	STH 71 in Wilton	IH 90 S. of Tomah
STH 133	USH 61 in Boscobel	USH 14 N. of Lone
		Rock
STH 138	STH 14 in Oregon	USH 51 W. of Stough-
		ton
		*

Trans 276

Register, March, 1995, No. 471

		11605 270		
Route	From	To		
STH 139	USH 8 N. of Cavour	Long Lake		
(23) USH 141	IH 43 at Bellevue	STH 29 at Bellevue		
	USH 41 at Abrams	USH 8 S.E. of Niagara		
USH 141				
STH 144	USH 45 at West Bend	STH 57 at Random		
		Lake		
STH 145	Broadway in Milwaukee	USH 41-45 in		
: '		Milwaukee		
(24) STH 150	STH 110 at Winchester	USH 41 at Neenah		
USH 151	IA Line at Dubuque, IA	S. Park St. in Madison		
USH 151	IH 90-94 in Madison	USH 41 in Fond du		
0.011 101	III DO DI IN INCOMON	Lac		
USH 151	STH 23 in Fond du Lac	USH 10 at Manitowoc		
USH 151	IH 94 W. of Kenosha			
	omit 40 M A D' Day 1	STH 31 in Kenosha		
STH 164	STH 43 N. of Big Bend	USH 18 E. of Wauke-		
	` .	sha		
STH 164	IH 94 N. of Waukesha	STH 74 in Sussex		
STH 165	IH 94 W. of Kenosha	STH 31 in Kenosha		
STH 170	STH 128 in Glenwood City	STH 79 in Boyceville		
STH 172	USH 41 in Ashwaubenon	IH 43 S.E. of Green		
~111 11.0	00x1 11 111 11011 11 dabonon	Bay		
STH 173	STH 21 W. of Wyeville	STH 73 in Nekoosa		
		CTH "P" S. of The-		
STH 175	STH 67 in Lomira			
0MTT 480	American series	resa		
STH 178	CTH "S" N. of Chippewa	Jim Falls		
	Falls			
(25) STH 186	STH 13-73 S. of Vesper	USH 10 in Auburndale		
STH 190	STH 16 at Pewaukee	STH 100 in Wauwa-		
		tosa		
STH 194	STH 27 W. of Sheldon	CTH "G" in Sheldon		
(26) STH 213	STH 11 in Orfordville	USH 14 in Evansville		
STH 310	USH 10 N.W. of Manito-	STH 42 in Two Rivers		
*** ***	woe	3.537.71		
IH 535	5th St. in Superior	MN Line at Superior		
IH 794	IH 43-94 in Milwaukee	Car Ferry Dr. in		
	7	Milwaukee		
IH 894	IH 94 W. of Milwaukee	IH 94 S. of Milwaukee		
(26m) STH 213	Broad St. in Beloit	STH 81 in Beloit		
(27) CALUMET				
CTH "PP"	STH 57 S. of Hilbert	USH 10 in Brillion		
(28) CHIPPEW	A COUNTY.	COLL TO III DI IIIIOII		
CTH "S"		COLUMN of Chin		
OTH	STH 124 N. of Chippewa	STH 178 N, of Chip-		
OMIT HOU	Falls	pewa Falls		
GTH "S"	Jim Falls	STH 27 E. of Jim Falls		
CTH "Y"	STH 124 W. of Jim Falls	Jim Falls		
(29) COLUMBI				
CTH "AW"	STH 73 N. of Randolph	East County Line		
(30) DANE CO		- ·		
CTH "N"	USH 51 in Stoughton	IH 90 N, of Stoughton		
ČTH "PB"	STH 69 at Paoli	USH 18-151 E, of		
OIII ID	Diri oo de i don	Verona		
(31) DODGE COUNTY:				
		OWIT 40 + D T.		
CTH "A"	STH 26 S. of Juneau	STH 68 at Fox Lake		
CTH "A"	STH 33 W. of Fox Lake	North County Line		
CTH "AW"	West County Line	STH 49 W. of Waupun		
	-	Posistor Morah 1905 No. 471		

Trans 276

From Route CTH "C" CTH "A" E. of Fox Lake

CTH "P" STH 60 S. of Rubicon

(31m) EAU CLAIRE COUNTY:

CTH "R" S. County Line

USH 151 W. of Valders

(31r) MANITOWOC COUNTY: CTH "W" (32) FOND DU LAC COUNTY: CTH "AW" West County Line CTH "B" USH 41 S. of Fond du Lac CTH "B" USH 45 E. of Eden CTH "G" STH 67 S. of St. Cloud CTH "KK" West County Line CTH "M" CTH "M" STH 23 W. of Rosendale CTH "OOO" CTH "VVV" W. of Fond du Lac CTH "VVV" STH 23 W. of Fond du Lac

(33) GREEN LAKE COUNTY: CTH "A" South County Line

CTH "AW" STH 73 S. of Manchester East County Line CTH "K" CTH "A" S. of Green Lake East County Line

(34) KENOSHA COUNTY:

CTH "C" CTH "W" in Wilmot

(35) MILWAUKEE COUNTY: CTH "BB" STH 100 in Franklin CTH "E" West County Line CTH "PP" **USH 41**

(36) ROCK COUNTY: CTH "O" E. of Janesville CTH "J" CTH "O" USH 51 in Janesville

(37) RUSK COUNTY: CTH "G" STH 194 in Sheldon

CTH "I" STH 27 S. of Ladysmith (38) SHEBOYGAN COUNTY:

CTH "PP" STH 67 S. of Plymouth CTH "RR" STH 57 at Random Lake (38m) TREMPEALEAU COUNTY:

CTH "R" USH 10 E. of Osseo (38r) WASHINGTON COUNTY:

CTH "Q" CTH "J" W. of Colgate

CTH "Q" STH 175 in Menomonee Falls

(39) WAUKESHA COUNTY: CTH "J" CTH "VV" in Sussex

> CTH "Q" Colgate Road in Colgate

CTH "VV" STH 83 at North Lake (40) WINNEBAGO COUNTY: CTH "M" South County Line

Register, March, 1995, No. 471

USH 151 W. of Atwater STH 175 S. of Theresa

USH 12 W. of Augusta

USH 10 at Reedsville

STH 49 W. of Waupun USH 45 in Eden STH 67 S. of St. Cloud St. Cloud STH 44-49 S. of Ripon North County Line Main St. in Fond du Lac CTH "000" W, of Fond du Lac

CTH "K" S. of Green Lake

USH 45 S. of Bristol

STH 38 in Oak Creek 73rd St. in Milwaukee Port Washington Rd.

STH 11 CTH "J" E. of Janesville

USH 8 in Ladysmith CTH "G" at Conrath

STH 57 IH 43 at Cedar Grove

N. County Line

Colgate Road in Colgate USH 41 in Menomonee Falls

CTH "Q" W. of Colgate STH 175 in Menomonee Falls East County Line

STH 44 at Pickett

From

Trans 276

Route (40m) CITY OF BELOIT:

Broad St. STH 213 in Beloit

 (41) CITY OF FOND DU LAC: Pioneer Rd. Johnson Street Scott St. Pioneer Road
(43) CITY OF JANESVILLE:

43) CITY OF JANESVILLE: Delavan Dr. USH 51

(44) CITY OF MILWAUKEE: Silver 73rd Street

Spring Dr.

(44m) CITY OF RIPON:

Douglas St. E. Fond du Lac St. Oshkosh St. W. Fond du Lac St.

(45) CITY OF SUN PRAIRIE: Main St. USH 151 To

USH 51 in Beloit

Scott Street Main Street

East Corporate Limit

East Corporate Limit

Oshkosh St. Douglas St.

STH 19

Note: The county trunk highways and other local roads or streets designated by s. Trans 276.07 (27) through (46) may be subject to weight restrictions imposed by local authorities and not known to the department. Seasonal weight restrictions may be imposed by local authorities under s. 349.16, Stats., but must be posted. Under s. 349.15, Stats., county trunk highways may be designated as Class "B" highways by the county highway committee. Similarly, other local authorities may designate highways they maintain as Class "B". Wheel, axle, axle group and gross weights are limited on Class "B" highways as provided by s. 348.16, Stats. Neither posting of Class "B" designations nor notification to the department is required. Therefore, the department recommends that motor carriers avoid overweight violations by verifying the applicable weight limits on these highways with the local authorities, before use.

Note: See s. Trans 276.09 (1) regarding applicability of s. Trans 276.07 (11m), (17m), (26m) and (40m).

History: Cr. Register, December, 1984, No. 348, eff. 1-1-85; emerg. am. eff. 6-6-86; am. Register, December, 1986, No. 372, eff. 1-1-87; am. (3) to (8), (12), (15), (17), (18), (21) to (24), (28) and (39), cr. (31m) and (38m), r. (42), Register, February, 1988, No. 386, eff. 3-1-88; am. (3), (4), (9), (12), (14), (15), (17) and (36), cr. (38r), Register, May, 1989, No. 401, eff. 6-1-89; cr. (11m), (17m), (26m) and (40m), Register, July, 1990, No. 415, eff. 8-1-90; am. (4), (6), (7), (13), (14), (15), (26) and (31), cr. (31r), Register, October, 1990, No. 418, eff. 11-1-90; am. (11), (13), (14) and (15), cr. (44m), Register, April, 1991, No. 424, eff. 5-1-91; am. (8), (11), (14), (17) and (18), cr. (8m), (17s) and (26s), Register, May, 1991, No. 425, eff. 6-1-91; am. (12), Register, September, 1991, No. 429, eff. 10-1-91; emerg. am. (8), eff. 10-11-91; am. (3), (6), (9), (13), (15), (16), (18), (21) and (24), Register, November, 1991, No. 431, eff. 12-1-91; am. (3), Register, December, 1991, No. 432, eff. 1-1-92; am. (8), (11), (17), (20) and (24), Register, March, 1992, No. 435, eff. 4-1-92; am. (1) to (8), (9) to (14), (17), (17m), (18), (21) to (24), (26) and (39), r. (8m), (17s) and (26s), cr. (15m), Register, July, 1992, No. 439, eff. 8-1-92; am. (6) and (13), Register, May, 1993, No. 449, eff. 6-1-93; am. (5), (10) and (36), r. (38r), Register, July, 1994, No. 463, eff. 8-1-94; am. (8), (10), (13), (14), (19), (24), (31), (39), cr. (38r), Register, December, 1994, No. 468, eff. 1-1-95; am. (15), (18), (22) and (24), Register, March, 1995, No. 471, eff. 4-1-95.

Trans 276.075 Designated access routes. The following highway is designated for the purpose of the operation of the specified vehicles and combinations with lengths as provided in s. 348.07 (4), Stats., to gain access to locations within the 5 mile limit as provided in s. 348.07 (4), Stats.:

Route From USH 12 STH 128 E. of Hersey

STH 79 N.W. of Menomonie

History: Cr. Register, July, 1992, No. 439, eff. 8-1-92.

Trans 276.08 Detours, bypasses and alternate routes. When a highway designated in s. Trans 276.07 or 276.075 is closed and detoured as authorized by s. 84.02 (10) (b), Stats., vehicles being operated under ss. 348.07 (2) (f), (fm), (gm), (gr), (4) and 348.08 (1) (e), Stats., may be operated Register, March, 1995, No. 471

448-2 Trans 276

on the detour until the regular route of the highway is reopened to traffic. When a bypass or alternate route is recommended by the department for a highway designated in s. Trans 276.07 or 276.075 in order to reduce congestion, improve access or improve public safety, vehicles being operated under ss. 348.07 (2) (f), (fm), (gm), (gr), (4) and 348.08 (1) (e), Stats., may be operated on the recommended bypass or alternate route. Notice of a recommended bypass or alternate route may be given by signs or other appropriate methods.

History: Cr. Register, December, 1991, No. 432, eff. 1-1-92; emerg. am. eff. 11-24-93; am. Register, April, 1994, No. 460, eff. 5-1-94.

Trans 276.09 Applicability. (1) The treatment of s. Trans 276.07 (11m), (17m), (26m) and (40m) applies beginning January 1, 1992, and ending when any one of the following occur:

- (a) The department determines, by rule, that the state of Illinois has designated Illinois state trunk highway 26 from the Wisconsin border to U.S. highway 20, north of Freeport, Illinois, as a designated highway for the operation of vehicles and combinations of vehicles the overall length of which cannot be limited.
- (b) The department, as a result of the Rock County Transportation Study authorized by 1989 Wis. Act 31, Section 3053 (7e), determines and designates a more feasible alternative route than the route provided under s. Trans 276.07 (11m), (17m), (26m) and (40m),
 - (c) On January 1, 1996.
- (2) The treatment of s. Trans 276.07 (15m) applies when the state of Minnesota has designated Minnesota state trunk highway 70/county trunk highway 110 from the Wisconsin border to interstate highway 35.

Note: Sections Trans 276.07 (11m), (17m), (26m) and (40m) and 276.09 (1) shall expire on December 31, 1995.

History: Cr. Register, July, 1990, No. 415, eff. 8-1-90; 276.09 renum. to (1), cr. (2), Register, May, 1991, No. 425, eff. 6-1-91; r. and recr. (2), Register, July, 1992, No. 439, eff. 8-1-92.

Trans 276.10 Tire load carrying capacity in excess of 13,000 pounds. (1) Subject to the restrictions and limitations in sub. (2), the weight on the steering axle of a truck tractor may exceed 13,000 pounds if the sum of the maximum load carrying capacities of the tires used on that axle, as certified by the tire manufacturer, allows a greater steering axle load.

- (2)(a) The actual weight on the steering axle of a truck tractor may not exceed the sum of the maximum load carrying capacities of the tires used on that axle and in any event may not exceed 20,000 pounds.
- (b) The extra weight privilege allowed by this chapter is available only when the tires used on the steering axle of a truck tractor have the manufacturer's certified load carrying capacity embossed thereon in compliance with applicable federal regulations. If the tires on a steering axle have no certified load carrying capacity embossed on them, the steering axle is restricted to the 13,000 pound load limit prescribed in s. 348.15 (3) (b), Stats.
- (c) This chapter does not authorize the operator of a truck tractor to exceed the gross axle weight rating (G.A.W.R.) established by the manufacturer of the steering axle being used.

DEPARTMENT OF TRANSPORTATION

448-3

Trans 276

(d) The tires on the steering axle of a truck tractor exceeding the statutory 13,000 pound weight limit shall have equal load carrying capacity and shall be properly inflated.

History: Emerg. cr. eff. 3-9-78; cr. Register, June, 1978, No. 270, eff. 7-1-78; renum, from Hy 36.02, Register, July, 1991, No. 427, eff. 8-1-91.