Chapter ATCP 51 APPENDIX A APPLICATION FORM AND WORKSHEETS

Application for Local Approval New or Expanded Livestock Facility



Wisconsin Department of Agriculture, Trade and Consumer Protection 2811 Agriculture Drive P.O. Box 8911 Madison, WI 53708–8911 (608) 224–4622 (608) 224–4500

http://docs.legis.wisconsin.gov/code/admin_code WISCONSIN ADMINISTRATIVE CODE

390-12

Introduction

Use this application form to obtain local approval for a *new* or *expanded* livestock facility (cattle, swine, poultry, sheep or goats) that will exceed 500 "animal units" (or a lower threshold established by local zoning ordinance prior to July 19, 2003).

Some local governments require local approval, but others do not. Check with your local government (county and town or municipality) to see if local approval is required in your area.

In some cases, you may need local approval from more than one local government (for example, the county and the town, or 2 towns if your livestock facility straddles the town line). But the application and approval process should be the same.

The construction of a new or altered *livestock structure* does not, by itself, constitute an "expansion" (unless there will also be an increase in *animal units*). If you already have a permit or local approval, you may not need another approval unless your planned expansion exceeds the number of animals previously authorized by your local government.

Local approval, if required, is governed by statewide uniform standards in Wisconsin Statutes s. 93.90 and Wisconsin Administrative Code chapter *ATCP 51*. This application documents compliance with those standards.

The Livestock Facility

A livestock facility includes livestock, livestock structures, the land on which they are located (it does not include pastures or winter grazing areas). *Related livestock facilities* (see definition below) are treated as a single livestock facility, for purposes of local approval. However:

- A separate species facility (see definition below) may be treated as a separate livestock facility, even if it
 is owned by the same person and located on the same land parcel as another livestock facility.
- A mere acquisition of a neighboring livestock facility does not constitute an *expansion* unless more *ani-mal units* are added to the combined facilities.

Completing the Application

If local approval is required, complete this entire application form (including the worksheets). Follow the instructions in the application form. Attach all of the supplementary documentation required. Your application must be complete, credible and internally consistent.

The application form and worksheets ask for information to show compliance with Wisconsin livestock facility siting standards. A local government has *very limited* authority to modify the standards by local ordinance (modifications, if any, must be reflected in the local version of this application form).

As part of your application, you must specify the number of *animal units* that you will keep at a new or expanded livestock facility. If the local government approves your requested number, this will be the maximum number that you may keep for 90 days or more in any 12–month period.

A local government may require you to submit up to 4 duplicate copies of the complete application, worksheets, maps and other attachments. But you are not required to submit duplicate copies of engineering design specifications.

Worksheets

This application includes the following worksheets:

- Animal units (worksheet 1)
- Odor management (worksheet 2)
- Waste and nutrient management (worksheet 3)
- Waste storage facilities (worksheet 4)
- Runoff management (worksheet 5)

Complete the worksheets following all instructions (including those on each worksheet). You may use a convenient automated spreadsheet in place of Tables A and B of worksheet 2 if you prefer (results are identical). The spreadsheet is available at <u>http://www.datcp.state.wi.us</u>.

If the Wisconsin Department of Natural Resources (*DNR*) has issued a Wisconsin Pollutant Discharge Elimination System (*WPDES*) permit for your proposed livestock facility, you can check a box on worksheets 3, 4 and 5, and submit a copy of that permit with the worksheets. A *WPDES* permit does not affect the requirements for completing worksheets 1 and 2.

390-13

http://docs.legis.wisconsin.gov/code/admin_code
AGRICULTURE, TRADE AND CONSUMER PROTECTION ATCP 51 Appendix A

Fees

A local government may require a fee to offset its reasonable costs to review and process this application. The fee, if any, must be established by local ordinance and may not exceed \$1,000. A local government may NOT charge any other fee, or require you to post any bond or security.

Local Approval Process

If you complete the application properly, the local government MUST APPROVE the proposed livestock facility unless it finds, based on clear and convincing evidence in the local record, that the facility fails to meet the state standards.

Within 45 days after you submit your application, the local government must notify you whether your application is complete. If you failed to complete part of the application, you must submit the missing information. The local government must grant or deny the application within 90 days after it declares the application complete, and issue its decision in writing. The approval must include a duplicate copy of the approved application, marked "approved." The duplicate copy shall include all the worksheets, maps, and other attachments included in the application, with the exception of the engineering design specifications. The local government must make a record of its decision making process, and the evidence supporting its decision. The record must include your application.

Appeal of Local Decision

If you disagree with the local government's decision on your application, you may appeal that decision to the Wisconsin Livestock Facility Siting Review Board ("Board"). Other "aggrieved persons" may also appeal to the Board. An "aggrieved person" includes any person who resides or owns land within 2 miles of your proposed livestock facility.

You must file your appeal within 30 days after the local government issues its decision (or, if you pursue a local administrative appeal process first, within 30 days after that appeal process is complete). The Board will review the local decision based on the evidence in the local record (it will not hold a new hearing or accept new testimony or evidence). You must file your appeal in writing at the following address:

Wisconsin Livestock Facility Siting Review Board c/o Secretary, Department of Agriculture, Trade and Consumer Protection P.O. Box 8911 Madison, WI 53708–8911

Terms Used in this Application Form

In this application form, you will see a number of *italicized* terms. Those terms are defined below (for more specific definitions, see *ATCP 51*):

"Adjacent" – Located on land parcels that touch each other, or on land parcels that are separated only by a river, stream, or transportation or utility right–of–way.

"Affected Neighbors" – Residences or *high–use buildings* within 2500 feet of any livestock structure at the proposed facility, other than those owned by the applicant or by persons who have agreed to exclude them from the applicant's odor score calculation. The total odor score for a *livestock facility* depends, in part, on the proximity and density of "affected neighbors."

"Animal housing area" – That portion of an animal housing structure to which animals have access, and in which manure may accumulate. "Animal housing area" includes free–stalls and travel lanes. It does NOT include holding areas, feed alleys, storage areas or milking parlors.

"Animal lot" – A feedlot, barnyard or other outdoor facility where livestock are concentrated for feeding or other purposes. Pastures and winter grazing areas are NOT "animal lots." Treat multiple "animal lots" as a single "animal lot" if runoff from the "animal lots" drains to the same treatment area or if runoff from the "animal lot" treatment areas converges or reaches the same surface water within 200 feet of any of those treatment areas.

"Animal units" – Equivalent units of *livestock*. The number of animals constituting an "animal unit" varies by species. For example, one milking dairy cow equals 1.4 "animal units." A beef animal over 600 lbs. equals 1.0 "animal units." A pig over 55 lbs. equals 0.4 "animal units." A laying chicken equals 0.01 "animal unit." The number of "animal units" kept at a *livestock facility* means the largest number of "animal units" that will be at the *livestock facility* on at least 90 days in any 12–month period. Calculate "animal units" according to worksheet 1.

"BARNY runoff model" – The Wisconsin version of a model that is commonly used to predict nutrient runoff from *animal lots*. An Excel computer spreadsheet version is available on the DATCP website (engineering directory).

"Certified agricultural engineering practitioner" – A practitioner who is properly qualified under ATCP 50.46.

"Cluster" – Any group of one or more *livestock structures* within a *livestock facility*. If you wish to do so, you may calculate separate odor scores for "clusters" that are separated by more than 750 feet.

390-14

"**Complete application for local approval**" – An application that contains everything required under ss. ATCP 51.30(1) to (4).

"**DATCP**" – Wisconsin Department of Agriculture, Trade and Consumer Protection. The application form cites DATCP rules including Wis. Adm. Code chs. *ATCP 51* (livestock facility siting), *ATCP 50* (soil and water resource management) and *ATCP 17* (livestock premises registration).

"**DNR**" – Wisconsin Department of Natural Resources. The application form cites DNR rules including Wis. Adm. Code chs. *NR 243* (*WPDES* permits), *NR 811* (community wells) and *NR 812* (private wells).

"Expanded livestock facility" – The entire *livestock facility* created by an *expansion*, including new, existing and altered *livestock structures* (existing structures are subject to less rigorous standards). Your application must indicate the maximum number of *animal units* that you will keep at the "expanded livestock facility."

"Expansion" – An increase in the largest number of *animal units* kept at a *livestock facility* on at least 90 days in any 12–month period. The acquisition of an existing livestock facility, by the operator of an *adjacent* facility, is not an "expansion" unless the operator increases the largest number of *animal units* kept at the combined livestock facilities on at least 90 days in any 12–month period.

"High-use building" – A residential building that has at least 6 distinct dwelling units; a restaurant, hotel, motel, or tourist rooming house; a school building; a hospital or licensed care facility; or a non-farm business or workplace that is open at least 40 hours a week. The odor score for your *livestock facility* depends, in part, on the proximity and density of neighboring "high-use buildings."

"Karst features" – Sinkholes, fractured bedrock or like features that may result in direct pollution runoff to groundwater.

"Livestock" – Cattle, swine, poultry, sheep or goats.

"Livestock facility" – A feedlot, dairy farm, or other operation where *livestock* are or will be fed, confined, maintained, or stabled for a total of 45 days or more in any 12–month period. A "livestock facility" includes all of the tax parcels on which the facility is located, but it does NOT include a parcel used only for *pasture* or as a *winter grazing area.* Related livestock facilities are considered a single "livestock facility," except a livestock operator may elect to treat a *separate species facilities* as a separate livestock facility.

"Livestock structure" – A building or structure such as a barn, milking parlor, feed storage facility, feeding facility, *animal lot* or *waste storage structure*. *Pastures, winter grazing areas* and machine sheds are NOT "livestock structures."

"**Local approval**" – A license, permit, special zoning exception, conditional use permit, or other local authorization for a *new or expanded livestock facility*. This application form applies, regardless of the form of local approval. However, this application form does NOT cover any of the following permits (for which separate requirements may apply):

- Building, electrical or plumbing permits (if local standards are consistent with state code).
- Manure storage system permits (see ATCP 50.56), UNLESS construction is part of a new or expanded livestock facility.
- Permits required by certain local ordinances related to shoreland zoning, floodplain zoning, construction site erosion control or stormwater management.

"New livestock facility" – A livestock facility used for the first time, or for the first time in at least 5 years.

"**NRCS**" – The Natural Resource Conservation Service of the United States Department of Agriculture. Wisconsin livestock siting standards refer to NRCS Technical Guide standards.

"Pasture" – Land on which livestock graze or otherwise seek feed in a manner that maintains the vegetative cover over all of the grazing or feeding area.

"**Premises ID**" – The unique ID number assigned to your *livestock facility* under the Wisconsin Livestock Premises Registration Program (*ATCP 17*). Go to <u>http://www.datcp.state.wi.us</u> for more information. To register your *livestock facility*, go to <u>http://www.wiid.org/</u>.

"Qualified nutrient management planner" – A person, other than the applicant, who is qualified under ATCP 50.48.

"Related livestock facilities" – Two or more *livestock facilities* that are owned or managed by the same person and meet any of the following criteria:

- They are located on the same tax parcel or *adjacent* tax parcels.
- They use any of the same *livestock structures* to collect or store manure.
- They generate manure that is applied to the same parcel of land.

"Separate Species Facility" - A distinct part of a livestock facility that meets all of the following criteria:

- It has only one of the following types of livestock, and that type is not found in any other part of the *live-stock facility*:
 - Cattle
 - Swine
 - Poultry
 - Sheep
 - Goats
- It has no more than 500 animal units.
- Its animal housing and manure storage structures, if any, are located at least 750 feet from *livestock structures* that are used by other parts of the *livestock facility*.

"Substantially altered" livestock structure – A *livestock structure* that undergoes a material change in construction or use such as:

- An increase in the capacity of a *waste storage facility*.
- The addition of a liner to a waste storage facility.
- An increase of more than 20% in the area or capacity of a *livestock structure* used to house, feed, or confine *livestock* or to store livestock feed.
- An increase of more than 20% in the number of *animal units* that will be kept in a *livestock structure* on at least 90 days in any 12– month period.

"Waste storage structure" – An embankment structure, excavated pit, dugout or fabricated structure that is used to store manure, milking center waste or other organic waste generated by a *livestock facility*. For the purposes of waste storage structure setback (application form, A–2) and worksheet 2, a "waste storage structure" does not include a structure used to collect and store waste under an animal housing facility, or a manure digester consisting of a sealed structure in which manure is subjected to managed biological decomposition.

"Waste storage facility" — A waste storage structure and any attached piping or equipment used to load or unload the structure.

"Winter grazing area" – Cropland or *pasture* where *livestock* feed on dormant vegetation or crop residue, with or without supplementary feed, during the period October 1 to April 30. "Winter grazing area" does *not* include any of the following:

- An area, other than a *pasture*, where *livestock* are kept during the period from May 1 to September 30.
- An area which at any time has an average of more than 4 animal units per acre.
- An area from which *livestock* have unrestricted access to navigable waters of the state.
- An area in which manure deposited by *livestock* causes nutrient levels to exceed standards in *ATCP* 51.16.

"WPDES permit" – Wisconsin Pollutant Discharge Elimination System permit issued by DNR for a concentrated animal feeding operation over 1000 *animal units*, or for operations of any size that discharge pollutants directly to waters of the state.

 File inserted into Admin. Code 5–1–2006. May not be current beginning 1 month after insert date. For current adm. code see:

 http://docs.legis.wisconsin.gov/code/admin_code

 WISCONSIN ADMINISTRATIVE CODE
 390–

390-16

arm-lwr- 11/04 January, 2006 Wisconsin Department of Agriculture, Trade and Consumer Protection 2811 Agriculture Drive, PO Box 8911, Madison WI 53708–8911 Phone: (608) 224–4622 or (608) 224–4500								
Application for I	Livestock Fac	oval cility	V Wi	Vis. Statute s. Adm. Co	es s. 93.90 de ch. ATCP 51			
1. Legal Name of A	pplicant (Bu	siness Entit	y):					
2. Type of Busines	s Entity: chec	k one						
Individual		ation	Partne	ership	Cooperative		LLC	
□ Trust	Other		Describe:					
3. Other names, if a	l ıny, under whi	ch applicant d	loes business	s (list all):				
4. Contact Individu	al:	Name:						
Phone:				E-mail:				
5. Business Addres	ss: (Street Address	S:					
City/Village/Town:					County:		State:	Zip:
6. Principal Owner	s or Officers	(list if applica	nt is an entity	other than	an individual):			
Name:					Title:		Phone:	
Address:					City:		State:	Zip:
Name:					Title:		Phone:	<u> </u>
Address:					City:		State:	Zip:
Name:					Title:		Phone:	
Address:			City:	City: State		Zip:		
7. Description of P	roposed Live	stock Facility	y					<u> </u>
Check one:	□ New Lives	stock Facility		Expand	ed Livestock Facility	P	remises II	D:
Address of Proposed Livestock Facility:	d							
City/Village/Town:					County:		State:	Zip:
Town #		Range #	(E or W)		Section #		¹ / ₄ Sectio	<u> </u> n #

 File inserted into Admin. Code 5–1–2006. May not be current beginning 1 month after insert date. For current adm. code see:

 0–17
 http://docs.legis.wisconsin.gov/code/admin_code

 0–17
 AGRICULTURE, TRADE AND CONSUMER PROTECTION

390-17

ATCP 51 Appendix A

		Application (continued)
8.	Total Animal Units	
En	ter total <i>animal units</i> from worksheet	1:
	Total Animal Units:	This is the maximum <i>livestock facility</i> size for which the applicant requests approval at this time.
9.	Area Map of Livestock Facility	
Att be	ach a scale map or aerial photo of appropriately sized and marked, so	he proposed <i>livestock facility</i> and surrounding area. The map or photo must that it clearly and legibly shows all of the following:
•	All existing and proposed <i>livestock</i> s existing or proposed.	tructures. Label each livestock structure to show structure type, and whether
•	The area lying within 2 miles of any ways, and navigable waters lying within the second secon	of the <i>livestock structures</i> . Show all existing buildings, property lines, road- hin that area.
•	All residences and <i>high use building</i> ings are owned by the applicant, or l worksheet calculations.	s within 2500 ft. of any <i>livestock structure</i> . Show which (if any) of those build- by persons who have agreed to exclude the buildings from the applicant's odor
•	Topographic lines at 10 ft. elevation	ntervals.
•	Map scale and north direction indica	lor.
10. Att siz •	Site Map of <i>Livestock Facility</i> ach a scale map or aerial photo of ed and marked, so that it clearly an All existing and proposed <i>livestock s</i> existing or proposed. The area lying within 1,000 ft. of any ways, navigable waters, and known Topographic lines, at 2 ft. elevation i Map scale and north direction indica	he proposed <i>livestock facility</i> site. The map or photo shall be appropriately d legibly shows all of the following: <i>tructures.</i> Label each <i>livestock structure</i> to show structure type, and whether of the <i>livestock structures.</i> Show all existing buildings, property lines, road- <i>karst features</i> within that area. htervals, for the area within 300 feet of the <i>livestock structures.</i>
11.	Location of Livestock Structures	
Th	e applicant certifies that:	
•	All livestock structures comply with a	pplicable local property line and road setbacks (see ATCP 51.12).
•	All waste storage structures comply	with setbacks in ATCP 51.12(2).
•	All <i>livestock structures</i> comply with a available from local government).	pplicable local shoreland, wetland, and floodplain zoning ordinances (copies
•	Wells comply with the Wisconsin we separated from existing wells (include	I code (<i>NR 811</i> and <i>812</i>). <i>New or substantially altered livestock structures</i> are ing neighbors' wells) by setback distances required in <i>NR 811</i> and <i>812</i> .

http://docs.legis.wisconsin.gov/code/admin_code WISCONSIN ADMINISTRATIVE CODE

390-18

Application (continued)

12. Employee Training Plan

Attach an Employee Training Plan for employees who will work at the *livestock facility*. Applicant determines plan contents, as long as the plan identifies all of the following:

- Training topics including, at a minimum, nutrient management, odor management, runoff management, manure and waste handling, employee safety, and environmental incident response.
- The number and job categories of employees to be trained.
- The form and frequency of training, which at a minimum must include a plan for at least one training per year.
- Training presenters (these may include livestock facility managers, consultants or professional educators).
- A system for taking and recording attendance.

13. Environmental Incident Response Plan

Attach an Environmental Incident Response Plan for the *livestock facility*. Applicant determines plans contents, as long as the plan identifies all of the following:

- Types of environmental incidents covered. These must include, at a minimum, overflows and spills from waste storage facilities, catastrophic system failures, manure spills during transport and application, movement of manure during or after application, catastrophic mortality disposal emergency, and odor complaints.
- The name and business telephone number of at least one individual who will handle public questions and concerns related to environmental incidents.
- The names and telephone numbers of first responders (e.g. DNR, fire departments, excavation contractors).
- Incident response procedures, including emergency response, recordkeeping and reporting procedures.

14. Odor Management Plan (Optional)

An applicant required to complete the odor management worksheet may attach an *optional* odor management plan. The applicant determines plan contents, as long as the plan addresses all of the following: activities to reduce community conflict; practices used to reduce dust; practices used to reduce odor from feed storage leachate; practices used to conserve water; and practices used to reduce odor from dead animals.

390-19

http://docs.legis.wisconsin.gov/code/admin_code
AGRICULTURE, TRADE AND CONSUMER PROTECTION
ATCP 51 Appendix A

Application (continued)

15. Other Laws

The following laws, among others, may apply to the operation of a *livestock facility*. Local approval of a *livestock facility* siting application is NOT based on these laws, except as specifically provided in *ATCP 51*. However, violations may have other legal consequences:

- Soil conservation and nonpoint pollution laws (contact your county land conservation department). Livestock facilities that have 1,000 or more animal units, or that discharge pollutants directly to waters of the state, must also obtain a WPDES permit from DNR.
- Pesticide and agricultural chemical laws administered by DATCP.
- Animal disease control laws administered by DATCP.
- Animal mortality laws administered by DATCP.
- Vehicle weight limits and state prohibitions against spilling waste on roads.
- Food safety and animal health licenses administered by *DATCP*. All livestock operations must register, and some (such as dairy farms) must hold a state license.
- Air pollution control regulations administered by DNR.
- Building, electrical, plumbing and sanitation codes administered by the Wisconsin Department of Commerce. A local authority may disapprove a proposed *livestock facility* that violates a conforming local code.
- Construction site erosion control laws administered by DNR.
- Local erosion control and stormwater management ordinances.
- Petroleum storage laws administered by the Wisconsin Department of Commerce.
- High capacity well regulations administered by DNR.

16. Worksheets

Complete worksheets as required (follow instructions on each worksheet) and attach to application.

Worksheet 1 – Animal Units.

Worksheet 2 – Odor Management.

Worksheet 3 – Waste and Nutrient Management. If you hold a WPDES permit from DNR for the same proposed livestock facility (for an equal or greater number of animal units), check the appropriate box on this worksheet, and submit a copy of the permit with this application.

Worksheet 4 – Waste Storage Facilities. If you hold a *WPDES permit* from *DNR* for the same proposed *livestock* facility (for an equal or greater number of animal units), check the appropriate box on this worksheet, and submit a copy of the permit with this application.

Worksheet 5 – Runoff Management. If you hold a WPDES permit from DNR for the same proposed livestock facility (for an equal or greater number of *animal units*), check the appropriate box on this worksheet, and submit a copy of the permit with this application.

File inserted into Admin. Code 5–1–2006. May not be current beginning 1 month after insert date. For current adm. code see: http://docs.legis.wisconsin.gov/code/admin_code WISCONSIN ADMINISTRATIVE CODE 390–200

390-20

	Application (continued)
Authorized Signature:	
I certify that the information contained in this application (including rate to the best of my knowledge.	worksheets and all attachments) is complete and accu-
Signature of Applicant or Authorized Representative	Date
Print Name	Title
For Office Use	Only:
Application #:	
Date Application Received:	
Date Completeness Determined:	Date Notice Sent to Applicant:
Date Notice Sent to Adjacent Landowners:	
Decision Date:	
Approved or Disapproved:	
Date Appeal Filed (if any):	

ATCP 51 Appendix A

390-21

http://docs.legis.wisconsin.gov/code/admin_code AGRICULTURE, TRADE AND CONSUMER PROTECTION ATCP 51 Appendix A

arm-lwr- 11/04 January 2006



Wisconsin Department of Agriculture, Trade and Consumer Protection 2811 Agriculture Drive, PO Box 8911, Madison WI 53708–8911 Phone: (608) 224–4622 or (608) 224–4500

Worksheet 1 – Animal Units

Instructions: Use this worksheet to determine the number of *animal units* for which you request approval. You may request approval for a number that is large enough to accommodate current and potential future expansions. If the local government approves the requested number of *animal units*, that is the maximum number that you may keep for 90 days or more in any 12–month period. You may not exceed that number without additional approval.

To complete this worksheet:

- 1. Identify each type of *livestock* that you might keep at the proposed facility. Enter the maximum number of animals of each type that you might keep for at least 90 days in any 12–month period.
- 2. Multiply the number of animals of each type by the relevant Animal Unit Factor to obtain *animal units* of each type.
- 3. Sum the animal units for all livestock types to obtain the Total Animal Units for which you request approval.

	Livestock Type	Animal Unit Factor	Anima	<i>l Units</i> For	Propose	d Facility
Example – Milking & Dry Cows			1.4 x	800	=	1120 AU
	Milking and Dry Cows	1.4	1.4 x		=	
Dairy	Heifers (800 lbs. to 1200 lbs.)	1.1	1.1 x		=	
Cattle	Heifers (400 lbs. to 800 lbs.)	0.6	0.6 x		=	
	Calves (up to 400 lbs.)	0.2	0.2 x		=	
	Steers or Cows (600 lbs. to market)	1.0	1.0 x		=	
Beef	Calves (under 600 lbs.)	0.5	0.5 x		=	
	Bulls (each)	1.4	1.4 x		=	
Swine	Pigs (55 lbs. to market)	0.4	0.4 x		=	
	Pigs (up to 55 lbs.)	0.1	0.1 x		=	
	Sows (each)	0.4	0.4 x		=	
	Boars (each)	0.5	0.5 x		=	
	Layers (each)	0.01	0.01 x		=	
	Broilers (each)	0.005	0.005 >	(=	
	Broilers - continuous overflow watering	0.01	0.01 x		=	
Poultry	Layers or Broilers – liquid manure sys- tem	0.033	0.033 >	(=	
	Ducks – wet lot (each)	0.2	0.2 x		=	
	Ducks – dry lot (each)	0.01	0.01 x		=	
	Turkeys (each)	0.018	0.018 >	(=	
Sheep (ea	ach)	0.1	0.1 x		=	
Goats (ea	uch)	0.1	0.1 x		=	
Total Animal Units for Which Applicant Requests Approval =						

Signature of Applicant or Authorized Representative

Date

http://docs.legis.wisconsin.gov/code/admin_code WISCONSIN ADMINISTRATIVE CODE 390–22

Arm-lwr- 11/04 January 2006	Wisconsin Department of Agriculture, Trade and Consumer Protection 2811 Agriculture Drive, PO Box 8911, Madison WI 53708–8911 Phone: (608) 224–4622 or (608) 224–4500
Worksheet 2 – Odor N	lanagement
Instructions: This workshe sheet if any of the following	et addresses odor from <i>livestock structures</i> . You are NOT required to complete this work- apply (check box if applicable):
□ I am requesting approval	for a new livestock facility with fewer than 500 animal units.
□ I am requesting approva	for an expanded livestock facility with fewer than 1,000 animal units.
□ All livestock structures wi	Il be at least 2500 ft. from the nearest affected neighbor.
If you checked any of the abo any of the above boxes, you <i>facility.</i> To meet the odor ma	ove boxes, just sign below and submit this page with your application. If you did NOT check must complete this worksheet to calculate the odor score (Box 4) for your proposed <i>livestock</i> anagement standard, you must have a total odor score of 500 or more.
If <i>livestock structures</i> are locar rate worksheet for each <i>clus</i>	ated in <i>clusters</i> that are separated by more than 750 feet, you may elect to complete a sepa- eter. If you choose that option, each <i>cluster</i> must meet the odor management standard.
A complete worksheet must Tables A and B if you prefer still sign and submit this <u>datcp.state.wi.us</u> .	include Tables A and B. You may use a convenient automated spreadsheet in place of (submit spreadsheet output instead of tables, results will be identical). However, you must signature page. The spreadsheet is available at the <i>DATCP</i> website, <u>http://www</u>
TO COMPLETE THIS WORKS	HEET. FOLLOW THESE STEPS:
Step 1: Complete Table A to	determine the Predicted Odor from your <i>livestock structures</i> . Enter the Predicted

- Step 2: Complete Table B to determine your Separation Score. Enter your Separation Score in Box 1 below. (NOT Box 2).
- Step 3: Enter your management credits in Box 2 (maximum 100 points). All applicants may enter 80 points for completing <u>required</u> incident response and employee training plans (described on page A–3). Applicants completing an <u>optional</u> odor management plan (described on page A–3), may add an additional 20 points. Applicants determine plan contents, as long as the plan addresses the required topics.

Step 4: Add Box 1 and Box 2. Subtract Box 3 and enter the total in Box 4. This is your Odor Score.



A local government must approve a *livestock facility* with an odor score of 500 or more (Box 4). You may add odor control practices to increase your odor score to 500 or more. A local government may approve, but is not required to approve, a *livestock facility* with an odor score less than 500 but not less than 470.

Signature of Applicant or Authorized Representative

		H.
쮋		
8		
8		

390-24

Table B: Separation Score

Worksheet 2 (continued)

Table B: Separat	able B: Separation Score			Chart 1: Separation Score			
INSTRUC	CTIONS	RESULTS	Wind– Adjusted Separation	Low Density	High Density		
Step 1: Enter, at rig	ght, the result	Distance (ft.) to	Distance (ft.)				
from Table A, Colur	nn G (page A-7).	Affected	0–99	505	503		
		Neighbor:	100–149	506	504		
			150–199	511	507		
Step 2: Select multi	plier based on the		200–249	516	510		
compass direction lo	poking from the	Multiplier:	250–299	521	514		
<i>livestock facility</i> to the neighbor. Enter at ri	ne nearest affected ight.		300–349	527	518		
••••••••••••••••			350–399	534	523		
Compass Direction	Multiplier		400–449	541	528		
North	1.0		450–499	548	533		
North	1.0		500–599	560	542		
Northeast	1.0		600–699	577	555		
East	1.1		700–799	595	569		
Southeast	1.2		800–899	615	585		
South	1.0		900–999	636	601		
South	1.2		1000–1099	658	619		
Southwest	1.2		1100–1199	681	637		
West	1.3		1200–1299	705	657		
Northwest	1.1		1300–1399	730			
Step 3: Calculate v	wind_adiusted	Wind-Adjusted	1400–1499	756			
separation distance	e (Distance to	Separation	1500–1599	783			
nearest affected ne	<i>eighbor</i> x multi- t.	Distance (ft.)	1600–1699	810			
			1700–1799	839			
density and enter a	affected neighbor t right:	Low or High Density?	1800–1899	868			
Low density = No	more than 5 resi-		1900–1999	899			
dences and no hig	h–use buildings		2000–2099	930			
within 1300 ft of ea	ach structure.		2100–2199	962			
High density = 6 or	r more resi-		2200-2299	994			
<i>building</i> within 130	00 ft of each		2300–2399	1027			
structure.			2400–2499	1061			
Step 5: Use results	above and Chart	Separation	2500–2749	1123			
1 to find your Separ	ration Score.	Score	2750–2999	1214			
Box 1.			3000-3249	1309			

Animal Housing Area Type	Housing/ Management Type Code	Manure Management Method	Odor Generation Number	Exempt Buildings Maximum Size (ft ²) (May exclude up to 4)
Dairy Stanchion	DSDC	Daily to weekly cleaning	2	7500
Dairy Free Stall	DBSS	Slatted floor (includes floor and pit below)	6	2500
and Beef & Dairy	DBSC	Scrape	4	3500
Heifers	DBAF	Alley flush to storage	10	1500
(Forage Ration)	DBBP	Bedded pack	2	7500
Beef Finishing	shing BFSF Slatted floor (includes floor and pit below)		12	1000
(High Energy Ration)	BFSC	Scrape	8	2000
	BFBP	Bedded pack	4	3500
Pork Gestation/	PGSF	Slatted floor (includes floor and pit below)	46	N/A
Fairow/nursery	PGPP	Pull plug to storage	22	N/A
	PFSF	Slatted floor (includes floor and pit below)	34	N/A
Pork Finishing	PFPP	Pull plug to storage	20	N/A
-	PFSS	Scrape systems to storage	11	1500
	PFDB	Deep bedded	4	3500
	PBLT	Broiler (litter)	1	15000
Poultry	PDLQ	Ducks (liquid)	20	N/A
	PLAY	Layers	20	N/A
	PTDL	Turkey and Ducks (litter)	2	7500

Chart 2: Odor Generation Numbers

Type Codes	<i>Waste Storage Facility</i> Types Note: Storage under slatted floor is addressed under animal housing.	Odor Generation Number
WSSS	Solid (stack)	2
WSLT	Long term (6 months or longer as determined in Column E of worksheet 3)	13
WSST	Short term (less than 6 months as determined in Column E of worksheet 3)	28

Animal Lot Codes	Animal Lot Types		Odor Generation Number
ALPV	Paved		4
UPDB	Unpaved	Dairy/Beef/Sheep/Goats	6
UPSW		Swine/Poultry	11

Worksheet 2 (continued)

ATCP 51 Appendix A

http://docs.legis.wisconsin.gov/code/admin_code WISCONSIN ADMINISTRATIVE CODE

Chart 3: Odor Control Practices

390-26

Worksheet 2 (continued)

Category	Practice Code	Practice Name (Practices must meet specifications on pages A–11 to A–13)	Multiplier*			
		Animal Housing Area				
Α	A1	Diet manipulation	0.8			
	B1	Bio-filter	0.1			
В	B2	Vegetable oil sprinkling (for swine only)	0.4			
(Choose only 1)	B3	Fresh water flush	0.4			
	B4	Treated water flush	0.7			
	B5	Air Dam (for swine only)	0.9			
С	C1	Windbreak (includes man-made berms)	0.9			
D	D1	Frequent cleaning of animal housing area	0.9			
	Waste Storage Facilities					
	E1	Anaerobic digestion	0.2			
_	E2	Chemical or biological additives	0.8			
E (Choose only 1)	E3	Compost	0.2			
(Choose only T)	E4	Solids Separation and Reduction	0.6			
	E5	Water Treatment	0.1			
	F1	Aeration	0.3			
	F2	Bio-cover	0.4			
F	F3	Geotextile cover	0.5			
(Choose only 1)	F4	Impermeable cover	0.1			
	F5	Natural crust	0.3			
	F6	Bottom fill	0.9			
G	G1	Windbreak (includes man-made berms)	0.9			
		Animal Lots				
н	H1	Frequent cleaning of animal lot	0.4			
(Choose only 1)	H2	Drag animal lot	0.5			
	11	Animal lot moisture control	0.8			
J	J1	Windbreak (includes man-made berms)	0.9			

*Smaller multiplier = more odor controlled (e.g. a multiplier of 0.4 represents a 60% control).

Innovative Odor Control Practices (all odor sources):

You may take credit for odor control practices not listed in Chart 3 if *DATCP* pre–approves a multiplier for each of those practices. Follow the procedure in *ATCP* 51.14(5)(c) to obtain *DATCP* approval. If you obtain *DATCP* approval, you may include the approved practice and multiplier in odor worksheet calculations in the same manner as for odor control practices listed in Chart 3 (attach *DATCP* approval to your application).

390-27

http://docs.legis.wisconsin.gov/code/admin_code AGRICULTURE, TRADE AND CONSUMER PROTECTION

ATCP 51 Appendix A

Worksheet 2 (continued)

Odor Control Practice Specifications

Odor control practices identified in Chart 3 must meet the following specifications:

Animal Housing

Diet manipulation (A1) - Limit protein in animal diet by one of the following means:

- Match nutrient supply with animal requirements.
- Formulate low-protein amino acid supplemented diets.
- Add phytase enzyme ingredients.
- Process ingredients in ways that limit protein content of processed feed.
- Use phase feeding.
- Use split sex feeding.
- Minimize feed wastage.

Bio-filter (B1) – Vent air from *animal housing areas* through a bio-filter consisting of compost and wood chips, mixed at a rate of 30:70 to 50:50 (ratio by weight of compost to wood chips). The mixture must be at least 40% moisture by weight. The bio-filter must be 10" to 18" thick, and must have an area of at least 50 to 85 sq. ft. per 1000 cu. ft. per minute (cfm) of airflow.

Vegetable oil sprinkling (B2) – Sprinkle vegetable oil on floors in *animal housing areas* (swine) each day. Apply oil at start–up rate of approximately 40 milliliters per square meter per day (mL/m²–day) in the first 1–2 days of each production cycle. During the remainder of each production cycle, apply oil at maintenance rate of 5 mL/m²–day. Avoid oil applications to pens near fans, to areas near heaters, and to areas surrounding feeders.

Fresh water flush (B3) – Use fresh water to flush manure from floors of *animal housing areas* into collection or *waste storage structures*. Flush at least 3 times a day, and more often if necessary, to prevent manure from drying and sticking to floors. Flush must be adequate to remove manure solids effectively.

Treated water flush (B4) – Use treated manure effluent to flush manure from floors of *animal housing areas* into collection or *waste storage structures*. Flush at least 3 times a day, and more often if necessary, to prevent manure from drying and sticking to floors. Flush with waste storage effluent treated by one of the following means:

- Solids Separation and Reduction (see E4 below).
- Aeration (see F1 below).
- Anaerobic digestion (see E1 below).

Air Dam (B5) – Erect and maintain a wall (typically a 10–foot x 10–foot pipe frame and tarpaulin) placed at the end of a swine–finishing building, immediately downwind of the exhaust to deflect air and odor plume. Replace material used for the barriers (tarpaulins on a frame of solid wood, for example) as needed, which may be from a few years to decades, depending on the material.

Windbreak (C1) – Maintain a solid or porous windbreak, 10 to 50 feet from the odor source, which reduces forward momentum of airflow and vertically disperses the odor plume. The length of a windbreak shall be at least half of the perimeter of the animal housing. A windbreak may be constructed of vegetation or other materials. Vegetation windbreaks must contain at least 3 rows of trees and shrubs, of both fast and slow–growing species, that are well suited for the site. Windbreaks must be designed and constructed according to *NRCS* Technical Guide Standard 380 (June, 2002).

Frequent cleaning of animal housing area (D1) – Scrape and remove manure from *animal housing areas* at least 3 times a day.

http://docs.legis.wisconsin.gov/code/admin_code WISCONSIN ADMINISTRATIVE CODE

390-28

Worksheet 2 (continued)

Waste Storage Facilities

Anaerobic digestion (E1) – Subject manure to managed biological decomposition within a sealed oxygen–free container ("digester"). Anaerobic digestion must meet design and operational standards necessary to achieve adequate odor control, including requirements for solids concentration, flow rates, retention time, and minimum temperatures. Systems must meet the following:

- Plug flow digester. Treats manure with a total solids concentration of 8 to 14%. Must be kept in the digester for at least 20 days at a temperature of 95° to 104° F. (35° to 40° C). The digester's ratio of flow path width to fluid depth must be between 3.5:1 and 5:1.
- Complete mix digester. Treats manure with a total solids concentration of 2.5 to 10%. Must be kept in the digester for at least 17 days at a temperature of 95° to 104° F. (35° to 40° C.). The digester must have appropriate mixing devices to ensure complete mixing.
- Fixed film digester. Treats manure with a total solids concentration of not more than 5%. Must be kept in the digester for 1 to 6 days at a temperature of 59° to 99° F (15° to 39° C). Microbial support material must have at least 3–inch openings.
- Other systems. Use proprietary design and performance specifications that are commonly accepted and
 provide adequate odor mitigation.

Chemical or biological additives (E2) – Apply, to stored manure, chemical or biological additives that are scientifically proven to be effective in reducing odor from that manure when applied under applicable conditions and in applicable amounts.

Compost (E3) – Aerobically treat solid or semi–solid manure to create compost. Compost must have a carbon: nitrogen ratio of 25:1 to 40:1, and must consist of at least 40 to 60% moisture by weight. Composted material must be held at a temperature of more than 130° F. (54° C.) for more than 5 days.

Solids Separation and Reduction (E4) – Reduce the solid content of stored manure to an average of less than 2% solids through separation, multi-tiered pits or other means.

Water Treatment (E5) – Install and use a physical, chemical or biological process that removes the majority of contaminants from the waste stream, resulting in a liquid effluent meeting surface water discharge standards. The remaining solid fraction or sludge must be accounted for based on its form, and the management it is subject to.

Aeration (F1) – Use aeration equipment to maintain aerobic activity in stored manure. Aeration must maintain an average of 2 milligrams of dissolved oxygen per liter of manure stored in the upper foot of manure stored in the aerated structure between April and October.

Bio-cover (F2) – Cover the surface of waste storage structure with an 8" to 12" thick blanket of dry wheat, barley or good quality straw. The blanket must cover nearly all of the waste surface between the months of April and October. Add to the blanket as necessary (typically every 6 weeks to 4 months) to maintain the required cover.

Geotextile cover (F3) – Cover the surface of waste storage structure with a geotextile membrane that is at least 2.4 mm thick. The membrane must cover nearly all of waste surface between the months of April and October.

Impermeable cover (F4) – Cover the surface of waste storage structure with an impermeable barrier that prevents gas from escaping. Gas must be drawn off, and either treated or burned.

Natural crust (F5) – Maintain a natural crust of dry manure on the surface of stored manure. The natural crust must cover a substantial amount of the surface area of the stored manure, for most of the time between the months of April and October.

Bottom fill (F6) – Add manure to a liquid *manure storage structure* from the bottom so as to limit disturbance to the surface of the stored manure.

Windbreak (G1) – Maintain a solid or porous windbreak, 10 to 50 feet from the odor source, which reduces forward momentum of airflow and vertically disperses the odor plume. The length of a windbreak shall be at least half of the perimeter of the *waste storage facility*. A windbreak may be constructed of vegetation or other materials. Vegetation windbreaks must contain at least 3 rows of trees and shrubs, of both fast and slow–growing species, that are well suited for the site. Windbreaks must be designed and constructed according to *NRCS* Technical Guide Standard 380 (June, 2002).

390-29

Animal Lots

Worksheet 2 (continued)

Frequent cleaning of animal lot (H1) - Scrape and remove manure from animal lot surfaces at least once every 3 days. You may leave an undisturbed, compacted manure layer (1 to 2 inches thick) on the surface of unpaved animal lots to provide good surface sealing.

Drag animal lot (H2) - Drag manure in animal lots with harrow or disk at least once every 7 days during the months of April though October, to aerate and dry the manure.

Animal lot moisture control (I1) - Prevent runoff water from flowing onto animal lots from roofs and other surfaces. Use diversions or roof runoff systems identified in s. ATCP 50.70 or 50.85. Animal lots must have a grade of at least one percent to promote drainage and drying.

Windbreak (J1) — Maintain a solid or porous windbreak, 10 to 50 feet from the odor source, which reduces forward momentum of airflow and vertically disperses the odor plume. The length of a windbreak shall be at least half of the perimeter of the animal lot. A windbreak may be constructed of vegetation or other materials. Vegetation windbreaks must contain at least 3 rows of trees and shrubs, of both fast and slow-growing species, that are well suited for the site. Windbreaks must be designed and constructed according to NRCS Technical Guide Standard 380 (June, 2002).

http://docs.legis.wisconsin.gov/code/admin_code WISCONSIN ADMINISTRATIVE CODE

390-30

Arm-lwr- 11/04 January 2006



Wisconsin Department of Agriculture, Trade and Consumer Protection

2811 Agriculture Drive, PO Box 8911, Madison WI 53708-8911 Phone: (608) 224-4622 or (608) 224-4500

Worksheet 3 - Waste and Nutrient Management

Part A. Waste Generation and Storage Summary

Instructions: You must complete Parts A and B of this worksheet. If your *livestock facility* will have fewer than 500 *animal units* you may be exempt from Part C, depending on results of Part B. If Part C applies, it must be signed by a *qualified nutrient management planner* (you must also sign).

You are NOT required to complete this worksheet if you already hold a *WPDES permit* for the proposed *livestock facility* (for the same or greater number of *animal units*). Simply check the following box, sign at the bottom of this page, and include a copy of the *WPDES permit* with your application.

□ I enclose a copy of my *WPDES permit* in place of Worksheet 3.

Specify a single livestock type (dairy, beef, swine, etc.). Use a separate worksheet for each livestock type. **Livestock Type**:

	Column A	Column B	Column C	Column D	Column E
Description of Storage	Waste Storage Capacity (Gallons or Tons)	Source of Waste (Animal Waste, Wastewater, Leachate, etc.)	Average Annual Volume of Waste Produced from Each Source (Gallons or Tons)	Total Average Annual Volume Waste Produced (Gallons or Tons)	Storage Duration in Days (Column A divided by Column D times 365 days)
		Animal waste	4,000,000 gallons		
Example: Unit 1 – lagoon	5,000,000	Wastewater	1,000,000 gallons	7,000,000 gallons	260 days
	gailons	Leachate	2,000,000 gallons	gailoris	
Unit 1					
Unit 2					
Unit 3					

Applicant affirms that the information provided in Part A is accurate.

File inserted into Admin. Code 5–1–2006. May not be current beginning 1 month after insert date. For current adm. code see: http://docs.legis.wisconsin.gov/code/admin_code 390-31 AGRICULTURE, TRADE AND CONSUMER PROTECTION **ATCP 51 Appendix A**

Worksheet 3 (continued)

Arm-lwr- 11/04 January 2006

Part B – Land Base for Applying Nutrients

1. Enter total *animal units* in proposed *livestock facility* (from worksheet 1):

2. What percentage of the waste from the *livestock facility* will be:

_____%. Attach map showing where waste will be applied to land. a. Applied to land:

b. Processed and sold as commercial fertilizer, under a fertilizer license: %.

c. Disposed of in other ways: %. Describe ways:

3. Multiply the percent in line 2a by the number of animal units in line 1. Result (# of animal units): ____

4. Total acres of cropland currently available for land application (owned, rented, or landspreading agreement):

5. Divide # of acres in line 4 by # of animal units in line 3 to obtain ratio of acres to animal units:

6. Is the ratio in line 5 equal to or greater than the applicable ratio in Table 1?

If YES, and if the # of animal units in line 1 is less than 500, you need NOT complete Part C. Otherwise, complete Part C.

Animal Type	Acres per Animal Unit*
Dairy	1.5
Beef	1.5
Swine	1.0
Chickens/Ducks	2.5
Turkeys	5.5
Sheep/Goats	2.0

Table 1: Acreage per Animal Unit

* NOTE: A livestock facility is NOT required to attain or exceed this ratio of acres to animal units. But IF your livestock facility will attain or exceed this ratio and will have fewer than 500 animal units, you need NOT complete Part C of this worksheet.

Applicant affirms that the information provided in Part B is accurate.

Signature of Applicant or Authorized Representative

Date

http://docs.legis.wisconsin.gov/code/admin_code WISCONSIN ADMINISTRATIVE CODE

390-32

arm-lwr- 11/04 January 2006	3 (contir	nued)
Part C – Nutrient Management Checklist		
Instructions: All applicants must submit this checklist unless exempted under Part A or B. The checklist	is base	d on
the NRCS Technical Guide Nutrient Management Standard 590 (September, 2005).		- \A()
County Name: Date Submitted: Township (1. N., S.) – (R. Cropland Acres: (owned, rented, or with manure spreading agreement) Name of livestock operator submitting ch	ecklist [.]	., vv.)
	Yes	NA
1. Are the following field features identified on maps or aerial photos?		
 a) Field location, soil survey map unit(s), field boundary, and field identification number. b) Areas prohibited from receiving nutrient applications: Surface water, established concentrated flow channels with perennial cover, permanent non-harvested vegetative buffer, non-farmed wetlands, sinkholes, lands where established vegetation is not removed, nonmetallic mines, and fields eroding at a rate exceeding tolerable soil loss (T). 		
 c) Areas within 50 ft of a potable drinking water well where mechanically–applied manure is prohibited. d) Areas prohibited from receiving winter nutrient applications: Slopes > 9% (12% if contour–cropped); Surface Water Quality Management Area (SWQMA) defined as land within 1,000 ft of lakes and ponds or within 300 ft of perennial streams draining to these waters, unless manure is deposited through winter gleaning/pasturing of plant residue and not exceeding the N and P requirements of this standard. 		
e) Areas where winter applications are restricted unless effectively incorporated within 72 hours: Land contributing runoff within 200 ft upslope of direct conduits to groundwater such as a well, sinkhole, fractured bedrock at the surface, tile inlet, or nonmetallic mine.		
f) Sites vulnerable to N leaching: Areas within 1,000 ft of a municipal well, and soils listed in Appendix 1 of the Conservation Planning Technical Note WI–1.		
2. Are erosion controls implemented so the crop rotation will not exceed T on fields that receive nutrients according to the conservation plan or WI P Index model?		
3. Check the methods below used to determine field soil nutrient levels:		
 a) Soil samples were collected and analyzed within the last 4 years according to UW Publication A2100 recommendations. 		
 b) For fields not meeting (a.) above, soil test phosphorus levels are assumed to be greater than 100 ppm soil test P. * 		
c) For fields not meeting (a.) above, preliminary estimates of soil nutrients were determined using limited soil sampling (> 5 acre per sample) but analyzed by a DATCP certified laboratory. *		
*For fields with soil nutrient levels determined under (b) or (c), the applicant must collect and analyze soil samples me requirements of A2100 within 12 months of siting approval, and revise the nutrient management plan accordingly.	eting the	
4. Using the field's predominant soil series and realistic yield goals, are planned nutrient application rates, timing, and methods of all forms of N, P, and K listed in the plan and consistent with UW Publication A2809, Soil Test Recommendations for Field, Vegetable and Fruit Crops, and the 590 standard?		
5. Do manure production and collection estimates correspond to the acreage needed in the plan? Are manure application rates realistic for the calibrated equipment used?		
6. Is a single phosphorus (P) assessment of either the P Index or soil test P management strategy uniformly applied to all fields within a tract?		
7. Are areas of concentrated flow, resulting in reoccurring gullies, planned to be protected with perennial vegetative cover?		
8. Will nutrient applications on non-frozen soil within the SWQMA comply with the following?		
 a) Unincorporated liquid manure on unsaturated soils will be applied according to Table 1 of the 590 standard to minimize runoff. 		
b) One or more of the following practices will be used: 1) Install/maintain permanent vegetative buffers, or 2) Maintain greater than 30% crop residue or vegetative coverage on the surface after nutrient application, or 3) Incorporate nutrients leaving adequate residue to meet tolerable soil loss, or 4) Establish fall cover crops promptly following application.		
9. Is a narrative included which describes proposed manure collection, transportation, and application methods?		
I certify that the documentation supporting this checklist is complete and accurate:		

Signature of Qualified Nutrient Management Planner, other than applicant:

(qualified by 1. NAICC-CPCC, 2. ASA-CCA, 3. ASA-Professional Agronomist, 4. SSSA-Soil Scientist)

Signature of Applicant or Authorized Representative:

390-33

 File inserted into Admin. Code 5–1–2006. May not be current beginning 1 month after insert date. For current adm. code see:

 0–33
 http://docs.legis.wisconsin.gov/code/admin_code

 0–33
 AGRICULTURE, TRADE AND CONSUMER PROTECTION

 ATCP 51 Appendix A

Arm-lwr- 11/04 January 2006 Wisc 2811 Phon	Agriculture Drive, PO Box 8911, Madison WI 53708–8911 e: (608) 224–4622 or (608) 224–4500	
Worksheet 4 - Waste	e Storage Facilities	
Instructions: This worksh neering practitioner. This w (including storage structure	eet must be signed by a registered professional engineer or <i>certified agricultul</i> orksheet must identify every <i>waste storage facility</i> in the proposed <i>livestock fa</i> is and transfer systems).	al engi- cility
You are NOT required to co facility (for the same or great page, and include a copy of	omplete this worksheet if you already hold a <i>WPDES permit</i> for the proposed <i>li</i> ater number of <i>animal units</i>). Simply check the following box, sign at the botto f the <i>WPDES permit</i> with your application.	<i>vestock</i> m of this
\Box I enclose a copy of my $m{ m V}$	VPDES permit in place of Worksheet 4.	
New or Substantially Alterstorage facilities comply wit [Identify each facility and at	red Facilities : Design specifications for the following <i>new</i> or <i>substantially alte</i> th <i>NRCS</i> Technical Guide Standards 313 (November, 2004) and 634 (Novemb tach design specifications for each facility.]	<i>red waste</i> er, 2004).
Existing Facilities Retained altered. Each facility meets	ed: The following waste storage facilities will continue in use without being sub one of the following:	stantially
□ The facility (list each fac steel or both, was construct shows no apparent signs of	cility) was constructed of co ted within the last 10 years according to then–existing <i>NRCS</i> technical standar f structural failure or significant leakage.	ncrete or rds, and
☐ The facility (list each fac years according to then-ex significant leakage.	ility) was constructed within isting <i>NRCS</i> technical standards, and shows no apparent signs of structural fa	n the last 3 ilure or
☐ The facility (list each fac cal standards that existed a structural failure or significa	cility) was constructed to <i>NF</i> at the time of constructed, is in good condition and repair and shows no appare ant leakage.	RCS techni- ent signs of
☐ The facility (list each fac shows no apparent signs of separation distances to gro Table 1 (November, 2004).	cility) is in good condition ar f structural failure or significant leakage, and is located on a site at which the s undwater comply with <i>NRCS</i> Technical Guide Manure Storage Facility Standa	nd repair, oils and rd 313,
☐ The facility (list each fac shows no apparent signs of located on a site at which th 5 (November, 2004).	cility) is in good condition ar f structural failure or significant leakage, is located entirely above ground, and ne soils comply with <i>NRCS</i> Technical Guide Manure Storage Facility Standard	nd repair, is 313, Table
Facilities To Be Abandon complies with NRCS Techn	ed: The following <i>waste storage facilities</i> will be closed according to a closure ical Guide Standard 360 (June, 2001). [Attach closure plan for each facility.]	plan that
Total Storage Capacity: 1 storage capacity of	The <i>waste storage facilities</i> in the proposed <i>livestock facility</i> have a combined gallons or tons (cannot include required "freeboard" in useable capacity).	useable
Professional Engineer's Embossed Seal	Print Name of Engineer (include WI License No.) or Certified Agricultural Engineering	Practitioner
	Signature of Engineer or Practitioner	Date
	Name of Firm and Address	

Arm-lwr- 11/04 January 2006



Wisconsin Department of Agriculture, Trade and Consumer Protection 2811 Agriculture Drive, PO Box 8911, Madison WI 53708-8911

Phone: (608) 224-4622 or (608) 224-4500

Worksheet 5 – Runoff Management

Instructions: This worksheet must be signed by a registered professional engineer or certified agricultural engineering practitioner (you must also sign). Signers attest to statements in this worksheet. You are responsible for compliance.

You are NOT required to complete this worksheet if you already hold a WPDES permit for the proposed livestock facility (for the same or greater number of animal units). Simply check the following box, sign at the bottom of this page, and include a copy of the WPDES permit with your application.

□ I enclose a copy of my WPDES permit in place of Worksheet 5.

Animal Lots¹

1. New or Substantially Altered Animal Lots: All new or substantially altered animal lots will be constructed according to the attached design specifications that comply with NRCS Technical Guide Standard 635 (January, 2002). [Identify animal lots and attach design specifications for each animal lot.]

2. Existing Animal Lots Near Surface Waters: The following animal lots are located within 300 feet of a stream² or 1,000 feet of a lake. According to the BARNY runoff model, each of these animal lots has (or with minor alterations³ will have) predicted average annual phosphorus runoff of less than 5 lbs. per year (measured at the end of the treatment area). Runoff does not discharge to any direct conduit to groundwater. [Identify animal lots and minor alterations if anv.]

3. Other Existing Animal Lots: The following animal lots are NOT located within 300 feet of a stream² or 1,000 feet of a lake. According to the BARNY runoff model, each animal lot has (or with minor alterations³ will have), a treatment area that reduces phosphorus runoff to an average of less than 15 lbs. per year (measured at the end of the treatment area). Runoff does not discharge to any direct conduit to groundwater. [Identify animal lots and minor alterations if any.]

Feed Storage

- 1. General. The operator agrees to manage feed storage to prevent significant discharge of leachate or polluted runoff to waters of the state.
- 2. Existing Feed Storage (High Moisture Feed). Existing paved areas and bunkers that may be used to store or handle high moisture feed (70% or higher moisture content) will meet the following standards:
 - a) Surface water runoff will be diverted from entering the paved area or bunker.⁴
 - b) Surface discharge of leachate will be collected before it leaves any paved area or bunker, if the paved area covers more than one acre. Collected leachate will be stored and disposed of in a manner that prevents discharge to waters of the state. 5

¹ Treat multiple lots as one animal lot if runoff from the animals lots drains to the same treatment area or if runoff from the animal lot treatment areas converges or reaches the same surface water within 200 feet of any of those treatment areas.

² Indicated by a solid or dashed blue line on a 1:24,000 scale USGS topographic map.

⁴ Runoff may be diverted by means of earthen diversions, curbs, walls, gutters, waterways or other practices, as appropriate.

⁵ Use safe methods to dispose of collected leachate. For example, leachate may be transferred to waste storage structures and then applied to land at agronomic rates.

³ "Minor alterations" are repairs or improvements that do not result in a substantially altered animal lot. "Minor alterations" may include conservation practices such as runoff diversions, contouring, and planting vegetation.

http://docs.legis.wisconsin.gov/code/admin_code AGRICULTURE, TRADE AND CONSUMER PROTECTION

ATCP 51 Appendix A

Worksheet 5 (continued)

- 3. New or Substantially Altered Feed Storage Structures (High Moisture Feed): New or substantially altered feed storage structures (buildings, silos, bunkers or paved areas) used to store or handle high moisture feed (70% or higher moisture content) will be designed, constructed and maintained to the following standards [attach design specifications]:
 - a) Surface water runoff will be diverted from entering the feed storage structure.¹
 - b) Surface discharge of leachate will be collected before it leaves the feed storage structure.²
 - c) The top of the feed storage structure floor will be at least 3 vertical feet from groundwater and bedrock.³
 - d) Any feed storage structure with an area greater than 10,000 sq. ft. will have a subsurface drainage system to collect leachate that may leak through the structure floor. The subsurface drainage system must consist of drainfill material below the surface material, a tile drainage network designed to collect the leachate and deliver it to storage, and a subliner. The tile drainage network must, at a minimum, be installed at the perimeter of the structure only on the downgradient side(s). The sub–liner must, at a minimum, consist of one of the following:
 - Two feet of soil, either in place or installed, having a minimum of 50% fine soil particles (that pass a #200 soil sieve).
 - Two feet of soil, either in place or installed, having a minimum of 30% fine soil particles (that pass a #200 soil sieve) and a minimum PI (plasticity index) of 7.
 - A 40 mil liner of HDPE, EPDM or PVC.
 - A geosynthetic clay liner.
 - e) Collected leachate will be stored and disposed of in a manner that prevents discharge to waters of the state.²

Nonpoint Pollution Standards

390-35

The livestock facility will be designed, constructed and maintained to do all of the following:

- 1. Divert runoff from contact with *animal lots, waste storage facilities*, paved feed storage areas or manure piles within 300 ft. of a stream or 1,000 ft. of a lake.
- 2. Avoid having any unconfined manure pile within 300 ft. of a stream or 1,000 ft. of a lake.
- 3. Prevent any overflow of waste storage facilities.
- 4. Restrict livestock access to waters of the state, as necessary to maintain adequate vegetative cover on banks adjoining the water (this does not apply to properly designed, installed and maintained livestock or farm equipment crossings).

	Signature of Applicant or Authorized Representative	Date
Professional Engineer's	Print Name of Engineer (include WI License No.) or Certified Practitioner	
Embossed Seal	Signature of Engineer or Practitioner	Date

Name of Firm and Address

¹ Runoff may be diverted by means of earthen diversions, curbs, walls, gutters, waterways or other practices, as appropriate.

² Use safe methods to dispose of collected leachate. For example, leachate may be transferred to waste storage and then applied to land at agronomic rates.

³ A tile system or curtain drain may be used to intercept lateral groundwater seepage, as necessary, to achieve the required distance to groundwater.