Chapter NR 102

WATER QUALITY STANDARDS FOR WISCONSIN SURFACE WATERS

| NR 102.01 | Purpose. | NR 102.08 | Mississippi river thermal standards. |
|-----------|--|-----------|--------------------------------------|
| NR 102.02 | Applicability. | NR 102.09 | Review of thermal standards. |
| NR 102.03 | Definitions. | NR 102.10 | Outstanding resource waters. |
| NR 102.04 | Categories of standards. | NR 102.11 | Exceptional resource waters. |
| NR 102.05 | Application of standards. | NR 102.12 | Great Lakes system. |
| NR 102.06 | Phosphorus. | NR 102.13 | Fish and aquatic life waters. |
| NR 102.07 | Lake Michigan and Lake Superior thermal standards. | NR 102.14 | Taste and odor criteria. |

Note: Chapter NR 102 as it existed on September 30, 1973 was repealed and a new chapter NR 102 was created, effective October 1, 1973. Corrections made under s. 13.93 (2m) (b) 7., Stats., Register, August, 1997, No. 500.

- NR 102.01 Purpose. (1) The purpose of this chapter is to establish, in conjunction with chs. NR 103 to 105, water quality standards for surface waters of the state pursuant to s. 281.15 (2) (b), Stats. This chapter describes the designated use categories for such waters and the water quality criteria necessary to support these uses. This chapter and chs. NR 103 to 105 constitute the water quality standards for the surface waters of Wisconsin.
- (2) Water quality standards shall protect the public interest, which includes the protection of public health and welfare and the present and prospective uses of all waters of the state for public and private water supplies, propagation of fish and other aquatic life and wild and domestic animals, domestic and recreational purposes, and agricultural, commercial, industrial, and other legitimate uses. In all cases where the potential uses are in conflict, water quality standards shall protect the general public interest.
- (3) Water quality standards serve as a basis for developing and implementing control strategies to achieve legislative policies and goals. Water quality standards are the basis for deriving water quality based effluent limitations. Water quality standards also serve as a basis for decisions in other regulatory, permitting or funding activities that impact water quality.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89.

NR 102.02 Applicability. The provisions of this chapter are applicable to surface waters of Wisconsin.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89.

- **NR 102.03 Definitions.** (1) "Mixing zone" means a region in which a discharge of different characteristics than the receiving water is in transit and progressively diluted from the source to the receiving system.
- (2) "Natural conditions" means the normal daily and seasonal variations in climatic and atmospheric conditions, and the existing physical and chemical characteristics of a water or the course in which it flows.
- (3) "Natural temperature" means the normal existing temperature of a surface water including daily and seasonal changes outside the zone of influence of any artificial inputs.
- **(4)** "Resource management" means the application of control techniques to enhance or preserve a surface water in accordance with statutory provisions and in the general public interest.
- **(5)** "Sanitary survey" means a thorough investigation and evaluation of a surface water including bacteriological sampling to determine the extent and cause of any bacterial contamination.
- **(6)** "Surface waters" means all natural and artificial named and unnamed lakes and all naturally flowing streams within the boundaries of the state, but not including cooling lakes, farm ponds and facilities constructed for the treatment of wastewaters (the term waters as used in this chapter means surface waters).

- (7) "Unauthorized concentrations of substances" means pollutants or other chemicals introduced into surface waters without prior permit or knowledge of the department, but not including accidental or unintentional spills.
- **(8)** "Best practicable control technology" means that level of treatment established by the department under s. 283.13 (2) (a), Stats., for categories and classes of point sources to be achieved by not later than July 1, 1977.
- **(9)** "Best available control technology" means that level of treatment established by the department under s. 283.13 (2) (b) 1., Stats., for categories and classes of point sources to be achieved by not later than July 1, 1983.
- (10) Class I and Class II trout waters are as defined in s. NR 1.02 (7).

History: Cr. Register, September, 1973, No. 213, eff. 10–1–73; r. (1), renum. from NR 102.01, Register, February, 1989, No. 398, eff. 3–1–89; cr. (10), Register, May, 1993, No. 449, eff. 6–1–93.

- NR 102.04 Categories of standards. (1) GENERAL. To preserve and enhance the quality of waters, standards are established to govern water management decisions. Practices attributable to municipal, industrial, commercial, domestic, agricultural, land development or other activities shall be controlled so that all waters including the mixing zone and the effluent channel meet the following conditions at all times and under all flow conditions:
- (a) Substances that will cause objectionable deposits on the shore or in the bed of a body of water, shall not be present in such amounts as to interfere with public rights in waters of the state.
- (b) Floating or submerged debris, oil, scum or other material shall not be present in such amounts as to interfere with public rights in waters of the state.
- (c) Materials producing color, odor, taste or unsightliness shall not be present in such amounts as to interfere with public rights in waters of the state.
- (d) Substances in concentrations or combinations which are toxic or harmful to humans shall not be present in amounts found to be of public health significance, nor shall substances be present in amounts which are acutely harmful to animal, plant or aquatic life
- (2) REVISED STANDARDS. It should be recognized that these standards will be revised as new information or advancing technology indicate that revisions are in the public interest. Water used for hydropower and commercial shipping depends mainly on quantity, depth and elevation; consequently, no specific quality standards for these uses have been prepared.
- (3) FISH AND OTHER AQUATIC LIFE USES. The department shall classify all surface waters into one of the fish and other aquatic life subcategories described in this subsection. Only those use subcategories identified in pars. (a) to (c) shall be considered suitable for the protection and propagation of a balanced fish and other aquatic life community as provided in the federal water pollution control act amendments of 1972, P.L. 92–500; 33 USC 1251 et seq.

- (a) Cold water communities. This subcategory includes surface waters capable of supporting a community of cold water fish and other aquatic life, or serving as a spawning area for cold water fish species. This subcategory includes, but is not restricted to, surface waters identified as trout water by the department of natural resources (Wisconsin Trout Streams, publication 6–3600 (80))
- (b) Warm water sport fish communities. This subcategory includes surface waters capable of supporting a community of warm water sport fish or serving as a spawning area for warm water sport fish.
- (c) Warm water forage fish communities. This subcategory includes surface waters capable of supporting an abundant diverse community of forage fish and other aquatic life.
- (d) Limited forage fish communities. (Intermediate surface waters). This subcategory includes surface waters of limited capacity and naturally poor water quality or habitat. These surface waters are capable of supporting only a limited community of forage fish and other aquatic life.
- (e) Limited aquatic life. (Marginal surface waters). This subcategory includes surface waters of severely limited capacity and naturally poor water quality or habitat. These surface waters are capable of supporting only a limited community of aquatic life.
- **(4)** STANDARDS FOR FISH AND AQUATIC LIFE. Except for natural conditions, all waters classified for fish and aquatic life shall meet the following criteria:
- (a) *Dissolved oxygen*. Except as provided in par. (e) and s. NR 104.02 (3), the dissolved oxygen content in surface waters may not be lowered to less than 5 mg/L at any time.
- (b) *Temperature*. 1. There shall be no temperature changes that may adversely affect aquatic life.
- Natural daily and seasonal temperature fluctuations shall be maintained.
- 3. The maximum temperature rise at the edge of the mixing zone above the existing natural temperature shall not exceed 5° F for streams and 3° F for lakes.
 - 4. The temperature shall not exceed 89° F for warm water fish.
- (c) pH. The pH shall be within the range of 6.0 to 9.0, with no change greater than 0.5 units outside the estimated natural seasonal maximum and minimum.
- (d) *Other substances*. Unauthorized concentrations of substances are not permitted that alone or in combination with other materials present are toxic to fish or other aquatic life. Surface waters shall meet the acute and chronic criteria as set forth in or developed pursuant to ss. NR 105.05 and 105.06. Surface waters shall meet the criteria which correspond to the appropriate fish and aquatic life subcategory for the surface water, except as provided in s. NR 104.02 (3).
- (e) Temperature and dissolved oxygen for cold waters. Streams classified as trout waters by the department of natural resources (Wisconsin Trout Streams, publication 6–3600 (80)) or as great lakes or cold water communities may not be altered from natural background temperature and dissolved oxygen levels to such an extent that trout populations are adversely affected.
- There shall be no significant artificial increases in temperature where natural trout reproduction is to be protected.
- 2. Dissolved oxygen in classified trout streams shall not be artificially lowered to less than 6.0 mg/L at any time, nor shall the dissolved oxygen be lowered to less 7.0 mg/L during the spawning season.
- 3. The dissolved oxygen in great lakes tributaries used by stocked salmonids for spawning runs shall not be lowered below natural background during the period of habitation.
- **(5)** STANDARDS FOR RECREATIONAL USE. A sanitary survey and/or evaluation to assure protection from fecal contamination is the chief criterion in determining the suitability of a surface water for recreational use.

- (a) *Bacteriological guidelines*. The membrane filter fecal coliform count may not exceed 200 per 100 ml as a geometric mean based on not less than 5 samples per month, nor exceed 400 per 100 ml in more than 10% of all samples during any month.
- (b) *Exceptions*. Whenever the department determines, in accordance with the procedures specified in s. NR 210.06, that wastewater disinfection is not required to protect recreational uses, the recreational use criteria and classifications as established in this subsection and in chs. NR 103 and 104 do not apply.
- (6) STANDARDS FOR PUBLIC HEALTH AND WELFARE. All surface waters shall meet the human threshold and human cancer criteria specified in or developed pursuant to ss. NR 105.08 and 105.09, respectively. The applicable criteria vary depending on whether the surface water is used for public drinking water supplies and vary with the type of fish and other aquatic life subcategory. All surface waters providing public drinking water supplies or classified as cold water or warm water sport fish communities as described in sub. (3) shall meet the taste and odor criteria specified in or developed pursuant to s. NR 102.14.
- (7) STANDARDS FOR WILDLIFE. All surface waters shall be classified for wildlife uses and meet the wildlife criteria specified in or developed pursuant to s. NR 105.07.

History: Cr. Register, September, 1973, No. 213, eff. 10–1–73; am. (3), Register, December, 1977, No. 264, eff. 1–1–78; renum. from NR 102.02, r. (3) (d) 1. to 3., and (5), renum. (3) (intro.) to (d) (intro.) and (e) and (4) to be (4) (intro.) to (e) and (5) and am. (4) (a), (d), (e) (intro.) and (5), cr. (6) and (7), Register, February, 1989, No. 398, eff. 3–1–89; am. (3) (intro.), (6), (7), r. (3) (a), renum. (3) (b) to (f) to be (3) (a) to (e) and am. (3) (a), Register, August, 1997, No. 500, eff. 9–1–97.

- NR 102.05 Application of standards. (1) ANTIDE-GRADATION. (a) No waters of the state shall be lowered in quality unless it has been affirmatively demonstrated to the department that such a change is justified as a result of necessary economic and social development, provided that no new or increased effluent interferes with or becomes injurious to any assigned uses made of or presently possible in such waters.
- (b) Classification system. For the purposes of this subsection, all surface waters of the state, or portions thereof, shall be classified as one of the following:
 - 1. Outstanding resource waters as listed in s. NR 102.10,
 - 2. Exceptional resource waters as listed in s. NR 102.11,
 - 3. Great Lakes system waters as listed in s. NR 102.12 (1),
- 4. Fish and aquatic life waters as described in s. NR 102.13, or
- 5. Waters listed in tables 3 through 8 in ss. NR 104.05 to 104.10.
- (2) STREAMFLOW. Water quality standards will not be maintained under all natural occurrences of flow, temperature, or other water quality characteristics. The determination of water quality based effluent limitations or other management practices shall be based upon the following conditions except as provided in ch. NR 106 for toxic and organoleptic substances and whole effluent toxicity:
- (a) The average minimum 7-day low streamflow which occurs once in 10 years (7-day Q_{10}); or,
- (b) In the case of dissolved oxygen and wherever sufficient data on streamflow and temperature are available, by application of a 0.274% level of nonattainment. This is equivalent to an expected nonattainment of the dissolved oxygen criterion of one day per year.
- (3) MIXING ZONES. Water quality standards shall be met at every point outside of a mixing zone. The size of the mixing zone cannot be uniformly prescribed, but shall be based on such factors as effluent quality and quantity, available dilution, temperature, current, type of outfall, channel configuration and restrictions to fish movement. For toxic and organoleptic substances with water quality criteria or secondary values specified in or developed pursuant to chs. NR 102 and 105, allowable dilution shall be determined as specified in ch. NR 106 in addition to the requirements

specified in this subsection. As a guide to the delineation of a mixing zone, the following shall be taken into consideration:

- (a) Limiting mixing zones to as small an area as practicable, and conforming to the time exposure responses of aquatic life.
- (b) Providing passageways in rivers for fish and other mobile aquatic organisms.
- (c) Where possible, mixing zones being no larger than 25% of the cross–sectional area or volume of flow of the stream and not extending more than 50% of the width.
- (d) Final acute criteria and secondary values specified in or developed pursuant to s. NR 105.05 for the fish and aquatic life subcategory for which the receiving water is classified not being exceeded at any point in the mixing zone.
- (e) Mixing zones not exceeding 10% of a lake's total surface area.
- (f) Mixing zones not interfering with spawning or nursery areas, migratory routes, nor mouths of tributary streams.
- (g) Mixing zones not overlapping, but where they do, taking measures to prevent adverse synergistic effects.
- (h) Restricting the pH to values greater than 4.0 s.u. and to values less than 11.0 s.u. at any point in the mixing zone for the protection of indigenous fish and fish food organisms.
- **(4)** EXEMPTIONS. The thermal mixing zone provisions of this chapter are not applicable to municipal waste and water treatment plants, to vessels, or to discharges to enclosed harbors.
- (5) RESOURCE MANAGEMENT EXEMPTIONS. Application of chemicals for water resource management purposes in accordance with statutory provisions is not subject to the requirements of the standards except in case of water used for public water supply.
- **(6)** ANALYTICAL PROCEDURES. (a) The criteria in the Radiation Protection Code, s. DHS 157.44, shall apply to the disposal and permissible concentrations of radioactive substances.
- (b) Methods used for analysis of samples shall be as set forth in ch. NR 219 unless alternative methods are specified by the department.

History: Cr. Register, September, 1973, No. 213, eff. 10–1–73; renum. (5) and (6) to be (6) and (7), cr. (5), Register, July, 1975, No. 235, eff. 8–1–75; r. and recr. (3), Register, August, 1981, No. 308, eff. 9–1–81; correction in (7) made under s. 13.93 (2m) (b) 7., Stats., cr. (4) (h), Register, September, 1984, No. 345, eff. 10–1–84; renum. from NR 102.03, r. (1), cr. (1) (b), renum. (2) to (7) to be (1) (a) to (6) and am. (2), (3) (intro.) and (d) and (6), Register, February, 1989, No. 398, eff. 3–1–89; and (1) (b) 3., (3) (intro.) and (d), Register, August, 1997, No. 500, eff. 9–1–97; correction in (6) (a) made under s. 13.93 (2m) (b) 7., Stats. Register July 2006 No. 607, eff. 8–1–05; correction in (6) (a) made under s. 13.92 (4) (b) 7., Stats., Register July 2010 No. 655.

NR 102.06 Phosphorus. In addition to the requirements established in ch. NR 217, any wastewater discharger, regardless of population, volume or type of waste discharge, or geographic location, may be required to remove excess amounts of phosphorus. Effluent limitations for total phosphorus based on surface water quality may be established where, in the best professional judgment of the department, such limitations will result in an improvement in water quality, or preserve the quality of surface waters where long—term discharges may result in impairment of water quality. Such limitations for phosphorus shall include an evaluation of the discharges from point sources, nonpoint sources, background sources, tributaries, and a consideration of a margin of safety.

History: Cr. Register, July, 1975, No. 235, eff. 8–1–75; am. Register, October, 1986, No. 370, eff. 11–1–86; renum. from NR 102.04, Register, February, 1989, No. 398, eff. 3–1–89; am. Register, November, 1992, No. 443, eff. 12–1–92.

NR 102.07 Lake Michigan and Lake Superior thermal standards. For Lake Michigan and Lake Superior the following thermal standards are established so as to minimize effects on the aquatic biota in the receiving waters.

(1) (a) Thermal discharges shall not raise the receiving water temperature more than 3°F above the existing natural temperature at the boundary of mixing zones established in pars. (b) and (c).

- (b) 1. The mixing zone for a shoreline thermal discharge shall be the area included within the perimeter of a rectangular figure extending 1,250 feet in both directions along the shoreline from the outfall and 1,250 feet into the lake.
- 2. The mixing zone for an offshore thermal discharge shall be the area within a 1,000–foot radius circle with its center at the point of discharge.
- (c) The department may, upon request from the owner of a source of thermal discharge, adjust the boundaries of the mixing zone established in par. (b) for that source. In no case may any mixing zone so established include an area greater than 72 acres nor may it include more than 2,800 feet of shoreline.
- (2) In addition to the limitation set forth in sub. (1), but excepting the Milwaukee Harbor, Port Washington Harbor and the mouth of the Fox River, thermal discharges to Lake Michigan shall not raise the temperature of the receiving waters at the boundary of the established mixing zone above the following limits:

| January 4 | ŀ5°F |
|-----------|--------------|
| February | 45° |
| March | 45° |
| April | 55° |
| May | 60° |
| June | 70° |
| July | 80° |
| August | 80° |
| September | 80° |
| October | 65° |
| November | 60° |
| December | 50° |

History: Cr. Register, September, 1973, No. 213, eff. 10–1–73; r. and recr. Register, July, 1975, No. 235, eff. 8–1–75; renum. from NR 102.05, Register, February, 1989, No. 398, eff. 3–1–89.

NR 102.08 Mississippi river thermal standards. In addition to the standards for fish and aquatic life, the monthly average of the maximum daily temperature in the Mississippi river outside the mixing zone shall not exceed the following limits:

| January | Ϋ́F |
|-----------|------------|
| February |)° |
| March | 1° |
| April 65 | 5° |
| May 75 | 5° |
| June 84 | 1 ° |
| July 84 | 1° |
| August 84 | 1° |
| September | <u>2</u> ° |
| October | 3° |
| November | 3° |
| December | 3° |

History: Cr. Register, July, 1975, No. 235, eff. 8–1–75; renum. from NR 102.06, Register, February, 1989, No. 398, eff. 3–1–89.

NR 102.09 Review of thermal standards. (1) Whenever the owner of any source of thermal discharges that existed on or before July 31, 1975, in compliance with department guidelines and after opportunity for public hearing, can demonstrate to the satisfaction of the department that the mixing zone established pursuant to this chapter is more stringent than necessary to assure the protection and propagation of a balanced, indigenous population of shellfish, fish and wildlife in and on the receiving water, the department may:

 (a) Impose a mixing zone with respect to such thermal discharge that will assure the protection and propagation of such a population, or

- (b) Exempt such thermal discharge from the thermal requirements of this chapter provided this exemption will not endanger the propagation of such a population.
- (2) Any owner desiring a review pursuant to sub. (1) shall submit a demonstration to the department no later than June 30, 1976. The department shall reach a decision no later than December 31, 1976
- (3) In the event the owner fails to make a satisfactory demonstration pursuant to sub. (1), the department shall establish a compliance date for the thermal component to be achieved no later than July 1, 1979.
- (4) Whenever the owner of any source of thermal discharges that commenced on or after August 1, 1975, in compliance with department guidelines and after opportunity for public hearing, can demonstrate to the satisfaction of the department that the mixing zone established pursuant to this chapter is more stringent than necessary to assure the protection and propagation of a balanced, indigenous population of shellfish, fish and wildlife in and on the receiving water, the department may:
- (a) Impose a mixing zone with respect to such thermal discharge that will assure the protection and propagation of such a population, or
- (b) Exempt such thermal discharge from the thermal requirements of this chapter provided this exemption will not endanger the propagation of such a population.
- **(5)** In the event an owner fails to make a satisfactory demonstration pursuant to sub. (4), the discharge shall be in compliance with the thermal requirements of this chapter upon commencement of the discharge.
- **(6)** The department may require the reduction of thermal discharges or the size and configuration of a mixing zone if it finds that environmental damage is imminent or existent.

History: Cr. Register, July, 1975, No. 235, eff. 8–1–75; am. Register, February, 1977, No. 254, eff. 3–1–77; renum. from NR 102.07, Register, February, 1989, No. 398, eff. 3–1–89.

- **NR 102.10 Outstanding resource waters. (1)** The following surface waters are designated as outstanding resource waters:
- (a) National wild and scenic rivers. All rivers designated under the national wild and scenic rivers act, as amended, 16 USC 1271 to 1287, except those portions flowing through Indian reservations, including:
- 1. St. Croix river between the northern boundary of the Hudson city limits and the St. Croix flowage dam in Douglas county except that the portion of the St. Croix river from the northern boundary of the St. Croix Falls city limits to a distance one mile below the STH 243 bridge at Osceola shall be classified exceptional resource waters under s. NR 102.11.
- Namekagon river between its confluence with the St. Croix river and the outlet of Lake Namekagon in Bayfield county.
- (b) State wild and scenic rivers. All state wild and scenic rivers designated under s. 30.26, Stats., including:
 - 1. Pike river and its headwater branches in Marinette county.
- 2. Pine river and its headwater branches in Florence and Forest counties.
- Popple River and its headwater branches in Florence and Forest counties.
- 4. The portion of the Brunsweiler River (Martin Hanson Wild River) from the point in Ashland County at which it leaves T44N R4W S22 QSW QQSW downstream to the point at which it crosses the boundary of the Chequamegon–Nicolet National Forest at T45N R4W S22 QNW.
- 5. Portions of the Totagatic River in Bayfield, Sawyer, Washburn, Douglas, and Burnett Counties as described in the following table:

- SEG 1: From the outlet of Totogatic Lake located in Bayfield County to the upstream end of Nelson Lake at the southern edge of the walleye spawning refuge located in Sawyer County.
- SEG 2: From a point 500 feet below the dam in the Totogatic Wildlife Area located in Washburn County to the upstream end of the Colton Flowage located in Washburn County.
- SEG 3: From a point 500 feet below the dam that forms the Colton Flowage located in Washburn County to the point where the river crosses the Washburn–Douglas County line immediately above the upstream end of the Minong Flowage.
- SEG 4: From the bridge on CTH "I" that crosses the river located in Washburn County to the confluence of the river with the Namekagon River located in Burnett County.

Note: Section NR 302.02 (1) contains a detailed description of the extent of the Pike, Pine, and Popple river systems designated as Wild Rivers.

- (c) Wolf river upstream of the northern Menominee county line.
 - (d) The following Class I trout waters:
 - 1. Adams county Big Roche-a-Cri creek
 - 2. Barron county Yellow river
 - 3. Bayfield county Flag river, Sioux river
- 4. Burnett county North Fork Clam river, South Fork Clam river
- Chippewa county Duncan creek, Elk creek, McCann creek
- Dane county Black Earth creek above the easternmost CTY KP crossing
 - 7. Door county Logan creek
- 8. Douglas county Bois Brule river and its tributaries including the waters of Lake Superior within a ¼ mile semi–circular arc centered at the middle of the river mouth
 - 9. Dunn county Elk creek
- 10. Florence county Brule river including Montagne creek and Riley creek tributaries; tributaries to the Pine–Popple rivers including Chipmunk, Cody, Haley, Haymarsh, Lamon Tangue, Lepage, Lunds, Martin, Olson, Patten, Pine, Riley, Rock, Simpson, Seven Mile, Wakefield and Woods creeks; Little Popple river (T38N R19E S3)
 - 11. Forest county Brule river
 - 13. Kewaunee county Little Scarboro creek
- 14. Langlade county Clearwater creek, Drew creek, Evergreen river, South Branch Oconto river
- 15. Lincoln county Center fork New Wood creek, Little Pine creek, Prairie river
- 16. Marathon county Holt creek, Spranger creek, Plover
- 17. Marinette county Cedarville creek, Otter creek, Holmes creek, East Thunder creek, North fork Thunder river, Eagle creek, Little Eagle creek, Plumadore creek, Meadow brook, Upper Middle Inlet creek, Middle Inlet creek, Wausaukee river, Little Wausaukee creek, Coldwater brook, Medicine brook, South Branch Miscauno creek, Miscauno creek, Swede John creek, South Branch Pemebonwon river, Spikehorn creek, Silver creek, Little Silver creek, Sullivan creek; tributaries to the Pike river including Little South Branch Pike river, Camp D creek, Camp F creek, Camp 9 creek, Cole creek, Glen creek, Harvey creek, North Branch Harvey creek, South Branch Harvey creek, Lost creek, Holloway creek, K.C. creek, Little Harvey creek, Lost creek, MacIntire creek, Phillips creek, Sackerson creek, Shinns branch, Sidney creek, Smeesters creek, Springdale brook, Whiskey creek
- Marquette county Chaffee creek, Lawrence creek, Tagatz creek

11

| 20. Oconto cou ond South Branch C Pond creek | | anch Oconto river, Sec- anch Oconto river, Hills | 1h. | Ashland & Bay- field | Marengo River | SEG 1: Origin to Inlet of Marengo Lake SEG 2: Outlet of |
|--|---|---|----------|----------------------------|--|---|
| 22. Portage cou | unty — Emmons creed ver, Nace (Trout) creed | k, Radley creek, Sannes | | | | Marengo Lake to Bad River Indian Reservation Boundary |
| | ounty — Camp creek | 1 | 1.5 | Ashland | E. Fork Chippewa | SEG1: T42N R1E |
| 25. St. Croix co 26. Vernon cou creek, Timber Coul | nty — Rullands Coul ee creek | e river above STH "35" ee creek, Spring Coulee | 1p. | & Saw- yer | River | S17/18 Line to Ashland County Highway "N" in Glidden SEG 6: Outlet of |
| 28. Walworth c Slyke creek | - | Potawatomi creek, Van | | | | Barker Lake to Confluence with Chippewa Flowage |
| son creek, Leers creek, Spaulding creriver (North Branch | reek, Peterson creek, eek, Trout creek, Whit Little Wolf river) | Radley creek, Sannes comb creek, Little Wolf | | | | SEG 3: Outlet of Pelican Lake to Inlet of Blaisdell Lake |
| of Redgranite, Mec West Branch White (e) The following | an river north of Rich river ng Class II trout water | eek, Willow creek north aford, Little Pine creek, | | | | SEG 4: Outlet of Blaisdell Lake to Inlet of Hunter Lake |
| Barron county — Yellow river Burnett county — North Fork Clam river Forest county — Brule river, Peshtigo river Grant county — Big Green river, Castle Rock creek | | | | | | SEG 5: Outlet of Hunter Lake to Inlet of Barker Lake |
| 6. Polk county | ounty — Peshtigo rive — McKenzie creek | er - | 1t. | Barron | Engle Creek | Class I & II Portions |
| 7. Vilas county (f) The following tions thereof: | | treams and rivers or por- | | | Hickey Creek | Class I & II Portions |
| 1d. Ashland | Bad River | SEG 1: Origin to Outfall in Mellen | | | Red Cedar River | SEG 1: Outlet of Red Cedar Lake to Inlet of Rice Lake |
| | D '' D' | at NW ¹ / ₄ SW ¹ / ₄ S6 T44N R2W | | | Rock Creek | SEG 2: All within Barron County |
| | Brunsweiler River | SEG 1: Origin to Inlet of Spider Lake | | | Upper Pine Creek | Above Dallas Flowage |
| SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW 1/4 of SW 1/4 SEG 3: All por- | | 2. | Bayfield | Bark River | All-Class I Portions including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth | |
| | | tions included as | | | Big Brook | All |
| | | Wild River under par. (b) 4. | | | Cranberry River & Tribs. | All-Class I Portion including the |
| | | SEG 4: End of Wild River seg- | | | | waters of Lake Superior within a |

ment under par. (b)

4. at the boundary of the Chequame-

(T45N R4W S22

1/4 NW) to the Bad River Indian Res-

ervation Boundary

gon-Nicolet National Forest ½ mile semi–cir-

cular arc centered

All-Class I Portion

All-Class I Portion

at the middle of the river mouth.

East Fork Iron

River & Tribs.

River

East Fork White

NR 102.10

| All-Class I Portion | | | | | | |
|--|-------------------|---|-----|--------------------------------|-----------------|---|
| All—Class I Portions including the waters of Lake Superior within a superior within | _ | All–Class I Portion | | | | Day Lake to Inlet |
| Superior within a ½ mile semi-circular are centered at the middle of the river mouth. Long Lake Branch & Tribs. No. Fork Fish Drummond Lake to White River All-Class I Portions No. Fork Fish Creek & Tribs. Onion River & All-Class I Portions Onion River & Superior within a ½ mile semi-circular are centered at the middle of the river mouth. Pikes Creek & All-Class I Portion including the waters of Lake Superior within a ½ mile semi-circular are centered at the middle of the river mouth. So. Fork White River Thompson Creek All-Class I Portion including the waters of Lake Superior within a ½ mile semi-circular are centered at the middle of the river mouth. So. Fork White River Thompson Creek All-Class I Portion including the waters of Lake Superior within a ½ mile semi-circular are centered at the middle of the river mouth. So. Fork White River Thompson Creek All-Class I Portions including the waters of Lake Superior within a ½ mile semi-circular are centered at the middle of the river mouth. So. Fork White River Thompson Creek All-Class I Portion including the waters of Lake Superior within a ½ mile semi-circular are centered at the middle of the river mouth. So. Fork White River Thompson Creek All-Class I Portion including the waters of Lake Superior within a ½ mile semi-circular are centered at the middle of the river mouth. So. Fork White River Thompson Creek All-Class I Portion including the waters of Lake Superior within a ¼ mile semi-circular are centered at the middle of the river mouth. See G 2: All portions included as Wild River under SEG 2 of par. (b) 5. and the 500 feet immediately downstream of the dam inthe foreagatic Wildlife Area in Washburn County into the inverticular are centered at the middle of the river mouth. SEG 1: Origin to Bad River Indian Reservation Boundary West Fork Chip-pewa River West Fork Chip-pewa Riv | Fish Creek (Main) | _ | | | | |
| Tribs. Profit for the river at the middle of the river mouth. Sioux River & All—Class I Portions including the waters of Lake Superior within a ¼ mile semi-circular are centered at the middle of the river mouth. Sioux River & All—Class I Portion including the waters of Lake Superior within a ¼ mile semi-circular are centered at the middle of the river mouth. Sioux River & All—Class I Portion including the waters of Lake Superior within a ¼ mile semi-circular are centered at the middle of the river mouth. Sioux River & All—Class I Portion including the waters of Lake Superior within a ¼ mile semi-circular are centered at the middle of the river mouth. So. Fork White River Thompson Creek All—Class I Portion All—Class I Portion All—Class I Portion River Thompson Creek All—Class I Portion Al | | Superior within a ½ mile semi–cir- cular arc centered at the middle of | | | | Upper Clam Lake to Inlet of Lower |
| No. Fork Fish Creek & Tribs. Onion River & All—Class I Portions including the waters of Lake Superior within a l/4 mile semi-circular arc centered at the middle of the river mouth. Sioux River & All—Class I Portion including the waters of Lake Superior within a l/4 mile semi-circular arc centered at the middle of the river mouth. Sioux River & All—Class I Portion including the waters of Lake Superior within a l/4 mile semi-circular arc entered at the middle of the river mouth. Sioux River & All—Class I R II Portions including the waters of Lake Superior within a l/4 mile semi-circular arc entered at the middle of the river mouth. So. Fork White River Thompson Creek All—Class I Portion All—Class I Portion including the waters of Lake Superior within a l/4 mile semi-circular arc entered at the middle of the river mouth. So. Fork White River Thompson Creek All—Class I Portion All—Class I Portion including the waters of Lake Superior within a l/4 mile semi-circular arc entered at the middle of the river mouth. So. Fork White River Thompson Creek All—Class I Portion All—Class I Portion including the waters of Lake Superior within a l/4 mile semi-circular arc entered at the middle of the river mouth. So. Fork White River Thompson Creek All—Class I Portion All—Class I Portion Sincluded as Wild River under SEG 2 of par. (b) 5., and the 500 feet immediately downstream of the dam that forms the County in the waters of Lake Superior within a l/4 mile semi-circular arc centered at the middle of the river mouth. Beartrap Creek SEG 1: Origin to Bad River Indian Reservation Boundary West Fork Chippewa River West Fork Chippewa Ri | | Drummond Lake | | | | Lower Clam Lake to Inlet of Cattail |
| No. Fork Fish Creek & Tribs. Onion River & Tribs. Onion River & Tribs. Onion River & All-Class I Portions including the waters of Lake Superior within a 1/4 mile semi-circular are centered at the middle of the river mouth. Pikes Creek & All-Class I Portion including the waters of Lake Superior within a 1/4 mile semi-circular are centered at the middle of the river mouth. Sioux River & All-Class I & II Portions including the waters of Lake Superior within a 1/4 mile semi-circular are centered at the middle of the river mouth. So. Fork White River Thompson Creek All-Class I Portion All-Class I Portion Twenty Mile All-Class I Portion White River All-Class I Portion White River All-Class I Portion All-C | | | | | | |
| Tribs. bions including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. Pikes Creek & Tribs. All-Class I Portion including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. Sioux River & All-Class I & II Portions including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. So. Fork White River All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White All-Class I Portion the river mouth. So. Fork White River All-Class I Portion the river mouth. So. Fork White River All-Class I Portion the river mouth. So. Fork White River All-Class I Portion the River under SEG 2 of par. (b) 5. and the 500 feet immediately downstream of the dam in the Totagatic Wildlife Area in Washburn County into the interference at the middle of the river mouth. Beartrap Creek SEG 1: Origin to Bad River Indian Reservation Boundary West Fork Chippewa Lake) to boundary the designation at the Douglas/Washburn County line to the interference to the first of thinong included as Wild River under SEG 2 of the river mouth. County line to the interference at the middle of the river mouth. County line to the interference at the middle of the river mouth. County line to the interference at the middle of | | All–Class I & II | | | | Cattail Lake to Inlet of Meadow |
| at the middle of the river mouth. Pikes Creek & All-Class I Portion including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. Sioux River & All-Class I & II Portions including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. So. Fork White River Thompson Creek All-Class I Portion River Thompson Creek All-Class I Portion White River All-Class I & II Portions included as Wild River under SEG 2 of par. (b) 5., and the 500 feet immediately downstream of the dam in the Torgatic Wildlife Area in Washburn County Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the W | | tions including the waters of Lake Superior within a 1/4 mile semi-cir- | | | | Meadow Lake to Inlet of Partridge Crop Lake |
| Tribs. including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. Sioux River & All-Class I & II Portion including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. So. Fork White River Thompson Creek Tribs. All-Class I Portion Twenty Mile Creek All-Class I Portion White River All-Class I Portion White River All-Class I Portion Twenty Mile Creek All-Class I Portion White River All-Class I Portion All-Class I Portion White River All-Class I Portion All-Cla | Pikes Creek & | the river mouth. | | | | Partridge Crop Lake to Inlet of |
| Sioux River & All-Class I & II Portions including the waters of Lake Superior within a Whittlesey Creek & Tribs. Beartrap Creek Beartrap Creek West Fork Chippewa River West Fork Chippewa River Mall-Class I & II Portions including the waters of Lake Superior within a Bad River Indian River Indian River Indian Reservation Boundary West Fork Chippewa River Mall-Class I Origin to Bad River Indian Reservation Boundary West Fork Chippewa River All-Class I Origin to Bad River Indian Reservation Boundary West Fork Chippewa River All-Class I Origin to Goute to County Index of the Wild River under SEG 1 of par. (b) 5. All portions included as Wild River under SEG 2 of par. (b) 5., the 500 feet immediately downstream of the dam in the Totagatic Wildlife Area in Washburn County SEG 3: All portions including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. SEG 1: Origin to Bad River Indian Reservation Boundary West Fork Chippewa River West Fork Chippewa Lake) to index of the Wild River under SEG 3 or par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River designation at the Douglas/Washburn County line to the inlet of Minong | | including the waters of Lake Superior within a ½ mile semi–cir- cular arc centered | | | | SEG 8: Outlet of Moose Lake to Sawyer County |
| Sioux River & All-Class I & II Portions including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the River Portions So. Fork White River All-Class I Portion Whitlesey Creek All-Class I Portion County Whitlesey Creek All-Class I Portion Seg 3: All portions including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. Beartrap Creek Seg 1: Origin to Bad River Indian Reservation Boundary West Fork Chippewa River (Outlet of Chippewa Lake) to inlet of Minong | | | 2p. | | Totagatic River | |
| the river mouth. So. Fork White River All-Class I Portion Thompson Creek All-Class I Portion Twenty Mile All-Class I & II Portion Creek Portions All-Class I & II Portion Twenty Mile All-Class I & II Portion Trenty Mile All-Class I & II Portion White River All-Class I Portion Whittlesey Creek Tribs. All-Class I Portion Whittlesey Creek Tribs. All-Class I Portion Whittlesey Creek Tribs. Totagatic Wildlife Area in Washburn County All-Class I Portions included as Wild River under tions included as Superior within a Wild River under SEG 3: All portions included as Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River designation at the Bad River Indian Reservation Boundary West Fork Chippewa River (Outlet of Chippewa Lake) to inlet of Minong | | Portions including the waters of Lake Superior within a ½ mile semi–cir- cular arc centered | | Wash- burn, Douglas & | | as Wild River under SEG 1 of par. (b) 5. |
| So. Fork White River Thompson Creek Thompson Creek All-Class I Portion All-Class I Will Creek Portions All-Class I Portion All-Class I Will Portions All-Class I Portion White River All-Class I Portion Whittlesey Creek & Tribs. All-Class I Portion Whittlesey Creek Tribs. All-Class I Portion County SEG 3: All portions included as Superior within a Wild River under SEG 3 of par. (b) Coular arc centered at the middle of the river mouth. Beartrap Creek SEG 1: Origin to Bad River Indian Reservation Boundary West Fork Chippewa Lake) to SEG 1: Origin Outlet of Chippewa Lake) to SEG 1: Origin County Area in Washburn County SEG 3: All portions included as Wild River under SEG 3 of par. (b) SIG | | | | | | portions included |
| Thompson Creek All-Class I Portion Twenty Mile Creek Portions of the dam in the Portions of the dam in the Totagatic Wildlife Area in Washburn County White River All-Class I Portion County Whittlesey Creek & Tribs. All-Class I Portion including the waters of Lake Superior within a 1/4 mile semi-circular arc centered at the middle of the river mouth. Beartrap Creek SEG 1: Origin to Bad River Indian Reservation Boundary West Fork Chippewa River Outlet of Chippewa Lake) to inlet of Minong | | All–Class I Portion | | | | under SEG 2 of |
| Twenty Mile Creek Portions Of the dam in the Totagatic Wildlife White River All-Class I Portion Whittlesey Creek & Tribs. All-Class I Portion County Area in Washburn County SEG 3: All portions included as Superior within a 1/4 mile semi-cir- cular arc centered at the middle of the river mouth. Beartrap Creek SEG 1: Origin to Bad River Indian Reservation Boundary West Fork Chippewa River Outlet of Chippewa Lake) to Of the dam in the Totagatic Wildlife Area in Washburn County SEG 3: All portions included as Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River designation at the Douglas/Washburn County line to the inlet of Minong | Thompson Creek | All-Class I Portion | | | | 500 feet immedi- |
| White River Whittlesey Creek & Tribs. All-Class I Portion E Tribs. All-Class I Portions including the waters of Lake Superior within a Wild River under SEG 3 of par. (b) S., the 500 feet at the middle of the river mouth. Beartrap Creek Beartrap Creek West Fork Chippewa River Winter River All-Class I Portion County All portions included as Wild River under SEG 3 of par. (b) S., the 500 feet immediately downstream of the dam that forms the Colton Flowage, and from the end of the Wild River designation at the Douglas/Washburn (Outlet of Chippewa Lake) to inlet of Minong | | | | | | of the dam in the |
| Whittlesey Creek & All-Class I Portions including the waters of Lake Superior within a Wild River under 1/4 mile semi-circular arc centered at the middle of the river mouth. Beartrap Creek SEG 1: Origin to Bad River Indian Reservation Boundary West Fork Chippewa River West Fork Chippewa River Whittlesey Creek SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as Wild River under SEG 3 of par. (b) SEG 3: All portions included as | White River | All-Class I Portion | | | | Area in Washburn |
| West Fork Chippewa River West Fork Chippewa River West Fork Chippewa Lake) to SEO 1. Origin to Salo 1. Origin to Bad River Indian And from the end of the Wild River designation at the Douglas/Washburn County line to the inlet of Minong | | tions including the waters of Lake Superior within a ½ mile semi–circular arc centered at the middle of | | | | SEG 3: All portions included as Wild River under SEG 3 of par. (b) 5., the 500 feet immediately downstream of the |
| West Fork Chippewa River SEG 1: Origin (Outlet of Chippewa Lake) to Douglas/Washburn County line to the inlet of Minong | Beartrap Creek | Bad River Indian Reservation | | | | Colton Flowage, and from the end of the Wild River |
| - | | (Outlet of Chippewa Lake) to | | | | Douglas/Washburn County line to the inlet of Minong |

Bayfield & Ash-

Bayfield, Ashland

& Sawyer

land

2d.

2h.

13

| 2 | D 44 | North Fools Class | SEG 4: All portions included as Wild River under SEG 4 of par. (b) 5. | | | | SEG 3: From Bad River Indian Res- ervation Southern Boundary to Con- fluence with Bad River |
|-----|----------------------|--|---|------|-------------------|-------------------------------|--|
| 3. | Burnett | North Fork Clam River Tributaries to the | County Highway "H" to Confluence with Clam River All-Class I & II | | | Potato River | SEG 1: Origin to Bad River Indian Reservation |
| | | N. & S. Forks of the Clam River | Portions | 8. | Iron, | Flambeau River | Boundary SEG 1: Turtle– |
| 4. | Dane | Mt. Vernon Creek | All-Class I Portion | | Ashland & Price | | Flambeau Flowage (Outlet @ Turtle– |
| 5. | Door | Mink River | All | | æ i nec | | Flambeau Dam) to |
| 5m. | Douglas | Amnicon River | SEG 1: Origin | | | | Inlet of Upper Park Falls Flowage |
| | | | (Outlet of Amnicon Lake) to Inlet of Lyman Lake | 9. | LaCrosse | Berge Coulee Creek | All |
| | | | SEG 2: Outlet of | 10. | Langlade | Elton Creek | Class I Portion |
| | | | Lyman Lake to mouth at Lake | | | Evergreen Creek | All |
| | | | Superior, including | | | Mayking Creek | All |
| | | | the waters of Lake Superior within a | | | Michelson Creek | All |
| | | | 1/4 mile semi-cir- cular arc centered at the middle of | | | Mid Branch Embarrass River | Class I Portion |
| | | Moose River | the river mouth. | 10m. | Lincoln | New Wood River | Origin (T33N R4E S14) to Confluence with Wiscon- |
| | | Spruce River | All | | | | sin River |
| | | St. Croix River | SEG 1: Outlet of | 11. | Marathon | Falstad Creek | Class II Portion |
| | | | Upper St. Croix Lake to Inlet of St. Croix Flowage | | | So. Branch Embarrass River | Class I Portion |
| 6. | Forest | Allen Creek | All | 12. | Marinette | No. Branch Beaver Creek | Entire River & tributaries |
| 0. | 1 01030 | Brule Creek | All | 13. | Oneida | Noisy Creek | Class II Portion |
| | | Elvoy Creek | All | 13. | Oneida | Squirrel River | Outlet of Squirrel |
| | | Jones Creek | Class I & II portions | | | Squarer raver | Lake to Confluence with Tomahawk River |
| | | Otter Creek (T37N R14E S23, North Otter Creek) | All | | | Tomahawk River | SEG 2: Outlet of Willow Flowage Dam to Inlet of Lake Nokomis |
| 6m. | Forest & Langlade | Swamp Creek | SEG 1: Outlet of Lake Lucerne to Mole Lake Indian | 14. | Pierce | Kinnickinnic River | From Powell Dam to St. Croix River |
| | | | Reservation Boundary | 15. | Polk | Sand Creek & Tribs | All–Class I & II Portions |
| | | | SEG 3: All below Mole Lake Indian Reservation Boundary to Con- fluence of Wolf River | 15e. | Polk & Burnett | Clam River | SEG 1: Outlet of Clam Falls Flow- age to Inlet of Clam Lake |
| 7. | Grant | Little Green River | All | | | | SEG 2: Outlet of Lower Clam Lake |
| 7m. | Iron & Ashland | Tyler Forks | SEG 1: Origin in Iron County to Bad River Indian | | | | to Section Line @ T39N R16W S21/22 |
| | | | Reservation East- ern Boundary in Ashland County | 15m. | Price | Elk River | SEG 1: Headwa- ters to Inlet of Musser Lake |

NR 102.10

| | Price & Lincoln | Spirit River | Outlet of Spirit Lake to Inlet of Spirit River Flow- age | | | Chippewa River | SEG 1: Dam at Chippewa Flowage to Inlet of Radis- son Flowage (T38N R7W S13) |
|------|----------------------------|------------------------------------|---|------|---------------------------|---------------------------|---|
| 16. | Price, Rusk & Sawyer | So. Fork Flambeau River | All–Round L. Dam downstream to Jxn with No. Fork Flambeau R. | 21. | Shawano | Middle Br. Embarrass R. | Origin to but not including Homme Pond |
| 17. | Richland | Elk Creek | All | | | No. Br. Embarrass | Origin to CTH J |
| 18. | Rusk | Devils Creek | All–Class I & II Portions | | | R. | Owigin to hut not |
| | | Soft Maple Creek | SEG 1: Origin to Rusk County Highway "F" | | | So. Br. Embarrass R. | Origin to but not including Tigerton Pond |
| | | So. Fork Main Creek | Class I & II Portions (T35N R3W S28 downstream to T34N R4W S11) | 21g. | Taylor & Chip- pewa | Yellow River | SEG 1: Conflu- ence with South Fork Yellow River to Inlet of Chequa- megon Waters |
| | | Swift Creek | Outlet of Island Lake to Inlet of Fireside Lake | | | | Flowage SEG 2: Outlet of |
| 19. | Sauk | Otter Creek | From headwaters to southern section line of T11N R6E S33 | | | | Chequamegon Waters Flowage (at Miller Dam) to State Highway 64/73 |
| 20 | a. | Parfrey's Glen | From headwaters to CTH DL | 21r. | Taylor & Price | Silver Creek | SEG 1: Origin to Westboro Sanitary District Outfall |
| 20. | Sawyer | Benson Creek | All–Class I Portion | 22. | Vilas | Allaguagh Craals & | |
| | | Couderay River | SEG 1: Origin at Outlet of Billy Boy | 22. | viias | Allequash Creek & Springs | Class I & II Portions |
| | | | Flowage to Inlet of Grimh Flowage | | | Brule Creek | All |
| | | | (Including Waters within Lac Courte | | | East Br. Blackjack Cr. | All |
| | | | Oreilles Indian Reservation) | | | Elvoy Creek & Springs | Class I & II Portions |
| | | Eddy Creek | All–Class I Portion | | | Manitowish River | SEG 1: Adjacent |
| | | Grindstone Creek Knuteson Creek | All-Class I Portion SEG 1: Outlet of Wise Lake to Inlet of Knuteson Lake | | | | to Dam Road Downstream to Inlet of Boulder Lake |
| | | | SEG 2: Outlet of Knuteson Lake to Inlet of Lake Che- tek | | | | SEG 2: Outlet of Boulder Lake to Inlet of Island Lake |
| | | Little Weirgor Creek & Tribs | All–Class I & II Portions | | | Mishonagon Creek | Class I & II Portions |
| | | McDermott Brook | All | | | Siphon Creek | All |
| | | Mosquito Brook | All-Class I Portion | | | Spring Meadow | Class I Portion |
| | | Teal River | Outlet of Teal Lake to Conflu- | | | Creek | A 11 |
| | | | ence with West Fork Chippewa | | | Tamarack Creek | All |
| | | | River | | | Trout River | SEG 1: Outlet of Trout Lake to Lac |
| 20m. | Sawyer & Rusk | Thornapple River | SEG 1: Origin to Rusk County Highway "J" | | | | Du Flambeau Indian Reservation Eastern Boundary |

15

| 22m. | Vilas & | Wisconsin River | SEG 1: Origin | | | Lake Nebagamon |
|------|------------------------------|---|--|-----|-----------|--|
| | Oneida | | (Outlet of Lac Vieux Desert) to | | | Lower Eau Claire Lake (also in Bayfield County) |
| | | | Inlet of Water- smeet Lake | | | St. Croix (Gordon) Flowage |
| 23. | Wash- | Beaver Brook | All–Class I Portion | | | Upper St. Croix Lake |
| 23. | burn | Deaver Brook | 7111 Class 11 Ortion | 7. | Florence | Edith Lake |
| | | Sawyer Creek | All–Class I & II Portions | | | Keyes Lake Lost Lake |
| | | So. Fork Bean | All–Class I Portion | | | Perch Lake |
| | | Brook | | | | Riley Lake, South |
| | | Stuntz Brook | Origin to Conflu- | 8. | Forest | Butternut Lake |
| | | | ence with Name- | | | Franklin Lake |
| 22 | Wash | Dage Craals | kagon River | | | Lucerne Lake (Stone) |
| 23m. | Wash- burn & | Bear Creek | SEG 1: Outlet of Kekegama Lake to | | | Metonga Lake |
| | Barron | | Inlet of Bear Lake | 9. | Iron | Catherine Lake |
| | | | SEG 2: Outlet of | | | Cedar Lake |
| | | | Bear Lake to Inlet | | | Gile Flowage |
| | | | at Stump Lake | | | Hewitt Lake |
| - | n) (a) The ce waters: | following lakes are de | esignated as outstanding | | | Owl Lake |
| | | D 1D1 01 1 | | | | Trude Lake |
| 1. | Ashland | Bad River Slough | | | | Turtle-Flambeau Flowage |
| | | Kakagon Slough | 1/ 12 0.1 | 9m. | Marinette | Caldron Falls Flowage (also in Oconto |
| | | line of the islands w | n ¹ / ₄ mile of the shore- | | | County) |
| | | Island National Lake | | 10. | Oconto | Archibald Lake |
| 2. | Barron | Bear Lake (T36N R | 12W S2; also in | | | Bass Lake (T32N R15E S9) |
| | | Washburn County) | | | | Bear Paw Lake |
| | | Red Cedar Lake | · · · · · · · · · · · · · · · · · · · | | | Boot Lake |
| | | (also in Washburn C Sand Lake | ounty) | | | Caldron Falls Flowage (also in Marinette County) |
| | | Silver Lake | | | | Chain Lake |
| 3. | Bayfield | Bark Bay Slough | | 11. | Oneida | Big Carr Lake |
| | | Diamond Lake | | | | Clear Lake (T39N R7E S16) |
| | | Lake Owen | | | | Little Tomahawk Lake |
| | | | n ¼ mile of the shore- | | | Tomahawk Lake |
| | | line of the islands w Island National Lake | | | | Two Sisters Lake |
| | | Lower Eau Claire La | | 10 | D 11 | Willow Flowage |
| | | County) | ane (urso in Douglas | 12. | Polk | Pipe Lake |
| | | Middle Eau Claire L | ake | 13. | Price | Cochran Lake |
| | | Namekagon Lake | | 1.4 | DI- | Tucker Lake |
| | | Pike Chain of Lakes | | 14. | Rusk | Bass Lake (T34N R9W S16) Fish Lake |
| | | Buskey Bay, Hart, T Flynn and Hildur La | | | | Island Chains of Lakes (Chain {also in |
| | | Star Lake | | | | Chippewa County}, Clear, McCann, and Island Lakes) |
| | | Upper Eau Claire La | ake | | | Three Lakes No. 1 (T36N R9W S25) |
| 4. | Burnett | Big Sand Lake | | 15. | St. Croix | Bass Lake (T30N R19W S23) |
| | | McKenzie Lake (als | o in Washburn | | | Perch Lake |
| | | County) | aka (alaa in Washhuun | 16. | Sauk | Devils Lake |
| | | County) | ake (also in Washburn | 17. | Sawyer | Barker Lake |
| | | Sand Lake (T40N R | 15W S25) | | , | Blaisdell Lake |
| 4m. | Chippewa | Chain Lake (also in | | | | Evergreen Lake |
| 5. | Columbia | Crystal Lake (T12N | <u>-</u> | | | Grindstone Lake |
| 6. | Douglas | Bardon Lake (White | | | | Lac Court Oreilles |
| | | Bond Lake | | | | Lake Chippewa (Chippewa Flowage) |

NR 102.10

Nelson Lake Osgood Lake

Perch Lake (T42N R6W S25)

Round Lake (Big Round)

Sand Lake Smith Lake Spider Lake Teal Lake Whitefish Lake

18. Vilas Black Oak Lake

Crab Lake

Crystal Lake (T41N R7E S27)

Lac Vieux Desert North Twin Lake Pallette Lake (Clear) Partridge Lake Plum Lake South Twin Lake

Star Lake Stormy Lake Trout Lake

White Sand Lake (T42N R7E S26)

19. Walworth Lulu Lake

20. Washburn Bass Lake (T40N R10W S17)

Bear Lake (T36N R12W S2; also in

Barron County) Long Lake

McKenzie Lake (also in Burnett County)

Middle McKenzie Lake (also in Burnett

County)

Red Cedar Lake (also in Barron County)

Shell Lake

Stone Lake (T39N R10W S24)

21. Waukesha Spring Lake (T5N R18E S9)

22. Waupaca Graham Lake (Nelson)

North Lake

23. Waushara Gilbert Lake

Lucerne Lake (Egans)

Norwegian Lake

Pine Lake (Springwater)

- (2) The waters in sub. (1) and (1m) may not be lowered in quality.
- (3) Surface waters, or portions thereof, may be added to, or deleted from, the outstanding resource waters designation through the rule making process under the provisions of ch. 227, Stats., and s. NR 2.03.

History: Cr. Register, February, 1989, No. 398, eff. 3–1–89; am. (1) (d), cr. (1) (e), Register, July, 1989, No. 403, eff. 8–1–89; cr. (1) (f) and (1m), am. (2), Register, May, 1993, No. 449, eff. 6-1-93; am. (1m) 6., 9. and 11., cr. (1m) 9m., Register, February, 1998, No. 506, eff. 3-1-98; CR 05-089: am. (1) (d) 8., (f) 2., (1m) 1. and 3. Register July 2006 No. 607, eff. 8–1–06; CR 05–105; renum. (1) (f) 1. to be 1t. and am., cr. (1) (f) 1d., 1h., 1p., 2d., 2h., 2p., 5m., 6m., 7m., 10m., 15e., 15m., 15s., 20m., 21g., 21r., 22m., and 23m., am. (1) (f) 3., 8. 13., 18., 20., 22., and 23., Register November 2006 No. 611, eff. 12–1–06; reprinted to correct error in (1) (d) 6. Register March 2008 No. 627; CR 09–123: am. (1) (b) 1., 2., (d) 10., 17., 22., 29., 30., (f) 1d., 2p., 6., 8., 10., 20., 22., 22m., (1m) (a) 2. to 6., 9m., 10., 13., 14., 17., 18., 20., cr. (1) (b) 3. to 5. and (1m) (a) 4m. Register July 2010 No. 655, eff. 8–1–10; renumber of (1m) to (1m) (a) made under s. 13.92 (4) (b) 1., Stats., Register July 2010 No.

- NR 102.11 Exceptional resource waters. (1) Surface waters which provide valuable fisheries, hydrologically or geologically unique features, outstanding recreational opportunities, unique environmental settings, and which are not significantly impacted by human activities may be classified as exceptional resource waters. All the following surface waters are designated as exceptional resource waters:
- (a) Class I trout waters listed in Wisconsin Trout Streams publication 6–3600 (80) that are not listed in s. NR 102.10.
 - (b) Other Class I trout waters:
- 1. Abraham Coulee creek in section 29, township 20 north, range 8 west from its headwaters to the upstream crossing of Oak Ridge Drive in Trempealeau county.
- 2. Bear creek originating in section 3, township 20 north, range 7 west in Trempealeau county.
- 3. Biser creek originating in section 19, township 12 north, range 3 west in Sauk county.
- 4. Bostwick creek from CTH M upstream 6.2 miles to the headwaters in LaCrosse county.
- 5. Bufton Hollow creek originating in section 19, township 12 north, range 2 west in Richland county.
- 6. Columbus creek originating in section 29, township 20 north, range 6 west in Jackson county.
- 7. Dutch creek originating in section 12, township 19 north, range 8 west in Trempealeau county.
- 8. Joe Coulee creek originating in section 1, township 20 north, range 7 west in Trempealeau county.
- 9. Little creek originating in section 21, township 20 north, range 6 west in Jackson county.
- 10. Marble creek originating in section 30, township 10 north, range 3 east in Sauk county.
- 11. Marshall creek originating in section 4, township 11 north, range 1 west in Richland county.
- 12. Martin creek originating in section 23, township 6 north, range 2 east in Iowa county.
- 13. South Bear creek originating in section 2, township 12 north, range 2 west in Richland county.
- 14. Spring brook downstream from CTH Y south of Antigo to its confluence with the Eau Claire river in Marathon county.
- 15. Spring Valley creek from the headwaters to SE 1/4, SE 1/4, section 33, township 16 north, range 1 east in Monroe county.
- 16. Unnamed creek 2-12 originating in section 36, township 20 north, range 7 west in Trempealeau county.
- 17. Unnamed creek 4-9 originating in section 4, township 11 north, range 1 west in Richland county.
- 18. Unnamed creek 5–6 originating in section 6, township 19 north, range 8 west in Trempealeau county.
- 19. Unnamed creek 7–4 originating in section 6, township 20 north, range 7 west in Trempealeau county.
- 20. Unnamed creek 8–9 originating in section 5, township 20 north, range 7 west in Trempealeau county.
- 21. Unnamed creek 8–14 originating in section 1, township 20 north, range 8 west in Trempealeau county.
- 22. Unnamed creek 9-13 originating in section 4, township 20 north, range 6 west in Jackson county.
- 23. Unnamed creek 10-8 originating in section 3, township 11 north, range 1 west in Richland county.
- 24. Unnamed creek 10-10 originating in section 14, township 20 north, range 6 west in Jackson county.
- 25. Unnamed creek 11-4 originating in section 1, township 20 north, range 7 west in Trempealeau county.
- 26. Unnamed creek 11–7 originating in section 2, township 20 north, range 7 west in Trempealeau county.

16-1

| 27. Unnamed creek 13–3a originating in20 north, range 6 west in Jackson county.28. Unnamed creek 13–3b originating in | in section 6, township | 1r. | Ashland & Sawyer | East Fork Chip- pewa River | SEG 2: Ashland County Highway "N" to Confluence |
|--|---|-----|------------------|--|---|
| 20 north, range 6 west in Trempealeau cou 29. Unnamed creek 15–13 originating 20 north, range 8 west in Trempealeau cou | in section 1, township | | | | of Rocky Run Creek (Includes Glidden POTW) |
| 30. Unnamed creek 15–4 originating i 20 north, range 6 west in Trempealeau cou | n section 3, township | 1t. | Barron | Brill River | All–Class II Portion |
| 31. Unnamed creek 16–2 originating in | - | 2. | Crawford | Copper Creek | All |
| 20 north, range 6 west in Jackson county. | | | | Plum Creek | All |
| 32. Unnamed creek 17–5 originating township 20 north, range 6 west in Jackson | county. | | | Sugar Creek | From headwaters to T10N R6W S10 |
| 33. Unnamed creek 24–3a originating in 11 north, range 1 west in Richland county. 34. Unnamed creek 26–7 originating in 21 north, range 5 west in Jackson county. | _ | | | Tainter Creek | From Vernon County Line to CTH B |
| 35. Unnamed creek 34–2 originating ir 20 north, range 8 west in Trempealeau cou | | 3. | Dane | Blue Mounds Branch | All |
| 36. Unnamed creek 34–15 originating in | n section 27, township | | | Deer Creek | All |
| 20 north, range 7 west in Trempealeau cou | | | | Dunlap Creek | All |
| 37. Unnamed stream originating in seconorth, range 3 east in Sauk county. | - | | | Elvers Creek (Bohn Cr.) | All |
| 38. Washington Coulee creek originatin ship 20 north, range 6 west in Jackson cour | | | | Flynn Creek | All |
| (c) The following Class II trout waters: 1. Ashland county — White river above | | | | Fryes Feeder Creek | All |
| reservation | the Bud River Indian | | | Garfoot Creek | All |
| 2. Bayfield county — White river | | | | Milum Creek | All |
| 3. Dane county — Mt. Vernon creek | | | | Rutland Branch | All |
| 4. Forest county — North Branch Oco | nto river | | | Ryan Creek | All |
| 5. Grant county — Blue river | | | | Schalpbach Creek | All |
| 6. Iowa county — Blue river7. Langlade county — Prairie river, S | South Branch Oconto | | | Sixmile Creek | All |
| river 8. Lincoln county — Prairie river | South Branch Ocomo | | | Spring Creek (Lodi) | All |
| 9. Marquette county — Mecan river | | 4. | Dane, Sauk, | Wisconsin River | From below Prai- |
| 10. Oconto county — North Branch | Oconto river, South | | Iowa, Grant, | | rie du Sac to Prai- rie du Chien |
| Branch Oconto river | | | Richland, | | ne du Cinen |
| 11. Pierce county — Rush river | | | Crawford | | |
| 12. Portage county — Tomorrow river13. Richland county — Willow creek | | 5. | Dane & Green | Little Sugar River | Above New Glarus |
| 14. St. Croix county — Willow river,15. Waushara county — Mecan river | Race Branch | | | Story Creek | All |
| (d) The following cold or warm water | streams and rivers or | | | (Tipperary) | |
| portions thereof: | streams and myers of | | | Sugar River | All |
| 1g. Ashland Bad River | SEG 2: Outfall in Mellen at | 6. | Dunn | Sand Creek | From Chippewa County Line to mouth |
| | NE½SW¼ S6 T44N R2W to Bad River Indian Reservation | 7. | Eau Claire | Lowes Creek | From Hwy 37 & 85 upstream to headwaters |
| | Boundary | 8. | Fond du Lac | Feldner's Creek | From headwaters to Mischo's Mill- pond |
| | | | | Auburn Lake Creek (Lake Fif- teen Creek) | Entire Creek above & below Auburn Lake |
| | | 9. | Forest | Armstrong Creek | All |
| | | | | Middle Br. Peshtigo R. | All |
| | | | | North Br. Peshtigo R. | All |

R.

| | | North Br. Popple R. West Br. Arm- | All Class II Portion | | | Hunting River | From Fitzgerald Dam Road down- stream to T33N |
|------|------------------|---|--|------|-------------------|---------------------------------|--|
| | | strong Creek | | | | | R11E S1 |
| 10. | Grant | Doc Smith Branch Little Platte River | All From Arthur downstream to | 22. | Lincoln | North Br. Prairie River | From headwaters to CTHJ to T33N R8E |
| | | | Platte River | | | Silver Creek | All |
| 11. | Grant & | Big Spring Branch | | 23. | Manitowoc | Branch River | All |
| 12. | Iowa Green | Burgy Creek | to Blue River All | 24. | Monroe | Big Creek | From headwaters to Acorn Rd (S7) |
| | | Gill Creek Hefty Creek, | All All | | | Farmers Valley Creek & Tribs | From headwaters to I–90 (S19) |
| | | North Branch | | | | Soper Creek | All |
| | | Hefty Cr., Center Branch | All | 25. | Oneida | Bearskin Creek | From Tomahawk |
| | | Liberty Creek | All | | | | River to Little Bearskin Lake |
| | | Norwegian Creek | All | 25 | Oneida & | Wissensin Diver | |
| | | Richland Creek | All | 25m. | Lincoln | Wisconsin River | SEG 2: Hat Rap- ids Dam to Lin- |
| | | Ross Crossing | All | | | | coln County A |
| | | Sylvester Creek | All | | | | crossing |
| | | Spring Valley Creek | All | | | | SEG 4: Grandfa- ther Dam to Inlet |
| | | Ward Creek | All | | | | of Alexander Lake |
| 13. | Green & Rock | Allen Creek | Below Evansville | 26. | Pierce | Big River | Class I Portion |
| 14. | Iowa | Harker–Lee–Mar- tin System | From headwaters to T6N R2ES10 | | | Cady Creek | From CTH P upstream |
| 15. | Iron | Manitowish River | All | | | Trimbelle River | All |
| 15m. | Iron & Ashland | Vaughn Creek | SEG 1: Origin to Bad River Indian Reservation Boundary | 26b. | Polk | St. Croix River | From the northern boundary of the St. Croix Falls city limits to a distance one mile |
| 16. | Jackson | Trempealeau River | From STH 95 at Hixton to CTHP at Taylor | | | | below the STH 243 bridge at Osceola |
| 17. | Jefferson & Rock | Allen Creek | All | 26c. | Polk & Burnett | Clam River | SEG 3: Section Line @ T39N |
| 18. | Kewaunee | Casco Creek | From T24N R24E S19 downstream of Rock Ledge to Kewaunee River | | | | R16W S21/22 to Inlet of Clam River Flowage |
| 19. | La Crosse | Bostwick Creek | From headwaters to County Hwy 'O' | | | | SEG 4: Outlet of Clam River Flow- age to Confluence with St. Croix |
| | | Coon Creek | All | | | | River |
| | | Dutch Creek | From headwaters to Russian Coulee Road (section 8) | 26g. | Price | North Fork Jump River | SEG 1: Origin (outlet of Cran- berry Lake) to |
| 20. | Lafayette | Galena River | From headwaters to Buncombe Road | | | | Inlet of Spring Creek Flowage |
| 21. | Langlade | East Br. Eau Claire R. | From STH 64 upstream to fire- lane crossing in T33N R11E S35 SW1/4 | | | | SEG 2: Outlet of Spring Creek Flowage to Con- fluence with South Fork Jump River |

| 26n. | Price, Rusk & Taylor | Jump River | SEG 1: Conflu- ence of the North Fork Jump River and South Fork Jump River to the | | | Soft Maple Creek | SEG 2: Rusk County Highway "F" to Confluence with Chippewa River |
|------|-------------------------|---|---|------|-----------------------------------|---|--|
| 26r. | Price, Saw- | Flambeau River | Village of Jump River SEG 2: Crowley | 30. | Rusk, Tay- lor & Chip- pewa | Jump River | From Village of Jump River down- stream to Hol- |
| | yer, Rusk | | Dam to Inlet of Big Falls Flowage | | • | | combe Flowage |
| 26w. | Price & Taylor | South Fork Jump River | Origin to Confluence with North Fork Jump River | 31. | Sauk | Beaver Creek (Trib to Dell Creek) | All |
| 27. | Richland | Babb Hollow | All–Trib to Mill Creek | | | Camels Creek (Trib to Dell Creek) | All |
| | | Hanzel Creek (Hansell) | All–Trib to Melancthon Cr. | | | Dell Creek | All |
| | | Melancthon Creek | | 31m. | Sawyer | Couderay River | SEG 2: Dam at |
| | | Coulter Hollow Creek | All-Trib to Mill Creek | | | | Grimh Flowage to Confluence with Chippewa River |
| | | E. Branch Mill Creek | All | 32. | Shawano | Kroenke Creek | Class II Portion |
| | | Happy Hollow Creek | All-Trib to Willow Creek | | | Red River | From Lower Red Lake Dam to Wolf River |
| | | Higgins Creek | All-Trib to Mill Creek | | | West Br. Red River | Class II Portion |
| | | Hood Hollow Creek Jacquish Hollow | All–Trib to Mill Creek All–Trib to Wil- | 33. | Sheboygan | Ben Nutt Creek | Class II Portion to Junction with Mill |
| | | Creek | low Creek | 2.4 | g, G : | A 1 D: | Creek |
| | | Kepler Branch | All–Trib to Mill Creek | 34. | St. Croix | Apple River | From NSP plant below CTH I to Mouth |
| | | Mill Creek | From headwaters to above Boaz | | | Cady Creek | All |
| | | Miller Branch | All-Trib to Mill Creek | | | Willow River | Extend Class II Portion into Delta in Lake Mallilieu |
| | | Pine Valley Creek | All–Trib to Mill Creek | 35. | St. Croix & | St. Croix River | From No. Bound- |
| | | Ryan Hollow | All-Trib to West Branch Mill Creek | | Pierce | | ary of Hudson City limits to the river mouth in |
| | | Wheat Hollow Creek | All | | | | Pierce Co. |
| | | W. Branch Mill Creek | All | 35m. | Taylor & Price | Silver Creek | SEG 2: Westboro Sanitary District Outfall to Conflu- |
| 28. | Rock | Bass Creek | All | | | | ence with South |
| | | East Fork Rac- coon Cr. | All | 36. | Trempeal- | Buffalo River | Fork Jump River From Hwy 53 to |
| | | Little Turtle Creek | All | 50. | eau | Bullulo Kivei | Strum Pond |
| | | Raccoon Creek | All | 37. | Vernon | Bishop Branch | All |
| | | Spring Brook (T2N R14E S27) | All | | | Cheyenne Valley Creek | All |
| | | Turtle Creek | All | | | Coon Creek | From La Crosse |
| | | Unnamed Creek T2N R14E S31 | All | | | | county line to Chaseburg |
| 29. | Rusk | Big Weirgor Creek | All-Class III Portion | | | Frohock Valley Creek | All |
| | | Main Creek | Rusk County Highway P to | | | Hornby Creek | All |
| | | | Inlet of Holcombe | | | Reads Creek | All |
| | | | Flowage | | | Tainter Creek | All |

WISCONSIN ADMINISTRATIVE CODE

| 38. | Vilas | Manitowish River | From Rest Lake Dam downstream to Iron County line |
|------|-------------------------------------|---------------------------|---|
| 38m. | Vilas & Oneida | Wisconsin River | SEG 2: State Highway 70 to Inlet at Rainbow Flowage (Oneida County Line) |
| | | | SEG 3: Outlet of Rainbow Flowage (Oneida County Highway "D" to Inlet of Rhine- lander Flowage (T37N R8E S8 SE½NE½) |
| 39. | Washington & Fond du Lac | E. Branch Milwaukee R. | From Long Lake outlet to STH 28 |
| 40. | Waukesha | Genesee Creek | Above STH 59 |
| | | Mukwonago River | From Eagle Springs Lake to Upper Phantom Lake |
| | | Oconomowoc River | From below North Lake to Okauchee Lake |
| 41. | Waupaca | Blake Brook & Branches | Class II Portion |
| | | Little Wolf River | From junction with Wolf River upstream to Man- awa Dam |
| | | Waupaca River | Class II portion |
| 42. | Waupaca, Outagamie, & Shawano | Embarrass River | From Wolf River upstream to dam at Pella |
| 43. | Waushara | Lower Pine River | From below Wild Rose Mill pond to dam at Poy Sippi |
| (2) | The waters ide | entified in sub. (1) m | ay not be lowered in |

- **(2)** The waters identified in sub. (1) may not be lowered in quality except as provided in ch. NR 207.
- **(3)** Surface waters, or portions thereof, may be added to, or deleted from, the exceptional resource waters designation through the rule making process under the provisions of ch. 227, Stats., and s. NR 2.03.

History: Cr. Register, February, 1989, No. 398, eff. 3–1–89; cr. (1) (c), Register, July, 1989, No. 403, eff. 8–1–89; cr. (1) (d), Register, May, 1993, No. 449, eff. 6–1–93; CR 05–105: renum. (1) (d) 1. to be 1t., cr. 1g., 1r., 15m., 25m., 26c., 26m., 26r., 26w., 31m., 35m., and 38m., am. 29., Register November 2006 No. 611, eff. 12–1–06; CR 09–123; am. (1) (b) 1., 5., 12., 15., 16., 23., 27., 33., 34., 37., (d) 5., 8., 15., 17., 28., 34., 39. and 42., cr. (1) (d) 26b. Register July 2010 No. 655, eff. 8–1–10.

NR 102.12 Great Lakes system. (1) The Great Lakes system includes all the surface waters within the drainage basin of the Great Lakes.

- (2) For the purpose of administering ch. NR 207 and consistent with chs. NR 105 and 106, the waters identified in sub. (1) are to be protected from the impacts of persistent, bioaccumulating toxic substances by avoiding or limiting to the maximum extent practicable increases in these substances.
- (3) The waters of the Lake Superior basin shall be managed to prevent any new or increased discharges of the following pollutants: DDT, DDE and metabolites, chlordane, toxaphene, hexa-

chlorobenzene, 2,3,7,8 TCDD, octachlorostyrene, mercury and PCB's. For purposes of administering ch. NR 207, new or increased discharges of these pollutants shall be prohibited unless the applicant certifies at time of application, that the new or increased discharge is necessary after utilization of best technology in process or control using waste minimization, pollution prevention, municipal pretreatment programs, material substitution or other means of commercially available technologies which have demonstrated capability for similar applications.

History: Cr. Register, February, 1989, No. 398, eff. 3–1–89; r. and recr. (1), am. (2), Register, August, 1997, No. 500, eff. 9–1–97; CR 05–089: cr. (3) Register July 2006 No. 607, eff. 8–1–06.

NR 102.13 Fish and aquatic life waters. All surface waters not included in s. NR 102.05 (1) (b) 1., 2., 3. or 5. are fish and aquatic life waters.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89.

NR 102.14 Taste and odor criteria. (1) At certain concentrations, substances may not be toxic to humans, but may impart undesirable taste or odor to water or aquatic organisms ingested by humans. The taste and odor criterion is derived to prevent substances from concentrating in surface waters or accumulating in aquatic organisms to a level which results in undesirable tastes or odors to human consumers.

- **(2)** The taste and odor criterion is derived as follows:
- (a) For substances which impart tastes and odors to waters, the taste and odor criterion shall equal that threshold concentration (TC_w) below which objectionable tastes or odors to human consumers do not occur. Threshold concentrations for substances imparting tastes and odors to water are listed in Table 1.

| Substance | Threshold Concentration (ug/L)1 |
|---------------------------|---------------------------------|
| Acenaphthene | 20 |
| Chlorobenzene | 20 |
| 2-Chlorophenol | 0.1 |
| 3-Chlorophenol | 0.1 |
| 4-Chlorophenol | 0.1 |
| Copper | 1000 |
| 2,3-Dichlorophenol | 0.04 |
| 2,4-Dichlorophenol | 0.3 |
| 2,5-Dichlorophenol | 0.5 |
| 2,6-Dichlorophenol | 0.2 |
| 3,4-Dichlorophenol | 0.3 |
| 2,4-Dimethylphenol | 400 |
| Hexachlorocyclopentadiene | 1 |
| 2-Methyl-4-Chlorophenol | 1800 |
| 3-Methyl-4-Chlorophenol | 3000 |
| 3-Methyl-6-Chlorophenol | 20 |
| Nitrobenzene | 30 |
| Pentachlorophenol | 30 |
| Phenol | 300 |
| 2,3,4,6-Tetrachlorophenol | 1 |
| 2,4,5–Trichlorophenol | 1 |
| 2,4,6–Trichlorophenol | 2 |
| Zinc | 5000 |

¹ A threshold concentration expressed in micrograms per liter (ug/L) can be converted to milligrams per liter (mg/L) by dividing the threshold concentration by 1000.

NR 102.14

(b) For substances which impart tastes or odors to aquatic organisms, the taste and odor criterion shall be calculated as follows:

$$TOC = \frac{TC^1}{BAF}$$

Where:

16 - 5

TOC = Taste and odor criterion in milligrams per liter (mg/L).

TC

= Threshold concentration in milligrams of substance per kilogram of wet tissue weight (mg/kg) of the aquatic organism being consumed below which undesirable taste and odor is not detectable to human consumers as derived in par. (d).

BAF

 Aquatic life bioaccumulation factor with units of liter per kilogram (L/kg) as derived in s. NR 105.10.

- (c) The lower of the taste and odor criteria derived as specified in pars. (a) and (b) is applicable to surface waters classified as public water supplies. The taste and odor criteria derived as specified in par. (b) are applicable to cold water and warm water sport fish communities.
- (d) Threshold concentrations for substances imparting tastes or odors to water (TC_w) other than those listed in Table 1 and threshold concentrations for substances imparting tastes or odors to aquatic organisms (TC_f) shall be selected by the department using its best professional judgment.

History: Cr. Register, February, 1989, No. 398, eff. 3–1–89; am. (2) (b) and (c), Register, August, 1997, No. 500, eff. 9–1–97.