

## Chapter H 70

## SANITARY CARE OF SCHOOLS

- H 70.01 Water supply  
H 70.02 Heating

**H 70.01 Water supply.** Every school, either private or public, must be adequately supplied with pure drinking water and every school board must guard carefully the drinking and washing water supply in connection with the school maintained by them. Special attention must be given in cases where the supply is derived from a source other than a public waterworks.

*(Note: Location and construction of wells and installation of pumping equipment shall be in conformity with applicable provisions of the Wisconsin well construction code. Sewage and waste disposal shall be in conformity with applicable provisions of the Wisconsin plumbing code and the recommendations of the bureau of sanitary engineering of the Wisconsin state board of health.)*

**H 70.02 Heating.** It shall be unlawful for any school board, board of school directors, board of education, or other school officials of Wisconsin to use a common heating stove for the purposes of heating any schoolroom, unless such stove shall be in part enclosed with an air insulated shield or jacket made of galvanized iron or other suitable material and of such height and so placed as to protect all pupils while seated at their desks from direct rays of heat. In addition each such stove shall be provided with a suitable device for the introduction and tempering of a supply of air taken from the outside of the building.

*(Note: This means that an ordinary stove with a sheet-iron jacket does not fill the requirements nor does a so-called recirculating heater. A properly designed stove and insulated jacket with an outside air duct attached thereto will need to be installed. Such a stove must be approved by the industrial commission which has a list of such devices so approved.)*