

No. 8, A.]

[Published May 11, 1907.]

CHAPTER 90.

AN ACT to amend section 471, statutes of 1898, as amended.
relating to joint school districts.

*The people of the state of Wisconsin, represented in senate and
assembly, do enact as follows:*

SECTION 1. Section 471, statutes of 1898, as amended by
chapter 307, laws of 1905, is amended to read:

* * * * *

SECTION 2. This act shall take effect and be in force from
and after its passage and publication.

Approved May 10, 1907.

No. 182, A.]

[Published May 11, 1907.]

CHAPTER 91.

AN ACT to amend section 1390a, statutes of 1898, as amended,
relating to legal fences.

*The people of the state of Wisconsin, represented in senate and
assembly, do enact as follows:*

SECTION 1. Section 1390a, of the statutes of 1898, as
created by chapter 374, laws of 1905, is amended to read:

* * * * *

SECTION 2. This act shall take effect and be in force
from and after its passage and publication.

Approved May 10, 1907.

Legal fences: space between ground and bottom. SECTION 1390a. *1.* No fence constructed or rebuilt after the passage of this act shall be deemed a legal and sufficient fence unless the same shall be constructed or rebuilt in either of the following manners:

(a) * * * A fence made of strong woven wire, the strands to be not less than No. 12 wire; cross wires or meshes to be not less than No. 16 wire. If cross wires are used they are to be not more than twelve inches apart, and if meshes, they are not to exceed eight inches square; the height to be not less than twenty-six inches, with three barbed wires at the top, the top wire being not less than fifty inches from the ground; the posts to be not more than sixteen feet apart.

(b) * * * A fence made of strong woven wire, the strands to be not less than No. 12 wire; cross wire or meshes to be not less than No. 16 wire. If cross wires are used they are to be not more than twelve inches apart, and if meshes, they are not to exceed eight inches square; the height to be not less than thirty inches, with two barbed wires at the top, the top wire being not less than fifty inches from the ground; the posts to be not more than sixteen feet apart.

(c) * * * A fence made of strong woven wire, the strands to be not less than No. 12 wire; cross wires or meshes to be not less than No. 16 wire. If cross wires are used they are to be not more than twelve inches apart, and if meshes, they are not to exceed eight inches square; the height to be not less than forty-six inches, with one barbed wire at the top, the top wire being not less than fifty inches from the ground; the posts to be not more than sixteen feet apart.

(d) * * * A fence made of strong woven wire, the strands to be not less than No. 12 wire; cross wires or meshes to be not less than No. 16 wire. If cross wires are used they are to be not more than twelve inches apart, and if meshes, they are not to exceed eight inches square; the height to be not less than fifty inches, with posts not more than twenty feet apart.

(e) * * * A fence not less than fifty inches high consisting of boards firmly fastened to posts well set, not more than eight feet apart, the space between the ground and bottom board and each space between the boards to the height of thirty inches being not more than six inches.

(f) * * * A fence not less than fifty inches high, consisting of two boards and three barbed wires firmly fastened to posts well set not more than eight feet apart, the bottom board being not more than six inches from the ground and the space

between the bottom board and the second board being not more than six inches, and the space between the second board and the first wire not more than six inches.

(g) * * * A fence consisting of a combination of wire and pickets with posts well set not more than sixteen feet apart and connected by three or more wires not less than No. 12, with pickets not less than four feet long woven in or fastened thereto, and set not more than six inches apart.

(h) * * * All fences consisting of rails, boards or stone walls or any combination thereof, and all brooks, rivers, ponds, creeks, ditches or hedges, which shall in the judgment of the fence viewers, within whose jurisdiction the same may be, be considered equivalent to either of the fences herein mentioned.

2. All measurements herein mentioned shall be made at the place of attachment in all cases.

3. *In all fences the space between ground and the woven wire and between the ground and the bottom of the pickets shall not be more than four inches.*

(Ch. 31, 1907.)

Practice of pharmacy: state board members must be active practitioners. SECTION 1409b. 1. The board of pharmacy of this state, as heretofore constituted, is continued, and the rules, regulations and by-laws thereof, so far as they are not inconsistent with the provisions of this chapter, shall continue in effect. Such board shall consist of five members who shall be resident pharmacists. *All members of such board hereafter appointed shall be actively engaged in the practice of pharmacy at the time of their appointment.* They shall be appointed for a term of five years and until their successors are qualified; vacancies shall be filled for the unexpired term.

2. The Wisconsin pharmaceutical association shall annually elect three pharmacists, whose election shall be certified to the govern by the president and secretary of such association, from which number or from the persons previously so elected and certified the governor shall fill any vacancy in the board of pharmacy, whether occurring by the expiration of a term or otherwise.

(Ch. 456, 1907.)

April for board's annual meeting. SECTION 1409c. 1. Said board shall hold an annual meeting in the month of * * * April, the time and place to be designated by its president and