Bill

Received:01/14/2000	Received By: nilsepe
Wanted: As time permits	Identical to LRB:
For: David Brandemuehi (608) 266-1170	By/Representing: Joe Maassen
This file may be shown to any legislator: NO	Drafter: nilsepe
May Contact:	Alt. Drafters:
Subject: Transportation - highways	Extra Copies: TNF
Pre Topic: No specific pre topic given	
Topic:	
Weight limits for milk trucks; axle distances	
Instructions:	
See Attached	

Drafting	History:						
Vers.	<u>Drafted</u>	Reviewed	Typed	Proofed	Submitted	<u>Jacketed</u>	Reauired
I?	nilsepe 01/14/2000	jgeller 01/14/2000					S&L
/1	nilsepe 02/14/2000	jgeller 02/14/2000	martykr 01/14/2000	0	lrb-docadmin 01/14/2000	lrb_docadmi 02/09/2000	nS&L
/2	nilsepe 02/17/2000	jgeller 02/18/2000	jfrantze 02/15/2000	0	lrb-docadmin 02/15/2000	lrb_docadmi 02/15/2000	nS&L

<u>Vers.</u>	<u>Drafted</u>	Reviewed	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	<u>Required</u>
/3	nilsepe 02/21/2000	jgeller 02/22/2000	martykr 02/18/200 0	o <u></u>	lrb-docadmin 02/18/2000	lrb_docadmi 02/18/2000	nS&L
/4			martykr 02/22/2000	o	lrb-docadmin 02/22/2000	lrb_docadmi 02/22/2000	n

FE Sent For:

2/23/00

<END>

Bill

Received: 01/14/2000	Received By: nilsepe
Wanted: As time permits	Identical to LRB:
For: Transportation	By/Representing: Joe Maassen
This file may be shown to any legislator: NO	Drafter: nilsepe
May Contact:	Alt. Drafters:
Subject: Transportation - highways	Extra Copies: TNF
Pre Topic:	
No specific pre topic given	
Topic:	
Weight limits for milk trucks; axle distances	
Instructions:	

Drafting	History:
-----------------	-----------------

See Attached

_	-						
Vers.	<u>Drafted</u>	Reviewed	Typed	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	Reauired
/?	nilsepe 01/14/2000	jgeller 01/14/2000					S&L
/1	nilsepe 02/14/2000	jgeller 02/14/2000	martykr 01/14/200	0	1rb-docadmin 01/14/2000	lrb_docadmi 02/09/2000	inS&L
/2	nilsepe 02/17/2000	jgeller 02/18/2000	j frantze 02/15/200	0	lrb_docadmin 02/15/2000	lrb_docadmi 02/15/2000	inS&L
/3		4 3/21 7/2	martykr	势之	lrb-docadmin	lrb-docadmi	in
			V122	3m/22			

• 02/18/2000 09:41:40 AM . Page 2

Vers.	<u>Drafted</u>	Reviewed	Typed	<u>Proofed</u>	Submitted	<u>Jacketed</u>	Required
			02/18/20	00	02/18/2000	02/18/2000	

FE Sent For:

<**END**>


Bill

FE Sent For:

Received: 01/14/2000					Received By: nilsepe			
Wanted: As time permits					Identical to LRB:			
For: Tra	nsportation				By/Representing:	Joe Maassen		
This file r	nay be shown	to any legislator	: NO		Drafter: nilsepe			
May Cont	act:				Alt. Drafters:			
Subject:	Transpo	ortation - highw	ays		Extra Copies:	TNF		
Pre Topi	c:							
No specif	ic pre topic gi	ven						
Topic:								
Weight lin	mits for milk t	rucks; axle dista	nces					
Instructi	ons:							
See Attac	hed							
Drafting	History:							
Vers.	<u>Drafted</u>	Reviewed	<u>Typed</u>	Proofed	<u>Submitted</u>	<u>Jacketed</u>	Reouired	
/?	nilsepe 01/14/2000	jgeller 01/14/2000					S&L	
/1	nilsepe 02/14/2000	1 -,	martykr 01/14/200 0		lrb-docadrnin 01/14/2000	lrb_docadmin 02/09/2000		
/2		/3 3/7 jeg	jfrantze 02/15/2000 Am %	e <u>Selb</u> 11) , <u>Kin</u> g	rb-docadrnin 02/15/2000	lrb_docadmi 02/15/2000	n	

Bill

Received	1:01/14/2000				Received By: nilsepe			
Wanted: As time permits					Identical to LRB:			
For: Tra i	nsportation				By/Representing:	Joe Maassen		
This file	may be shown	to any legislato	r: NO		Drafter: nilsepe			
May Con	tact:				Alt. Drafters:			
Subject:	Transp	ortation - highv	vays		Extra Copies:	TNF		
Pre Topi	c:							
No specif	fic pre topic gi	ven						
Topic:								
Weight li	mits for milk	trucks; axle dista	ances					
Instructi	ons:							
See Attac	ched							
Drafting	History:						_	
Vers.	<u>Drafted</u>	Reviewed	<u>Typed</u>	<u>Proofed</u>	Submitted	<u>Jacketed</u>	Required	
/?	nilsepe 01/14/2000	jgeller 01/14/2000					S&L	
/1		12 9/4/19	martykr 01/14/200	0	lrb_docadmin 01/14/2000	lrb_docadm 02/09/2000	in	
FE Sent F	For:			<end></end>				



Bill

Received	d: 01/14/2000				Received By: nils	ере		
Wanted: As time permits					Identical to LRB:			
For: Tra	nsportation				By/Representing:	Joe Maassen		
This file	may be shown	to any legislato	or: NO		Drafter: nilsepe			
May Con	ntact:				Alt. Drafters:			
Subject:	Transpo	ortation - high	ways		Extra Copies:	TNF		
Pre Top	ic:							
No speci	ific pre topic gi	ven						
Topic:							_	
Weight l	imits for milk t	trucks; axle dist	ances					
Instruct	ions:						_	
See Atta	ched							
Draftin	g History:							
Vers.	<u>Drafted</u>	Reviewed	<u>Typed</u>	Proofed	Submitted	<u>Jacketed</u>	Reauired	
/?	nilsepe 01/14/2000	jgeller 01/14/2000					S&L	
/1			martykr 01/14/20 0	00	1rb_docadmin 01/14/2000	<u> </u>		
FE Sent	For:			<end></end>		please	[·]	
						please Jackers Brandens Assens	d, ly-	
						PE		



Bill

Received	d: 01/14/2000				Received By: nilsepe				
Wanted:	As time peri	nits			Identical to LRB	:			
For: Tra	ansportation				By/Representing	: Joe Maassen	ı		
This file	may be show	n to any legislat	or: NO		Drafter: nilsepe				
May Co	ntact:				Alt. Drafters:				
Subject: Transportation - highways					Extra Copies:	TNF			
Pre Top	oic:								
No spec	ific pre topic ş	given							
Topic:									
Weight	limits for mill	k trucks; axle dis	tances						
Instruct	tions:								
See Atta	ached								
Draftin	g History:								
Vers.	<u>Drafted</u>	Reviewed	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	Required		

FE Sent For:

nilsepe

/?

<**END**>

Dill for Dot
Ani, (bg) - teef of flet or more but delete last sentine
996 1015 - A150 Notwight of 5. 341.15 (5m) - From Jacks (7) 600 Lelok of 6.6m, to 475.
- ft v

9

OOA:.....Etzler – Weight limits for milk trucks; axle distances

FOR 1999-01 BUDGET - NOT READY FOR INTRODUCTION

Jen C

AN ACT \(\)..; **relating to:** maximum gross vehicle weight of motor trucks

transporting exclusively milk.

Analysis by the Legislative Reference Bureau / TRANSPORTATION

DRIVERS AND MOTOR VEHICLES

Current law prohibits any person from driving upon a highway any motor vehicle that exceeds the maximum permissible gross vehicle weight or the maximum permissible weight per axle. Current law allows additional weight, beyond the weight limits ordinarily applicable, for vehicles transporting exclusively milk from the point of production to the primary market and the return of dairy supplies and dairy products from such primary market to the farm. On such a vehicle, for-groups of three or more consecutive axles more than nine feet apart, an additional weight of 2,000 pounds is allowed if the gross vehicle weight does not exceed 80,000 pounds. To determine the distance between axles, the distance is measured between axle centers to the nearest even foot, and when a fraction is exactly one-half foot, the nearest larger whole number shall be used. An axle measurement of eight feet, six inches is considered nine feet. Under this measurement system, only milk vehicles having axle measurements of nine feet, one inch or greater qualify for the additional 2,000 pound axle weight.

This bill extends the 2,000 pound weight limit applicable to certain milk trucks to vehicles having an axle distance considered to be nine feet or more, With this

1

2

3

4

5

6

7

8

(9/

16

change, milk vehicles transporting milk and having an actual axle distance of eight feet, six inches or more will qualify for the additional 2,000 pounds.

For further information see the state **and local** fiscal estimate, which will be printed as an appendix to this bill.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

SECTION 1. 348.15 (3) (bg) of the statutes is amended to read:

348.15 (3) (bg) In the case of a vehicle or combination of vehicles transporting exclusively milk from the point of production to the primary market and the return of dairy supplies and dairy products from such primary market to the farm, the gross weight imposed on the highway by the wheels of any one axle may not exceed 21,000 pounds or, for 2 axles 8 or less feet apart, 37,000 pounds or, for groups of 3 or more consecutive axles more than 9 feet or more apart, a weight of 2,000 pounds more than is shown in par. (c), but not to exceed 80,000 pounds. This paragraph does not apply to the national system of interstate and defense highways, - USH 51 between Wausau and STH 78 and that portion of STH 78 between USH 51 and the I 90/94 interchange near Portage upon their federal designation as I 39.

POPP SECTION 9550. Initial applicability//transportation.

(1) WEIGHT LIMITS FOR MILK TRUCKS. The theatment of section 348.15 (3) (bg) of the statutes first applies to motor vehicles operated on the effective date of this subsection.

(END)



ledroff per phone
Cal vith Sheri krose
Corr Diph shert Krose
2/11/00 11 am concerning
milk havers interpretation of
whether analysis to 4223/1 should read "Nive feet, one inch"
or innefect, six inches in statement of current law.



State of Wisconsin 1999 - 2000 **LEGISLATURE**

LRB-4223/4 PEN:jlg:km

1999 BILL



AN ACT to amend 348.15 (3) (bg) of the statutes; redating to: maximum gross

vehicle weight of motor trucks transporting exclusively milk.

Analysis by the Legislative Reference Bureau

between

Current law prohibits any person from driving upon a highway any motor vehicle that exceeds the maximum permissible gross vehicle weight or the maximum permissible weight per axle. Current law allows additional weight, beyond the weight limits ordinarily applicable, for vehicles transporting exclusively milk from the point of production to the primary market and the return of dairy supplies and dairy products from such primary market to the farm. On such a vehicle, for groups of three or more consecutive axles more than nine feet apart, an additional weight of 2,000 pounds is allowed if the gross vehicle weight does not exceed \$0,000 pounds. To determine the distance between axles, the distance is measured between axle centers to the nearest even foot, and when a fraction is exactly one+half foot, the nearest larger whole number shall be used. An axle measurement of eight feet, six inches is considered nine feet. Under this measurement system, only milk vehicles having bode to casu comences of nine feet, becindblog to the additional (Six inches or more) 2,000 pound axle weight.

This bill extends the 2,000 pound weight limit applicable to certain milk trucks to vehicles having an axle distance considered to be nine feet or more? With this change, milk vehicles transporting milk and having an actual axle distance of eight feet, six inches or more will qualify for the additional 2,000 pounds.

1

BILL

1

2

3

-4

5

6

7

8

9

10

11

14

15

For further information see the state and *local* fiscal estimate, which will be printed as an appendix to this bill.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

SECTION 1. 348.15 (3) (bg) of the statutes is amended to read:

348.15 (3) (bg) In the case of a vehicle or combination of vehicles transporting exclusively milk from the point of production to the primary market and the return of dairy supplies and dairy products from such primary market to the farm, the gross weight imposed on the highway by the wheels of any one axle may not exceed 21,000~pounds or, for 2 axles 8 or less feet apart, 37,000 pounds or, notwithstanding sub. (5m), for groups of 3 or more consecutive axles more than 9 feet or more apart, a weight of 2,000 pounds more than is shown in par. (c), but not to exceed 80,000 pounds. This paragraph does not apply to the national system of interstate and defense highways, except for that portion of USH 51 between Wausau and STI 78 and that portion of STH 78 between USH 51 and the I 90/94 interchange near Portage upon their federal designation as I 39.

SECTION 2. Initial applicability.

(1) Weight limits for milk trucks. This act first applies to motor vehicles operated on the effective date of this subsection.

16 (END)

Section #. 348.15 (5m) of the statutes is amended to read:

348.15 (5m) The distances between axles and between the foremost and rearmost of a group of axles shall be measured between axle centers to the nearest-foot, and when a fraction is exactly one-half foot, the nearest-larger whole number shall be used.

Nistory: 1977 c. 29 ss. 1487p to 1487s, 1650m (4), 1654 (3); 1977 c. 118; 1979 c. 326; 1981 c. 312; 1983 a. 27, 345, 486; 1985 a. 202, 332; 1987 a. 174; 1989 a. 56, 70; 1995 a. 113, 227.

up to the nearest foot

4223/2dn PEN: 1g
PEN:/la
V 3
A This bill changes the analysis
to reflect a different interpretation of
Eurrent law Chamely, that I'm
to reflect a different interpretation of Eurrent law (namely, that I'm (8.348,15 (5m) ("nearest even foot"
means: "nearest y foot" Inot "nearest even numbered
fast"). The bill also amends
(whole-numbered)
1 7110 -10
8.348.15 (Sm) to match this interpretation.
- PEN

**

\$_#

1, 4

મ

DRAFTER'S NOTE FROMTHE LEGISLATIVE REFERENCE BUREAU

٠. ر ٠

LRB-4223/2dn
PEN:jlg:jf

February 15, 2000

This bill changes the analysis to reflect a different interpretation of current law (namely, that in s. 348.15 (5m) "nearest even foot" means "nearest whole-numbered foot", not "nearest even-numbered foot"). The bill also amends s. 348.15 (5m) to match this interpretation.

Paul E. Nilsen Legislative Attorney Phone: (608) 261-6926 1999 - 2000 LEGISLATURE

2 - Ly ...

1

2

(5000)

1999 ASSEMBUY BILL

PEN:jlg:jf

page 2, 116-2

AN ACT to amend 348.15 (3) (bg) and 348.15 (5m) of the statutes; relating to:

maximum gross vehicle weight of motor trucks transporting exclusively milk.

Analysis by the Legislative Reference Bureau

Current law prohibits any person from driving upon a highway any motor vehicle that exceeds the maximum permissible gross vehicle weight or the maximum permissible weight per axle. Current law allows additional weight, beyond the weight limits ordinarily applicable, for vehicles transporting exclusively milk from the point of production to the primary market and the return of dairy supplies and dairy products from such primary market to the farm. On such a vehicle, for groups of three or more consecutive axles "more than nine feet" apart, an additional weight of 2,000 pounds is allowed if the gross vehicle weight does not exceed 80,000 pounds. To determine the distance between axles, the distance is measured between axle centers to the nearest even foot, and when a fraction is exactly one-half foot, the nearest larger whole number shall be used. An axle measurement of between eight feet, six inches and nine feet, six inches is considered to be nine feet. Under this measurement system, only milk vehicles having an actual axle distance of nine feet, six inches or more qualify for the additional 2,000 pound axle weight.

This bill extends the 2,000 pound weight limit applicable to certain milk trucks to vehicles having an axle distance considered to be "nine feet or more". With this change, milk vehicles transporting milk and having an actual axle distance of eight feet, six inches or more will qualify for the additional 2,000 pounds.

ASSEMBLY BILL



For further information **see** the **state and local** fiscal estimate, which will be printed as an appendix to this bill.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

SECTION 1. 348.15 (3) (bg) of the statutes is amended to read:

348.15 (3) (bg) In the case of a vehicle or combination of vehicles transporting exclusively milk from the point of production to the primary market and the return of dairy supplies and dairy products from such primary market to the farm, the gross weight imposed on the highway by the wheels of any one axle may not exceed 21,000 pounds or, for 2 axles 8 or less feet apart, 37,000 pounds or, for groups of 3 or more consecutive axles more than 9 feet or more apart, a weight of 2,000 pounds more than is shown in par. (c), but not to exceed 80,000 pounds. This paragraph does not apply to the national system of interstate and defense highways, except for that portion of USH-51-between Wausau and STH-78 and that portion of STH 78 between USH 51 and the I 90/94 interchange near Portage upon their federal designation as I 39.

SECTION 2. 348.15 (5m) of the statutes is amended to read:

348.15 **(5m)** The distances between axles and between the foremost and rearmost of a group of axles shall be measured between axle centers and rounded to the nearest even foot, and when a fraction is exactly one-half foot, the nearest larger whole number shall be rounded up to the nearest foot.

SECTION 3. Initial applicability.

(1) Weight limits for milk trucks. This act first applies to motor vehicles operated on the effective date of this subsection.

•



State of Misconsin 1999 - 2000 LEGISLATURE

Tues-2/22/00

999 ASSEMBLY BILL

LRB-4223/APEN:jlg:km

Regen

I nine feet

AN ACT to amend 348.15 (3) (bg) and 348.15 (5m) of the statutes; relating to:

maximum gross vehicle weight of motor trucks transporting exclusively milk.

Analysis by the Legislative Reference Bureau

Current law prohibits any person from driving upon a highway any motor vehicle that exceeds the maximum permissible gross vehicle weight or the maximum permissible weight per axle. Current law allows additional weight, beyond the weight limits ordinarily applicable, for vehicles transporting exclusively milk from the point of production to the primary market and the return of dairy supplies and dairy products from such primary market to the farm. On such a vehicle, for groups of three or more consecutive axles "more than nine feet" apart, an additional weight of 2,000 pounds is allowed if the gross vehicle weight does not exceed 80,000 pounds. To determine the distance between axles, the distance is measured between axle centers to the nearest even foot, and when a fraction is exactly one-half foot, the nearest larger whole number shall be used. An axle measurement of between eight feet, six inches and nine feet, six inches is considered to be nine feet. Under this measurement system, only milk vehicles having an actual axle distance of nine feet, six inches or more qualify for the additional 2,000 pound axle weight.

This bill extends the 2,000 pound weight limit applicable to certain milk trucks to vehicles having an axle distance considered to be "nine feet or more". With this phange, milk vehicles transporting milk and having an actual axle distance of the left son inches or more will qualify for the additional 2,000 pounds.

those changes

1

2

a avoir of a selection of the selection

the process of rounding the measurement to the nearest whole foot ASSEMBLY BILL

For further information see the state and *local* fiscal estimate, which will be printed as an appendix to this bill.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

SECTION 1. 348.15 (3) (bg) of the statutes is amended to read:

348.15 (3) (bg) In the case of a vehicle or combination of vehicles transporting exclusively milk from the point of production to the primary market and the return of dairy supplies and dairy products from such primary market to the farm, the gross weight imposed on the highway by the wheels of any one axle may not exceed 21,000 pounds or, for 2 axles 8 or less feet apart, 37,000 pounds or, for groups of 3 or more consecutive axles more than 9 feet or more apart, a weight of 2,000 pounds more than is shown in par. (c), but not to exceed 80,000 pounds. This paragraph does not apply to the national system of interstate and defense highways, except for that portion of USH 51 between Wausau and STH 78 and that portion of STH 78 between USH 51 and the I 90/94 interchange near Portage upon their federal designation as I 39.

SECTION 2. 348.15 (5m) of the statutes is amended to read:

348.15 **(5m)** The distances between axles and between the foremost and rearmost of a group of axles shall be measured between axle centers and rounded to the nearest even foot, and when a fraction is exactly one-half foot, the nearest larger who have shall be seed measurement shall be rounded up to the nearest foot.

SECTION 3. Initial applicability.

(1) WEIGHT LIMITS FOR MILK TRUCKS. This act first applies to motor vehicles operated on the effective date of this subsection.

(END)

20

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18