

Committee Name:
Senate Committee – Education
(SC–Ed)

Appointments

99hr_SC–Ed_Appt_pt00

Clearinghouse Rules

99hr_SC–Ed_CRule_99–

Committee Hearings

99hr_SC–Ed_CH_pt00

Committee Reports

99hr_SC–Ed_CR_pt00

Executive Sessions

99hr_SC–Ed_ES_pt00

Hearing Records

99hr_ab0000

99hr_sb0000


Misc.

99hr_SC–Ed__Misc__pt02b

Record of Committee Proceedings

99hr_SC–Ed_RCP_pt00

Academic Standards for Mathematics



Pennsylvania Department of Education

Academic Standards for Mathematics

IV. TABLE OF CONTENTS

Introduction.....	V.	Statistics and Data Analysis.....	2.6.
<u>THE ACADEMIC STANDARDS</u>		<i>Collecting and reporting data (e.g., charts, graphs)</i> <i>Analyzing data</i>	
Numbers, Number Systems and Number Relationships... <i>Types of numbers (e.g., whole, prime, irrational, complex, etc.)</i> <i>Equivalent forms (e.g., fractions, decimals, percents)</i>	2.1.	Probability and Predictions..... <i>Validity of data</i> <i>Calculating probability to make predictions</i>	2.7.
Computation and Estimation..... <i>Basic functions (+, -, ×, ÷)</i> <i>Reasonableness of answers</i> <i>Calculators</i>	2.2.	Algebra and Functions..... <i>Equations</i> <i>Patterns and functions</i>	2.8.
Measurement and Estimation..... <i>Types of measurement (e.g., length, time)</i> <i>Units and tools of measurement</i> <i>Computing and comparing measurements</i>	2.3.	Geometry..... <i>Shapes and their properties</i> <i>Using geometric principles to solve problems</i>	2.9.
Mathematical Reasoning and Connections..... <i>Using inductive and deductive reasoning</i> <i>Validating arguments (e.g., if...then statements, proofs)</i>	2.4.	Trigonometry..... <i>Right angles</i> <i>Measuring and computing with triangles</i> <i>Using graphing calculators</i>	2.10.
Mathematical Problem Solving and Communication..... <i>Problem solving strategies</i> <i>Representing problems in various ways</i> <i>Interpreting results</i>	2.5.	Concepts of Calculus..... <i>Comparing quantities and values</i> <i>Graphing rates of change</i> <i>Continuing patterns infinitely</i>	2.11.
		Glossary.....	VI.

Academic Standards For Mathematics

V. INTRODUCTION

This document includes Mathematics Standards:

- ◇ 2.1. Numbers, Number Systems and Number Relationships
- ◇ 2.2. Computation and Estimation
- ◇ 2.3. Measurement and Estimation
- ◇ 2.4. Mathematical Reasoning and Connections
- ◇ 2.5. Mathematical Problem Solving and Communication
- ◇ 2.6. Statistics and Data Analysis
- ◇ 2.7. Probability and Predictions
- ◇ 2.8. Algebra and Functions
- ◇ 2.9. Geometry
- ◇ 2.10. Trigonometry
- ◇ 2.11. Concepts of Calculus

The Mathematics Standards describe what students should know and be able to do at four grade levels (third, fifth, eighth and eleventh). They reflect the increasing complexity and sophistication that students are expected to achieve as they progress through school.

This document avoids repetition of learned skills, making an obvious progression across grade levels less explicit. Teachers shall expect that students know and can apply the concepts and skills expressed at the preceding level. Consequently, previous learning is reinforced but not retaught.

Students who achieve these mathematical standards will be able to communicate mathematically. Although it is an interesting and enjoyable study for its own sake, mathematics is most appropriately used as a tool to help organize and understand information from other academic disciplines. Because our capacity to deal with all things mathematical is changing rapidly, students must be able to bring the most modern and effective technology to bear on their learning of mathematical concepts and skills.

A glossary is included to assist the reader in understanding terminology contained in the standards.

Academic Standards for Mathematics

2.1. Numbers, Number Systems and Number Relationships

2.1.3. GRADE 3	2.1.5. GRADE 5	2.1.8. GRADE 8	2.1.11. GRADE 11
<i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills needed to:</i>			
<p>A. Count using whole numbers (to 10,000) and by 2's, 3's, 5's, 10's, 25's and 100's.</p> <p>B. Use whole numbers and fractions to represent quantities.</p> <p>C. Represent equivalent forms of the same number through the use of concrete objects, drawings, word names[,] and symbols.</p> <p>D. Use drawings, diagrams[,] or models to show the concept of fraction as part of a whole.</p> <p>E. Count, compare and make change using a collection of coins and one-dollar bills.</p> <p>F. Apply number patterns (even and odd) and compare values of numbers on the hundred board.</p> <p>G. Use concrete objects to count, order[,] and group.</p> <p>H. Demonstrate an understanding of one-to-one correspondence.</p>	<p>A. Use expanded notation to represent whole numbers or decimals.</p> <p>B. Apply number theory concepts to rename a number quantity (e.g., six, $\frac{6}{2}$, $\frac{12}{2}$, 3×2, $10 - 4$).</p> <p>C. Demonstrate that mathematical operations can represent a variety of problem situations.</p> <p>D. Use models to represent fractions and decimals.</p> <p>E. Explain the concepts of prime and composite numbers.</p> <p>F. Use simple concepts of negative numbers [, such as] (e.g., on a number line, in counting and in temperature).</p> <p>G. Develop and apply number theory concepts (e.g., primes, factors, multiples, [and] composites) to represent numbers in various ways.</p>	<p>A. Represent and use numbers in equivalent forms (e.g., integers, fractions, decimals, percents, exponents, scientific notation, [and] square roots).</p> <p>B. Simplify numerical expressions involving exponents, scientific notation and using order of operations.</p> <p>C. Distinguish between and order rational and irrational numbers.</p> <p>D. Apply ratio and proportion to mathematical problem situations involving distance, rate, time[,] and similar triangles.</p> <p>E. Simplify and expand algebraic expressions using exponential forms.</p> <p>F. Use the number line model to demonstrate integers and their applications.</p> <p>G. Use the inverse relationships between addition, subtraction, multiplication, and division, [and] exponentiation and root extraction to determine unknown quantities in equations.</p>	<p>A. Use operations [such as] (e.g., opposite, reciprocal, absolute value, raising to a power, finding roots, [and] finding logarithms).</p>

Academic Standards for Mathematics

<p>I. Apply place-value concepts and numeration to counting, ordering[,] and grouping.</p> <p>J. Estimate, approximate, round[,] or use exact numbers as appropriate.</p> <p>K. Describe the inverse relationship between addition and subtraction.</p> <p>L. Demonstrate knowledge of basic facts in four basic operations.</p>			
--	--	--	--

Academic Standards for Mathematics

2.2. Computation and Estimation	2.2.3. GRADE 3	2.2.5. GRADE 5	2.2.8. GRADE 8	2.2.11. GRADE 11
	<p>2.2.3. GRADE 3</p> <p><i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills needed to:</i></p> <p>A. Apply addition and subtraction <u>in</u> <u>everyday</u> situations using concrete objects.</p> <p>B. Solve single- and double-digit addition and subtraction problems with regrouping in vertical form.</p> <p>C. Demonstrate <u>the</u> concept of multiplication as repeated addition and arrays.</p> <p>D. Demonstrate <u>the</u> concept of division as repeated subtraction and as sharing.</p> <p>E. Use estimation skills to arrive at conclusions.</p> <p>F. Determine the reasonableness of calculated answers.</p> <p>G. Explain addition and subtraction algorithms with regrouping.</p>	<p>A. Create and solve word problems involving addition, subtraction, multiplication and division of whole numbers.</p> <p>B. Develop and apply algorithms to solve word problems that involve addition, subtraction, and/or multiplication with decimals with and without regrouping[<u>fractions and mixed numbers, that include like and unlike denominators</u>].</p> <p>C. <u>Develop and apply algorithms to solve word problems that involve addition, subtraction, and/or multiplication with fractions and mixed numbers that include like and unlike denominators.</u></p> <p>[D] <u>E.</u> Determine the reasonableness of calculated answers.</p>	<p>A. Complete calculations by applying the order of operations.</p> <p>B. Add, subtract, multiply and divide different kinds and forms of rational numbers including integers, decimal fractions, percents and proper and improper fractions.</p> <p>C. <u>[Solve word problems using ratio and proportion.]</u></p> <p>[D] <u>C.</u> Estimate the value of irrational numbers.</p> <p>[E] <u>D.</u> Estimate amount of tips and discounts using ratios, proportions and percents.</p> <p>[F] <u>E.</u> Determine the appropriateness of overestimating or underestimating in computation.</p> <p>[G] <u>F.</u> Identify the difference between exact value and approximation[s] and determine which is appropriate for a given situation.</p>	<p>A. Develop and use computation concepts, operations and procedures with real numbers in problem-solving situations.</p> <p>B. Use estimation to solve problems for which an exact answer is not needed.</p> <p>C. Construct and apply mathematical models, including lines and curves of best fit, to estimate values of related quantities.</p> <p>D. Describe and explain the amount of error that may exist in a computation using estimates.</p> <p>E. Recognize that the degree of precision needed in calculating a number depends on how the results will be used and the instruments used to generate the measure.</p> <p>F. Demonstrate skills for using computer spreadsheets and scientific and graphing calculators.</p>

Academic Standards for Mathematics

	<p>[E] <u>F</u>. Demonstrate skills for using fraction calculators to verify conjectures, confirm computations[,] and explore complex problem-solving situations.</p> <p>[F] <u>G</u>. Apply estimation strategies to a variety of problems including time and money.</p> <p>[G] <u>H</u>. Explain multiplication and division algorithms.</p> <p>[H] <u>I</u>. Select a method for computation and explain why it is appropriate.</p>		
--	--	--	--

Academic Standards for Mathematics

2.3. Measurement and Estimation	2.3.3. GRADE 3	2.3.5. GRADE 5	2.3.8. GRADE 8	2.3.11. GRADE 11
<i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills to:</i>				
<p>A. Compare measurable characteristics of different objects on the same dimensions (e.g., time, temperature, area, length, weight, capacity, perimeter).</p> <p>B. Determine the measurement of objects with non-standard and standard (e.g., US customary and metric) units (e.g., US customary and metric).</p> <p>C. Determine and compare elapsed times.</p> <p>D. Tell time (analog and digital) to the minute.</p> <p>E. Determine the appropriate unit of measure.</p> <p>F. Use concrete objects to determine area and perimeter.</p> <p>G. Estimate and verify measurements.</p> <p>Demonstrate that a single object has different attributes that can be measured in different ways (e.g., length, mass[,], weight, time, area, temperature, capacity, [and] perimeter).</p>	<p>A. Select and use appropriate instruments and units for measuring quantities [such as] (e.g., perimeter, volume, area, weight, time, [and] temperature).</p> <p>B. Select and use standard tools to measure the size of figures with specified accuracy, including length, width, perimeter[,], and area.</p> <p>C. Estimate, refine[,], and verify specified measurements of objects.</p> <p>D. Convert linear measurements within the same system.</p> <p>E. Add and subtract measurements.</p>	<p>A. Develop formulas and procedures for determining measurements (e.g., area, volume, distance[,], etc.).</p> <p>B. Solve rate problems (e.g., rate \times time = distance, principal \times interest rate = interest[,], etc.).</p> <p>C. Measure angles in degrees and determine relations of angles.</p> <p>D. Estimate, use[,], and describe measures of distance, rate, perimeter, area, volume, [capacity,] weight, mass and angles.</p> <p>E. Describe how a change in linear dimension of an object affects its perimeter, area[,], and volume.</p> <p>F. Use scale measurements to interpret maps or drawings.</p> <p>G. Create and use scale models.</p>	<p>A. Select and use appropriate units and tools to measure to the degree of accuracy required in particular measurement situations.</p> <p>B. Measure and compare angles in degrees and radians.</p> <p>C. Determine relationships between linear, square and cubic measures and describe how changes in one of the measures of the figure affect the others.]</p> <p>D C. Demonstrate the ability to produce measures with specified levels of precision.</p>	

Academic Standards for Mathematics

2.4. Mathematical Reasoning and Connections

2.4.3. GRADE 3	2.4.5. GRADE 5	2.4.8. GRADE 8	2.4.11. GRADE 11
<i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills to:</i>			
<p>A. Make, check[,] and verify predictions about the quantity, size and shape of objects and groups of objects.</p> <p>B. Use measurements <u>in everyday situations</u> (e.g., [to] determine the geography of the school building).</p>	<p>A. Compare quantities and magnitudes of numbers.</p> <p>B. Use models, number facts, properties and relationships to check and verify predictions and explain reasoning.</p> <p>C. Draw inductive and deductive conclusions within mathematical contexts.</p> <p>D. Distinguish between relevant and irrelevant information in a mathematical problem.</p> <p>E. Interpret statements made with precise language of logic (i.e. e.g., "all", "or", "every", "none", "some", "or", "many").</p> <p>F. Use statistics to quantify issues (e.g., in social studies, <u>in science</u>).</p>	<p>A. Make conjectures based on logical reasoning and test conjectures by using counter-examples.</p> <p>B. Combine numeric relationships to arrive at a conclusion.</p> <p>C. Use if...then statements to construct simple, valid arguments.</p> <p>D. Construct, use[,] and explain algorithmic procedures for computing and estimating with whole numbers, fractions, decimals and integers.</p> <p>E. Distinguish between inductive and deductive reasoning.</p> <p>F. Use measurements and statistics <u>to quantify issues</u> (e.g., in family and consumer science <u>situations</u>).</p>	<p>A. Use direct proofs, indirect proofs[,] or proof by contradiction to validate conjectures.</p> <p>B. Construct valid arguments from stated facts.</p> <p>C. Determine the validity of an argument.</p> <p>D. Use truth tables to reveal the logic of mathematical statements.</p> <p>E. Demonstrate mathematical solutions to problems (e.g., in the physical sciences).</p>

Academic Standards for Mathematics

2.5. Mathematical Problem Solving and Communication

2.5.3. GRADE 3	2.5.5. GRADE 5	2.5.8. GRADE 8	2.5.11. GRADE 11
<i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills to:</i>			
<p>A. Use appropriate problem-solving strategies [such as] (e.g., guess and check, [and] working backwards).</p> <p>B. Determine when sufficient information is present to solve a problem and explain how to solve a problem.</p> <p>C. Select and use an appropriate method, materials and strategy to solve problems, including mental mathematics, paper and pencil[,] and concrete objects.</p>	<p>A. Develop a plan to analyze a problem, identify the information needed to solve the problem, carry out the plan, check whether an answer makes sense and explain how the problem was solved.</p> <p>B. Use appropriate mathematical terms, vocabulary, language symbols and graphs to explain clearly and logically solutions to problems.</p> <p>C. Show ideas in a variety of ways, including words, numbers, symbols, pictures, charts, graphs, tables, diagrams and models.</p> <p>D. Connect, extend[,] and generalize problem solutions to other concepts, problems and circumstances in mathematics.</p> <p>E. Select, use[,] and justify the methods, materials and strategies used to solve problems.</p> <p>F. Use appropriate problem-solving strategies [such as] (e.g., solving a simpler problem, [or] drawing a picture or diagram).</p>	<p>A. Invent, select, use[,] and justify the appropriate methods, materials and strategies to solve problems.</p> <p>B. Verify and interpret results using precise mathematical language, notation[,] and representations, including numerical tables and equations, simple algebraic equations and formulas, charts, graphs and diagrams.</p> <p>C. Justify strategies and defend approaches used and conclusions reached.</p> <p>D. Determine pertinent information in problem situations[,] and whether any further information is needed for solution.</p>	<p>A. Select and use appropriate mathematical concepts and techniques from different areas of mathematics and apply them to solving non-routine and multi-step problems.</p> <p>B. Use symbols, mathematical terminology, standard notation, mathematical rules, graphing and other types of mathematical representations to communicate observations, predictions, concepts, procedures, generalizations, ideas and results.</p> <p>C. Present mathematical procedures and results clearly, systematically, succinctly and correctly.</p> <p>D. Conclude a solution process with a summary of results and evaluate the degree to which the results obtained represent an acceptable response to the initial problem and why the reasoning is valid.</p>

Academic Standards for Mathematics

2.6. Statistics and Data Analysis	2.6.3. GRADE 3	2.6.5. GRADE 5	2.6.8. GRADE 8	2.6.11. GRADE 11
<i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills to:</i>				
<p>A. Gather, organize and display data using pictures, tallies, charts, bar graphs[,] and pictographs.</p> <p>B. Formulate and answer questions based on data shown on graphs.</p> <p>C. Predict the likely number of times a condition will occur based on analyzed data.</p> <p>D. Form and justify an opinion on whether a given statement is reasonable based on a comparison to data.</p>	<p>A. Organize and display data using pictures, tallies, tables, charts, bar graphs[,] and circle graphs.</p> <p>B. Describe data sets using mean, median, mode and range.</p> <p>C. Sort data using Venn diagrams.</p> <p>D. Predict the likely number of times a condition will occur based on [the] analyzed data.</p> <p>E. Construct and defend simple conclusions based on data.</p>	<p>A. Compare and contrast different plots of data using values of mean, median, mode, quartiles and range.</p> <p>B. Explain effects of [on reliability of] sampling procedures and [of] missing or incorrect information on <u>reliability</u>.</p> <p>C. Fit a line to the scatter plot of two quantities and describe any correlation of the variables.</p> <p>D. Design and carry out a random sampling procedure.</p> <p>E. Analyze and display data in stem-and-leaf and box-and-whisker plots.</p> <p>F. Use scientific and graphing calculators and computer spreadsheets to organize and analyze data.</p> <p>G. Determine the validity of the sampling method described in studies published in local or national newspapers.</p>	<p>A. Design and conduct an experiment using random sampling[.]. [d] Describe the data as an example of a distribution using statistical measures of center and spread[, and]. [o]Organize and represent the results with graphs. (Use standard deviation, variance and t-tests.)</p> <p>B. Use appropriate technology to organize and analyze data taken from the local community.</p> <p>C. Determine the regression equation of best fit (e.g., linear, quadratic[,] and exponential).</p> <p>D. Make predictions using interpolation, extrapolation, regression[,] and estimation[,] using technology <u>to verify them</u>.</p> <p>E. Determine the validity of the sampling method described in a given study.</p> <p>F. Determine the degree of dependence of two quantities specified by a two-way table.</p>	

Academic Standards for Mathematics

			<p>G. Describe questions of experimental design, control groups, treatment groups, cluster sampling and reliability.</p> <p>H. Use sampling techniques to draw inferences about large populations.</p> <p>I. Describe the normal curve and use its properties to answer questions about sets of data that are assumed to be normally distributed.</p>
--	--	--	---

Academic Standards for Mathematics

2.7. Probability and Predictions

2.7.3. GRADE 3	2.7.5. GRADE 5	2.7.8. GRADE 8	2.7.11. GRADE 11
<i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills needed to:</i>			
<p>A. Predict and measure the likelihood of events and recognize that the results of an experiment may not match predicted outcomes.</p> <p>B. Design a fair and an unfair spinner.</p> <p>C. List or graph the possible results of an experiment.</p> <p>D. Analyze data using the concepts of largest, smallest, most often, least often and middle.</p>	<p>A. Perform simulations with concrete devices (e.g., dice, spinner, [etc.]) to predict the chance of an event occurring.</p> <p>B. Determine the fairness of the design of a spinner.</p> <p>C. Express probabilities as fractions and decimals.</p> <p>D. Compare predictions based on theoretical probability and experimental results.</p> <p>E. Calculate the probability of a simple event.</p> <p>F. Determine patterns generated as a result of an experiment.</p> <p>G. Determine the probability of an event involving "and", "or" or "not".</p> <p>H. Predict and determine why some outcomes are certain, more likely, less likely, equally likely or impossible.</p>	<p>A. Determine the number of combinations and permutations for an event.</p> <p>B. Present the results of an experiment using visual representations (e.g., tables, charts, [and] graphs).</p> <p>C. Analyze predictions [such as] (e.g., election polls).</p> <p>D. Compare and contrast results from observations and mathematical models.</p> <p>E. Make valid inferences, predictions and arguments based on probability.</p>	<p>A. Compare odds and probability.</p> <p>B. Apply probability and statistics to perform an experiment involving a sample and generalize its results to the entire population.</p> <p>C. Draw <u>and justify</u> a conclusion regarding the validity of a probability or statistical argument [<u>and justify conclusion</u>].</p> <p>D. Use experimental and theoretical probability distributions to make judgments about the likelihood of various outcomes in uncertain situations.</p> <p>E. Solve problems involving independent simple and compound events.</p>

Academic Standards for Mathematics

	<p>I. Find all possible combinations and arrangements involving a limited number of variables.</p> <p>J. [Make] Develop a tree diagram and list the elements [in the sample space].</p>		
--	---	--	--

Academic Standards for Mathematics

2.8. Algebra and Functions

2.8.3. GRADE 3	2.8.5. GRADE 5	2.8.8. GRADE 8	2.8.11. GRADE 11
<i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills to:</i>			
<p>A. Recognize, describe, extend, create and replicate a variety of patterns including attribute, activity, number and geometric patterns.</p> <p>B. Use concrete objects and trial and error to solve number sentences and check whether solutions are sensible and accurate.</p> <p>C. Substitute a missing addend in a number sentence.</p> <p>D. Create a story to match a given combination of symbols and numbers.</p> <p>E. Use concrete objects and symbols to model the concepts of variables, expressions, equations[,] and inequalities.</p> <p>F. Explain the meaning of solutions and symbols.</p> <p>G. [Gather information and display it in the form of] Use a table or a chart to display information.</p> <p>H. Describe and interpret the data shown in tables and charts.</p>	<p>A. Recognize, reproduce, extend, create and describe patterns, sequences and relationships verbally, numerically, symbolically and graphically, using a variety of materials.</p> <p>B. Connect patterns to geometric relations and basic number skills.</p> <p>C. Form rules based on patterns (e.g., an equation that relates pairs in a sequence).</p> <p>D. Use concrete objects and combinations of symbols and numbers to create expressions that model mathematical situations.</p> <p>E. Explain the use of combinations of symbols and numbers in expressions, equations[,] and inequalities.</p> <p>F. Describe a realistic situation using information given in equations, inequalities, tables or graphs.</p> <p>G. Select and use appropriate strategies, including concrete materials, to solve number sentences and explain the method of solution.</p>	<p>A. Apply simple algebraic patterns to basic number theory and to spatial relations</p> <p>B. Discover, describe[,] and generalize patterns, including linear, exponential and simple quadratic relationships.</p> <p>C. Create and interpret expressions, equations[,] or inequalities that model problem situations.</p> <p>D. Use concrete objects to model algebraic concepts.</p> <p>E. Select and use a strategy to solve an equation or inequality, explain the solution and check the solution for accuracy.</p> <p>F. Solve and graph equations and inequalities using scientific and graphing calculators and computer spreadsheets.</p> <p>G. Represent relationships with tables[,] or graphs in the coordinate plane[,] and verbal or symbolic rules.</p>	<p>A. Analyze a given set of data for the existence of a pattern and represent the pattern algebraically and graphically.</p> <p>B. Give examples of patterns that occur in data from other disciplines.</p> <p>C. Use patterns, sequences and series to solve routine and non-routine problems.</p> <p>D. Formulate expressions, equations, inequalities, systems of equations, systems of inequalities[,] and matrices to model routine and non-routine problem situations.</p> <p>E. Use equations to represent curves [such as] (e.g., lines, circles, ellipses, parabolas, [and] hyperbolas).</p> <p>F. Identify whether systems of equations and inequalities are consistent or inconsistent.</p> <p>G. Analyze and explain systems of equations, systems of inequalities and matrices.</p>

Academic Standards for Mathematics

<p>I. Demonstrate simple function rules.</p> <p>J. Analyze simple functions and relationships and locate points on a simple grid.</p>	<p>H. Locate and identify points on a coordinate system.</p> <p>I. Generate functions from tables of data and relate data to corresponding graphs and functions.</p>	<p>H. Graph a linear function from a rule or table.</p> <p>I. Generate a table or graph from a function and use graphing calculators and computer spreadsheets to graph and analyze functions.</p> <p>J. Show that an equality relationship between two quantities remains the same as long as the same change is made to both quantities; [and] explain how a change in one quantity determines another quantity in a functional relationship.</p>	<p>H. Select and use an appropriate strategy to solve systems of equations and inequalities using graphing calculators, symbol manipulators, spreadsheets[,] and other software.</p> <p>I. Use matrices to organize and manipulate data, including matrix addition, subtraction, multiplication[,] and scalar multiplication.</p> <p>J. Demonstrate the connection between algebraic equations and inequalities and the geometry of relations in the coordinate plane.</p> <p>K. Select, justify[,] and apply an appropriate technique to graph a linear function in two variables, including slope-intercept, x- and y-intercepts, graphing by transformations[,] and the use of a graphing calculator.</p> <p>L. Write the equation of a line when given the graph of the line, two points on the line, or the slope of the line and a point on the line.</p> <p>M. Given a set of data points, write an equation for a line of best fit.</p> <p>N. Solve linear, quadratic[,] and exponential equations both symbolically and graphically.</p>
---	--	---	---

Academic Standards for Mathematics

			<p>O. Determine the domain and range of a relation, given a graph or set of ordered pairs.</p> <p>P. Analyze a relation to determine whether a direct or inverse variation exists and represent it algebraically and graphically.</p> <p>Q. Represent functional relationships in tables, charts, and graphs.</p> <p>R. Create and interpret functional models.</p> <p>S. Analyze properties and relationships of functions (e.g., linear, polynomial, rational, trigonometric, exponential, and logarithmic).</p> <p>T. Analyze and categorize functions by their characteristics.</p>
--	--	--	---

Academic Standards for Mathematics

2.9. Geometry	2.9.3. GRADE 3	2.9.5. GRADE 5	2.9.8. GRADE 8	2.9.11. GRADE 11
<p><i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills to:</i></p>				
<p>A. Name and label geometric shapes in two and three dimensions (e.g., circle/sphere, square/cube, triangle/pyramid, rectangle/prism).</p> <p>B. Build geometric shapes using concrete objects (e.g., manipulatives).</p> <p>C. Draw two- and three-dimensional geometric shapes and construct rectangles, squares and triangles on the geoboard and on graph paper satisfying specific criteria.</p> <p>D. Find and describe geometric figures in real life.</p> <p>E. Identify and draw lines of symmetry in geometric figures.</p> <p>F. Identify symmetry in nature.</p> <p>G. Fold paper to demonstrate the reflections about a line.</p> <p>H. Show relationships between and among figures using reflections.</p> <p>I. Predict how shapes can be changed by combining or dividing them.</p>	<p>A. Give formal definitions of geometric figures.</p> <p>B. Classify and compare triangles and quadrilaterals according to sides or angles.</p> <p>C. Identify and measure circles, their diameters and their radii.</p> <p>D. Describe in words how geometric shapes are constructed.</p> <p>E. Construct two- and three-dimensional shapes and figures using manipulatives, geoboards and computer software.</p> <p>F. Find familiar solids in the environment and describe them.</p> <p>G. Create an original tessellation.</p> <p>H. Describe the relationship between the perimeter and area of triangles, quadrilaterals and circles.</p> <p>I. Represent and use the concepts of line, point[,] and plane.</p>	<p>A. Construct figures incorporating perpendicular and parallel lines, the perpendicular bisector of a line segment and an angle bisector using computer software.</p> <p>B. Draw, label, measure and list the properties of complementary, supplementary[,] and vertical angles.</p> <p>C. Classify familiar polygons as regular or irregular up to a decagon.</p> <p>D. Identify, name, draw and list all properties of squares, cubes, pyramids, parallelograms, quadrilaterals, trapezoids, polygons, rectangles, rhombi, circles, spheres, triangles, prisms[,] and cylinders.</p> <p>E. Construct parallel lines, draw a transversal[,] and measure and compare angles formed [such as] (e.g., alternate interior and exterior angles).</p> <p>F. Distinguish between similar and congruent polygons.</p>	<p>A. Construct geometric figures using dynamic geometry tools (e.g., Geometer's Sketchpad, Cabri Geometre [, etc.]).</p> <p>B. Prove that two triangles or two polygons are congruent or similar using algebraic [and], coordinate [as well as] and deductive proofs.</p> <p>C. Identify and prove the properties of quadrilaterals involving opposite sides and angles, consecutive sides and angles[,] and diagonals using deductive proofs.</p> <p>D. Identify corresponding parts in congruent triangles to solve problems.</p> <p>E. Solve problems involving inscribed and circumscribed polygons.</p> <p>F. Use the properties of angles, arcs, chords, tangents[,] and secants to solve problems involving circles.</p> <p>G. Solve problems using analytic geometry.</p>	

Academic Standards for Mathematics

<p>J. Define the basic properties of squares, pyramids, parallelograms, quadrilaterals, trapezoids, polygons, rectangles, rhombi, circles, triangles, cubes, prisms, spheres[,] and cylinders.</p> <p>K. Analyze simple transformations of geometric figures and rotations of line segments.</p> <p>L. Identify properties of geometric figures (i.e.,] e.g., parallel, perpendicular, similar, congruent, symmetrical).</p>	<p>G. Approximate the value of π (pi) through experimentation.</p> <p>H. Use simple geometric figures [such as] (e.g., triangles and squares) to create, through rotation, transformational figures in three dimensions.</p> <p>I. Generate transformations using computer software.</p> <p>J. Analyze geometric patterns, such as] (e.g., tessellations and sequences of shapes),] and develop descriptions of the patterns.</p> <p>K. Analyze objects to determine whether they illustrate tessellations, symmetry, congruence, similarity[,] and scale.</p>	<p>H. Construct a geometric figure and its image using various transformations.</p> <p>I. Model situations geometrically to formulate and solve problems.</p> <p>J. Analyze figures in terms of the kinds of symmetries they have.</p>
--	---	--

Academic Standards for Mathematics

2.10. Trigonometry

2.10.3. GRADE 3	2.10.5. GRADE 5	2.10.8. GRADE 8	2.10.11. GRADE 11
<p><i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills to:</i></p>			
<p>A. Identify right angles in the environment.</p> <p>B. Model right angles and right triangles using concrete objects.</p>	<p>A. Identify and compare parts of right triangles, including right angles, acute angles, hypotenuses[,] and legs.</p> <p>B. Create right triangles on a geoboard.</p>	<p>A. Compute measures of sides and angles using proportions, the Pythagorean Theorem[,] and right triangle relationships.</p> <p>B. Solve problems requiring indirect measurement for lengths of sides of triangles.</p>	<p>A. Use graphing calculators to display periodic and circular functions; describe properties of the graphs.</p> <p>B. Identify, create[,] and solve practical problems involving right triangles using the trigonometric functions and the Pythagorean Theorem.</p>

Academic Standards for Mathematics

2.11. Concepts of Calculus

2.11.3. GRADE 3	2.11.5. GRADE 5	2.11.8. GRADE 8	2.11.11. GRADE 11
<p><i>Pennsylvania's public schools shall teach, challenge and support every student to realize his or her maximum potential and to acquire the knowledge and skills to:</i></p>			
<p>A. Identify whole number quantities and measurements from least to most and greatest value.</p> <p>B. Identify least and greatest values represented in bar graphs and pictographs.</p> <p>C. Categorize rates of change as faster and slower.</p> <p>D. Continue a pattern of numbers or objects that could be extended infinitely.</p>	<p>A. Make comparisons of numbers [such as] (e.g., more, less, same, least, most, greater than, [and] less than).</p> <p>B. Identify least and greatest values represented in bar and circle graphs.</p> <p>C. Identify maximum and minimum.</p> <p>D. Describe the relationship between rates of change and time.</p> <p>E. Estimate areas and volumes as the sums of areas of tiles and volumes of cubes.</p> <p>F. Describe the relationship between the size of the unit of measurement and the estimate of the areas and volumes.</p>	<p>A. Analyze graphs of related quantities for minimum and maximum values and justify the <u>findings</u>.</p> <p>B. Describe the concept of unit rate[s], ratio[s,] and slope in the context of rate of change.</p> <p>C. Continue a pattern of numbers or objects that could be extended infinitely.</p>	<p>A. Determine maximum and minimum values of a function over a specified interval.</p> <p>B. Interpret maximum and minimum values in problem situations.</p> <p>C. Graph and interpret rates of growth/decay.</p> <p>D. Determine sums of finite sequences of numbers and infinite geometric series.</p> <p>E. Estimate areas under curves using sequences of areas.</p>

Academic Standards for Mathematics

VI. GLOSSARY

Absolute value:

A number's distance from zero on a number line. The absolute value of 2 is equal to the absolute value of -2.

Algorithm:

A method of performing an arithmetic operation.

Analog time:


Time displayed on a timepiece having hour and minute hands.

Array:

Arrangement of a series of items according to the values of the items (e.g., largest to smallest).

Box-and-whisker plot:

A graphic method for showing a summary of data using median, quartiles and extremes of data.



[Capacity:

The volume of a container given in units of liquid measure.]

Combination:

A subset of the elements in a given set, without regard to the order in which those elements are arranged.

Composite number:

Any positive integer exactly divisible by one or more positive integers other than itself and 1.

Congruent:

Having the same shape and the same size.

Conjecture:

A statement believed to be true but not proved.

Coordinate system:

A method of locating points in the plane or in space by means of numbers. A point in the plane is located by its distances from both a horizontal and a vertical line called the axes. The horizontal line is called the x-axis. The vertical line is called the y-axis. The pairs of numbers are called ordered pairs. The first number, called the x-coordinate, designates the distance along the horizontal axis. The second number, called the y-coordinate, designates the distance along the vertical axis. The point at which the two axes intersect has the coordinates (0,0) and is called the origin.

Academic Standards for Mathematics

- Correlation:** A measure of the mutual relationship between two variables.
- Customary system:** A system of weights and measures frequently used in the United States. The basic unit of weight is the pound; the basic unit of capacity is the quart.
- Deductive reasoning:** The process of reasoning from statements accepted as true to reach a conclusion.
- Direct variation:** [When] Two variables are so related that their ratio remains constant [, **one of them is said to vary directly as the other**].
- Domain:** The set of all possible [replacements] values for the [placeholder] unknown in an open sentence.
- Equation:** A statement of equality between two mathematical expressions[.] (e.g., $X + 5 = Y - 2$).
- Equivalent forms:** Different forms of numbers that name the same number[;] (e.g., fraction, decimal, percent as $\frac{1}{2}$, .5, 50%).
- Expanded notation:** Involves writing the number in expanded form to show the value of each digit
(e.g., $15,629 = 10,000 + 5,000 + 600 + 20 + 9$).
- Exponential function:** A function whose general equation is $y = a \times b^{kx}$ or $y = a \times b^{kx}$, where a, b[,|] and k stand for constants.
- Exponent:** A numeral used to tell how many times a number or variable is used as a factor[.] (e.g., a^2 , 2^n , y^x).
- Expression:** A mathematical phrase that can include operations, numerals[,|] and variables. In algebraic terms: $2l + 3x$; in numeric terms: $13.4 - 4.7$.
- Factor:** The number or variable multiplied in a multiplication expression.
- Factorial:** The expression $n!$ (n factorial) is the product of all the numbers from 1 to n for any positive integer n.

Academic Standards for Mathematics

- Function:** A relation in which each value of an independent variable is associated with a unique value of the dependent value.
- Geoboard:** A board with pegs aligned in grid fashion that permits rubber bands to be wrapped around pegs to form geometric figures.
- Graphing calculator:** A calculator that will store and draw the graphs of several functions at once.
- Independent events:** Events such that the outcome of the first event has no effect on the probabilities of the outcome of the second event[.] (e.g., two tosses of the same coin are independent events).
- Inductive reasoning:** [Forming] Generalizations made from particular observations in a common occurrence.
- Inequality:** A mathematical sentence that contains a symbol[;], [such as,] (e.g., $>$, $<$, \geq , \leq , \neq) [and] in which the terms on either side of the symbol are unequal[.] (e.g., $x < y$, $7 > 3$, $n \geq 4$).
- Infinite:** Has no end or goes on forever.
- Integer:** A number that is a positive whole number, a negative whole number[,] or zero.
- Inverse:** A new conditional formed by negating both the antecedent and the consequent of a conditional.
- Inverse operations:** Operations that undo each other (e.g., addition and subtraction are inverse operations[,]; multiplication and division are inverse operations).
- Inverse variation:** When the ratio of one variable to the reciprocal of the other is constant, one of them is said to vary inversely as the other.
- Irrational number:** A number that cannot be written as a simple fraction. It is an infinite and non-repeating decimal.

Academic Standards for Mathematics

- Limit:** A number to which the terms of a sequence get closer so that beyond a certain term all terms are as close as desired to that number.
- Line of best fit:** The line that fits a set of data points with the smallest value for the sum of the squares of the errors (vertical distances) from the data points to the line.]; [Also called] the regression line.
- Linear function:** A function whose general equation is $y = mx + b$, where m and b stand for constants,] and $m \neq 0$.
- Linear measurement:** Measurement in a straight line.
- Logarithm:** The exponent indicating the power to which a fixed number, the base, must be raised to produce a given number. For example, if $n^x = a$, the logarithm of a , with n as the base, is x ; symbolically, $\log_n a = x$. If the base is 10, the log of 100 is 2 [or 10^2].
- Manipulatives:** Materials that allow students to explore [mathematics] mathematical concepts in a concrete mode.
- [Mathematical induction:** A formal method of proving that a statement about a positive integer n is true for all positive integers n , by: 1) proving that the statement is true for the first integer, than 2) proving that if the statement is true for n , it must be true for $(n-1)$.]
- Mathematical model:** A representation in the mathematical world of some phenomenon in the real world. It frequently consists of a function or relation specifying how two variables are related.
- Matrix:** A rectangular array of numbers representing such things as the coefficients in a system of equations arranged in rows and columns.
- Maximum:** The greatest number in a set of data.
- Mean:** [The mean of a set of numbers is] $\frac{\Sigma}{n}$ [the sum of the set of numbers divided by n , the number of numbers in the set.

Academic Standards for Mathematics

- Median:** The number that lies in the middle when a set of numbers is arranged in order. If there are two middle values, the median is the mean of these values.
- Metric system:** A system of measurement used throughout the world based on factors of 10. It includes measures of length, weight[,], and capacity.
- Minimum:** The least number in a set of data.
- Missing addend:** A member of an addition number sentence in which that term is missing[.] (e.g., $5 + \underline{\quad} = 8$).
- Mode:** The number(s) [which] that occurs most often in a set of numbers[.] (e.g., in the set 1, 2, 3, 3, 5, 8; the mode is 3).
- Multiple:** A number that is the product of a given integer and another integer[.] (e.g., 6 and 9 are multiples of 3).
- Normal curve:** [A graph describing the normal distribution in which more scores are found in the center and fewer scores are found at the extremes.] A graphical plot of a mathematical function (frequency distribution) which is unimodal and symmetrical.
- One-to-one [C]correspondence:** When one and only one element of a second set is assigned to an element of a first set, all elements of the second set are assigned, and every element of the first set has an assignment, the mapping is called one-to-one[.] (e.g., in the set Bill Clinton, George Bush, Ronald Reagan, Jimmy Carter, Hillary Clinton, Barbara Bush, Nancy Reagan[,]) and Rosalynn Carter, there is a one-to-one correspondence between the pairs).
- Open sentence:** A statement that contains at least one unknown. It becomes true or false when a quantity is substituted for the unknown[.] (e.g., $x + 5 = 9$, $y - 2 = 7$).
- Order of operations:** Rules for evaluating an expression: work first within parentheses[:]; then calculate all powers, from left to right; then do multiplications or divisions, from left to right; then do additions and subtractions, from left to right.

Academic Standards for Mathematics


Patterns: Regularities in situations such as those in nature, events, shapes, designs and sets of numbers ([for example,] e.g., spirals on pineapples, geometric designs in quilts, the number sequence 3, 6, 9, 12, ...).

Permutation: An arrangement of a given number of objects from a given set in which the order of the objects is significant.

Perpendicular lines: Two lines [which] that intersect to form right angles (e.g., \perp , \lrcorner , \lceil).

Plotting points: Locating points by means of coordinates, or a curve by plotted points, [and to represent] representing an equation by means of a curve so constructed.

Polygon: A union of segments connected end to end, such that each segment intersects exactly two others at its endpoints.



Powers: A number expressed using an exponent. The number 5^3 is read five to the third power or five cubed.

Prime: An integer greater than one whose only positive factors are 1 and itself[.] (e.g., 2, 3, 5, 7, 11, 13, 17, and 19 [are prime numbers]).

Probability: A number from 0 to 1 that indicates how likely something is to happen.

Problem-solving: Finding ways to reach a goal when no routine path is apparent.

Proof by contradiction: A proof in which, if s is to be proven, one reasons from not- s until a contradiction is deduced; from this it is concluded that not- s is false, which means that s is true.

Proportion: An equation of the form $\frac{a}{b} = \frac{c}{d}$ [which] that states that the two [ratios] ratios are equivalent.

Academic Standards for Mathematics

- Quadrilateral:** A four-sided polygon.
- Quartiles:** The three values that divide an ordered set into four subsets of approximately equal size. The second quartile is the median.
- Radian:** A unit of angular measure equal to $\frac{1}{2\pi}$ of a complete revolution.
- Range (1) :** The difference between the greatest number and the least number in a set of data.
- Range (2) :** The set of output values for a function.
- Rate of change:** The limit of the ratio of an increment of the function value at the point to that of the independent variable as the increment of the variable approaches zero.
- Ratio:** A comparison of two numbers by division.
- Rational numbers:** Any number that can be written in the form $\frac{a}{b}$ where a is any integer and b is any integer except zero.
- Real numbers:** The set consisting of all rational numbers and all irrational numbers.
- Reasonableness:** Quality of a solution such that it is not extreme or excessive.
- Reciprocal:** The fractional number that results from dividing one by the number.
- Rectangular prism:** A three-dimensional figure whose sides are all rectangles [,_i]; a box.
- Reflection:** A transformation that produces the mirror image of a geometric figure.
- Regression:** The line that represents the least deviation from the points in a scatter plot of data.

Academic Standards for Mathematics

- Regular polygon:** A polygon in which all sides have the same measure and all angles have the same measure.
- Relation:** A set of ordered pairs.
- Reliability:** The extent to which a measuring procedure yields the same results on repeated trials.
- Repeated addition:** A model for multiplication[.] (e.g., $2 + 2 + 2 = 3 \times 2$).
- Rotation:** A transformation that maps every point in the plane to its image by rotating the plane around a fixed point or line.
- Scientific calculator:** A calculator [which] that represents very large or very small numbers in scientific notation with the powering, factorial, square root, negative[,] and reciprocal keys.
- Scientific notation:** A way in writing a number of terms of an integer power of 10 multiplied by a number greater than or equal to 1 and less than 10.
- Sequence:** A set of ordered quantities[.] (e.g., positive integers).
- Series:** The indicated sum of the terms of a sequence.
- Similarity:** Having the same shape but not necessarily the same size.
- Simple event:** An event whose probability can be obtained from consideration of a single occurrence[.] (e.g., the tossing of a coin is a simple event).
- Simulation:** Modeling a real event without actually observing the event.
- Slope:** The slope of a line is the ratio of the change in y to the corresponding change in x ; the constant m in the linear function equation[.]; rise/run.

Academic Standards for Mathematics

Standard deviation: The square root of the variance.

Stem-and-leaf plot:

A frequency distribution made by arranging data[.] (e.g., student scores on a test were 98, 96, 85, 93, 83, 87, 85, 87, 93, 75, 77[.] and 83). This data [is] are displayed in a stem-and-leaf plot below.

```
 9 | 8, 6, 3, 3
  8 | 7, 7, 5, 5, 3, 3
  7 | 7, 5
```

Systems of equations:

Two or more equations that are conditions imposed simultaneously on all the variables, but may or may not have common solutions[.] (e.g., $x + y = 2$, and $3x + 2y = 5$).

Symmetry:

A line of symmetry separates a figure into two congruent halves, each of which is a reflection of the other[.] (e.g., \emptyset , the line through the center of the circle divides it into congruent halves).

t-test:

A statistical test done to test the difference of means of two samples.

Tessellation:

A repetitive pattern of polygons that covers an area with no holes and no overlaps, like floor tiles.

Transformation[s]:

An operation on a geometric figure by which each point gives rise to a unique image.

Translation[s]:

A transformation that moves a geometric figure by sliding each of the points the same distance in the same direction.

Tree diagram:

A diagram used to show the total number of possible outcomes in a probability experiment.

Trigonometric functions:

A function (e.g., sine, cosine, tangent, cotangent, secant, cosecant) whose independent variable is an angle measure, usually in degrees or radians.

Academic Standards for Mathematics

Valid argument:

An argument with the property that no matter what statements are substituted in the premises, the truth value of the form is true. If the premises are true, then the conclusion is true.

Variable:

A symbol used to stand for any one of a given set of numbers or other objects[.] (e.g., in the equation $y = x + 5$, y and x are variables).

Variance:


In a data set, the sum of the squared deviations divided by one less than the number of elements in the set (sample variance s^2) or by the number of elements in the set (population variance σ^2).

Vector:

A quantity that has both magnitude and direction[.] (e.g., physical quantities such as velocity and force).

Venn diagram:

A display that pictures unions and intersections of sets.



Volume:

The amount of space enclosed in a space (3-dimensional) figure, measured in cubic units.

Y-intercept:

The y -intercept of a line is the y -coordinate of the point at which the graph of an equation crosses the y -axis.

π :

pi, the ratio of the circumference of a circle to its diameter: about 3.1415926535.