



State of Wisconsin

LEGISLATIVE REFERENCE BUREAU

RESEARCH APPENDIX - **PLEASE DO NOT REMOVE FROM DRAFTING FILE**

Date Transfer Requested: 03/04/2008 (Per: RCT)

↑ ↑ ↑ ↑

☞ Appendix A ... Part 09 of 18

- ☞ The 2007 drafting file for LRBa1436/1
- ☞ The 2007 drafting file for LRBa1452/1
- ☞ The 2007 drafting file for LRBa1474/1
- ☞ The 2007 drafting file for LRBa1475/1
- ☞ The 2007 drafting file for LRBa1478/P1
- ☞ The 2007 drafting file for LRBa1491/P1
- ☞ The 2007 drafting file for LRBa1492/P1
- ☞ The 2007 drafting file for LRBa1493/P1
- ☞ The 2007 drafting file for LRBa1496/P1
- ☞ The 2007 drafting file for LRBa1500/P1
- ☞ The 2007 drafting file for LRBa1501/P1
- ☞ The 2007 drafting file for LRBa1502/P1
- ☞ The 2007 drafting file for LRBa1509/P1
- ☞ The 2007 drafting file for LRBa1510/P1
- ☞ The 2007 drafting file for LRBa1511/P1
- ☞ The 2007 drafting file for LRBa1512/P1
- ☞ The 2007 drafting file for LRBa1513/P1
- ☞ The 2007 drafting file for LRBa1514/P1

2007 LRBa1496 has been copied/added

to the drafting file for

2007 LRBa1529 (SA 1 to SB 523)

2007 DRAFTING REQUEST

Senate Amendment (SA-SB523)

Received: 02/29/2008

Received By: **btradewe**

Wanted: **Soon**

Identical to LRB:

For: **Mark Miller (608) 266-9170**

By/Representing:

This file may be shown to any legislator: **NO**

Drafter: **btradewe**

May Contact:

Addl. Drafters:

Subject: **Environment - water quality**

Extra Copies:

Submit via email: **YES**

Requester's email: **Sen.Miller@legis.wisconsin.gov**

Carbon copy (CC:) to: **John.Stolzenberg@legis.wisconsin.gov**

Pre Topic:

No specific pre topic given

Topic:

Alternative to common water supply system

Instructions:

See attached

Drafting History:

<u>Vers.</u>	<u>Drafted</u>	<u>Reviewed</u>	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	<u>Required</u>
/?							
/P1	btradewe 03/02/2008	csicilia 03/03/2008	rschluet 03/03/2008	_____	cduerst 03/03/2008		
	btradewe 03/03/2008	csicilia 03/03/2008	rschluet 03/03/2008	_____			

FE Sent For:

<END>

2007 DRAFTING REQUEST

Senate Amendment (SA-SB523)

Received: 02/29/2008

Received By: btradewe

Wanted: Soon

Identical to LRB:

For: Mark Miller (608) 266-9170

By/Representing: *# 12*

This file may be shown to any legislator: NO

Drafter: btradewe

May Contact:

Addl. Drafters:

Subject: Environment - water quality

Extra Copies:

Submit via email: YES

Requester's email: Sen.Miller@legis.wisconsin.gov

Carbon copy (CC:) to: John.Stolzenberg@legis.wisconsin.gov

Pre Topic:

No specific pre topic given

Topic:

Alternative to common water supply system

Instructions:

See attached

*1. modify p.65, lines 2-15 and post compact provision to reflect that some industries don't have a common water supply system.
2. deal with concern re: permit issuance, attached.
3. Public participation should not be required unless a decision-making standard applies*

Drafting History:

<u>Vers.</u>	<u>Drafted</u>	<u>Reviewed</u>	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	<u>Required</u>
--------------	----------------	-----------------	--------------	----------------	------------------	-----------------	-----------------

1? btradewe

/Pl gjs

[Signature]
3/3

FE Sent For:

3/3
08

<END>

3

12	Paper Council, DNR	Aggregation of water uses is unintended	<p>p.65, lines 12-15, (b) <i>Transfers and withdrawals from more than one source.</i> For the purposes of this section, the interbasin transfer or withdrawal of water from more than one source within the Great Lakes basin to supply a single facility or a common public water supply distribution system is considered one interbasin transfer or withdrawal.”</p>	Drafting	
----	-----------------------	---	--	----------	--

Tradewell, Becky

From: Stolzenberg, John
Sent: Saturday, March 01, 2008 5:41 PM
To: Tradewell, Becky
Subject: Item #12 - aggregation of water withdrawals

Becky,

Assuming you haven't got to item #12 yet, here are some thoughts on it. I understood from the elaboration of the instructions on this item that we can (i.e., should?) use the relevant provisions in ch. NR 142. These provisions appear to be:

- NR 142.02 (7) "Facility" means an operating plant or establishment serving water or electricity to the public or carrying on any manufacturing activity, trade or business on a common site, including similar plants under common ownership or control located on contiguous properties. Plants or establishments under common ownership or control located on separate sites shall be considered separate and individual facilities.
- NR 142.03 (2) AGGREGATION OF MULTIPLE WITHDRAWALS. In calculating the total amount of a withdrawal for purposes of determining the applicability of sub. (1), a person shall include all separate withdrawals which the person makes or proposes to make for a single facility or irrigated property under common ownership or control located on contiguous properties.

The instructions requested for page 65, line 14 is to delete "common distribution system" and substitute "single facility or a common public water supply distribution system." Would it work to take part of the s. NR 142.02 (7) definition of "facility," without the reference to serving water to the public, thus making this term apply to withdrawals by entities other than water utilities and avoiding overlap with the second part of this instruction?

For water utilities, it seems to me that it'd be preferable to use a different term than the one in the instruction. Rather than using "common public water supply distribution system," I'd suggest using "public water supply system," which is consistent with the rest of the draft.

John

2

Permit issuance; page 88; lines 6-15. This language appears in multiple places. The language is confusing and could be a problem for facilities that have multiple withdrawals. It specifies that the permit must establish a withdrawal baseline at the smallest of certain levels. One of these is an approved high capacity well. In the case where a mill has a high capacity well, along with large surface water withdrawals for process and non-contact cooling water, and if each withdrawal is treated separately, this language could require the baseline *for the facility* to be set at the high capacity well level, which would be much lower than the total withdrawal level.



State of Wisconsin
2007 - 2008 LEGISLATURE

LRBa1496/P1

RCT:.....

Mon

ys

PRELIMINARY DRAFT - NOT READY FOR INTRODUCTION
SENATE AMENDMENT ,
TO 2007 SENATE BILL 523

billist ✓

1 At the locations indicated, amend the bill as follows:

2 1. Page 62, line 15: after that line insert:

3 "(j) "Facility" means an operating plant or establishment providing electricity
4 to the public or carrying on any manufacturing activity, trade, or business on one site,
5 including similar plants or establishments under common ownership or control
6 located on contiguous properties." ✓

7 2. Page 65, line 14: delete "common distribution system" and substitute "a
8 single facility or public water supply system".

9 3. Page 83, line 2: after "is" insert ", except as provided in subd. 3e.", ✓

10 4. Page 83, line 11: after that line insert:

11 "3e. If water is withdrawn through more than one water supply system to serve
12 a facility, the department shall determine the smallest amounts under subd. 3.a. or
△

1 b. for each of the water supply systems and shall specify a withdrawal amount that
2 is equal to the sum of the amounts determined for each of the water supply systems.”.

3 5. Page 84, line 18: after “amount” insert “ that is, except as provided in subd.
4 3e.”.

5 6. Page 85, line 2: after that line insert:

6 “3e. If water is withdrawn through more than one water supply system to serve
7 a facility, the department shall determine the smallest amount under subd. 3.a. or
8 b. for each of the water supply systems and shall specify a withdrawal amount that
9 is equal to the sum of the amounts determined for each of the water supply systems.”.

10 7. Page 86, line 14: delete “or 3m. or (e) 3.” and substitute “, 3e., or 3m. or (e)
11 3., 3e.”.

12 8. Page 88, line 7: after “equal” insert “, except as provided in subd. 3e.”.

13 9. Page 88, line 15: after that line insert:

14 “3e. If water is withdrawn through more than one water supply system to serve
15 a facility, the department shall determine the smaller of the amounts under subd.
16 3.a. or b. for each of the water supply systems and shall specify a withdrawal amount
17 that is equal to the sum of the amounts determined for each of the water supply
18 systems.”.

19 10. Page 89 line 11: after “amount” insert “ that is, except as provided in subd.
20 3e.”.

21 11. Page 89, line 19: after that line insert:

22 “3e. If water is withdrawn through more than one water supply system to serve
23 a facility, the department shall determine the smallest amount under subd. 3.a. or
Δ

1 b. for each of the water supply systems and shall specify a withdrawal amount that
2 is equal to the sum of the amounts determined for each of the water supply systems." ✓

3 **12.** Page 96, line 21: after that line insert:

4 "(j) "Facility" means an operating plant or establishment providing electricity
5 to the public or carrying on any manufacturing activity, trade, or business on one site,
6 including similar plants or establishments under common ownership or control
7 located on contiguous properties." ✓

8 **13.** Page 99, line 23: delete "common distribution system" and substitute "a
9 single facility or public water supply system". ✓

10 **14.** Page 113 line 23: after "is" insert ", except as provided in subd. 3e.,".

11 **15.** Page 114, line 8: after that line insert:

12 "3e. If water is withdrawn through more than one water supply system to serve
13 a facility, the department shall determine the smallest amount under subd. 3.a. or
14 b. for each of the water supply systems and shall specify a withdrawal amount that
15 is equal to the sum of the amounts determined for each of the water supply systems." ✓

16 **16.** Page 115 line 18: after "amount" insert " that is, except as provided in
17 subd. 3e.,". ✓

18 **17.** Page 115, line 19: substitute "a." for "1." ✓

19 **18.** Page 116, line 1: substitute "b." for "2." ✓

20 **19.** Page 116, line 2: after that line insert:

21 "3e. If water is withdrawn through more than one water supply system to serve
22 a facility, the department shall determine the smallest amount under subd. 3.a. or
△

§ (g)

1 b. for each of the water supply systems and shall specify a withdrawal amount that
2 is equal to the sum of the amounts determined for each of the water supply systems.”.

3 **20.** Page 117, line 20: delete the material beginning with “or 3m.” and ending
4 with “3.” on line 21 and substitute “, 3e., or 3m., (g) 3., 3e., or 3m., or (j) 3., 3e.,”.

5 **21.** Page 119 line 5: after “is” insert “, except as provided in subd. 3e.,”.

6 **22.** Page 119, line 15: after that line insert:

7 “3e. If water is withdrawn through more than one water supply system to serve
8 a facility and subd. 3.c. does not apply, the department shall determine the smallest
9 amount under subd. 3.a. or b. for each of the water supply systems and shall specify
10 a withdrawal amount that is equal to the sum of the amounts determined for each
11 of the water supply systems.”.

12 **23.** Page 122 line 15: after “is” insert “, except as provided in subd. 3e.,”.

13 **24.** Page 123, line 2: after that line insert: .

14 “3e. If water is withdrawn through more than one water supply system to serve
15 a facility and subd. 3.c. does not apply, the department shall determine the smallest
16 amount under subd. 3.a. or b. for each of the water supply systems and shall specify
17 a withdrawal amount that is equal to the sum of the amounts determined for each
18 of the water supply systems.”.

19 **25.** Page 125 line 12: after “amount” insert “ that is, except as provided in
20 subd. 3e.,”.

21 **26.** Page 125, line 23: after that line insert:

22 “3e. If water is withdrawn through more than one water supply system to serve
23 a facility and subd. 3.c. does not apply, the department shall determine the smallest
24 amount under subd. 3.a. or b. for each of the water supply systems and shall specify

1 a withdrawal amount that is equal to the sum of the amounts determined for each
2 of the water supply systems.”.

3 **27.** Page 138, line 3: after “(5)” insert “to which the state decision-making
4 standard under sub. (5)[✓] or the compact decision-making standard under sub. (6)[✓]
5 applies”.

6 (END)



State of Wisconsin
2007 - 2008 LEGISLATURE

LRBa1496/P1
RCT:cjs:rs

~~Today (by if possible)~~ Now

Stays
Stays

PRELIMINARY DRAFT - NOT READY FOR INTRODUCTION
SENATE AMENDMENT,
TO 2007 SENATE BILL 523

Note

1 At the locations indicated, amend the bill as follows:

2 1. Page 62, line 15: after that line insert:

3 "(j) "Facility" means an operating plant or establishment providing electricity
4 to the public or carrying on any manufacturing activity, trade, or business on one site,
5 including similar plants or establishments under common ownership or control
6 located on contiguous properties."

7 2. Page 65, line 14: delete "common distribution system" and substitute
8 "single facility or public water supply system".

Insert
1-8

9 3. Page 83, line 2: after "is" insert ", except as provided in subd. 3e.".

10 4. Page 83, line 11: after that line insert:

11 "3e. If water is withdrawn through more than one water supply system to serve
12 a facility, the department shall determine the smallest amounts under subd. 3. a. or

1 b. for each of the water supply systems and shall specify a withdrawal amount that
2 is equal to the sum of the amounts determined for each of the water supply systems.”.

3 **5.** Page 84, line 18: after “amount” insert “ that is, except as provided in subd.
4 3e.,”.

5 **6.** Page 85, line 2: after that line insert:

6 “3e. If water is withdrawn through more than one water supply system to serve
7 a facility, the department shall determine the smallest amount under subd. 3. a. or
8 b. for each of the water supply systems and shall specify a withdrawal amount that
9 is equal to the sum of the amounts determined for each of the water supply systems.”.

10 **7.** Page 86, line 14: delete “or 3m. or (e) 3.” and substitute “, 3e., or 3m. or (e)
11 3., 3e.”.

12 **8.** Page 88, line 7: after “is” insert “, except as provided in subd. 3e.”.

13 **9.** Page 88, line 15: after that line insert:

14 “3e. If water is withdrawn through more than one water supply system to serve
15 a facility, the department shall determine the smaller of the amounts under subd. 3.
16 a. or b. for each of the water supply systems and shall specify a withdrawal amount
17 that is equal to the sum of the amounts determined for each of the water supply
18 systems.”.

19 **10.** Page 89, line 11: after “amount” insert “ that is, except as provided in subd.
20 3e.,”.

21 **11.** Page 89, line 19: after that line insert:

22 “3e. If water is withdrawn through more than one water supply system to serve
23 a facility, the department shall determine the smallest amount under subd. 3. a. or

1 b. for each of the water supply systems and shall specify a withdrawal amount that
2 is equal to the sum of the amounts determined for each of the water supply systems.”.

3 **12.** Page 96, line 21: after that line insert:

4 “(j) “Facility” means an operating plant or establishment providing electricity
5 to the public or carrying on any manufacturing activity, trade, or business on one site,
6 including similar plants or establishments under common ownership or control
7 located on contiguous properties.”.

8 **13.** Page 99, line 23: delete “common distribution system” and substitute
9 “single facility or public water supply system”.

10 **14.** Page 113 line 23: after “is” insert “, except as provided in subd. 3e.”.

11 **15.** Page 114, line 8: after that line insert:

12 “3e. If water is withdrawn through more than one water supply system to serve
13 a facility, the department shall determine the smallest amount under subd. 3. a. or
14 b. for each of the water supply systems and shall specify a withdrawal amount that
15 is equal to the sum of the amounts determined for each of the water supply systems.”.

16 **16.** Page 115, line 18: after “amount” insert “ that is, except as provided in
17 subd. 3e.”.

18 **17.** Page 115, line 19: substitute “a.” for “1.”.

19 **18.** Page 116, line 1: substitute “b.” for “2.”.

20 **19.** Page 116, line 2: after that line insert:

21 “3e. If water is withdrawn through more than one water supply system to serve
22 a facility, the department shall determine the smallest amount under subd. 3. a. or

1 b. for each of the water supply systems and shall specify a withdrawal amount that
2 is equal to the sum of the amounts determined for each of the water supply systems.”.

3 **20.** Page 117, line 20: delete the material beginning with “or 3m., (g)” and
4 ending with “3.” on line 21 and substitute “, 3e., or 3m., (g) 3., 3e., or 3m., or (j) 3., 3e.,”.

5 **21.** Page 119, line 5: after “is” insert “, except as provided in subd. 3e.,”.

6 **22.** Page 119, line 15: after that line insert:

7 “3e. If water is withdrawn through more than one water supply system to serve
8 a facility and subd. 3. c. does not apply, the department shall determine the smallest
9 amount under subd. 3. a. or b. for each of the water supply systems and shall specify
10 a withdrawal amount that is equal to the sum of the amounts determined for each
11 of the water supply systems.”.

12 **23.** Page 122, line 15: after “is” insert “, except as provided in subd. 3e.,”.

13 **24.** Page 123, line 2: after that line insert:

14 “3e. If water is withdrawn through more than one water supply system to serve
15 a facility and subd. 3. c. does not apply, the department shall determine the smallest
16 amount under subd. 3. a. or b. for each of the water supply systems and shall specify
17 a withdrawal amount that is equal to the sum of the amounts determined for each
18 of the water supply systems.”.

19 **25.** Page 125, line 12: after “amount” insert “ that is, except as provided in
20 subd. 3e.,”.

21 **26.** Page 125, line 23: after that line insert:

22 “3e. If water is withdrawn through more than one water supply system to serve
23 a facility and subd. 3. c. does not apply, the department shall determine the smallest
24 amount under subd. 3. a. or b. for each of the water supply systems and shall specify

1 a withdrawal amount that is equal to the sum of the amounts determined for each
2 of the water supply systems.”.

3 **27.** Page 138, line 3: after “(5)” insert “to which the state decision-making
4 standard under sub. (5m) or the compact decision-making standard under sub. (6)
5 applies”.

6 (END)

Note

2007-2008 DRAFTING INSERT
FROM THE
LEGISLATIVE REFERENCE BUREAU

LRBa1496/P1ins
RCT:.....

Insert 1-8

1. Page 78, line 10: delete "subd. 2." and substitute "subd. ^s 2. and 3e." ✓
2. Page 78, line 15: delete "If" and substitute "Except as provided in subd. 3e.,
if". ✓
3. Page 78, line 19: after that line insert:
"3e. If water is withdrawn through more than one water supply system to serve
a facility, the department shall determine the amount under subd. 1. for each of the
water supply systems to which subd. 2. does not apply and shall determine the
amount under subd. 2. for each of the water supply systems to which subd. 2. applies
and shall provide an estimate of the initial withdrawal amount that is equal to the
sum of the amounts determined for each of the water supply systems." ✓

**DRAFTER'S NOTE
FROM THE
LEGISLATIVE REFERENCE BUREAU**

LRBa1496/P1dn

RCT/.....

cjs

This draft does the following:

1. Modifies the language concerning the aggregation of withdrawals from more than one source (on page 65, lines 12 to 15, and page 99, lines 21 to 24). A definition of "facility" is added for this purpose.
2. Provides that if a facility is served by more than one water supply system, the withdrawal amount for the facility is, generally, the sum of the withdrawal amounts determined for each water supply system.
3. Clarifies that the public participation requirements do not apply whenever a person applies for modification of a permit for a withdrawal, but only when one of the decision-making standards applies.

Rebecca C. Tradewell
Managing Attorney
Phone: (608) 266-7290
E-mail: becky.tradewell@legis.wisconsin.gov

**DRAFTER'S NOTE
FROM THE
LEGISLATIVE REFERENCE BUREAU**

LRBa1496/P1dn
RCT:cjs:rs

March 3, 2008

This draft does the following:

1. Modifies the language concerning the aggregation of withdrawals from more than one source (on page 65, lines 12 to 15, and page 99, lines 21 to 24). A definition of "facility" is added for this purpose.
2. Provides that if a facility is served by more than one water supply system, the withdrawal amount for the facility is, generally, the sum of the withdrawal amounts determined for each water supply system.
3. Clarifies that the public participation requirements do not apply whenever a person applies for modification of a permit for a withdrawal, but only when one of the decision-making standards applies.

Rebecca C. Tradewell
Managing Attorney
Phone: (608) 266-7290
E-mail: becky.tradewell@legis.wisconsin.gov



State of Wisconsin
LEGISLATIVE REFERENCE BUREAU

RESEARCH APPENDIX -
PLEASE DO NOT REMOVE FROM DRAFTING FILE

Date Transfer Requested: 03/04/2008 (Per: RCT)

Appendix A ... Part 09 of 18

- The 2007 drafting file for LRBa1436/P1
- The 2007 drafting file for LRBa1452/P1
- The 2007 drafting file for LRBa1474/P1
- The 2007 drafting file for LRBa1475/P1
- The 2007 drafting file for LRBa1478/P1
- The 2007 drafting file for LRBa1491/P1
- The 2007 drafting file for LRBa1492/P1
- The 2007 drafting file for LRBa1493/P1
- The 2007 drafting file for LRBa1496/P1
- The 2007 drafting file for LRBa1503/P1
- The 2007 drafting file for LRBa1501/P1
- The 2007 drafting file for LRBa1502/P1
- The 2007 drafting file for LRBa1509/P1
- The 2007 drafting file for LRBa1510/P1
- The 2007 drafting file for LRBa1511/P1
- The 2007 drafting file for LRBa1512/P1
- The 2007 drafting file for LRBa1513/P1
- The 2007 drafting file for LRBa1514/P1

2007 LRBa1496 has been copied/added

to the drafting file for

2007 LRBa1529 (SA 1 to SB 523)



State of Wisconsin
2007 - 2008 LEGISLATURE

LRBa1496/P1
RCT:cjs:rs

PRELIMINARY DRAFT - NOT READY FOR INTRODUCTION
SENATE AMENDMENT,
TO 2007 SENATE BILL 523

1 At the locations indicated, amend the bill as follows:

2 **1.** Page 62, line 15: after that line insert:

3 “(j) “Facility” means an operating plant or establishment providing electricity
4 to the public or carrying on any manufacturing activity, trade, or business on one site,
5 including similar plants or establishments under common ownership or control
6 located on contiguous properties.”.

7 **2.** Page 65, line 14: delete “common distribution system” and substitute
8 “single facility or public water supply system”.

9 **3.** Page 78, line 10: delete “subd. 2.” and substitute “subds. 2. and 3e.”.

10 **4.** Page 78, line 15: delete “If” and substitute “Except as provided in subd. 3e.,
11 if”.

12 **5.** Page 78, line 19: after that line insert:

1 “3e. If water is withdrawn through more than one water supply system to serve
2 a facility, the department shall determine the amount under subd. 1. for each of the
3 water supply systems to which subd. 2. does not apply and shall determine the
4 amount under subd. 2. for each of the water supply systems to which subd. 2. applies
5 and shall provide an estimate of the initial withdrawal amount that is equal to the
6 sum of the amounts determined for each of the water supply systems.”

7 **6.** Page 83, line 2: after “is” insert “, except as provided in subd. 3e.,”.

8 **7.** Page 83, line 11: after that line insert:

9 “3e. If water is withdrawn through more than one water supply system to serve
10 a facility, the department shall determine the smallest amounts under subd. 3. a. or
11 b. for each of the water supply systems and shall specify a withdrawal amount that
12 is equal to the sum of the amounts determined for each of the water supply systems.”

13 **8.** Page 84, line 18: after “amount” insert “ that is, except as provided in subd.
14 3e.,”.

15 **9.** Page 85, line 2: after that line insert:

16 “3e. If water is withdrawn through more than one water supply system to serve
17 a facility, the department shall determine the smallest amount under subd. 3. a. or
18 b. for each of the water supply systems and shall specify a withdrawal amount that
19 is equal to the sum of the amounts determined for each of the water supply systems.”

20 **10.** Page 86, line 14: delete “or 3m. or (e) 3.” and substitute “, 3e., or 3m. or (e)
21 3., 3e.,”.

22 **11.** Page 88, line 7: after “is” insert “, except as provided in subd. 3e.,”.

23 **12.** Page 88, line 15: after that line insert:

1 “3e. If water is withdrawn through more than one water supply system to serve
2 a facility, the department shall determine the smaller of the amounts under subd. 3.
3 a. or b. for each of the water supply systems and shall specify a withdrawal amount
4 that is equal to the sum of the amounts determined for each of the water supply
5 systems.”.

6 **13.** Page 89, line 11: after “amount” insert “that is, except as provided in subd.
7 3e.”.

8 **14.** Page 89, line 19: after that line insert:

9 “3e. If water is withdrawn through more than one water supply system to serve
10 a facility, the department shall determine the smallest amount under subd. 3. a. or
11 b. for each of the water supply systems and shall specify a withdrawal amount that
12 is equal to the sum of the amounts determined for each of the water supply systems.”.

13 **15.** Page 96, line 21: after that line insert:

14 “(j) “Facility” means an operating plant or establishment providing electricity
15 to the public or carrying on any manufacturing activity, trade, or business on one site,
16 including similar plants or establishments under common ownership or control
17 located on contiguous properties.”.

18 **16.** Page 99, line 23: delete “common distribution system” and substitute
19 “single facility or public water supply system”.

20 **17.** Page 113 line 23: after “is” insert “, except as provided in subd. 3e.”.

21 **18.** Page 114, line 8: after that line insert:

22 “3e. If water is withdrawn through more than one water supply system to serve
23 a facility, the department shall determine the smallest amount under subd. 3. a. or

1 b. for each of the water supply systems and shall specify a withdrawal amount that
2 is equal to the sum of the amounts determined for each of the water supply systems.”.

3 **19.** Page 115, line 18: after “amount” insert “ that is, except as provided in
4 subd. 3e.”.

5 **20.** Page 115, line 19: substitute “a.” for “1.”.

6 **21.** Page 116, line 1: substitute “b.” for “2.”.

7 **22.** Page 116, line 2: after that line insert:

8 “3e. If water is withdrawn through more than one water supply system to serve
9 a facility, the department shall determine the smallest amount under subd. 3. a. or
10 b. for each of the water supply systems and shall specify a withdrawal amount that
11 is equal to the sum of the amounts determined for each of the water supply systems.”.

12 **23.** Page 117, line 20: delete the material beginning with “or 3m., (g)” and
13 ending with “3.” on line 21 and substitute “, 3e., or 3m., (g) 3., 3e., or 3m., or (j) 3., 3e.”.

14 **24.** Page 119, line 5: after “is” insert “, except as provided in subd. 3e.”.

15 **25.** Page 119, line 15: after that line insert:

16 “3e. If water is withdrawn through more than one water supply system to serve
17 a facility and subd. 3. c. does not apply, the department shall determine the smallest
18 amount under subd. 3. a. or b. for each of the water supply systems and shall specify
19 a withdrawal amount that is equal to the sum of the amounts determined for each
20 of the water supply systems.”.

21 **26.** Page 122, line 15: after “is” insert “, except as provided in subd. 3e.”.

22 **27.** Page 123, line 2: after that line insert:

1 “3e. If water is withdrawn through more than one water supply system to serve
2 a facility and subd. 3. c. does not apply, the department shall determine the smallest
3 amount under subd. 3. a. or b. for each of the water supply systems and shall specify
4 a withdrawal amount that is equal to the sum of the amounts determined for each
5 of the water supply systems.”.

6 **28.** Page 125, line 12: after “amount” insert “ that is, except as provided in
7 subd. 3e.”.

8 **29.** Page 125, line 23: after that line insert:

9 “3e. If water is withdrawn through more than one water supply system to serve
10 a facility and subd. 3. c. does not apply, the department shall determine the smallest
11 amount under subd. 3. a. or b. for each of the water supply systems and shall specify
12 a withdrawal amount that is equal to the sum of the amounts determined for each
13 of the water supply systems.”.

14 **30.** Page 138, line 3: after “(5)” insert “to which the state decision-making
15 standard under sub. (5m) or the compact decision-making standard under sub. (6)
16 applies”.

17 (END)