

2007 DRAFTING REQUEST

Bill

Received: 11/15/2006

Received By: rkite

Wanted: As time permits

Identical to LRB:

For: Legislative Council - LRC

By/Representing: Don Dyke

This file may be shown to any legislator: NO

Drafter: rkite

May Contact:

Addl. Drafters:

Subject: Buildings/Safety - fire safety

Extra Copies:

Submit via email: NO

Pre Topic:

No specific pre topic given

Topic:

Low rise fire protection code reference change

Instructions:

See Attached

Drafting History:

<u>Vers.</u>	<u>Drafted</u>	<u>Reviewed</u>	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	<u>Required</u>
/?							
/P1	rkite 11/15/2006	jdye 11/21/2006	sherritz 11/22/2006	_____	cduerst 11/22/2006		
/1	rkite 10/30/2007	jdye 10/30/2007	jfrantze 10/30/2007	_____	sbasford 10/30/2007		
/2	rkite 11/16/2007	jdye 11/16/2007	pgreensl 11/16/2007	_____	cduerst 11/16/2007	sbasford 11/20/2007	

FE Sent For:

N/A

<END>

2007 DRAFTING REQUEST

Bill

Received: 11/15/2006

Received By: rkite

Wanted: As time permits

Identical to LRB:

For: Legislative Council - LRC

By/Representing: Don Dyke

This file may be shown to any legislator: NO

Drafter: rkite

May Contact:

Addl. Drafters:

Subject: Buildings/Safety - fire safety

Extra Copies:

Submit via email: NO

Pre Topic:

No specific pre topic given

Topic:

Low rise fire protection code reference change

Instructions:

See Attached

Drafting History:

<u>Vers.</u>	<u>Drafted</u>	<u>Reviewed</u>	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	<u>Required</u>
/?							
/P1	rkite 11/15/2006	jdyer 11/21/2006	sherritz 11/22/2006	_____	cduerst 11/22/2006		
/1	rkite 10/30/2007	jdyer 10/30/2007	jfrantze 10/30/2007	_____	sbasford 10/30/2007		
/2	rkite 11/16/2007	jdyer 11/16/2007	pgreensl 11/16/2007	_____	cduerst 11/16/2007		

FE Sent For:

<END>

2007 DRAFTING REQUEST

Bill

Received: 11/15/2006

Received By: rkite

Wanted: As time permits

Identical to LRB:

For: Legislative Council - LRC

By/Representing: Don Dyke

This file may be shown to any legislator: NO

Drafter: rkite

May Contact:

Addl. Drafters:

Subject: Buildings/Safety - fire safety

Extra Copies:

Submit via email: NO

Pre Topic:

No specific pre topic given

Topic:

Low rise fire protection code reference change

Instructions:

See Attached

Drafting History:

<u>Vers.</u>	<u>Drafted</u>	<u>Reviewed</u>	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	<u>Required</u>
/?							
/P1	rkite 11/15/2006	jdye 11/21/2006	sherritz 11/22/2006	_____	cduerst 11/22/2006		
/1	rkite 10/30/2007	jdye 10/30/2007	jfrantze 10/30/2007	_____ 11/16	sbasford 10/30/2007		

FE Sent For:

12/16 jld
11/16 PS
11/16 PS/mw

<END>

2007 DRAFTING REQUEST

Bill

Received: 11/15/2006

Received By: rkite

Wanted: As time permits

Identical to LRB:

For: Legislative Council - LRC

By/Representing: Don Dyke

This file may be shown to any legislator: NO

Drafter: rkite

May Contact:

Addl. Drafters:

Subject: Buildings/Safety - fire safety

Extra Copies:

Submit via email: NO

Pre Topic:

No specific pre topic given

Topic:

Low rise fire protection code reference change

Instructions:

See Attached

Drafting History:

<u>Vers.</u>	<u>Drafted</u>	<u>Reviewed</u>	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	<u>Required</u>
/?							
/P1	rkite 11/15/2006	jdyer 11/21/2006	sherritz 11/22/2006		cduerst 11/22/2006		

FE Sent For:

10/30 jld

10/30 <END>

10/30

2007 DRAFTING REQUEST

Bill

Received: 11/15/2006

Received By: rkite

Wanted: As time permits

Identical to LRB:

For: Legislative Council - LRC

By/Representing: Don Dyke

This file may be shown to any legislator: NO

Drafter: rkite

May Contact:

Addl. Drafters:

Subject: Buildings/Safety - fire safety

Extra Copies:

Submit via email: NO

Pre Topic:

No specific pre topic given

Topic:

Low rise fire protection code reference change

Instructions:

See Attached

Drafting History:

<u>Vers.</u>	<u>Drafted</u>	<u>Reviewed</u>	<u>Typed</u>	<u>Proofed</u>	<u>Submitted</u>	<u>Jacketed</u>	<u>Required</u>
/?	rkite	PI 11/21 jld	sh 11/22	sh/pg 11/22			

FE Sent For:

<END>

MEMORANDUM

DATE: November 3, 2006
TO: Terry Anderson, Director
Joint Legislative Council
FROM: Mary P. Burke, Secretary
Department of Commerce
SUBJECT: Proposals for Law Revision Committee

As a follow-up to our October 26, 2006 memo relating to statutory changes for consideration by the Law Revision Committee, the Department of Commerce is submitting the attached additional changes for items from our Safety and Buildings Division.

If you have any general questions about these items, please contact Louie Cornelius, Director of Policy and Budget. He can be reached at 266-8629. In addition, Bob DuPont, the Director of Program Development in the Division of Safety and Buildings, can be reached for specific questions about these items at 266-8984.

cc: David Storey
Kathryn Carlson
Bob DuPont
Louie Cornelius
Greg Jones
Laura Rose, Legislative Council
Don Dyke, Legislative Council

3) Low Rise Fire Protection Code Reference

RNLK

a) Requested Change

Amend s. 101.14 (4) (c) (1), Stats. to change the reference to the name of the organization from the Building Officials and Code Administrators International, Inc. (BOCA) to the International Code Council, Inc.

b) Problem

The statutory provisions are out of date. The organization referenced has not existed since October of 2002 when the three model code organizations, of which BOCA was one, became the International Code Council, Inc.

c) Need for Change

The deletion of a statutory reference to the obsolete BOCA will update and increase the clarity of the statutory language administered by the Department.

d) Fiscal Effect

No fiscal impact is expected from this change, because current revenues or expenditures would not be affected.

e) Other

This proposal does not involve any significant policy change. There should be no objection to making this change. However, the Wisconsin State Fire Chiefs Association and their counterparts may use an editorial change such as this to

further state their preference to affiliate with the National Fire Protection Association (NFPA), an alternative model code.



State of Wisconsin
2007 - 2008 LEGISLATURE

Rm run
PI
LRB-07732
RNK:.....
Jld

PRELIMINARY DRAFT - NOT READY FOR INTRODUCTION

Gen

- 1 AN ACT ...; relating to: fire detection, prevention, and suppression rules
- 2 governing places of employment and public buildings under 60 feet in height
- 3 (suggested as remedial legislation by the Department of Commerce)

Analysis by the Legislative Reference Bureau

Under current law, the Department of Commerce is required to promulgate rules requiring owners of places of employment and public buildings to install fire detection, prevention, or suppression devices to protect the health, welfare, and safety of the persons who use those places and buildings. Current law also provides that the rules governing those places and buildings that are under 60 feet in height must be based upon provisions in the Building Officials and Code Administrators International, Inc., building code. This bill provides that the rules must, instead, be based upon provisions in the International Code Council, Inc., building code.

For further information, see the NOTES provided by the Law Revision Committee of the Joint Legislative Council.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

→ INSERT 1-4 x

- 4 SECTION 1. 101.14 (4) (c) 1. of the statutes is amended to read:
- 5 101.14 (4) (c) 1. The rules of the department governing such places and
- 6 buildings under 60 feet in height shall be based upon but may vary from those

1 provisions in the ~~Building Officials and~~ [✓] International Code Administrators
2 International Council, Inc., building code which relate to fire detection, prevention
3 and suppression in public buildings and places of employment.

History: 1971 c. 185 s. 1; 1971 c. 228; Stats. 1971 s. 101.14; 1973 c. 324, 326, 336; 1975 c. 39, 94; 1977 c. 29, 413; 1979 c. 221; 1981 c. 320, 341; 1983 a. 36; 1983 a. 189 s. 329 (8); 1983 a. 295, 410; 1985 a. 29; 1985 a. 135 s. 83 (3); 1987 a. 288, 321, 399; 1989 a. 31, 109, 359; 1991 a. 187, 269; 1993 a. 261; 1995 a. 27; 1997 a. 27; 1999 a. 9, 43, 186; 2003 a. 269; 2005 a. 78, 220.

4

(END)

2007-2008 DRAFTING INSERT
FROM THE
LEGISLATIVE REFERENCE BUREAU


LRS-use this insert
LRB-0818/P1ins2
RNK:.....

INSERT 1-4

Department of Commerce

LAW REVISION COMMITTEE PREFATORY NOTE: This bill is a remedial legislation proposal, requested by the ~~23~~ and introduced by the Law Revision Committee under s. 13.83 (1) (c) 1. and 5., as a result of the Revisor of Statutes' case and opinion review under s. 13.93 (2) (d), stats. After careful consideration of the various provisions of the bill, the Law Revision Committee has determined that this bill makes minor substantive changes in the statutes, and that these changes are desirable as a matter of public policy.

(end Ins 1-4)



(soon)
State of Wisconsin
2007 - 2008 LEGISLATURE

RM run
LRB-0773/PA
RNK:jld:sh

PRELIMINARY DRAFT - NOT READY FOR INTRODUCTION

Regen

1 AN ACT *to amend* 101.14 (4) (c) 1. of the statutes; **relating to:** fire detection,
2 prevention, and suppression rules governing places of employment and public
3 buildings under 60 feet in height (suggested as remedial legislation by the
4 Department of Commerce).

Analysis by the Legislative Reference Bureau

Under current law, the Department of Commerce is required to promulgate rules requiring owners of places of employment and public buildings to install fire detection, prevention, or suppression devices to protect the health, welfare, and safety of the persons who use those places and buildings. Current law also provides that the rules governing those places and buildings that are under 60 feet in height must be based upon provisions in the Building Officials and Code Administrators International, Inc., building code. This bill provides that the rules must, instead, be based upon provisions in the International Code Council, Inc., building code.

For further information, see the NOTES provided by the Law Revision Committee of the Joint Legislative Council.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

LAW REVISION COMMITTEE PREFATORY NOTE: This bill is a remedial legislation proposal, requested by the Department of Commerce and introduced by the Law Revision



State of Wisconsin
2007 - 2008 LEGISLATURE

LRB-0773/1
RNK:jld:jf

2007 BILL

1 **AN ACT to amend** 101.14 (4) (c) 1. of the statutes; **relating to:** fire detection,
2 prevention, and suppression rules governing places of employment and public
3 buildings under 60 feet in height (suggested as remedial legislation by the
4 Department of Commerce).

Analysis by the Legislative Reference Bureau

Under current law, the Department of Commerce is required to promulgate rules requiring owners of places of employment and public buildings to install fire detection, prevention, or suppression devices to protect the health, welfare, and safety of the persons who use those places and buildings. Current law also provides that the rules governing those places and buildings that are under 60 feet in height must be based upon provisions in the Building Officials and Code Administrators International, Inc., building code. This bill provides that the rules must, instead, be based upon provisions in the International Code Council, Inc., building code.

For further information, see the NOTES provided by the Law Revision Committee of the Joint Legislative Council.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

LAW REVISION COMMITTEE PREFATORY NOTE: This bill is a remedial legislation proposal, requested by the Department of Commerce and introduced by the Law Revision

BILL

Committee under s. 13.83 (1) (c) 1. and 5., as a result of the Revisor of Statutes' case and opinion review under s. 13.93 (2) (d), stats. After careful consideration of the various provisions of the bill, the Law Revision Committee has determined that this bill makes minor substantive changes in the statutes, and that these changes are desirable as a matter of public policy.

1 **SECTION 1.** 101.14 (4) (c) 1. of the statutes is amended to read:

2 101.14 (4) (c) 1. The rules of the department governing such places and
3 buildings under 60 feet in height shall be based upon but may vary from those
4 provisions in the ~~Building Officials and International Code Administrators~~
5 ~~International Council, Inc.~~, building code which relate to fire detection, prevention
6 and suppression in public buildings and places of employment.

7

(END)

↑
insert
2A

1

INSERT TO LRB-0773/P1

INSERT 2A

NOTE: According to the Department of Commerce, the Building Officials and Code Administrators, Inc. (BOCA), has not existed since October 2002 when the 3 model code organizations, of which BOCA was one, became the International Code Council, Inc.



(Som)
State of Wisconsin
2007 - 2008 LEGISLATURE

RM run
2
LRB-0773/4
RNK:jld:jf

2007 BILL

Regen
1 AN ACT *to amend* 101.14 (4) (c) 1. of the statutes; **relating to:** fire detection,
2 prevention, and suppression rules governing places of employment and public
3 buildings under 60 feet in height (suggested as remedial legislation by the
4 Department of Commerce).✓

Analysis by the Legislative Reference Bureau

Under current law, the Department of Commerce is required to promulgate rules requiring owners of places of employment and public buildings to install fire detection, prevention, or suppression devices to protect the health, welfare, and safety of the persons who use those places and buildings. Current law also provides that the rules governing those places and buildings that are under 60 feet in height must be based upon provisions in the Building Officials and Code Administrators International, Inc., building code. This bill provides that the rules must, instead, be based upon provisions in the International Code Council, Inc., building code. ✓

For further information, see the NOTES provided by the Law Revision Committee of the Joint Legislative Council. ✓

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

LAW REVISION COMMITTEE PREFATORY NOTE: This bill is a remedial legislation proposal, requested by the Department of Commerce and introduced by the Law Revision

BILL

*
*

Committee under s. 13.83 (1) (c) ⁴ and 5, as a result of the Revisor of Statutes' case and opinion review under s. 13.93 (2) (d), stats. After careful consideration of the various provisions of the bill, the Law Revision Committee has determined that this bill makes minor substantive changes in the statutes, and that these changes are desirable as a matter of public policy.

1 **SECTION 1.** 101.14 (4) (c) 1. of the statutes is amended to read:

2 101.14 (4) (c) 1. The rules of the department governing such places and
3 buildings under 60 feet in height shall be based upon but may vary from those
4 provisions in the ~~Building Officials and International Code Administrators~~
5 ~~International Council, Inc.~~, building code which relate to fire detection, prevention
6 and suppression in public buildings and places of employment.

insert
2-6
7 →

(END)

**2007-2008 DRAFTING INSERT
FROM THE
LEGISLATIVE REFERENCE BUREAU**

LRB-0773/2ins.
RNK:.....

INSERT 2-6

note:
std

NOTE: According to the Department of Commerce, the Building Officials and Code Administrators, Inc. (BOCA) has not existed since October, 2002, when the 3 model code organizations, of which BOCA was one, became the International Code Council, Inc. *



State of Wisconsin

LEGISLATIVE REFERENCE BUREAU

ONE EAST MAIN STREET
SUITE 200
MADISON, WI 53701-2037

STEPHEN R. MILLER
CHIEF

LEGAL SECTION: (608) 266-3561
LEGAL FAX: (608) 264-6948

November 16, 2007

MEMORANDUM

To: Legislative Council - LRC

From: Robin N. Kite, Legislative Attorney

Re: LRB-0773/2 Low rise fire protection code reference change

The attached draft was prepared at your request. Please review it carefully to ensure that it is accurate and satisfies your intent. If it does and you would like it jacketed for introduction, please indicate below for which house you would like the draft jacketed and return this memorandum to our office. If you have any questions about jacketing, please call our program assistants at 266-3561. Please allow one day for jacketing.

_____ JACKET FOR ASSEMBLY ✓ _____ JACKET FOR SENATE

If you have any questions concerning the attached draft, or would like to have it redrafted, please contact me at (608) 266-7291 or at the address indicated at the top of this memorandum.

If the last paragraph of the analysis states that a fiscal estimate will be prepared, the LRB will request that it be prepared after the draft is introduced. You may obtain a fiscal estimate on the attached draft before it is introduced by calling our program assistants at 266-3561. Please note that if you have previously requested that a fiscal estimate be prepared on an earlier version of this draft, you will need to call our program assistants in order to obtain a fiscal estimate on this version before it is introduced.

Please call our program assistants at 266-3561 if you have any questions regarding this memorandum.