2009 DRAFTING REQUEST

Bill

Received: 04/29/2009	Received By: mglass				
Wanted: As time permits	Identical to LRB:				
For: Jim Holperin (608) 266-2509	By/Representing: Liz Novak				
This file may be shown to any legislator: NO	Drafter: mglass				
May Contact:	Addl. Drafters:				
Subject: Nat. Res boats snomos ATVs	Extra Copies:	ARG			
Submit via email: YES					
Requester's email: Sen.Holperin@legis.wisconsin.gov					
Carbon copy (CC:) to:					
Pre Topic:					
No specific pre topic given					
Topic:		· · · · · · · · · · · · · · · · · · ·			
Definition of all-terrain vehicle; size requirements					
Instructions:					
Change width from 48 inches to 50 inches; rim diameter from 1	2 inches to 14 inches;	tire pressure from 6			

Drafting History:

lbs to 10 lbs

Vers.	<u>Drafted</u>	Reviewed	Typed	Proofed	Submitted	<u>Jacketed</u>	Required
/?							State
/1	mglass 05/05/2009	bkraft 05/05/2009	jfrantze 05/06/2009)	sbasford 05/06/2009		State
/2	mglass 05/26/2009	bkraft 05/26/2009	rschluet 05/26/2009)	lparisi 05/26/2009	lparisi 06/02/2009	

LRB-2803 06/02/2009 03:26:18 PM Page 2

FE Sent For:

<END>

At Intro.

2009 DRAFTING REQUEST

Bill

Received: 04/29/2009	Received By: mglass
----------------------	---------------------

Wanted: As time permits Identical to LRB:

For: Jim Holperin (608) 266-2509 By/Representing: Liz Novak

This file may be shown to any legislator: **NO**Drafter: **mglass**

May Contact: Addl. Drafters:

Subject: Nat. Res. - boats snomos ATVs Extra Copies: ARG

Submit via email: YES

Requester's email: Sen.Holperin@legis.wisconsin.gov

Carbon copy (CC:) to:

Pre Topic:

No specific pre topic given

Topic:

Definition of all-terrain vehicle; size requirements

Instructions:

Change width from 48 inches to 50 inches; rim diameter from 12 inches to 14 inches; tire pressure from 6 lbs to 10 lbs

Drafting History:

Vers.	<u>Drafted</u>	Reviewed	<u>Typed</u>	Proofed	Submitted	<u>Jacketed</u>	Required
/?							State
/1	mglass 05/05/2009	bkraft 05/05/2009	jfrantze 05/06/200	9	sbasford 05/06/2009		State
/2	mglass 05/26/2009	bkraft 05/26/2009	rschluet 05/26/200	9	lparisi 05/26/2009		

FE Sent For:

<**END>**

Received By: mglass

2009 DRAFTING REQUEST

Bill

Received: 04/29/2009

Wanted: As time permits Identical to LRB:

For: Jim Holperin (608) 266-2509 By/Representing: Liz Novak

This file may be shown to any legislator: **NO**Drafter: **mglass**

May Contact: Addl. Drafters:

Subject: Nat. Res. - boats snomos ATVs Extra Copies: ARG

Submit via email: YES

Requester's email: Sen.Holperin@legis.wisconsin.gov

Carbon copy (CC:) to:

Pre Topic:

No specific pre topic given

Topic:

Definition of all-terrain vehicle; size requirements

Instructions:

Change width from 48 inches to 50 inches; rim diameter from 12 inches to 14 inches; tire pressure from 6 lbs to 10 lbs

Drafting History:

<u>Vers.</u> <u>Drafted</u> <u>Reviewed</u> <u>Typed</u> <u>Proofed</u> <u>Submitted</u> <u>Jacketed</u> <u>Required</u>

/? State

/1 mglass bkraft jfrantze sbasford 05/05/2009 05/05/2009 05/06/2009 05/06/2009

FE Sent For:

2009 DRAFTING REQUEST

Bill

Received: 04/29/2009 Received By: mglass

Wanted: **As time permits** Identical to LRB:

For: Jim Holperin (608) 266-2509 By/Representing: Liz Novak

This file may be shown to any legislator: **NO**Drafter: **mglass**

May Contact: Addl. Drafters:

Subject: Nat. Res. - boats snomos ATVs Extra Copies: ARG

Submit via email: YES

Requester's email: Sen.Holperin@legis.wisconsin.gov

Carbon copy (CC:) to:

Pre Topic:

No specific pre topic given

Topic:

Definition of all-terrain vehicle; size requirements

Instructions:

Change width from 48 inches to 50 inches; rim diameter from 12 inches to 14 inches; tire pressure from 6 lbs to 10 lbs

Drafting History:

Vers. Drafted Reviewed Typed Proofed Submitted Jacketed Required

1? mglass /1bjk 5/5 dg.

FE Sent For:

<END>



State of Misconsin 2009 - 2010 LEGISLATURE

in soit

LRB-2803/81 MGG:......

PRELIMINARY DRAFT - NOT READY FOR INTRODUCTION

y res

1

2

3

4

AN ACT ...; relating to: modifying the deviation of all-terrain vehicle.

Analysis by the Legislative Reference Bureau

Current law defines an "all-terrain vehicle" (ATV) as an engine-driven device with a width of not more than 48 inches and a net weight of 900 pounds or less that is equipped with a seat designed to be straddled by the vehicle operator and that is designed to travel on at least three low-pressure tires. Under current law, a low-pressure tire is a tire that has a minimum width of six inches, that is designed to be mounted on a rim with a maximum diameter of 12 inches, and that is designed to be inflated with an operating pressure not to exceed six pounds per square inch.

This bill increases the maximum width of an ATV to 50 inches, the maximum diameter of the rim to 14 inches, and the maximum operating pressure for an ATV tire to pounds per square inch.

For further information see the **state** fiscal estimate, which will be printed as an appendix to this bill.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

SECTION 1. 340.01 (2g) of the statutes is amended to read:

340.01 (**2g**) "All-terrain vehicle" means an engine-driven device which has a net weight of 900 pounds or less, which has a width of 48 50 inches or less, which is

1

2

3

4

5

6

7

equipped with a seat designed to be straddled by the operator and which is designed to travel on 3 or more low-pressure tires. A low-pressure tire is a tire which has a minimum width of 6 inches, which is designed to be mounted on a rim with a maximum diameter of $12\ \underline{14}$ inches and which is designed to be inflated with an operating pressure not to exceed $6\ \underline{10}$ pounds per square inch as recommended by the manufacturer.

(END)

Gibson-Glass, Mary

From:

Novak, Elizabeth

Sent:

Monday, May 18, 2009 10:01 AM

To:

Gibson-Glass, Mary

Subject:

LRB 2802 Changes

Attachments: ATV definition draft.doc

Mary:

We want to make some minor edits to the ATV definition draft (LRB 2802). I've attached the document with the exact language that is wanted by the ATVers.

Thanks so much for all your help! Let me know if you have any questions, or this is unclear.

Thanks again.

Liz

Elizabeth Novak Office of Senator Jim Holperin State Capitol, 409 South (608)266-2509

Wisconsin

340.01 VEHICLES - GENERAL PROVISIONS

"All-terrain vehicle" means an engine-driven device which has a net weight of 900 pounds or less, which has is originally manufactured with a width of 48 50 inches or less, which is equipped with a seat designed to be straddled by the operator and which is designed by the manufacturer to travel on 3 or more low-pressure tires.

A low-pressure tire is a tire which has a minimum width of 6 inches, which is designed to be mounted on a rim with a maximum diameter of 12 14 inches and which is designed to be inflated with an operating pressure not to exceed 6 10 pounds per square inch as recommended by the manufacturer.

23.33(10) - **DEFINITIONS**

"Low-pressure tire" is a tire which has a minimum width of 6 inches, which is designed to be mounted on a rim with a maximum diameter of 12 inches and which is designed to be inflated with an operating pressure not to exceed 6 10 pound per square inch as recommended by the manufacturer.



State of Misconsin 2009 - 2010 LEGISLATURE

LRB-2803

D-Note Soon

in gold 5/26

Lstays

2009 BILL

Inserts

regin

AN ACT to amend 340.01 (2g) of the statutes; relating to: modifying the

Analysis by the Legislative Reference Bureau

Current law defines an "all-terrain vehicle" (ATV) as an engine-driven device with a width of not more than 48 inches and a net weight of 900 pounds or less that is equipped with a seat designed to be straddled by the vehicle operator and that is designed to travel on at least three low-pressure tires. Under current law, a low-pressure tire is a tire that has a minimum width of six inches, that is designed to be mounted on a rim with a maximum diameter of 12 inches, and that is designed to be inflated with an operating pressure not to exceed six pounds per square inch. Q

This bill increases the maximum width of an ATV to 50 inches, the maximum diameter of the rim to 14 inches, and the maximum operating pressure for an ATV tire to ten pounds per square inch.

For further information see the *state* fiscal estimate, which will be printed as an appendix to this bill.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

Section 1. 340.01 (2g) of the statutes is amended to read:

340.01 (2g) "All-terrain vehicle" means an engine-driven device which has a

net weight of 900 pounds or less, which had a width of 48 50 inches or less, which is

.

3

4

1

(2)

BILL

1

(2)

4

3

by the manufacturer

equipped with a seat designed to be straddled by the operator and which is designed to travel on 3 or more low-pressure tires. A low-pressure tire is a tire which has a minimum width of 6 inches, which is designed to be mounted on a rim with a maximum diameter of 12 inches and which is designed to be inflated with an operating pressure not to exceed 6 pounds per square inch as recommended by the

manufacturer

(END)

Droke

2009-2010 DRAFTING INSERT FROM THE LEGISLATIVE REFERENCE BUREAU LRB-2803/2ins

MGG:...:

Insert ANL

This bill increases the maximum width of an ATV to 50 inches. The bill specifies that the width of an ATV must be 50 inches at the time of manufacture and that it be designed by the manufacturer to travel on or more low-pressure tires in order to meet the definition. As to the requirements for a low-pressure tire, the bill eliminates the requirement for the size of the rim and increases the the maximum operating pressure for a low-pressure tire to ten pounds per square inch.

Insert 2-6

1

SECTION 1. 340.01 (27) of the statutes is created to read:

340.01 (27) "Low pressure tire" means a tire that has a minimum width of

4 6 inches and that is designed to be inflated with an operating pressure not to exceed

5 10 pounds per square inch as recommended by the manufacturer.

DRAFTER'S NOTE FROM THE LEGISLATIVE REFERENCE BUREAU

LRB-2803/2dn MGG:.....

Dak

> I kept the phrase "designed to be inflated" in the definition of a "low_{$\overline{\Lambda}$}pressure tire" because if a tire was not inflated at an operating pressure not to exceed 10 pounds per square inch, it would no longer meet the definition.

Mary Gibson-Glass Senior Legislative Attorney Phone: (608) 267-3215

DRAFTER'S NOTE FROM THE LEGISLATIVE REFERENCE BUREAU

LRB-2803/2dn MGG:bjk:rs

May 26, 2009

I kept the phrase "designed to be inflated" in the definition of a "low-pressure tire" because if a tire was not inflated at an operating pressure not to exceed 10 pounds per square inch, it would no longer meet the definition.

Mary Gibson-Glass Senior Legislative Attorney Phone: (608) 267-3215

Barman, Mike

From:

Gibson-Glass, Mary

Sent:

Tuesday, June 02, 2009 9:51 AM

To:

Barman, Mike

Subject: FW: LRB 2803/2

Mike,

It looks like they want this jacketed.

Mary

From: Novak, Elizabeth

Sent: Tuesday, June 02, 2009 9:23 AM

To: Gibson-Glass, Mary **Subject:** LRB 2803/2

Mary:

LRB 2803/2 relating to the definition of ATVs, we are ready to go with introducing the draft.

The language is great, and I think we've made all the changes necessary at this point.

Thanks!

-Liz

Elizabeth Novak Office of Senator Jim Holperin State Capitol, 409 South (608)266-2509