

State of Misconsin 2011 - 2012 LEGISLATURE



2011 ASSEMBLY BILL 274

September 22, 2011 – Introduced by Representatives Petrowski, Mursau, Brooks, Endsley, Jorgensen, Kaufert, Nerison, A. Ott, Rivard, Sinicki, Spanbauer, Zepnick and Turner, cosponsored by Senators Leibham, Olsen, Hansen and Taylor, by request of Brotherhood of Maintenance of Way Employees Division, IBT. Referred to Committee on Transportation.

AN ACT *to amend* 195.285 (2), 195.29 (6), 340.01 (47), 343.315 (2) (j) 1., 346.44 (1) (b), 346.44 (1) (c), 346.45 (2), 350.137 (2) (intro.) and 350.137 (2) (a); and *to create* 195.001 (3) and 340.01 (47m) of the statutes; **relating to:** requiring motorists to yield to railroad track equipment trains at railroad crossings and requiring a railroad to maintain its right-of-way.

Analysis by the Legislative Reference Bureau

Under current law, an operator of a vehicle may not drive across a railroad crossing when a train occupies or is closely approaching the crossing. An operator of certain vehicles, including motor buses, school buses, and certain motor vehicles used for transporting hazardous, flammable, or explosive materials (covered vehicles), must generally stop before crossing any nonexempted railroad track, listen and look in both directions for an approaching train, and proceed only once the operator has ascertained that the course is clear.

Under this bill, railroad track equipment is defined as "a device that is operated on rails and used primarily for the maintenance of railroads." For railroad crossing purposes, this bill treats railroad track equipment similar to railroad trains. Thus, under this bill, a motorist must yield to railroad track equipment as for a railroad train at a railroad crossing and a covered vehicle must listen and look for railroad track equipment as for a railroad train at a nonexempted railroad tracks.

Also under current law, a railroad must keep its right-of-way clear of brush or trees for at least 330 feet in each direction from the center of a public railroad

crossing, and for any further distance that is necessary to provide an adequate view of approaching trains from the highway. Under this bill, a railroad is required only to keep its right-of-way clear for at least 330 feet in each direction from the center of a public railroad crossing.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

SECTION 1. 195.001 (3) of the statutes is created to read:

195.001 **(3)** "Railroad track equipment" means a device that is operated on rails and used primarily for the maintenance of railroads.

Section 2. 195.285 (2) of the statutes is amended to read:

195.285 **(2)** Signs placed upon the order of the office under this section shall exempt vehicles from stopping as required under s. 346.45, unless a train or, an engine, or railroad track equipment is occupying or approaching the crossing.

Section 3. 195.29 (6) of the statutes is amended to read:

Every railroad shall keep its right-of-way clear of brush or trees for a distance of not less than 330 feet in each direction from the center of its intersection at grade with any public highway, and for such further distance as is necessary to provide an adequate view of approaching trains, or railroad track equipment from the highway. Every municipality shall keep the public highways within its jurisdiction clear of brush and shall adequately trim all trees within 330 feet of the center of any railroad highway grade crossing. Every person or corporation owning or occupying any land adjacent to any railroad highway grade crossing shall keep all brush cut and adequately trim all trees on the land within the triangles bounded on 2 sides by the railway and the highway, and on the 3rd side by a line connecting points on the center lines of the railway and the highway, 330 feet from the intersection of the center lines.

railroad train or railroad track equipment.

SECTION 7. 346.44 (1) (b) of the statutes is amended to read:

The office, upon its own motion, or upon any complaint to the effect that any work
required by this subsection has not been performed, after due notice and hearing,
may order the corporation, municipality or person at fault to perform the work;
provided, however, that if the physical conditions at any crossing are such that the
performance of the required work will not materially improve the view for highway
traffic, or, if unreasonable loss would be caused thereby, the office may excuse the
party in interest from performing the same. The office may also order the cutting of
brush and the trimming of trees at private farm crossings as may be necessary and
reasonable. If any person shall violate any provision of this section, or shall fail,
neglect or refuse to obey any order made by the office under this section, or any
judgment or decree made by any court upon such an order, for every such violation,
failure or refusal such person shall forfeit not less than \$25 nor more than \$150.
Section 4. 340.01 (47) of the statutes is amended to read:
340.01 (47) "Railroad crossing" means the intersection of any highway or
private road or driveway at grade with tracks upon which railroad track equipment
or railroad trains operate.
Section 5. 340.01 (47m) of the statutes is created to read:
340.01 (47m) "Railroad track equipment" means a device that is operated on
rails and used primarily for the maintenance of railroads.
Section 6. 343.315 (2) (j) 1. of the statutes is amended to read:
343.315 (2) (j) 1. If the operator is not always required to stop the vehicle,
failing to reduce speed and determine that the tracks are clear of any approaching

346.44 **(1)** (b) While any warning device signals to stop, except that if the operator of the vehicle after stopping and investigating finds that no railroad train or railroad track equipment is approaching the operator may proceed.

SECTION 8. 346.44 (1) (c) of the statutes is amended to read:

346.44 **(1)** (c) If any crossbuck sign specified under s. 192.29 (5) (a) is maintained at the crossing, while any <u>railroad</u> train <u>or railroad</u> track equipment occupies the crossing or approaches so closely to the crossing as to constitute a hazard of collision.

SECTION 9. 346.45 (2) of the statutes is amended to read:

346.45 **(2)** The operator of every vehicle required to stop before crossing any track shall listen and look in both directions along the track for any approaching railroad train or railroad track equipment, and shall not proceed until such precautions have been taken and until the operator has ascertained that the course is clear. Wherever an auxiliary lane is provided for stopping at a railroad, operators of vehicles required to stop shall use such lane for stopping.

SECTION 10. 350.137 (2) (intro.) of the statutes is amended to read:

350.137 (2) (intro.) The maintenance standards shall include requirements for the marking of snowmobile rail crossings and for the maintenance of adequate drainage of railroad rights—of—way. The design and construction standards shall include a list and a description of the frequency and speed of <u>railroad</u> trains <u>and railroad track equipment</u> and the types of railroad tracks, embankments, ditches, snowmobile trail alignments and other configurations that do any of the following:

SECTION 11. 350.137 (2) (a) of the statutes is amended to read:

350.137 **(2)** (a) Preclude the use of a proposed site for a snowmobile rail crossing because the site would be unsafe due to poor visibility of an approaching <u>railroad</u>

1

2

3

4

5

6

7

train or railroad track equipment from the position of a snowmobile operator who is
stopped on the approach to the proposed crossing.

SECTION 12. Initial applicability.

(1) This act first applies to violations committed on the effective date of this subsection, but does not preclude the counting of other violations as prior violations for purposes of revocation of motor vehicle operating privileges or disqualification from operating a commercial motor vehicle.

8 (END)