
DEPARTMENT OF NATURAL RESOURCES


Chapter NR 811 APPENDIX

Figure No. 1 Pump capacities for domestic water service.



The number of homes when using figure No. 1 may be reduced by one-third for apartment units, condominium units and mobile homes.

Figure No. 2
Line-shaft vertical turbine pump base installation.
(No outer well casing)



DEPARTMENT OF NATURAL RESOURCES

Figure No. 3
Line-shaft vertical turbine pump base installation.
(With an inner ungrouted well casing)




Figure No. 4
Submersible vertical turbine pump base installation.
(Without an outer casing)




Figure No. 5
Submersible vertical turbine pump base installation.
(With an inner ungrouted well casing)







Figure No. 6
Submersible vertical turbine pump base installation.
(With an outer well casing installed to provide a protective collar.)






Published under s. 35.93, Stats. Updated on the first day of each month. Entire code is always current. The Register date on each page is the date the chapter was last published.



Published under s. 35.93, Stats. Updated on the first day of each month. Entire code is always current. The Register date on each page is the date the chapter was last published.

DEPARTMENT OF NATURAL RESOURCES



Published under s. 35.93, Stats. Updated on the first day of each month. Entire code is always current. The Register date on each page is the date the chapter was last published.

Figure No. 10

Common trench installation requirements for water main and sanitary or storm sewers.




Figure No. 11 Acceptable water loading station devices.

