

Chapter SPS 335

INFECTIOUS AGENTS

SPS 335.001 Purpose.
SPS 335.01 Definitions.

SPS 335.02 Infectious agents.

Note: Chapter ILHR 35 was renumbered Chapter Comm 35 under s. 13.93 (2m) (b) 1., Stats., and corrections made under s. 13.93 (2m) (b) 6. and 7., Stats., [Register, March, 1999, No. 519](#). Chapter Comm 35 was renumbered chapter SPS 335 under s. 13.92 (4) (b) 1., Stats., [Register December 2011 No. 672](#).

SPS 335.001 Purpose. The purpose of this chapter is to identify, by administrative rules, those infectious agents relevant to the Employees' Right to Know Law, ss. 101.58 to 101.599, Stats.

History: Cr. [Register, September, 1983, No. 333](#), eff. 10-1-83.

SPS 335.01 Definitions. In this chapter:

(1) "Department" means the department of safety and professional services.

(2) "Infectious agents" has the meaning set forth in s. 101.58 (2) (f), Stats.

Note: The statutory definition for infectious agents reads: "Infectious agent" means a bacterial, mycoplasmal, fungal, parasitic or viral agent identified by the department by rule as causing illness in humans or human fetuses or both, which is introduced by an employer to be used, studied or produced in the workplace. "Infectious agent" does not include such an agent in or on the body of a person who is present in the workplace for diagnosis or treatment.

History: Cr. [Register, September, 1983, No. 333](#), eff. 10-1-83; **correction in** (1) **made under s. 13.92 (4) (b) 6., Stats., [Register December 2011 No. 672](#)**.

SPS 335.02 Infectious agents. Pursuant to ss. 101.58 (2) (f) and 101.598 (1), Stats., the bacterial, mycoplasmal, fungal, parasitic and viral agents and arboviruses specified in Tables 335.02-1, 335.02-2, 335.02-3, 335.02-4, 335.02-5, respectively, are designated as infectious agents.

TABLE 335.02-1

BACTERIAL AND MYCOPLASMAL AGENTS

Bacillus anthracis
Brucella abortus^a
Brucella canis
Brucella melitensis^a
Brucella suis^a
Campylobacter fetus subspecies jejuni
Chlamydia psittaci^a
Chlamydia trachomatis
Clostridium botulinum
Clostridium tetani
Corynebacterium diphtheriae
Francisella tularensis
Legionella pneumophila
Legionella-like organisms
Leptospira interrogans—all serovars^a
Mycobacterium africanum
Mycobacterium asiaticum
Mycobacterium avium complex
Mycobacterium bovis^a

Mycobacterium chelonae
Mycobacterium fortuitum
Mycobacterium kansasii
Mycobacterium leprae^a
Mycobacterium malmoense
Mycobacterium marinum
Mycobacterium scrofulaceum
Mycobacterium simiae
Mycobacterium szulgai
Mycobacterium tuberculosis^a
Mycobacterium ulcerans
Mycobacterium xenopi
Neisseria gonorrhoeae
Neisseria meningitidis
Salmonella enteritidis (all serotypes)
Salmonella typhi
Shigella spp.^a
Treponema pallidum
Vibrio cholerae
Vibrio parahaemolyticus
Yersinia pestis

^aAgents of high virulence or contagion requiring special handling procedures.

TABLE 335.02-2

FUNGAL AGENTS

Blastomyces dermatitidis^a
Coccidioides immitis^a
Cryptococcus neoformans
Epidermophyton spp.
Histoplasma capsulatum^a
Microsporum spp.
Sporothrix schenckii
Trichophyton spp.

^aAgents of high virulence or contagion requiring special handling procedures

TABLE 335.02-3

PARASITIC AGENTS

Ancylostoma spp. — hookworm
Ascaris spp.

Coccidia spp.
 Cysticercus cellulosae
 Echinococcus granulosus
 Entamoeba spp.
 Enterobius spp.
 Fasciola spp.
 Giardia spp.
 Hymenolepsis nana
 Leishmania spp.
 Necator spp. — hookworm
 Naegleria fowleri
 Plasmodium spp.
 Sarcocystis spp.
 Schistosoma spp.
 Strongyloides spp.
 Taenia solium
 Toxoplasma spp.^b
 Trypanosomaspp.

^bSpecial risk for pregnant females.

TABLE 335.02-4

VIRAL AND RICKETTSIAL AGENTS

Hepatitis Viruses; A, B, NonA–NonB^a
 Herpes virus group =
 Herpes virus hominis
 Cytomegalo virus^b
 Epstein–Barr virus
 Herpes virus simiae^a
 Varicella virus
 Human immunodeficiency viruses^c
 Influenza viruses
 Polio virus
 Pox viruses
 Cowpox virus

Molluscum contagiosum virus
 Monkeypox virus
 Orf virus
 Paravaccinia virus
 Tanapox virus
 Vaccinia virus
 Variola major virus^a
 Variola minor virus^a
 Whitepox virus
 Yaboapox virus
 Rabies Virus^a
 Rubella virus^b
 Spongiform Encephalopathy Viruses
 Creutzfeld–Jacob agent
 Kuru agent
 Rickettsial Agents
 Coxiella burnetii
 Rickettsia akari
 Rickettsia canada
 Rickettsia conori
 Rickettsia montana
 Rickettsia mooseri
 Rickettsia prowazeki^a
 Rickettsia rickettsii^a
 Rickettsia sennetsu
 Rickettsia tsutsugamushi
 Rochalimae quintana
 Rochalimae vinsonii
 Vesicular Stomatitis Virus

^aAgents of high virulence or contagion requiring special handling procedures.

^bSpecial risk for pregnant females.

^cIncludes the virus HTLV–III, the virus which causes AIDS, Acquired Immuno–Deficiency Syndrome.

TABLE 335.02-5

ARBOVIRUSES

| | |
|-----------------------|--------------------------------------|
| Absettarov | Bovine Ephemeral Fever |
| Abu Hammad | Bujaru |
| Acado | Bunyamwera |
| Acara | Burg el Arab |
| African Horsesickness | Bushbush |
| African Swine Fever | Bussuquara |
| Aguacate | Buttonwillow |
| Aino | Bwamba |
| Akabane | Cabassou |
| Alenquer | Cacao |
| Alfuy | Cache Valley |
| Almpiwar | Caimito |
| Amapari | California Encephalitis ^c |
| Ananindeua | Calovo |
| Anhanga | Candiru |
| Anhemi | Cape Wrath |
| Anopheles A | Capim |
| Anopheles B | Caraparu |
| Apeu | Catu |
| Apoi | Chaco |
| Araguari | Chagres |
| Aride | Chandipura |
| Arkonam | Changuinola |
| Aruac | Charleville |
| Arumowot | Chenuda |
| Aura | Chikungunya |
| Avalon | Chilibre |
| Bagaza | Chim |
| Bahig | Chobar Gorge |
| Bakau | Clo Mor |
| Baku | Cocal |
| Bandia | Colorado Tick Fever ^c |
| Bangoran | Congo-Crimean Hemorrhagic Fever |
| Bangui | Corriparta |
| Banui | Cotia |
| Banzi | D'Aguilar |
| Barmah Forest | Dakar Bat |
| Batai | Dengue-2 |
| Batama | Dengue-3 |
| Batken | Dengue-4 |
| Bauline | Dera Ghazi Khan |
| Bebaru | Dhori |
| Belem | Dugbe |
| Belmont | Ebola |
| Benevides | Edge Hill |
| Benfica | Entebbe Bat |
| Bertioga | Ep. Hem. Dis. |
| Bhanja | Eubengangee |
| Bimbo | Everglades |
| Bimiti | Eyach |
| Birao | Flanders |
| Bluetongue-Indigenous | Fort Morgan |
| Bluetongue-Exotic | Frijoles |
| Bobaya | Gamboia |
| Bobia | Gan Gan |
| Bocas | Garba |
| Boraceia | Germiston |
| Botambi | Getah |
| Boteke | Gomoka |
| Bouboui | Gordil |
| | Gossas |

| | |
|-------------------------------|----------------------------|
| Grand Arbaud | Koongol |
| Gray Lodge | Korean Hemorrhagic Fever |
| Great Island | Koutango |
| Guajara | Kowanyama |
| Guama | Kumlinge |
| Guaratuba | Kunjin |
| Guaroa | Kununurra |
| Gumbo Limbo | Kwatta |
| Hanzalova | Kyasanur Forest Disease |
| Hart Park | Kyzylagach |
| Hazara | La Crosse |
| Huacho | Lagos Bat |
| Hughes | LaJoya |
| Hypr | Landjia |
| Ibaraki | Langat |
| Icoaraci | Lanjan |
| Ieri | Lassa |
| Ilesha | Latino |
| Ilheus | Lebombo |
| Ingwavuma | Le Dantec |
| Inhangapi | Lipovnik |
| Inini | Llano Seco |
| Inkoo | Lokern |
| Ippy | Lone Star |
| Irituia | Louping Ill |
| Isfahan | Lukuni |
| Israel Turkey Meningitis | Machupo |
| Issyk-Kul | Madrid |
| Itaituba | Maguari |
| Itaporanga | Mahogany Hammock |
| Itaqui | Main Drain |
| Jamestown Canyon ^c | Malakal |
| Japanese Encephalitis | Manawa |
| Japunaut | Manzanilla |
| Jerry Slough | Mapputta |
| Johnston Atoll | Maprik |
| Joinjakaka | Marburg |
| Juan Diaz | Marco |
| Jugra | Marituba |
| Junin | Matariya |
| Jurona | Matruh |
| Jutiapa | Matucare |
| Kadam | Mayaro |
| Kaeng Khoi | Melao |
| Kaikalur | Mermet |
| Kairi | Middleburg |
| Kaisodi | Minatitlan |
| Kamese | Minnal |
| Kammavanpettai | Mirim |
| Kannamangalam | Mitchell River |
| Kao Shuan | Modoc |
| Karimabad | Moju |
| Karshi | Mono Lake |
| Kasba | Montana Myotis Leukemia |
| Kemerovo | Moriche |
| Kern Canyon | Mosqueiro |
| Ketapang | Mossuril |
| Keterah | Mount Elgon Bat |
| Keuraliba | M'Poko |
| Keystone | Mucambo |
| Khasan | Murray Valley Encephalitis |
| Klamath | Murutucu |
| Kokobera | Nariva |
| Kolongo | Navarro |
| | Ndumu |

| | |
|------------------------------------|--------------------------|
| Negishi | Sandfly F. (Naples) |
| Nepuyo | Sandfly F. (Sicilian) |
| New Minto | Sandjimba |
| Ngaingan | Sango |
| Nique | Santa Rosa |
| Nkolbisson | Sathuperi |
| Nodamura | Saumarez Reef |
| Nola | Sawgrass |
| Northway | Sebokele |
| Ntaya | Seletar |
| Nugget | Sembalam |
| Nyamanini | Semliki Forest |
| Nyando | Sepik |
| Okhotskiy | Serra Do Navio |
| Okola | Shamonda |
| Olifantsvlei | Shark River |
| Omsk Hemorrhagic Fever | Shuni |
| O'Nyong Nyong | Silverwater |
| Oriboca | Simbu |
| Oropouche | Simian Hem. Fev. |
| Orungo | Sindbis |
| Ossa | Sixgun City |
| Ouango | Slovakia |
| Oubangui | Snowshoe Hare |
| Pacora | Sokoluk |
| Pacui | Soldado |
| Pahayokey | Sororoca |
| Palyam | Spondweni |
| Paramushir | St. Louis Encephalitis |
| Parana | Stratford |
| Paroo River | Sunday Canyon |
| Pata | Tacaiuma |
| Pathum Thani | Tacaribe |
| Patois | Taggert |
| Phnon-Penh Bat | Tahyna |
| Pichinde | Tamdy |
| Picola | Tamiami |
| Piry | Tanga |
| Pixuna | Tanjong Rabok |
| Pongola | Tataguine |
| Ponteves | Telok Forest |
| Powassan | Tembe |
| Pretoria | Tembusu |
| Puchong | Tensaw |
| Punta Salinas | Termeil |
| Punta Toro | Tete |
| Qalyub | Tett nang |
| Quaranfil | Thimiri |
| Razdan | Thogoto |
| Restan | Thottapalayam |
| Rift Valley Fever | Tilligerry |
| Rio Bravo | Timbo |
| Rio Grande | Timboteua |
| Rochambeau | Tlacotalpan |
| Rocio | Tonate |
| Ross River | Toure |
| Royal Farm | Tribec |
| Russian Spring-Summer Encephalitis | Triniti |
| Sabo Saboya | Trivittatus ^c |
| Sagiyama | Trubanaman |
| Sakhalin | Tsuruse |
| Sakpa | Turlock |
| Salanga | Tyuleny |
| Salehabad | Uganda S |
| | Umatilla |

Umbre
 Una
 Upolu
 Urucuri
 Usutu
 Utinga
 Uukuniemi
 VEE (TC83)
 Vellore
 Venezuelan Equine Encephalitis
 Venkatapuram
 VS–Alagoas
 Wad–Medani
 Wallal
 Wanowrie
 Warrego
 Wesselsbron
 Western Equine Encephalitis
 West Nile
 Whataroa
 Witwatersrand
 Wongal

Wongorr
 Wyeomyia
 Yacaaba
 Yaquina Head
 Yata
 Yellow Fever
 Yellow Fever (17D)
 Yogue
 Zaliv Terpeniya
 Zegla
 Zika
 Zinga
 Zingilamo
 Zirqa

^c Agents with a higher probability of possible contact within the state.

Note: All communicable diseases as designated by ch. DHS 145 are to be reported in accordance with the rules of ch. DHS 145.

History: Cr. Register, September, 1983, No. 333, eff. 10–1–83; am. table 35.02–4, Register, November, 1986, No. 371, eff. 12–1–86; correction made under s. 13.92 (4) (b) 7., Stats., Register December 2011 No. 672.