

### **RULES CLEARINGHOUSE**

Ronald Sklansky Director (608) 266–1946

**Richard Sweet** Assistant Director (608) 266–2982



**David J. Stute, Director** Legislative Council Staff (608) 266–1304

One E. Main St., Ste. 401 P.O. Box 2536 Madison, WI 53701–2536 FAX: (608) 266–3830

## **CLEARINGHOUSE REPORT TO AGENCY**

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

#### CLEARINGHOUSE RULE 98-196

AN ORDER to amend Tables 1 and 5 of chapter NR 105; and to create subchapter IV (title) of chapter NR 106, subchapter IV of chapter NR 211 and NR 215.06 (26), relating to regulating the discharge of chloride to surface waters of the state.

## Submitted by **DEPARTMENT OF NATURAL RESOURCES**

- 12–10–98 RECEIVED BY LEGISLATIVE COUNCIL.
- 01–13–99 REPORT SENT TO AGENCY.

RNS:JES:kjf;kjf

Clearinghouse Rule No. 98–196 Form 2 – page 2

# **LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT**

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1.	STATUTORY AUTHORITY [s. 227.15 (2) (a)]		
	Comment Attached	YES	NO 🖊
2.	FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]		
	Comment Attached	YES 🖊	NO
3.	CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]		
	Comment Attached	YES	NO 🖊
4.	ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS [s. 227.15 (2) (e)]		
	Comment Attached	YES 🖊	NO
5.	CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]		
	Comment Attached	YES 🖌	NO
6.	POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL REGULATIONS [s. 227.15 (2) (g)]		
	Comment Attached	YES 🖊	NO
7.	COMPLIANCE WITH PERMIT	ACTION DEADLINE REQUIR	EMENTS [s. 227.15 (2) (h)]
	Comment Attached	YES	NO 🖊