

1 Clearinghouse Rule 14-073
2

DATCP Docket No. 13-R-06 and 13-R-13
Rules Clearinghouse No. ____

Proposed Hearing Draft
December 19, 2014

**PROPOSED ORDER
OF THE WISCONSIN DEPARTMENT OF AGRICULTURE,
TRADE AND CONSUMER PROTECTION
ADOPTING RULES**

3 The Wisconsin department of agriculture, trade and consumer protection hereby proposes the
4 following rule *to repeal* ATCP 60 and 80 and *to create* ATCP 65 and ATCP 65 Appendix
5 *relating to* dairy farms and plants, and affecting small business.

**Analysis Prepared by the Department
of Agriculture, Trade and Consumer Protection**

This rule repeals ATCP 60, “Dairy farms,” and ATCP 80, “Dairy plants,” and consolidates and reorganizes those rules into a newly created ATCP 65, “Milk and milk products.” Certain provisions have been revised to modernize dairy farm and dairy plant inspection rules. The rule thereby accommodates advances in dairying and ensures continued industry and regulatory compliance with the Food and Drug Administration’s (FDA’s) Pasteurized Milk Ordinance (PMO) and federal guidelines for Grade “A” and Grade “B” milk and dairy products.

Statutes Interpreted

Statutes Interpreted: ss. 97.20, Stats., “Dairy plants;” 97.22, Stats., “Milk producers;” 97.23, “Drug residues in milk;” and 97.24, Stats., “Milk products.”

Statutory Authority

Statutory Authority: ss. 93.07 (1), 97.09 (4), 97.20 (4), 97.22 (8), and 97.24 (3), Stats.

Explanation of Statutory Authority

DATCP has broad general authority, under s. 93.07 (1), Stats., to adopt rules to implement programs under its jurisdiction. DATCP also has general authority under s. 97.09 (4), Stats., to adopt rules specifying standards to protect the public from the sale of adulterated or misbranded foods. DATCP has specific authority, under s. 97.20 (4), Stats., to establish rules to regulate dairy plants and under s. 97.22 (8) to promulgate rules to regulate the operation of dairy farms by milk producers. The department also has authority under 97.24 (3) to adopt rules ensuring compliance with the PMO.

Related Statutes and Rules

Wisconsin's dairy farms, dairy plants, and dairy products are governed by Ch. 97, Stats. Section 97.20, Stats, "Dairy plants" and s. 97.22, Stats., "Milk producers," contain requirements related to milk producer and dairy plant licensing, milk procurement and reinspection fees, and Grade "A" permits. Section 97.23, "Drug residues in milk," allows a dairy plant to recover, from a milk producer, the monetary loss incurred when the plant rejects a milk shipment because it is adulterated with drug residues in milk from the producer's farm. Finally, s. 97.24, Stats., "Milk and milk products," includes Grade "A" requirements for milk and milk products and authorizes DATCP to conduct surveys to verify conformance with the PMO's Grade "A" standards.

Plain Language Analysis

Wisconsin operates the nation's largest state dairy inspection program. As of October 1, 2014, Wisconsin had 10,157 licensed milk producers and ranked second nationally in milk production. Milk is shipped from each dairy farm to one of more than 400 licensed dairy plants in the state or to a licensed dairy plant in another state.

About 98% of the milk produced in Wisconsin is Grade "A." Grade "A" unpasteurized milk, along with pasteurized milk and certain other dairy products made from Grade "A" milk, can only be shipped across state and international boundaries if the production, transportation, processing, and regulatory oversight are in accordance with the PMO. Wisconsin does not adopt the PMO directly, but has its own regulations for the dairy industry. These regulations must be at least as stringent, and consistent with, the PMO. The FDA revises the PMO every two years and the version of the PMO to which Wisconsin regulations are compared for compliance must be within two prior editions. This rule revision, which reflects changes found in the 2013 revision of the PMO, is essential for maintaining compliance with the PMO and for allowing Wisconsin farmers and dairy plant owners to ship their Grade "A" milk and milk products in interstate commerce.

Wisconsin's regulations also establish standards to ensure the quality of Grade "B" milk, which is milk used only to process non-Grade "A" milk products, such as butter, cheese, and ice cream. Wisconsin had 1,280 Grade "B" licensed milk producers, or 13% of its total, on October 1, 2014. Recommended standards for Grade "B" dairy farms are published by the United States Department of Agriculture (USDA). Wisconsin's regulations must be at least as stringent as the USDA standards to ensure access of Wisconsin Grade "B" milk products to international markets.

Wisconsin dairy farm and dairy plant regulations are currently found in chs. ATCP 60, "Dairy Farms" and ATCP 80, "Dairy Plants." The proposed rule repeals chs. ATCP 60 and 80 and consolidates and reorganizes these chapters into a new ch. ATCP 65, "Milk and Milk Products." Consolidation of these two rule chapters will eliminate numerous, and sometimes confusing, cross-references between the two chapters. In recent years, there has been increased interest in the operation of small dairy plants on the same site as the dairy farm supplying the milk. The operators of these "farmstead" or "artisanal" dairy plants can now find most of the rules affecting their business in one chapter, rather than two. The rule revises certain existing provisions and

creates new provisions, as necessary, to ensure: 1) Wisconsin's Grade "A" and Grade "B" dairy sectors comply with the PMO and USDA standards, respectively, when they meet Wisconsin regulatory requirements, and 2) state regulations do not unnecessarily hinder technological advancement by Wisconsin's internationally recognized dairy industry.

Revisions to modernize dairy farm and dairy plant regulations.

The following describes specific revisions made, through the proposed rule, to modernize Wisconsin's dairy farm and dairy plant regulations:

Revisions in General Terminology

Wording was changed throughout to provide greater clarity and modernize terms. For example, references to "milk haulers" were changed to "bulk milk weigher and samplers" to reflect the actual name of the license held by people who collect, sample, and transport milk. References to "inspectors" were changed to "division representatives" to reflect the broader range of staff, *e.g.* sanitarians, food scientists, regulatory specialists, who may conduct inspections. References to "division" or "department" staff were also changed throughout to more clearly align the rules with the roles and duties performed by each unit. For example, division representatives conduct inspections, while the department issues, suspends, and revokes licenses. Subchapter, section, and subsection chapter titles were also revised throughout to more clearly reflect the content of the rule.

ATCP 65.01, Definitions.

ATCP 65.01, as renumbered, includes the following revisions:

- Added definitions for "abnormal milk," "aseptic processing and packaging system," "bulk tank unit," "grade A producer permit," and "sale."
- Repealed and replaced definitions for "C-I-P equipment," "C-I-P milking equipment," and "C-I-P milk pipelines" with a definition of "C-I-P" and numbered as 65.01 (8).
- Updated the definition for "dairy product" to be consistent with a *de facto* change in the definition of a dairy product created under 2011 Wisconsin Act 195, which revised s. 97.20 (2) (e) 5., Wis. Stats., to create an exemption from mandated dairy plant licensing.
- Replaced the term "food safety division" with "division."
- Expanded the definition for "grade B milk" to clarify that grade B milk is not processed into fluid milk for consumption; it is only used in the production of non-grade "A" dairy products.
- Broadened the definition for "equipment" to cover equipment used on dairy farms and in dairy plants.

- Repealed the definition from ATCP 60.01 (6) for “dairy plant” and replaced it with the definition from ATCP 80.01 (5) for “dairy plant.”
- Revised the definition of “milk” to be consistent with the PMO definition by including the phrase “practically free of colostrum, obtained by the complete milking of one or more healthy milking animals.”
- Expanded the definition “procure milk” to clarify that procured milk must be acquired directly from a licensed milk producer.
- Updated the definition of “safe temperature” to state that safe refrigerated temperatures for potentially hazardous foods are 41°F. (5° C.) or below and safe heated temperatures for potentially hazardous foods are 135° F. (57°C.) or higher. This definition is now consistent with the Wisconsin Food Code (appendix to ch. ATCP 75, Retail Food Establishments) and ch. ATCP 70, Food Processing Plants.
- Clarified that “sanitizers” shall be in compliance with 21 CFR part 178.1010 or otherwise approved by the division.
- Repealed the definitions for “single-service utensil” and “single-service package” and replaced them with a definition for “single-service articles.”

ATCP 65.02, Milk producer license and permits; and fees.

ATCP 65.02 was retitled from “Milk producer license; fees” to “Milk producer license and permits; fees.” This section was revised to consolidate all information about milk producer Grade “A” and Grade “B” licenses, Grade “A” permits, and fees from ATCP 60.02, 60.03, 60.04, and 60.05.

ATCP 65.02 (1) now requires a license for each milk producer, for each species of milk animal milked by a single milk producer, and each dairy farm operated by a milk producer at which milk is produced and offered for sale. Previously, not all of these parameters were mentioned.

ATCP 65.02 (2) was revised to clarify that a representative of the dairy plant may submit an application on behalf of a milk producer and that the dairy plant representative shall certify that both the dairy farm and milking operations comply with applicable requirements under the law.

ATCP 65.02 (4) (b) adds the due date of April 30 for paying the annual license fee.

ATCP 65.02 (8), “Milk produced for custom processing”, was created by consolidating existing requirements for custom processing a producer’s milk. Requirements for custom processing were not otherwise changed.

ATCP 65.02 (11) “Grade A permit”, allows no more than one milk producer to have a Grade “A” permit at a single dairy farm unless all of the milk shipped from that dairy farm is assigned to one bulk tank unit and each milk producer is licensed.

ATCP 65.02 (12) “Grade A permits at a single dairy farm operated by multiple dairy producers”, was added to describe conditions under which more than one Grade “A” milk producer permit may be held on one dairy farm.

ATCP 65.04, Dairy plant licenses and permits; fees.

ATCP 65.04 consolidates all dairy plant licensing and Grade “A” permit requirements, and fee information found in ss. ATCP 80.02, 80.04, and 80.06.

ATCP 65.04 (1) (b) 1., clarifies that no dairy plant license is required for a farm manufacturing dairy products solely for the owner/operator, members of the farm household, or nonpaying farm guests or employees.

ATCP 65.04 (2) (b) 2., exempts permitted restaurants from a dairy plant license if they prepare or process commercially pasteurized dairy products. However, permitted restaurants are not allowed to package Grade “A” dairy products without a dairy plant license.

ATCP 65.04 (2) (b) 3., exempts retail food establishments licensed under s. 97.30, Stats., from a dairy plant license if they process non-Grade “A” dairy products made from commercially pasteurized dairy products solely for retail sale.

ATCP 65.08, Milkhouse.

ATCP 65.08 (2) was created to prohibit locating milkhouse access driveways and doors such that animal waste would be tracked into the milkhouse.

ATCP 65.10, Dairy farm water supply.

ATCP 65.10 (3) was updated to require wells to comply with ch. NR 810, Requirements for the Operation and Maintenance of Public Water Systems, in addition to chs. NR 811, Requirements for the Operation and Design of Community Water Systems, and NR 812, Well Construction and Pump Installation.

ATCP 65.10 (5) (a) clarifies that if a milk producer has more than one well, water from each well shall be tested at least once every two years. This change brings the provision into conformance with the PMO.

ATCP 65.14, Milking and milk handling systems.

ATCP 65.14 (5) recognizes the increasing adoption of modernized milking systems by incorporating PMO requirements for automatic milking installations, or robotic milking systems.

ATCP 65.16, Bulk tanks and bulk transport containers.

ATCP 65.16 (5) (f) creates requirements for the location of bulk transport containers which receive milk directly from the milking equipment (“direct ship” milking).

ATCP 65.22, Farm premises.

ATCP 65.22 (5) (c) prohibits mixing or storage of human waste or septage with animal manure. This provision was added to prevent recurrence of observed situations in which transmission of human fecal pathogens via dairy farm facilities was clearly possible.

ATCP 65.24, Construction and maintenance.

ATCP 65.24 (1) (b) requires that a written variance from a construction standard may only be issued for dairy plants that do not hold a grade A permit, i.e. Grade “B” plants. The PMO does not allow construction variances for Grade “A” dairy plants.

ATCP 65.24 (1) (c) prohibits dairy plants from being directly connected to a milking barn, milking parlor or animal housing area. This provision is intended to minimize transmission of pathogenic microorganisms into the dairy plant.

ATCP 65.24 (2) (e) was revised to clarify that floors in rooms used solely for the storage of dry ingredients or packaging materials need not have trap-equipped floor drains.

ATCP 65.24 (4) (a) currently exempts overhead doors and electronic sliding doors in delivery areas from the requirement to be kept closed when not in use. This requirement was revised and excludes Grade “A” dairy plants from the exemption, while continuing to allow receiving stations and Grade “B” dairy plants to keep overhead and electronic sliding doors open when not in use. This change will bring Wisconsin’s regulations in compliance with the PMO.

ATCP 65.24 (8), Dairy plant water supply.

ATCP 65.24 (8) was modified to require that water used in dairy products complies with ch. NR 810, Requirements for the Operation and Maintenance of Public Systems, in addition to chs. NR 811, Requirements for the Operation and Design of Community Water Systems, and NR 812 Well Construction and Pump Installation.

ATCP 65.24 (8) (b) requires that water from a privately owned water system supplying a dairy plant, shall be tested to ensure it meets safe drinking requirements under ch. NR 809, Safe Drinking Water, after a repair or alteration. Testing is to be done by the operator of a Grade “B” plant; a division representative shall sample the water at a Grade “A” plant and have it tested. This requirement is in addition to the current requirement for routine testing conducted every six months. If a water supply comes from multiple wells, the rule also requires that all wells be sampled and tested and that samples be taken upstream from any pressure tank or other water treatment equipment.

Finally, ATCP 65.24 (8) (h) was created to require Grade “A” dairy plants using water to flush pasteurized milk or milk products from their milk processing systems to use water that is of equivalent microbiological quality to pasteurized milk.

ATCP 65.26, Personnel; sanitation standards.

ATCP 65.28 (3) the term “food processing equipment” was changed to “dairy processing equipment.”

ATCP 65.28, Equipment and utensils.

ATCP 65.28 (7) (e) 5., is created to exempt dairy plants from having to clean certain reverse osmosis equipment after each day’s use.

ATCP 65.28 (7) (f) was modified to require a dairy plant operator to consult with FDA before seeking division approval of a proposal for alternative cleaning and sanitizing schedule for continuously-operated equipment that comes in contact with Grade “A” products. This provision now conforms to the PMO.

ATCP 65.36, Receiving milk and dairy products.

ATCP 65.36 (3) was revised to clarify that a bulk milk tanker transporting Grade “A” milk may hold a Grade “A” permit issued by another state’s regulatory agency. This change recognizes reciprocity requirements of the PMO and recent changes in ch. ATCP 82, Bulk Milk Collection, Sampling, and Transportation.

ATCP 65.40, Storing and handling milk and dairy products.

ATCP 65.40 (2) allows the division to authorize alternative temperature limits for storing non-Grade “A” milk and milk products.

ATCP 65.40 (2) (e) 7., exempts acid whey with specified percent titratable acidity or pH from storage time and storage temperature requirements applicable to other dairy products. This change is in response to information presented by industry.

ATCP 65.42, Recall plan.

ATCP 65.42 requires dairy plants to have a written plan for identifying and recalling dairy products should a food recall become necessary, and describes the required contents of such a plan. This new requirement is consistent with the recall plan requirements in ch. ATCP 70, Food Processing Plants, and ch. ATCP 88, Eggs.

ATCP 65.54, Pasteurization required.

ATCP 65.54 (2) (j) exempts dairy products, shipped in bulk to a licensed food processing plant for use in manufacturing food products, from the requirement that the product be pasteurized at

the dairy plant where the product was manufactured. This exemption only applies if the shipment is accompanied by a bill of lading identifying the product as unpasteurized and if the food processing plant receiving the dairy product uses a recognized treatment process to render the product safe.

ATCP 65.58, Pasteurization time and temperature.

ATCP 65.58 (1) requires that alternative methods of pasteurization of grade A products be recognized by the FDA.

ATCP 65.72, Drug residue testing.

ATCP 65.72 (6), requires dairy plants to recover the cost of an entire bulk load of milk from a milk producer responsible for contaminating that load with milk adulterated with drug residues.

ATCP 65.72 (6) (a) and (k) would allow the dairy plant, at the dairy plant's discretion, to waive recovery of the cost of the rejected bulk load if the load is a direct ship load and contains milk from only one producer, the milk has not been commingled with milk from another producer, the milk has not been unloaded from the tanker in which it was originally loaded, the milk producer properly disposes of the load, and the load of milk is properly reported to the department as positive for drug residues.

ATCP 65.74, Milk and dairy products; quality standards.

ATCP 65.74 (2) (a) was revised to state that bacterial counts for nonfat dry milk shall not exceed 10,000 per gram. This provision is in conformance with the PMO.

ATCP 65.910, Inspection of dairy farms; general.

ATCP 65.910 (2) increases the inspection frequency for Grade "B" dairy farms from once every two years to once a year. This provision is made to ensure maintenance of adequate conditions on the Grade "B" dairy farms.

ATCP 65.910 (3), was revised to be consistent with the PMO. The PMO does not allow variances from a dairy farm standard for Grade "A" dairy farms.

ATCP 65.912, Performance-based farm inspection.

ATCP 65.912 is modified to bring Wisconsin's performance-based farm inspection program into full compliance with Appendix P of the PMO. Specifically, the rule prohibits placing farms in categories requiring inspection once or twice per year under the program if they have been cited during the past year with any violation that presents an imminent health hazard. The rule also prohibits placing farms in a category requiring inspection once or twice per year if they have received a warning under s. ATCP 65.923 (1) during the past year. ATCP 65.923 (1) continues to require the division to issue a warning notice if an inspection finds a violation of a key violation. However, the definition of a key violation was expanded to include instances when a

farm receives one or more identical violations during two consecutive inspections, *i.e.* double debits. Finally, the rule prohibits placing farms in categories requiring inspection once or twice per year if the milk shipped from the farm was found to have had any drug residues during the past year.

ATCP 65.923, Drug residue violations; milk producer sanctions.

ATCP 65.923 requires the department to issue a warning notice whenever a producer milk sample tests positive for a drug residue. Once a milk producer receives a warning notice for drug residues, the milk producer must implement a drug residue prevention program within 21 days of the effective date of the notice or the producer's Grade A permit will be suspended. If the drug residue prevention program isn't completed within 45 days, the milk producer's license will be suspended. The rule already included this requirement and a penalty provision to be invoked if the producer has 3 drug residue violations within 12 months. This revision creates ATCP 65.923 (3) (b) to establish requirements for milk producers whose milk sample tests positive for drug residues twice within 12 months, requiring the license to be suspended for 10 days and requiring the milk producer to complete participation in a drug residue prevention program and present a certificate of completion for the program within 180 days of the first day of the suspension.

ATCP 65.923 (3) (d) was also created to manage cases where milk producers have been reported on the USDA repeat (at least twice within a year) residue violator list for presenting for slaughter dairy cattle yielding carcasses that have tested positive for drug residues. The division will file a complaint seeking the license suspension, for at least 10 days, of any milk producers who are reported on the list and the milk producer will be required to attend and present a certificate of completion for a drug residue prevention program approved by the department within 180 days of the first day of the license suspension. If the certificate is not presented within 180 days, the department will seek to suspend the milk producer's license until the program is completed. This provision is consistent with recently proposed provisions in ch. ATCP 55, Meat and Meat Food Products, and is intended to further ensure the production of safe milk.

ATCP 65.928, Right of hearing.

ATCP 65.928 (3) is revised to require the department to hold an informal hearing within 20 days, rather than 10 days, of receiving a hearing request. This change will bring the rule into compliance with ch. ATCP 1, Administrative Orders and Contested Cases.

Appendix A: 3-A Sanitary Standards and Accepted Practices

Appendix A was updated to reflect 3-A Sanitary Standards and Accepted Practices effective on or before October 11, 2014.

Consolidating dairy farm and dairy plant regulations into one rule.

To minimize overlapping requirements and duplicative regulations, improve ease of use, and ensure consistent application of the rules, this rule revision consolidates and renumbers existing provisions from ATCP 60, "Dairy Farms" and ATCP 80, "Dairy Plant Regulations", into the

newly created ch. ATCP 65, “Milk and Milk Products.” The following describes how existing chapters were consolidated and renumbered into ch. ATCP 65. Subchapters, sections, and paragraphs were also retitled, as necessary, to maintain clarity.

Chapter ATCP 60, Dairy Farms

- ATCP 60.01, “Definitions,” are renumbered as follows:
 - ATCP 60.01 (1) and (1g) as ATCP 65.01 (5) and (7);
 - ATCP 60.01 (4) and (5) as ATCP 65.01 (10) and (11);
 - ATCP 60.01 (7) and (8) as ATCP 65.01 (13) and (15);
 - ATCP 60.01 (9) and (10) as ATCP 65.01 (18) and (16);
 - ATCP 60.01 (11) as ATCP 65.01 (22);
 - ATCP 60.01 (12) as ATCP 65.01 (25);
 - ATCP 60.01 (13) as ATCP 65.01 (29);
 - ATCP 60.01 (14) and (15) as ATCP 65.01 (30) and (33);
 - ATCP 60.01 (16) and (17) as ATCP 65.01 (34) and (37);
 - ATCP 60.01 (18) to (21) as ATCP 65.01 (40) to (44);
 - ATCP 60.01 (22) as ATCP 65.01 (38);
 - ATCP 60.01 (23) as ATCP 65.01 (49);
 - ATCP 60.01 (23m) as ATCP 65.01 (48);
 - ATCP 60.01 (23r) as ATCP 65.01 (54);
 - ATCP 60.01 (24) as ATCP 65.01 (59);
 - ATCP 60.01 (25) as ATCP 65.01 (62);
 - ATCP 60.01 (26) as ATCP 65.01 (63);
 - ATCP 60.01 (27) as ATCP 65.01 (65); and
 - ATCP 60.01 (29) as ATCP 65.01 (69).
- ATCP 60.02, “Milk producer license; fees,” is renumbered as ATCP 65.02 and remains largely unchanged except for the following:
 - ATCP 60.02 (2) (am), “Livestock premises registration,” has been incorporated into ATCP 65.02 (2)(a);
 - ATCP 60.02 (7) (b) and (c), “Producer shipping milk to more than one plant,” is repealed because it is duplicative of other provisions. Portions of ATCP 60.02 (7) (c) is renumbered as ATCP 65.02 (8) (L);
 - ATCP 60.02 (7) (d), “Producer shipping milk to more than one plant”, was renumbered as ATCP 65.02 (8) and retitled “Milk produced for custom processing;”
 - ATCP 60.02 (8), “Temporary discontinuation of milk shipments,” is renumbered as ATCP 65.02 (9); and
 - ATCP 60.02 (9), “Dairy plant termination of milk producer,” is renumbered as ATCP 65.02 (10) and retitled, “Termination of a milk producer license.”
- ATCP 60.03 (1), “Grade A permit,” is renumbered as ATCP 65.02 (11).
- ATCP 60.03 (2) to (5) (a), “Grade A permit,” is renumbered as ATCP 65.02 (13) to (16).
- ATCP 60.03 (5) (b), “Grade A permit” is renumbered as ATCP 65.02 (17).
- ATCP 60.03 (6), “Temporary discontinuation of milk shipments,” is renumbered as ATCP 65.02 (18).
- ATCP 60.04 (1) and (2), “Reinspection fees” are renumbered as ATCP 65.02 (19) and (20).

- ATCP 60.05 (2), “Fee payment obligations; enforcement,” is renumbered as ATCP 65.02 (21).
- ATCP 60.06. “Milking barn or parlor” is renumbered as ATCP 65.06.
- ATCP 60.07 (1) to (4), “Milkhouse,” is renumbered as ATCP 65.08 (1) to (5).
- ATCP 60.08, “Water supply,” is renumbered as ATCP 65.10.
- ATCP 60.09, “Equipment and utensils,” is renumbered as ATCP 65.12.
- ATCP 60.10, “Milking and milk handling systems,” is renumbered as ATCP 65.14.
- ATCP 60.11 (1) to (4), “Bulk tanks and bulk transport containers,” is renumbered as ATCP 65.16 (1) to (5).
- ATCP 60.12, “Milking procedure,” is renumbered as ATCP 65.18.
- ATCP 60.13, “Abnormal milk; milking diseased animals,” is renumbered as ATCP 65.20.
- ATCP 60.14, “Farm premises,” is renumbered as ATCP 65.22.
- ATCP 60.15, “Milk quality standards,” is renumbered as ATCP 65.70.
- ATCP 60.17 (1) to (3), “Collecting milk samples,” is renumbered as ATCP 65.38 (1) to (4).
- ATCP 60.18 (1) to (8), “Bacteriological testing,” is renumbered as ATCP 65.70 (2)(a) to (2) (h).
- ATCP 60.19 (1) to (12), “Drug residue testing,” is renumbered as ATCP 65.72 (1) to (13).
- ATCP 60.20 (1) to (7), “Testing for somatic cells,” is renumbered as ATCP 65.70 (4) (b) to (4) (h).
- ATCP 60.22, “Certified testers; test methods; reporting,” is renumbered as ATCP 65.78.
- ATCP 60.23, “Dairy plant operator to furnish producer milk samples to the department upon request,” is renumbered as ATCP 65.80 (e).
- ATCP 60.235, “Raw milk sales prohibited, exemptions,” is renumbered as ATCP 65.52.
- ATCP 60.24, “Inspection of dairy farms; general,” is renumbered as ATCP 65.910.
- ATCP 60.245 (1) to (4), “Performance-based grade A dairy farm inspections,” is renumbered as ATCP 65.912 (1) to (5).
- ATCP 60.25, “Suspension or revocation of milk producer license,” is renumbered as ATCP 65.920.
- ATCP 60.26, “Suspension or revocation of grade A farm permit; general,” is renumbered as ATCP 60.921.
- ATCP 60.27, “Violation of grade A milk quality standards; suspension of grade A farm permit by food division,” is renumbered as ATCP 65.922.
- ATCP 60.275, “Drug residue violations; producer sanctions,” is renumbered as ATCP 65.923.
- ATCP 60.28, “Violation of grade A farm standards; suspension of grade A farm permit by food division,” is renumbered as ATCP 65.924.
- ATCP 60.29, “Suspension notice; requirements,” is renumbered as ATCP 65.925.
- ATCP 60.30, “Holding orders; identification and disposal of adulterated milk,” is renumbered as ATCP 65.927.
- ATCP 60.31, “Right of hearing,” is renumbered as ATCP 65.928.

Chapter 80, Dairy Plants

- ATCP 80.01, “Definitions,” are renumbered as follows:
 - ATCP 80.01 (1) as ATCP 65.01 (3);

- ATCP 80.01 (1g) to (4) as ATCP 65.01 (7) to (9);
- ATCP 80.01 (5) to (8) as ATCP 65.01 (12) to (15);
- ATCP 80.01 (9) to (12) as ATCP 65.01 (18) to (21);
- ATCP 80.01 (13) to (15) as ATCP 65.01 (23) to (25);
- ATCP 80.01 (16) and (17) as ATCP 65.01 (27) and (28);
- ATCP 80.01 (18) as ATCP 65.01 (30);
- ATCP 80.01 (19) to (21) as ATCP 65.01 (34) to (36);
- ATCP 80.01 (22), (23), and (23m) as ATCP 65.01 (38), (39), and (42);
- ATCP 80.01 (24) to (31) as ATCP 65.01 (45) to (53);
- ATCP 80.01 (32) to (33j) as ATCP 65.01 (55) to (58);
- ATCP 80.01 (34), (35), and (36), and (39) as ATCP 65.01 (60), (62), and (64); and
- ATCP 80.01 (39) to (42) as ATCP 65.01 (66) to (69).
- ATCP 80.02 (1) to (8), “Dairy plant license,” is renumbered as ATCP 65.04 (1) to (7).
- ATCP 80.04 (1) to (7), “Dairy plant fees”, is renumbered as ATCP 65.04 (8) to (13).
- ATCP 80.06 (1) to (8), “Grade A dairy plant; permit”, is renumbered as ATCP 65.04 (14) to (21).
- ATCP 80.08 (1) to (18), “Construction and maintenance,” is renumbered as ATCP 65.24 (1) to (19).
- ATCP 80.10, “Personnel; sanitation standards,” is renumbered as ATCP 65.26.
- ATCP 80.12, “Equipment and utensils,” is renumbered as ATCP 65.28.
- ATCP 80.14, “C-I-P systems,” is renumbered as ATCP 65.30.
- ATCP 80.16, “Dairy product packages,” is ATCP 65.32.
- ATCP 80.18, “Sanitizers and sanitizing methods,” is renumbered as ATCP 65.34.
- ATCP 80.20, “Receiving milk and dairy products,” is renumbered as ATCP 65.36.
- ATCP 80.22, “Storing and handling milk and dairy products,” is renumbered as ATCP 65.40.
- ATCP 80.24 (2), (3), and (3m), “Milk and dairy products; quality standards,” is renumbered as ATCP 65.74 (1), (2), and (3) and ATCP 80.24 (1) is repealed.
- ATCP 80.28, “Persons authorized to perform milk quality tests,” was renumbered as ATCP 65.78.
- ATCP 80.30, “Test samples,” is renumbered as ATCP 65.80.
- ATCP 80.32, “Test methods,” is renumbered as ATCP 65.82.
- ATCP 80.34, “Milk component testing devices,” is renumbered as ATCP 65.84.
- ATCP 80.36, “Milk quality test records and reports,” is renumbered as ATCP 65.86.
- ATCP 80.38, “False samples, test results or reports,” is renumbered as ATCP 65.88.
- ATCP 80.40 (1) and (2), “Definitions,” were renumbered as in ATCP 65.01 (31) and (32).
- ATCP 80.41, “Pasteurization required,” is renumbered as ATCP 65.54.
- ATCP 80.42, “Labeling pasteurized and unpasteurized products,” is renumbered as ATCP 65.56.
- ATCP 80.44, “Pasteurization time and temperature,” is renumbered as ATCP 65.58.
- ATCP 80.46, “Batch pasteurization,” is renumbered as ATCP 65.60.
- ATCP 80.48, “HTST and HHST pasteurization,” is renumbered as ATCP 65.62.
- ATCP 80.49, “Aseptic processing and packaging,” is renumbered as follows:
 - ATCP 80.49 (1), definition of “aseptic processing and packaging system” is moved to ATCP 65.01 (2); and
 - ATCP 80.49 (2) (a) and (b) are renumbered as ATCP 65.64 (1) and (2).

- ATCP 80.50, “Pasteurization records,” is renumbered as ATCP 65.66.
- ATCP 80.52, “Pasteurizer testing,” is renumbered as ATCP 65.68.
- ATCP 80.54, “Dairy plant records,” is renumbered as ATCP 65.44.
- ATCP 80.56, “Dairy plant reports to department,” is renumbered as ATCP 65.46.
- ATCP 80.58, “Confidential information,” is renumbered as ATCP 65.48.
- ATCP 80.60, “License suspension or revocation,” is renumbered as ATCP 65.926.
- ATCP 80.62, “Grade A dairy plant; compliance monitoring,” is renumbered as ATCP 65.930.
- ATCP 80.70, “Dairy product labeling,” is renumbered as ATCP 65.50.

Federal and Surrounding State Programs

Federal Programs

One objective of this proposed rule is to modernize current dairy farm and dairy plant inspection rules to ensure compliance with federal PMO requirements. The PMO establishes minimum standards for regulation of Grade “A” dairy farms and milk products. States must set standards equivalent to, or more stringent than, those in the PMO and each state’s milk producers and dairy plants must meet these standards to be allowed to ship Grade “A” milk and milk products in interstate commerce. These rule changes will bring Wisconsin’s dairy farm and dairy plant regulations into further compliance with the 2013 revision of the PMO.

Surrounding State Programs

Michigan, Minnesota, Iowa and Illinois adopt the PMO as part of their Grade “A” dairy-related statutes and regulations and therefore enforce Grade “A” dairy regulations similar to those enforced by Wisconsin. None of the surrounding states have adopted performance-based farm inspection, as allowed by the PMO.

Data and Analytical Methodologies

The department reviewed the 2011 and 2013 revisions of the PMO, federal regulations related to standards of identity, 3-A Sanitary Standards and Accepted Practices, results of an FDA audit of Wisconsin’s Grade “A” dairy program, scientific data presented by the dairy industry, and recent changes in Wisconsin statutes and rules to identify potential changes to the rule.

Standards Incorporated by Reference

The following documents are incorporated by reference:

“3-A Accepted Practices for the Design, Fabrication and Installation of Milking and Milk Handling Equipment,” 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite 2D McLean, Virginia, 22101-3850, amended 2002.

“3-A Sanitary Standards for Farm Milk Cooling and Holding Tanks,” 6888 Elm Street, Suite 2D, McLean, VA 22101-3850, amended 1994.

“3-A Accepted Practices for the Sanitary Construction, Installation, Testing, and Operation of High-Temperature Short-Time and Higher Heat Shorter Time Pasteurizer Systems,” standard 3A 603-07, 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite 2D McLean, Virginia, 22101-3850, amended November 2005.

“Certified Manufacturers of Single-Service Containers and Related Products,” Milk Safety Team, HFS-626, Food and Drug Administration, Public Health Service, US Department of Health and Human Services, 5100 Paint Branch Parkway, College Park, Maryland, 20740.

“Grade “A” Pasteurized Milk Ordinance (Includes provisions from the Grade “A” Condensed and Dry Milk Products and Condensed and Dry Whey—Supplement to the Grade “A” PMO),” Public Health Service, 2013 Revision.

“Official Laboratory Evaluation Forms (FDA-2400 Series),” Food and Drug Administration, US Department of Health and Human Services.
<http://www.fda.gov/AboutFDA/ReportsManualsForms/Forms/default.htm>

“Official Methods of Analysis of AOAC International,” AOAC International, 2275 Research Blvd., Rockville, Maryland, 20850. 18th edition (2005).

Wehr, Michael, “Standard Methods for the Examination of Dairy Products,” American Public Health Association Inc., 800 I Street, NW, Washington, D.C., 20001; 17th edition (June 1, 2004).

Effect on Small Business

The proposed rule changes will impact dairy producers and dairy plants, many of which may be small businesses. The proposed rule does not substantially alter requirements dairy-related businesses already meet. The rule does not increase license or permit fees. All Grade “A” dairy businesses, whether large or small, must meet regulations that are substantially in compliance with the FDA’s PMO in order to collect, sample, and transport Grade “A” dairy products and no special accommodation may be made for small businesses. The proposed rule does not make accommodations for small Grade “B” dairy businesses. The proposed rule allows Grade “B” businesses to seek variances from some requirements and incorporates more flexibility than for Grade “A” businesses. However, to protect food safety and the quality of Wisconsin milk and milk products, further flexibility based on business size is not possible.

If the proposed rule is adopted, some dairy producers may incur costs if they need to modify access to the milkhouse to avoid contamination with animal waste. A few milk producers may also be required to participate in a drug residue prevention program if they have milk samples test positive twice within 12 months or have been reported on the United States Department of Agriculture (USDA) repeat violator list for presenting for slaughter dairy cattle which yield carcasses that have tested positive for drug residues. Some farms may need to have load-out doors installed to meet requirements for the location of bulk transport containers that receive milk directly from the milking equipment (“direct ship” milking). In general, the rule changes

1 **Subchapter II – Dairy Farms**

- 2 ATCP 65.06 Milking barn or parlor
- 3 ATCP 65.08 Milkhouse
- 4 ATCP 65.10 Dairy farm water supply
- 5 ATCP 65.12 Equipment and utensils
- 6 ATCP 65.14 Milking and milk handling systems
- 7 ATCP 65.16 Bulk tanks and bulk transport containers
- 8 ATCP 65.18 Milking procedure
- 9 ATCP 65.20 Abnormal milk; milking diseased animals
- 10 ATCP 65.22 Farm premises

11 **Subchapter III – Dairy Plants**

- 12 ATCP 65.24 Construction and maintenance
- 13 ATCP 65.26 Personnel; sanitation standards
- 14 ATCP 65.28 Equipment and utensils
- 15 ATCP 65.30 C-I-P systems
- 16 ATCP 65.32 Dairy product packages
- 17 ATCP 65.34 Sanitizers and sanitizing methods
- 18 ATCP 65.36 Receiving milk and dairy products
- 19 ATCP 65.38 Collecting milk samples
- 20 ATCP 65.40 Storing and handling milk and dairy products
- 21 ATCP 65.42 Recall plan
- 22 ATCP 65.44 Dairy plant records
- 23 ATCP 65.46 Dairy plant reports to department

- 1 ATCP 65.48 Confidential information
- 2 ATCP 65.50 Dairy product labeling
- 3 **Subchapter IV – Pasteurization**
- 4 ATCP 65.52 Raw milk sales prohibited; exemptions
- 5 ATCP 65.54 Pasteurization required
- 6 ATCP 65.56 Labeling pasteurized and unpasteurized products
- 7 ATCP 65.58 Pasteurization time and temperature
- 8 ATCP 65.60 Batch pasteurization
- 9 ATCP 65.62 HTST and HHST pasteurization
- 10 ATCP 65.64 Aseptic processing and packaging
- 11 ATCP 65.66 Pasteurization records
- 12 ATCP 65.68 Pasteurizer testing
- 13 **Subchapter V – Safety and Quality Standards**
- 14 ATCP 65.70 Milk quality standards for milk collected at a dairy farm
- 15 ATCP 65.72 Drug residue testing
- 16 ATCP 65.74 Milk and dairy products; quality standards
- 17 ATCP 65.76 Milk quality testing
- 18 ATCP 65.78 Certified testers of milk quality and components; test methods
- 19 ATCP 65.80 Test samples
- 20 ATCP 65.82 Test methods
- 21 ATCP 65.84 Milk component testing devices
- 22 ATCP 65.86 Milk quality test records and reports
- 23 ATCP 65.88 False samples, test results or reports

1 **Subchapter VI – Inspection and Enforcement**

2 ATCP 65.910 Inspection of dairy farms; general

3 ATCP 65.912 Performance-based grade A dairy farm inspections

4 ATCP 65.920 Suspension or revocation of milk producer license

5 ATCP 65.921 Suspension or revocation of grade A producer permit; general

6 ATCP 65.922 Violation of grade A milk quality standards; suspension of grade A producer
7 permit by the division

8 ATCP 65.923 Drug residue violations; milk producer sanctions

9 ATCP 65.924 Violation of grade A dairy farm standards; suspension of grade A producer permit
10 by division

11 ATCP 65.925 Suspension notice; requirements

12 ATCP 65.926 Dairy plant license and grade A permit suspension or revocation.

13 ATCP 65.927 Holding orders; identification and disposal of adulterated milk

14 ATCP 65.928 Right of hearing

15 ATCP 65.930 Grade A dairy plants; compliance monitoring and inspection

16

17 **Subchapter I – Definitions and General Requirements**

18 **ATCP 65.01 Definitions.** In this chapter:

19 (1) “Abnormal milk” means milk that is visibly changed in color, odor, or texture.

20 (2) “Aseptic processing and packaging system” means a system that is intended to fill
21 commercially sterilized and cooled milk or milk products into pre-sterilized containers, and then
22 hermetically seal each container with a pre-sterilized closure, in an atmosphere free of
23 microorganisms.

1 **(3)** “Bulk milk tanker” means a mobile bulk container used to transport milk, fluid milk
2 products, whey or whey cream in bulk from a dairy farm, or to or from a dairy plant, in this state.
3 “Bulk milk tanker” includes a mobile bulk container, which is permanently mounted on a motor
4 vehicle or that is designed to be towed by a motor vehicle, and includes all equipment and
5 accessories related to the mobile bulk container. “Bulk milk tanker” does not include a mobile
6 bulk container that is used by a milk producer solely to transport that producer’s own milk to that
7 milk producer’s bulk tank or to a licensed dairy plant operated by that milk producer.

8 **(4)** “Bulk milk weigher and sampler” means any person who collects official milk samples
9 and may transport raw milk from a farm, or raw milk or fluid milk products to or from a dairy
10 plant, receiving station or transfer station, and meets the requirements of s. ATCP 82.01 (1).

11 **(5)** “Bulk tank” means a permanent or semi-permanent tank, container, or silo used to
12 receive, cool or store bulk quantities of milk on a dairy farm. “Bulk tank” does not include milk
13 cans.

14 **(6)** “Bulk tank unit” or “BTU” means at least one dairy farm operated by at least one milk
15 producer licensed under this chapter and holding a grade A permit under this part, from which
16 raw milk for pasteurization is collected by a bulk milk weigher sampler licensed under ATCP 82,
17 and that is rated as a single entity and given a single sanitation compliance and enforcement
18 rating by the division. A dairy farm shall be included in only one bulk tank unit or BTU.

19 **(7)** “Bulk transport container” means a vehicle or container that a milk producer uses to ship
20 bulk milk from a dairy farm to a dairy plant.

21 **(8)** “C-I-P” means clean-in-place, which is the process by which equipment is cleaned and
22 sanitized without being disassembled and by the mechanical circulation of cleaning and
23 sanitizing solutions onto interior milk contact surfaces.

1 **(9)** “Composite sample” means a sample of milk that is collected from 2 or more milk
2 shipments from the same milk producer and that is compiled and preserved according to s.
3 ATCP 65.80 (4).

4 **(10)** “Cowyard” means an enclosed or unenclosed area, approximately adjacent to a milking
5 barn or parlor, in which milking animals congregate. “Cowyard” includes milking animal
6 walkways, feeding areas, watering areas, washing areas, and housing areas located outside but
7 adjacent to a milking barn or parlor.

8 **(11)** “Dairy farm” means a dairy farm as defined in s. 97.22 (1) (a), Stats., operated by a milk
9 producer and includes a milk house.

10 **(12)** “Dairy plant” means any place where a dairy product is manufactured or processed for
11 sale or distribution as human food, and includes a receiving station or transfer station.

12 **(13)** “Dairy plant operator” means a person who operates a dairy plant. "Dairy plant
13 operator" includes the operator of a dairy plant located outside this state if the operator procures
14 milk from producers located in this state. "Dairy plant operator" does not include a person
15 identified under s. 97.20 (2) (e), Stats.

16 **(14)** “Dairy product” means all of the following:

17 (a) Raw or processed milk.

18 (b) A milk product or by-product, including all dairy and nondairy ingredients incorporated
19 into that milk product or by-product, which has a standard of identity under 21 CFR Parts 131,
20 133, 135, 168.122, 184.1979, 1979a, and 1979c; or USC 321a, or 321c.

21 (c) A commodity in which milk or any milk product or by-product as defined in (b) is
22 combined with another dairy product as defined in (b).

23 **(15)** “Department” means the state department of agriculture, trade and consumer protection.

1 **(16)** “Division” means the division of food safety of the state department of agriculture, trade
2 and consumer protection.

3 **(17)** “Drug” has the meaning given in 21 USC 321 (g). "Drug" includes antibiotics and
4 inhibitory substances.

5 **(18)** “Equipment” means either:

6 (a) An implement, vessel, pipeline, machine, or apparatus, other than a utensil, and including
7 C-I-P systems, that has one or more product contact surfaces and is used in moving, handling,
8 storing, or processing dairy products at a dairy plant, or

9 (b) An implement, vessel, machine, or apparatus, other than a utensil, that has one or more
10 milk contact surfaces that is used to draw milk from milking animals or to transport, hold,
11 handle, cool, or store milk on a dairy farm.

12 **(19)** “Fluid milk product” means cream, sour cream, acidified sour cream, half-and-half, sour
13 half-and-half, whipped cream, concentrated milk, concentrated milk products, reduced fat milk,
14 low fat milk, nonfat milk, flavored milk, buttermilk, cultured buttermilk, cultured milk, yogurt,
15 low fat yogurt, nonfat yogurt, eggnog, holiday nog, nog-flavored milk, vitamin and mineral
16 fortified milk or milk products, and any other fluid milk product made by adding any substance
17 to milk or any of these products.

18 **(20)** “Frozen dessert” means ice cream, French ice cream, artificially sweetened ice cream,
19 frozen custard, frozen yogurt, frozen concentrates, ice milk, sherbet, gelato, water ice,
20 quiescently frozen confection, quiescently frozen dairy confection, manufactured frozen-dessert
21 mix, and frozen whipped cream confections. “Frozen dessert” includes frozen-dessert mix.

22 **(21)** “Frozen-dessert mix” means a mixture of frozen dessert ingredients that has not yet been
23 processed and frozen to create a frozen dessert. “Frozen-dessert mix” includes a mix of

1 previously pasteurized dry dairy ingredients that is combined with potable water to create a
2 liquid mix.

3 (22) “Grade A dairy farm” means a dairy farm owned or operated by a licensed producer for
4 which a grade A permit is required under s. ATCP 65.02 (11) and s. 97.22 (3), Stats.

5 (23) “Grade A dairy plant” means a dairy plant required to hold a permit under s. ATCP
6 65.04 (14) and s. 97.20 (3), Stats.

7 (24) “Grade A dairy product” means a fluid milk product that is produced from grade A milk
8 and processed and distributed in compliance with grade A standards under this chapter.

9 (25) “Grade A milk” means milk produced, processed, and distributed in compliance with
10 grade A requirements under this chapter.

11 (26) “Grade A producer permit” means a grade A dairy farm permit under s. 97.22 (3) Stats.

12 (27) “Grade B dairy plant” means a dairy plant other than a grade A dairy plant.

13 (28) “Grade B dairy product” means a dairy product other than a grade A dairy product.

14 (29) “Grade B dairy farm” means a dairy farm other than a grade A farm.

15 (30) “Grade B milk” means milk other than grade A milk, that is used in the production of
16 dairy products that are not grade A milk products as defined in s. 97.20 (1) (f), Stats.

17 (31) “HHST” means higher heat shorter time.

18 (32) “HTST” means high temperature short time.

19 (33) “Key violation” means any of the following:

20 (a) A repeat violation of any dairy farm standard under subch. III, as determined on 2
21 consecutive inspections of a dairy farm.

22 (b) An initial violation of any dairy farm standard under subch. III if the violation creates a
23 substantial risk of milk adulteration, whether or not the violation constitutes an imminent health

1 hazard. The following conditions are considered key violations under this paragraph unless the
2 division representative determines, under all of the surrounding circumstances, that they do not
3 create a substantial risk of milk adulteration:

- 4 1. Unclean milk contact surfaces of equipment or utensils.
- 5 2. Filthy conditions in a milking barn or parlor, such as several days' accumulation of manure
6 in gutters or other areas.
- 7 3. Filthy conditions in a cowyard that could reasonably be expected to result in milking
8 animals having very dirty flanks, udders, and teats.
- 9 4. Filthy conditions in a milkhouse.
- 10 5. Water supply, water pressure, or water heating facilities not in compliance with this
11 chapter.
- 12 6. No access to a toilet facility on the farm premises, or to a handwashing facility in the
13 milkhouse.
- 14 7. Violation of standards under this chapter related to well construction or potability of water
15 supply, including any cross connection between potable and non-potable water sources.
- 16 8. Lack of an approved sanitizer in the milkhouse or adjacent storage areas that could be used
17 to meet the sanitizing requirements under s. ATCP 65.12 (5).
- 18 9. Visibly dirty udders and teats on milking animals being milked.
- 19 10. Milk not cooled in compliance with s. ATCP 65.18 (4).
- 20 11. Rodent activity in the milkhouse.
- 21 12. Dead animals in the milking barn or cowyard.
- 22 13. Violations of standards related to the design, construction or installation of equipment or
23 utensils, if the violation creates a substantial risk of adulteration.

1 (c) Two or more initial violations of dairy farm standards under subch. III that combine to
2 create a substantial risk of milk adulteration, whether or not the violations individually create a
3 substantial risk of adulteration.

4 (34) “Milk” means the normal lacteal secretion, practically free of colostrum, obtained by the
5 complete milking of one or more healthy milking animals, and includes skim milk and cream.

6 (35) “Milk component test” means a test that determines the amount of milkfat, protein, total
7 solids, solids-not-fat, or other components in milk, and that may affect the price that a dairy
8 plant operator pays a milk producer for milk.

9 (36) “Milk component testing device” means an automated testing device used to perform
10 milk component tests.

11 (37) “Milk contact surfaces” means all surfaces of equipment or utensils that may come in
12 contact with milk, or from which liquids may drain, splash, or be drawn into milk.

13 (38) “Milk producer” means a milk producer as defined in s. 97.22 (1) (f), Stats.

14 (39) “Milk quality test” means a bacteria count, somatic cell count, drug residue test, milk
15 component test, or other analytical test, that is used to determine compliance with milk quality
16 standards under s. ATCP 65.70 or 65.74 or that may affect the price that a dairy plant operator
17 pays a milk producer for milk.

18 (40) “Milkhouse” means an enclosed facility, separated from the milking barn or parlor by a
19 self-closing door, in which milk is cooled or stored and in which equipment and utensils are
20 cleaned, sanitized, and stored. “Milkhouse” includes a milkhouse sharing one or more walls
21 with a milking barn or parlor.

22 (41) “Milking and milk handling system” means an automated system, and all components of
23 that system, used to draw milk from milking animals or to transport milk to a bulk tank or other

1 container on a dairy farm. "Milking and milk handling system" includes C-I-P milking
2 equipment and C-I-P milk pipelines.

3 (42) "Milking animals" means all of the following:

4 (a) Cows, sheep, and goats.

5 (b) Other hooved animals whose milk is collected and distributed for human consumption.

6 (43) "Milking barn" means a roofed and enclosed facility, other than a milking parlor, in
7 which milking animals are milked on a dairy farm.

8 (44) "Milking parlor" means either of the following:

9 (a) A roofed and enclosed facility that is designed and used year-round exclusively for the
10 milking of milking animals, and that is not designed or used to house any animals.

11 (b) A seasonal facility constructed without walls that is used exclusively for the milking of
12 milking animals and that is not designed or used to house any animals.

13 (45) "Multi-use package" means a returnable bottle or other package that is designed for
14 repeated use.

15 (46) "Package" means a container or wrapping, having one or more product contact surfaces,
16 that is designed or used to enclose a dairy product sold or shipped from a dairy plant. "Package"
17 includes package covers and other package components. "Package" includes all of the
18 following:

19 (a) A returnable bottle or other multi-use package.

20 (b) A single-service package.

21 (c) A bulk or shipping container, other than a bulk milk tanker, that has one or more product
22 contact surfaces and is used for the sale or shipment of a dairy product from a dairy plant.

1 **(47)** “Pasteurize” and “pasteurization” means to thermally process every particle of a dairy
2 product in properly designed and operated equipment according to subch. IV, in order to destroy
3 pathogenic microbes in that dairy product. “Pasteurize” includes batch pasteurization, HTST
4 pasteurization, HHST pasteurization, UHT pasteurization, and other equally effective
5 pasteurization processes that are approved by the division in writing.

6 **(48)** “PMO” means the Grade A Pasteurized Milk Ordinance, 2013 revision, published by the
7 United States department of health and human services, public health service, food and drug
8 administration.

9 **(49)** “Person” means an individual, partnership, firm, cooperative, association, or any other
10 business unit or entity.

11 **(50)** “Potable water” means water that is microbiologically safe to drink in accordance with
12 ch. NR 809.

13 **(51)** “Potentially hazardous food” has the meaning given in Section 1-201-10 (B)(66),ch.
14 ATCP 75 Appendix (Wisconsin Food Code).

15 **(52)** “Processing” means pasteurizing, manufacturing, blending, or packaging dairy products,
16 or cooling dairy products previously treated by one of the preceding unit operations.

17 **(53)** “Processing plant” means a dairy plant at which dairy products are processed.

18 **(54)** “Procure milk” means to buy milk or acquire the right to market milk from a milk
19 producer licensed under this part.

20 **(55)** “Product contact surface” means a surface of equipment or a surface of a utensil or
21 package, with which a dairy product normally comes in direct contact, or from which materials
22 may drain, drip, or be drawn into a dairy product.

1 **(56)** “Receiving station” means a facility that is designed for the receipt and bulk storage of
2 milk, and that is used to receive or store milk in bulk. “Receiving station” does not include a
3 processing plant or a facility used to distribute pasteurized milk in bottled or packaged form to
4 consumers.

5 **(57)** “Recombined dairy product” means a dairy product created by recombining separated
6 dairy product components.

7 **(58)** “Reconstituted dairy product” means a dairy product created by restoring water to
8 dehydrated dairy product ingredients.

9 **(59)** “Reinspection” means any of the following:

10 (a) A dairy farm inspection, other than a regularly scheduled inspection under ss. ATCP
11 65.910(2) or 65.912, which the division makes in response to a key violation.

12 (b) A dairy farm inspection, other than a regularly scheduled inspection under ss. ATCP
13 65.910 (2) or 65.912, for which a fee is chargeable under s. ATCP 65.70 (2) (g), 65.72 (10),
14 65.920 (4), 65.921, 65.922 (6) (b) 1., or 65.924 (2) or (3).

15 (c) A dairy plant inspection, other than a regularly scheduled inspection under s. ATCP
16 65.930 (2), that the division makes in response to a violation for which a fee is chargeable under
17 s. 65.04 (11).

18 **(60)** “Safe temperatures” as applied to refrigerated potentially hazardous foods means
19 temperatures of 41° F. (5° C.) or below. As applied to heated potentially hazardous foods, “safe
20 temperatures” means temperatures of 135° F. (57° C.) or above. As applied to frozen foods, “safe
21 temperatures” means temperatures of 0° F. (-17° C.) or below.

22 **(61)** “Sale” means a sale as defined in s. 97.01 (15), Stats.

1 (62) "Sanitize" means to destroy pathogens and other microorganisms to the maximum
2 extent practicable, by applying a sanitizer at concentrations in compliance with 21 CFR part
3 178.1010, or by applying a sanitizing method approved by the division, to an otherwise clean
4 surface.

5 (63) "Secretary" means the secretary of the department.

6 (64) "Shipping container" means a box, carton, or similar container in which packaged dairy
7 products are shipped in bulk from a dairy plant.

8 (65) "Single-service articles" means utensils, including containers or packages, filters, and
9 other articles, that are designed to be used only once before disposal.

10 (66) "Standard of identity" means a dairy product standard of identity adopted or
11 incorporated by reference under s. 97.09, Stats.

12 (67) "Transfer station" means a facility that is designed and used solely to transfer milk from
13 one bulk milk tanker to another without intervening storage.

14 (68) "UHT" means ultra high temperature.

15 (69) "Utensil" means any hand-held or similarly portable container, device, article, or
16 implement that has one or more milk contact surfaces and is used for any of the following:

17 (a) To draw milk from milking animals or to transport, hold, strain, handle, or store milk on a
18 dairy farm.

19 (b) To process or handle milk or dairy products at a dairy plant.

20 **ATCP 65.02 Milk producer licenses and permits; fees. (1) MILK PRODUCER LICENSE**

21 REQUIREMENT. No person may operate as a milk producer without an annual license from the
22 department, as provided under s. 97.22 (2), Stats. A license expires on April 30 of each year. A
23 separate license is required for each milk producer. A separate license is required for each

1 species of milking animal milked by a single milk producer. A separate license is required for
2 each dairy farm operated by a milk producer at which milk is produced and offered for sale.
3 Whenever the department first issues a milk producer license, that license shall bear a livestock
4 premises code issued under s. ATCP 17.02 (7) for the dairy farm associated with the milk
5 producer license. A license is not transferable between persons or dairy farms. As a condition to
6 licensing, a milk producer shall comply with applicable provisions of this chapter.

7 (2) LICENSE APPLICATION; RENEWAL. (a) *General.* A license application, signed by the milk
8 producer, shall be made on a form provided by the department and shall include the information
9 that is required under s. ATCP 17.02 (4) for the purpose of livestock premises registration. A
10 dairy plant operator or their representative, after inspecting the dairy farm under s. ATCP 65.910
11 (1), shall submit the application on behalf of the milk producer and shall certify that the dairy
12 farm and milking operations comply with applicable requirements under this chapter. An annual
13 license may be renewed each year upon payment of the required fees under sub. (4), without
14 further application by the milk producer, provided the milk producer is registered under s. ATCP
15 17.02 (4).

16 (b) *Action on license application.* Within 15 days after the department receives a complete
17 license application under par. (a), the department shall do any of the following:

- 18 1. Grant the application.
- 19 2. Deny the application.
- 20 3. Issue a temporary license under par. (c).

21 (c) *Temporary license.* The department may issue a temporary license, for a period not to
22 exceed 40 days, pending final action on a milk producer's application for an annual milk
23 producer license. The department shall grant or deny the annual license application before the

1 temporary license expires. If the department denies the annual license application before the
2 temporary license expires, the temporary license is automatically terminated when the producer
3 receives written notice of the denial. The holder of a temporary license acquires no rights
4 beyond those conferred by the temporary license under this paragraph.

5 (3) PRE-LICENSE INSPECTION. A division representative, on behalf of the department, may
6 inspect a dairy farm, as the division deems necessary, before issuing a license to a milk producer.
7 If the dairy farm does not meet the minimum standards required for licensing, the department
8 shall deny the license application.

9 (4) LICENSE FEE. (a) The annual fee for a milk producer license under this section is \$30.

10 (b) A dairy plant operator shall pay the annual milk producer license fee under this section on
11 April 30th of each year for each dairy farm from which the dairy plant operator receives milk on
12 that date.

13 (c) A dairy plant operator who pays a milk producer license fee under par. (a) may charge
14 that fee back to a milk producer if the dairy plant operator gives prior written notice to the milk
15 producer, but the dairy plant operator may not deduct the fee from any payment that the dairy
16 plant operator owes the milk producer for milk received by the dairy plant operator. A dairy
17 plant operator may not discriminate between milk producers with respect to fee charges under
18 this paragraph, but may charge back license fees to all milk producers who cease shipping milk
19 to the operator's dairy plant during the license year.

20 (5) DENIAL OF LICENSE APPLICATION. If the department denies a milk producer's application
21 for a license under this section, the department shall issue the denial in writing and shall state the
22 reasons for the denial. The denial notice shall include a notice of the applicant's right to hearing
23 under s. ATCP 65.928. If a division representative inspects the applicant's dairy farm, the

1 division representative may deny the application by noting the denial on the inspection report
2 given to the producer, provided that the inspection report includes the required information under
3 this subsection.

4 **(6) TRANSFER BETWEEN DAIRY PLANTS.** A dairy plant operator shall notify the department in
5 writing within 3 business days after any of the following occurs:

6 (a) The dairy plant operator begins receiving milk shipments from a licensed producer who
7 has previously shipped milk to another dairy plants. No new license is required.

8 (b) A licensed producer is re-assigned, for licensing purposes under this section, to that dairy
9 plant.

10 **(7) MILK PRODUCER SHIPPING MILK TO MORE THAN ONE DAIRY PLANT.** A milk producer may
11 concurrently ship milk to more than one dairy plant if the milk producer is assigned, for licensing
12 purposes under this section, to each dairy plant. Each dairy plant's operator shall do all of the
13 following on behalf of the milk producer:

14 (a) Pay the producer's annual license fees under this section.

15 (b) Pay the producer's reinspection fees, if any, under s. ATCP 65.04.

16 (c) Fulfill other dairy plant operator obligations under this subchapter, if any, related to the
17 milk producer's license or grade A producer permit.

18 **(8) MILK PRODUCED FOR CUSTOM PROCESSING.** A dairy plant operator is deemed to be
19 custom processing a producer's milk if all of the following apply:

20 (a) The dairy plant operator, on behalf of the milk producer, makes that milk into dairy
21 products.

22 (b) The milk producer retains title to that milk and to all of the dairy products made from that
23 milk.

1 (c) The dairy plant operator does not market that milk, or the dairy products made from that
2 milk, but promptly returns the dairy products to the milk producer or the milk producer's agent
3 for consumption or marketing.

4 (d) The dairy plant operator does not commingle milk produced by that milk producer with
5 other milk.

6 (e) The dairy plant operator provides the custom processing services pursuant to a written
7 agreement with the milk producer or the milk producer's agent. The agreement shall clearly state
8 that the milk producer retains title to all of the custom processed milk and dairy products and that
9 the milk producer's milk shipments under the custom processing agreement are not secured under
10 ch. 126, Stats.

11 (f) The milk producer ships, for custom processing under this subsection, not more than 50
12 percent of the producer's milk production in any month.

13 (g) The dairy plant operator custom processes not more than a total of 5 million pounds of
14 milk from all milk producers entering into written agreements with the dairy plant operator under
15 this par. e in any month.

16 (h) The milk producer or the milk producer's agent shall notify the division of the custom
17 processing agreement before shipping milk to the dairy plant operator for custom processing
18 under this subsection and annually thereafter. The milk producer or milk producer agent shall
19 simultaneously notify the dairy plant operator to whom the producer is assigned for licensing
20 purposes under par. (a) if that dairy plant operator is not the one providing the custom processing
21 services.

22 (i) The milk producer or the milk producer's agent files a monthly report with the department,
23 on or before the 15th day of the month, reporting the volume of milk delivered to the custom

1 processor during the preceding month. The milk producer or milk producer agent shall file a
2 copy of the report with the dairy plant operator to whom the producer is assigned for licensing
3 purposes under par. (a) if that dairy plant operator is not providing the custom processing
4 services.

5 (j) The milk producer or the milk producer's agent pays to the department the dairy plant milk
6 procurement fees under s. ATCP 65.04 (10) that apply to the milk producer's custom processed
7 milk shipments.

8 (k) The milk producer or the milk producer's agent pays milk marketing order assessments
9 and other state or federally mandated assessments that apply to the milk producer's custom
10 processed milk shipments, in the manner prescribed by state or federal law.

11 **(9) TEMPORARY DISCONTINUATION OF MILK SHIPMENTS.** (a) A cow milk producer's license
12 remains in effect if the milk producer resumes milk shipments within 180 days after temporarily
13 discontinuing shipments to the dairy plant to whom the milk producer is assigned, provided
14 shipments were not transferred to another dairy plant.

15 (b) A sheep or goat milk producer license remains in effect if the milk producer resumes milk
16 shipments within 240 days after temporarily discontinuing shipments to the dairy plant to whom
17 the milk producer is assigned, provided shipments were not transferred to another dairy plant.

18 (c) If the milk producer does not resume milk shipments within the allowed 180 or 240 days,
19 the department shall summarily revoke the milk producer's license. The department shall give
20 the milk producer a written revocation notice at least 5 business days prior to the effective date
21 of the notice.

22 **(10) TERMINATION OF A MILK PRODUCER LICENSE.** If a milk producer stops shipment of milk
23 to a dairy plant for any reason, other than a reason identified in sub. (6), sub. (8), or s. ATCP

1 65.30, 65.70 (2) (f), or 65.72 (6) or (7), the dairy plant operator shall notify the department in
2 writing within 3 business days after receiving the last shipment of milk from that producer. The
3 department shall summarily revoke the milk producer's license 30 days after that last milk
4 shipment date unless, by the scheduled revocation date, the milk producer is shipping milk to
5 another dairy plant operator to whom the producer is assigned for licensing purposes under this
6 section. The department shall give the producer a written revocation notice at least 5 business
7 days prior to the effective date of the notice.

8 **(11) GRADE A PERMIT REQUIREMENT.** No milk producer may sell or distribute milk as grade
9 A milk without obtaining an annual grade A producer permit from the department, as provided
10 under s. 97.22 (3), Stats. A grade A producer permit is not valid unless the producer also holds a
11 valid milk producer license under s. ATPC 65.02. A grade A producer permit expires on April
12 30 of each year. A separate grade A producer permit is required for each milk producer on a
13 dairy farm at which milk is produced for distribution or sale as grade A milk. A grade A
14 producer permit is not transferable between persons or dairy farms. No more than one milk
15 producer shall have a grade A permit at a single dairy farm unless all of the milk shipped from
16 that dairy farm is assigned to one bulk tank unit and each milk producer complies with sub. (12).
17 A grade A permit may be issued by the department in the form of an endorsement on an
18 inspection report given to the milk producer. As a condition to holding a grade A producer
19 permit, a milk producer shall comply with applicable provisions of this chapter.

20 **(12) GRADE A PERMITS AT A SINGLE DAIRY FARM OPERATED BY MULTIPLE MILK PRODUCERS.**
21 More than one grade A producer permit may not be held by persons at one dairy farm unless all
22 of the following apply:

1 (a) All milk producers holding a grade A producer permit ship milk to the same dairy plant.
2 If two or more milk producers at a single dairy farm are shipping milk to different dairy plants,
3 only one milk producer may hold a grade A producer permit.

4 (b) All water test results under s. ATCP 65.10, drug residue test results under s. ATCP
5 65.72, milk quality test results under s. ATCP 65.76, inspection results under ss. ATCP 65.910
6 and 65.912, and enforcement actions taken under Subchapter VI apply equally to all holders of a
7 milk producer license at a single dairy farm sharing a herd of milking animals; access or use of a
8 barn, milking barn, milking parlor, milking and milk handling system; or any other part of a
9 dairy farm.

10 (c) Inspection of the milk producers shall be conducted simultaneously.

11 **(13) GRADE A PERMIT APPLICATION; RENEWAL.** (a) *General.* A grade A producer permit
12 application, signed by the milk producer, shall be made on a form provided by the department.
13 A dairy plant operator, after inspecting the dairy farm under Subchapter II, shall submit the
14 application on behalf of the milk producer, and shall certify that the dairy farm facilities comply
15 with applicable grade A requirements under this chapter. A grade A producer permit may be
16 renewed each year in connection with the renewal of the milk producer's license under s. ATCP
17 65.02, without further application by the milk producer.

18 (b) *Action on permit application.* Within 15 days after the department receives a complete
19 grade A producer permit application under par. (a), the department shall do any of the following:

- 20 1. Grant the application after inspecting the dairy farm.
- 21 2. Deny the application.

22 **(14) PRE-PERMIT INSPECTION.** A division representative, on behalf of the department, may
23 inspect a dairy farm before issuing a grade A producer permit for that dairy producer. If the

1 dairy farm does not meet the minimum standards required for issuance of a grade A producer
2 permit, the department shall deny the grade A producer permit application.

3 **(15) DENIAL OF GRADE A PERMIT APPLICATION.** If the department denies a milk producer's
4 application for a grade A producer permit under this section, the department shall issue the denial
5 in writing and shall state the reasons for the denial. The denial notice shall include a notice of
6 the applicant's right to hearing under s. ATCP 65.928. A representative of the division, after
7 inspecting the applicant's dairy farm, may deny a grade A producer permit application by noting
8 the denial on the inspection report given to the producer, provided that the inspection report
9 includes the required information under this subsection.

10 **(16) TRANSFER OF GRADE A PRODUCERS BETWEEN DAIRY PLANT OPERATORS.** A dairy plant
11 operator shall notify the department in writing within 3 business days after any of the following
12 occurs:

13 (a) The operator begins receiving milk shipments from a grade A producer who has
14 previously shipped milk to another operator. No new grade A permit is required.

15 (b) A grade A producer is re-assigned, for permit purposes under this section, to that dairy
16 plant operator.

17 **(17) GRADE A MILK PRODUCER SHIPPING MILK TO MORE THAN ONE DAIRY PLANT.** A milk
18 producer holding a grade A producer permit may concurrently ship milk to more than one dairy
19 plant operator if the milk producer and dairy plant operators comply with s. ATCP 65.02 (7) and
20 only one of the dairy plants accepts the milk producer's milk as grade A milk.

21 **(18) TEMPORARY DISCONTINUATION OF GRADE A MILK SHIPMENTS.** (a) A dairy plant operator
22 shall notify the department if a grade A milk producer temporarily discontinues milk shipments
23 without transferring milk shipments to another dairy plant. The dairy plant operator shall notify

1 the department in writing within 3 business days after the producer discontinues shipments and
2 within 3 business days after the producer resumes milk shipments.

3 (b) A milk producer's grade A producer permit remains in effect if the milk producer resumes
4 milk shipments under par. (a) within 60 days after temporarily discontinuing milk shipments to
5 the dairy plant to whom the milk producer is assigned, provided shipments were not transferred
6 to another dairy plant. If the milk producer does not resume milk shipments within 60 days, the
7 department shall summarily revoke the milk producer's grade A producer permit. The
8 department shall give the producer a written revocation notice at least 5 business days before the
9 effective date of the notice.

10 **(19) RE-INSPECTION FEE REQUIREMENT.** If a division representative, on behalf of the
11 department, conducts a reinspection, the department shall charge a reinspection fee for the
12 reinspection, pursuant to s. 97.22 (4), Stats. A reinspection fee is payable when the reinspection
13 is completed, and is due upon written demand from the department.

14 **(20) RE-INSPECTION FEE AMOUNT.** (a) Except as provided in par. (b), the reinspection fee
15 under sub. (19) is \$30.

16 (b) If a reinspection is required under this chapter for reinstatement of a milk producer's
17 license or grade A producer permit, the reinspection fee under sub. (19) is \$60.

18 **(21) FEE PAYMENT OBLIGATIONS; ENFORCEMENT.** If no dairy plant pays the fees required
19 under this subchapter on behalf of a milk producer, the department may demand payment from
20 the milk producer. If, after reasonable notice and demand for payment, a milk producer fails to
21 pay a fee that was due and payable prior to the current license year, the department may suspend
22 the milk producer's license or grade A producer permit.

1 **ATCP 65.04 Dairy plant licenses and permits; fees. (1) DAIRY PLANT LICENSE REQUIRED.**

2 (a) *License required.* Except as provided under sub. (b), no person may operate a dairy plant
3 without a valid license issued by the department for that dairy plant. A dairy plant license
4 expires on April 30 annually and is not transferable between persons or locations.

5 **Note:** See s. 97.20, Stats.

6
7 (b) *License exemptions.* A dairy plant license is not required under sub. (a) for any of the
8 following:

9 1. A farm manufacturing or processing dairy products solely for consumption by the owner
10 or operator of the farm, members of the farm household, or nonpaying farm guests or employees.

11 2. The retail preparation or processing of meals for sale directly to consumers or through
12 vending machines if the preparation and processing of dairy products, made from commercially
13 pasteurized dairy products, is covered under a restaurant permit or other permit issued under s.
14 254.64, Stats. Packaging of grade A dairy products for retail sale by exempted establishments is
15 prohibited.

16 3. A retail food establishment licensed under s. 97.30, Stats., if the establishment processes
17 non-grade A dairy products made from commercially pasteurized dairy products solely for retail
18 sale at the establishment.

19 4. A milk receiving station or transfer station operated at the same location, and by the same
20 person, as a processing plant licensed under sub. (1).

21 5. A milk transfer station operated at the same location, and by the same person, as a milk
22 receiving station licensed under sub. (1).

23 **(2) LICENSE APPLICATION.** An application for a dairy plant license shall be made on a form
24 provided by the department and shall be accompanied by each applicable fee required under s.

1 ATCP 65.04. The application shall include the following information, and any other information
2 reasonably required by the department for licensing purposes:

3 (a) The correct legal name of the dairy plant operator and any trade name used by the
4 operator.

5 (b) The address and telephone number of the dairy plant to which the license application
6 pertains, and the name of a responsible person who may be contacted at that address.

7 (c) A statement indicating whether the dairy plant is a processing plant, receiving station, or
8 transfer station.

9 (d) A description of the processing operations, if any, conducted at the dairy plant.

10 **(3) ACTION ON LICENSE APPLICATION; DEADLINE.** The department shall grant or deny a
11 license application under sub. (2) within 40 days after the department receives a complete
12 application, or before the expiration date of any temporary license issued under sub. (5),
13 whichever occurs later.

14 **(4) PREREQUISITES FOR LICENSING.** The department shall not issue or renew a dairy plant
15 license, or issue a temporary license under sub. (5), unless all of the following conditions are
16 met:

17 (a) The license applicant has paid all fees and surcharges, set forth in a statement from the
18 department, that are due and payable by the applicant under this section. The department shall
19 refund a fee or surcharge paid under protest if the department determines that the fee or
20 surcharge is not due and payable under this section.

21 (b) The license applicant has filed all financial information and security that the department
22 requires of that applicant under ch. ATCP 100. If an applicant has not filed required financial
23 information or security, the department may issue a conditional license that prohibits the licensed

1 operator from buying milk or fluid milk products from producers or their agents, but allows the
2 operator to buy milk or fluid milk products from other sources.

3 (c) The division has inspected the dairy plant under sub. (6) (b) if the dairy plant is not
4 currently licensed.

5 (5) TEMPORARY LICENSE. (a) Except as provided under par. (c), the department may issue a
6 temporary dairy plant license to an applicant under sub. (2) pending the department's final action
7 on that person's license application. A temporary license may be issued for a period of not more
8 than 40 days. If the department denies a license application before the applicant's temporary
9 license expires, the temporary license is automatically terminated when the applicant receives
10 written notice of the denial.

11 (b) The holder of a temporary license under par. (a) acquires no rights beyond those
12 conferred by the temporary license. The holder of a temporary license may not purchase milk or
13 fluid milk products from milk producers or their agents, but may purchase milk or fluid milk
14 products from other sources.

15 (c) The department may not issue a temporary license under par. (a) in response to a license
16 renewal application by the holder of an existing license.

17 (6) PRE-LICENSE INSPECTION. (a) The division may inspect a dairy plant, as the department
18 deems necessary, before issuing a license for that dairy plant.

19 (b) The department may not issue a dairy plant license under sub. (1) or a temporary license
20 under sub. (5) for a dairy plant that is not currently licensed until the division inspects that dairy
21 plant for compliance with this chapter.

22 **Note:** The department is not required to inspect a currently licensed dairy plant before renewing the license of
23 the current operator, or before issuing a license to a new operator of that dairy plant.
24

1 **(7) ADDED OPERATIONS.** No dairy plant operator may add a new category of operations at a
2 licensed dairy plant during the time period for which the license was issued unless the operator
3 notifies the division and obtains written authorization for the new category of operations. In this
4 subsection, “new category of operations” includes the manufacture or processing of any of the
5 following that was not identified in the operator's most recent license application under sub. (2):

- 6 (a) Fluid milk products.
- 7 (b) Cheese and cheese products.
- 8 (c) Ice cream or frozen desserts.

9 **(8) ANNUAL DAIRY PLANT LICENSE FEES.** (a) *Fees based on receipts or production.* An
10 applicant for a dairy plant license shall pay an annual license fee. Except as provided under par.
11 (b), license fees are based on the dairy plant's milk receipts or production during the previous
12 calendar year, regardless of who operated that dairy plant in the previous calendar year.

13 (b) *Fees for plants with no milk receipts or production during previous year.* If a dairy plant
14 had no milk receipts or production during the previous calendar year, license fees shall be based
15 on projected milk receipts or production during the license year for which application is made.
16 At the end of that license year, the license holder shall report the actual milk receipts or
17 production during the license year, and the department shall determine the appropriate fee under
18 par. (a) based on actual receipts or production. If the fee based on actual receipts or production
19 differs from the fee based on projected receipts or production, the license holder shall pay the
20 balance due or receive a credit from the department on the next year's license fee.

21 (c) *License fee amounts.* The license fee under par. (a) is \$120 plus whichever of the
22 following applies:

1 1. For a grade A processing plant, a supplementary license fee of \$955 if the plant received
2 more than 2,000,000 pounds of milk from milk producers, or a supplementary license fee of
3 \$735 if the plant received 2,000,000 pounds or less of milk from producers.

4 2. For a grade B processing plant that manufactured or processed more than 1,000,000
5 pounds of dairy products or more than 200,000 gallons of frozen dairy products, a supplementary
6 license fee of \$400.

7 3. For a grade A receiving station, a supplementary license fee of \$370.

8 **(9) SURCHARGE AND PAST FEES FOR OPERATING WITHOUT LICENSE.** (a) An applicant for a
9 dairy plant license shall pay a license fee surcharge if the department determines that, within 365
10 days before submitting the license application, the applicant operated the dairy plant without a
11 license in violation of s. ATCP 65.04 (1). The amount of the surcharge is \$100, or \$500 if the
12 dairy plant operator procured milk or fluid milk products from milk producers or their agents.

13 (b) In addition to paying the license fee surcharge under subd. 1., an applicant who violated s.
14 ATCP 65.04 (1) shall pay all fees, set forth in a statement from the department, that are due for
15 the license year in which the applicant violated s. ATCP 65.04 (1).

16 (c) Payment of the license fee surcharge and past fees under pars. (a) and (b) does not relieve
17 the applicant of any other civil or criminal liability that results from the unlicensed operation of a
18 dairy plant, but does not constitute evidence of any violation of law.

19 **(10) MILK PROCUREMENT FEE; MONTHLY PAYMENT.** (a) *Monthly fee required.* On or before
20 the 25th day of each month, a dairy plant operator shall pay a milk procurement fee in the
21 amount specified under par. (b). The monthly fee shall be based on the amount of milk that was
22 procured from milk producers in the month preceding the month when the fee payment is due,
23 regardless of who procured the milk during that preceding month.

1 (b) *Fee amounts.* Milk procurement fees required under par. (a) are as follows:

2 1. For each 100 pounds of grade A milk procured from milk producers, 1.048 cent.

3 2. For each 100 pounds of grade B milk procured from milk producers, 0.2 cent.

4 (c) *Out-of-state milk shipments.* A milk producer who ships milk to an out-of-state dairy
5 plant shall pay a monthly milk procurement fee under par. (a) on that milk, in the amount
6 specified under par. (b), unless the operator of that out-of-state dairy plant voluntarily pays that
7 fee for the milk producer.

8 **(11) REINSPECTION FEES.** (a) *Dairy plant to pay reinspection fee for milk producer.* A dairy
9 plant operator shall pay the dairy farm reinspection fee under this section for a milk producer if,
10 at the time of a reinspection, the producer was assigned to that operator for licensing purposes
11 under s. ATPC 65.02. The department may issue a statement of reinspection fees payable by a
12 dairy plant operator and may demand payment from the dairy plant operator when it issues an
13 application form for the renewal of the dairy plant operator's license under s. 97.20, Stats.

14 (b) *Fee amounts.* The reinspection fee required under par. (a) includes, for each reinspection,
15 a basic reinspection fee of \$60 plus a supplementary reinspection fee as follows:

16 1. For a grade A processing plant, a supplementary reinspection fee of \$240 if the plant
17 received more than 2,000,000 pounds of milk from milk producers during the previous calendar
18 year, or a supplementary reinspection fee of \$190 if the plant received 2,000,000 pounds or less
19 of milk from milk producers during the previous calendar year.

20 2. For a grade B processing plant, a supplementary reinspection fee of \$210.

21 3. For a grade A receiving station, a supplementary reinspection fee of \$90.

22 **(12) DAIRY PRODUCT GRADING FEE.** (a) A person applying for a license to produce gradable
23 butter or cheese at a grade B dairy plant shall pay an annual grading fee.

1 (b) The grading fee under par. (a) is 1.35 cents per 100 pounds of gradable butter and cheese
2 produced at the dairy plant by any operator during the previous calendar year. If the dairy plant
3 was not in operation during the previous calendar year, the license applicant shall pay a grading
4 fee based on estimated production for the calendar year in which the application is made. At the
5 end of the license year, the license holder shall report the actual calendar year production, and
6 the department shall re-calculate the grading fee based on that actual production. If the grading
7 fee based on actual production differs from the fee based on estimated production, the license
8 holder shall pay the balance due or receive a credit from the department on the next year's
9 grading fee.

10 (c) For purposes of this subsection, ungraded barrel cheese is not gradable cheese.

11 **(13) DAIRY TRADE PRACTICES FEE; MONTHLY PAYMENTS.** A dairy plant operator shall pay a
12 monthly dairy trade practice fee if required under s. 100.201 (6), Stats.

13 **Note:** A dairy plant operator is required to pay a monthly dairy trade practice fee under s. 100.201 (6), Stats., if
14 the operator sells milk, fluid milk products, ice cream, or other frozen desserts at wholesale or retail, in consumer
15 package form, to persons in this state.

16
17 **(14) GRADE A PERMIT REQUIRED.** (a) Except as provided under sub. (15), no person operating
18 a dairy plant at which milk or fluid milk products are received, transferred, or processed may sell
19 or distribute that milk or those fluid milk products as grade A milk or grade A milk products
20 unless that person holds a valid grade A dairy plant permit issued by the department for that
21 dairy plant. If a grade A receiving station or transfer station is operated at the same location as a
22 grade B processing plant, a grade A permit is required for that receiving station or transfer
23 station.

24 (b) A grade A dairy plant permit expires on April 30 annually and is not transferable between
25 persons or locations. A grade A dairy plant permit may be issued in the form of an endorsement
26 on a dairy plant license under s. ATCP 65.04(1).

1 **(15) GRADE A PERMIT EXEMPTIONS.** A grade A permit is not required under sub. (14) for any
2 of the following:

3 (a) A grade A receiving station or transfer station operated at the same location, and by the
4 same person, as a grade A processing plant covered by a permit under sub. (14).

5 (b) A grade A transfer station operated at the same location, and by the same person, as a
6 grade A receiving station covered by a permit under sub. (14).

7 **(16) GRADE A PERMIT APPLICATION.** An application for a grade A dairy plant permit shall be
8 made on a form provided by the department. A grade A permit application may be made in
9 conjunction with a dairy plant license application under s. ATCP 65.04(2).

10 **(17) SURCHARGE FOR OPERATING WITHOUT A GRADE A PERMIT.** An applicant for a grade A
11 dairy plant permit shall pay a permit surcharge of \$100 if the department determines that, within
12 365 days before to submitting the permit application, the applicant operated the dairy plant as a
13 grade A dairy plant without a grade A permit in violation of sub. (14). Payment of the surcharge
14 does not relieve the applicant of any other civil or criminal liability that results from the
15 operation of a grade A dairy plant without a grade A permit, but does not constitute evidence of
16 any violation of law.

17 **(18) ACTION ON GRADE A PERMIT APPLICATION; DEADLINE.** The department shall grant or
18 deny a permit application under sub. (16) within 40 days after the department receives a
19 complete application or before the expiration of any temporary permit issued under sub. (19),
20 whichever occurs later.

21 **(19) TEMPORARY GRADE A PERMIT.** The department may issue a temporary grade A permit
22 to an applicant under sub. (16) pending final action on that person's permit application. A
23 temporary permit may be issued for a period of not more than 40 days and may not exceed the

1 term of the dairy plant license or temporary license. If the department denies a permit
2 application before the term of the temporary permit expires, the temporary permit is
3 automatically terminated when the applicant receives notice of the denial. The department may
4 not issue a temporary permit in response to a permit renewal application by the holder of an
5 existing permit.

6 **(20) PREREQUISITES FOR GRADE A PERMIT.** The department may not issue or renew a grade
7 A dairy plant permit, or issue a temporary permit under sub. (19), unless all of the following
8 conditions are met:

9 (a) The permit applicant holds a dairy plant license under s. ATCP 65.04 or the department
10 issues the permit and license simultaneously. The department may issue a temporary grade A
11 permit under sub. (19) to an applicant holding a temporary dairy plant license under s. ATCP
12 65.04 (5) or may issue the temporary permit and temporary license simultaneously.

13 (b) The division inspects the dairy plant if the dairy plant is not currently covered by a grade
14 A dairy plant permit.

15 (c) The applicant pays any surcharge, set forth in a statement from the department, that is
16 due and payable by the applicant under sub. (9). The department shall refund a surcharge paid
17 under protest if the department determines that the surcharge was not due and payable under sub.
18 (9).

19 **(21) GRADE A STANDARDS.** A grade A dairy plant shall comply with standards applicable to
20 the receipt, testing, transfer, processing, and distribution of grade A milk and grade A milk
21 products under this chapter. A grade A dairy plant may not receive, transfer, or process grade B
22 milk unless the receipt, transfer, or processing is authorized by the division in writing.

23 **Subchapter II – Dairy Farms**

1 **ATCP 65.06 Milking barn or parlor.** All milking operations on a dairy farm shall be
2 conducted in a milking barn or parlor, which shall be constructed and maintained in compliance
3 with the following requirements:

4 **(1) FLOORS AND GUTTERS; CONSTRUCTION.** Except as authorized by the division in writing,
5 floors, gutters, and gutter covers in milking barns and parlors shall comply with all of the
6 following requirements:

7 (a) They shall be constructed of concrete or other materials that are equally impervious and
8 cleanable.

9 (b) They shall be constructed and maintained so they can be kept clean.

10 (c) They shall be sloped to drain properly and shall be free of excessive breaks or worn areas
11 that may allow pooling of liquid wastes. Floors and gutters constructed after July 1, 1989, shall
12 have a slope of at least one inch per 10 feet.

13 **(2) MANURE HANDLING SYSTEMS.** Gravity flow manure handling systems and liquid manure
14 storage under milking barns shall comply with applicable standards contained in PMO Appendix
15 C, "Dairy Farm Construction Standards and Milk Production."

16 **Note:** Copies of the PMO, including Appendix C, are on file with the division and the legislative reference
17 bureau. Copies are available online at
18 www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/milk.

19
20 **(3) WALLS AND CEILINGS; CONSTRUCTION.** Walls and ceilings in milking barns and parlors
21 shall be constructed and maintained so that they can be kept clean. Walls and ceilings shall be
22 painted, whitewashed or otherwise finished so that they are light colored and easy to clean.
23 Ceilings shall be constructed and maintained to prevent dust and chaff from entering the milking
24 barn or parlor from above. The wall finish and wall cleaning requirements under this subsection
25 do not apply to seasonal milking parlors constructed without walls

1 **(4) LIGHTING.** Natural or artificial lighting, or both, shall be provided in milking barns and
2 parlors to ensure adequate illumination for daytime and nighttime milking operations. Except
3 where additional lighting is required for milking parlors under sub. (10), there shall be at least 10
4 foot-candles of illumination in all working areas where milking operations are being performed.

5 **(5) VENTILATION.** Ventilation in milking barns and parlors shall be adequate to prevent
6 visible condensation on walls and ceilings, and to prevent excessive odors.

7 **(6) ANIMALS EXCLUDED.** No swine, fowl, or non-milking livestock may be housed in, or
8 allowed to enter a milking barn or parlor. Nonmilking livestock shall be confined in stalls,
9 stanchions, or pens. Milking areas shall be kept free of excrement from nonmilking livestock.

10 **(7) MAINTENANCE AND CLEANLINESS; GENERAL.** The interior of every milking barn or parlor,
11 and all areas used in connection with milking operations, shall be kept clean and in a good state
12 of repair. Floors, gutters, walls, ceilings, animal confinement facilities, pipelines, and equipment
13 shall be kept free of accumulated litter and filth. Bedding material shall be clean and dry. Milk
14 stools, surcingles, and anti-kickers shall be kept clean, and shall be stored above the floor when
15 not in use.

16 **Note:** To comply with this subsection, producers should remove manure from milking barns daily, and from
17 milking parlors after every milking.
18

19 **(8) FEED STORAGE AND HANDLING.** Dust-tight covered containers or separate storage
20 facilities shall be used to store ground, chopped, or concentrated feed. Feed may be stored in the
21 milking portion of the barn only in a manner that does not increase the dust content of the air,
22 attract flies, or interfere with the cleaning of the floor. Open feed dollies or carts may be used
23 for distributing feed, but not for storing feed in the milking barn.

24 **(9) OVERCROWDING PROHIBITED.** Areas used for milking operations shall not be
25 overcrowded.

1 **Note:** Evidence of overcrowded conditions may include inadequate ventilation, excessive odors, livestock in
2 walks or feed alleys, or nonmilking livestock tied between milking animals in a milking line.

3
4 **(10) MILKING PARLOR; ADDITIONAL REQUIREMENTS. (a) *Cleaning and storage of C-I-P***

5 *milking equipment.* C-I-P milking equipment may be cleaned, sanitized, and stored in a milking
6 parlor if all of the following conditions are met:

7 1. There are at least 30 foot-candles of illumination in all areas of the milking parlor where
8 C-I-P milking equipment is cleaned, sanitized, or stored.

9 2. Doorways to and from the milking parlor are provided with tight-fitting solid doors that
10 are kept closed when the doorways are not in use.

11 3. Openings to the milking parlor are protected against entry by insects, rodents and other
12 pests.

13 4. No animals are housed in the milking parlor at any time.

14 5. Liquid wastes from milking parlor operations are drained and removed in a sanitary
15 manner, so that there are no liquid waste accumulations in the milking parlor.

16 6. C-I-P milking equipment, if cleaned, sanitized, or stored in the milking parlor, is designed,
17 installed, handled, and stored so that milk contact surfaces are protected from contamination at
18 all times. Cleaning, handling, and storage shall comply with applicable requirements under s.
19 ATCP 65.14.

20 **(b) *Manual cleaning of milk contact surfaces prohibited in milking parlor.*** If manual
21 cleaning of milk contact surfaces is necessary, the milk contact surfaces shall be manually
22 cleaned in the milkhouse. Milk contact surfaces may not be manually cleaned in a milking
23 parlor.

24 **(c) *Pre-milking stalls; hot water supply.*** If milking animals are hosed clean in a milking
25 parlor pre-milking stall prior to milking, rather than being manually cleaned at the milking

1 stanchions, hot water under pressure shall be supplied to the prep stall and used for cleaning
2 purposes. There shall be an adequate supply of hot water so that all milking animals processed
3 through the prep stall can be fully cleaned without depleting the availability of hot water for
4 other milking parlor or milkhouse operations.

5 (11) DRUG STORAGE. No drug or medicinal item may be kept in a milking barn or parlor
6 unless it is intended or prescribed for use on dairy animals. Drugs and medicinal items stored in
7 a milking barn or parlor shall be stored above the floor, on racks or in a cabinet. Drugs and
8 medicinal items shall be stored in a manner that prevents the contamination of milk, or
9 equipment and utensils coming in contact with milk. Drugs and medicinal items shall be clearly
10 labeled to indicate their identity and intended use. Prescription drugs shall be labeled as
11 provided under s. ATCP 65.20 (5). Drugs and medicinal items intended solely for non-lactating
12 animals shall be kept separate from those used on lactating animals.

13 **ATCP 65.08 Milkhouse. (1) REQUIREMENT.** Every dairy farm shall have a milkhouse.
14 Except as provided in s. ATCP 65.16 (5), a milk producer shall cool and store milk in the
15 milkhouse. A milkhouse shall be separate from a milking barn or parlor, but may share common
16 walls with a milking barn or parlor. All milking equipment and utensils shall be cleaned,
17 sanitized and stored in the milkhouse, except for C-I-P milk pipelines which are mechanically
18 cleaned in place in a milking barn or parlor, or C-I-P milking equipment which is mechanically
19 cleaned and stored in a milking parlor under s. ATCP 65.06 (10) (a).

20 (2) ACCESS TO MILKHOUSE. Every access driveway and every access door to the milkhouse
21 shall be located in such a manner that neither a vehicle nor a person traveling to the milk house
22 must pass through an animal walkway, holding area, or yard where excessive animal waste may
23 accumulate on the ground near these access areas.

1 **(3) CONSTRUCTION.** (a) *Floors.* A milkhouse floor shall be constructed of concrete or one or
2 more other impervious materials, and shall be easily cleanable. This requirement does not
3 prohibit construction with anti-slip floor surfaces that are easily cleanable. The floor shall be
4 sloped for proper drainage to a floor drain. Floor drains shall be readily accessible. A floor
5 drain shall be equipped with a trap if the floor drain is connected to a sanitary sewer system.

6 (b) *Walls and ceilings.* Milkhouse walls and ceilings shall be constructed and finished so that
7 they are impervious to water, are light colored, and are easily cleanable.

8 (c) *Doors and windows.* A milkhouse shall not open directly into a barn, stable or milking
9 parlor, or into a room not used for the operation of the dairy farm unless the opening is equipped
10 with a tight-fitting, self-closing and solid door. All milkhouse external openings shall be
11 screened or otherwise protected against entry of insects, rodents, or other pests. External doors
12 and windows shall be tight-fitting and shall be kept closed during dusty conditions. External
13 doors shall be self-closing. All swinging screen doors on the milkhouse shall open outward.

14 (d) *Lighting.* Natural or artificial lighting, or both, shall be provided in a milkhouse to ensure
15 adequate illumination for daytime and nighttime operations. There shall be at least 30 foot-
16 candles of illumination in all working areas of the milkhouse. Artificial lights located over a
17 bulk tank shall be shatterproof or effectively shielded to protect milk from contamination with
18 broken glass.

19 (e) *Ventilation.* Ventilation in a milkhouse shall be adequate to prevent excessive odors and
20 to prevent visible condensation on floors, walls, ceilings, clean equipment, and clean utensils.
21 Vents shall be screened and shall be located and maintained to prevent contamination of bulk
22 tanks or clean equipment and utensils.

1 (f) *Water heating capacity.* Hot water capacity shall be adequate for all milkhouse
2 operations. Hot water heaters or hot water supply systems shall have a capacity of at least 10
3 gallons for washing equipment and utensils. The division may authorize alternative systems,
4 including heat recovery and continuous flow systems that provide adequate hot water for all
5 milkhouse operations. Authorization shall be in writing and valid for 5 years. Re-authorization
6 for each subsequent 5-year period shall be obtained in writing from the division.

7 (g) *Wash and rinse vat.* A milkhouse shall be equipped with a 2-compartment wash and rinse
8 vat for cleaning equipment and utensils. The vat shall be served by potable hot and cold running
9 water from a faucet or faucets located directly over the vat. Water shall enter and leave the vat
10 by means that preclude splash. A vat designed to hold cleaning or sanitizing solutions drawn
11 through C-I-P milking equipment may serve as one compartment of a two-compartment wash
12 and rinse vat under this paragraph, provided that the C-I-P inflation rack and all C-I-P milking
13 equipment are completely removed from the vat while other equipment and utensils are being
14 washed, rinsed, and sanitized in the vat.

15 (h) *Handwashing facility.* A milkhouse shall be equipped with a fixed hand washing facility
16 that is separate from the wash and rinse vat under par. (g). The hand washing facility shall be
17 served by potable hot and cold running water from a faucet or faucets located directly over the
18 facility. Water shall enter and leave the handwashing facility by means that preclude splash.
19 Single service sanitary towels and soap shall be available at all times for use at the hand washing
20 facility. A hand washing facility may be located in a room immediately adjacent to the
21 milkhouse, provided that it is readily accessible from the milkhouse. This paragraph does not
22 apply to licensed milk producers who do not hold a grade A producer permit but operate a dairy

1 farm on which the currently used bulk tank was installed prior to January 1, 1979, or on which
2 milk is stored and cooled only in cans.

3 (i) *Bulk tank hose port.* If a bulk tank is used to receive and hold milk in a milkhouse, the
4 milkhouse shall have a hose port opening in the outside wall to permit the removal of milk from
5 the bulk tank. The hose port opening shall be at least 6 inches above the floor of the milkhouse,
6 and shall be equipped with a tight-fitting door that shall be kept closed except when the hose port
7 is in use. A paved surface of concrete or other readily cleanable material shall be installed
8 adjacent to the outside wall of the milkhouse, immediately under the bulk tank hose port. The
9 surface shall cover sufficient ground area to protect the milk hose from ground contamination
10 and be at least a 4 foot by 4 foot square.

11 (4) MAINTENANCE AND SANITATION. The floors, walls, ceilings, windows, hose port
12 assembly, and all equipment of a milkhouse shall be kept clean and in a good state of repair.
13 Liquid wastes from milkhouse operations shall be drained and removed in a sanitary manner.
14 Equipment and utensils shall be cleaned and maintained in compliance with s. ATCP 65.12. A
15 milkhouse shall be kept free of insects, rodents, and other pests. Animals shall be kept out of the
16 milkhouse at all times. Potential sources of milk contamination, including materials that may
17 attract or harbor pests, shall be excluded from the milkhouse.

18 (5) STORAGE. (a) *General.* No equipment, supplies, or other articles may be stored in a
19 milkhouse, unless the articles are used in milkhouse operations. Articles stored in a milkhouse
20 shall be stored above the floor, on racks or in a cabinet. Articles shall be stored in a manner that
21 prevents contamination of milk and equipment and utensils coming in contact with milk.

22 **Note:** Washing machines, laundry dryers, and pasteurizers used to prepare milk-replacement formula for calves
23 shall not be stored in the milkhouse.
24

1 (b) *Drugs and medicinal items.* No drug or medicinal item may be kept in a milkhouse
2 unless it is intended or prescribed for use on dairy animals. If drugs or medicinal items are kept
3 in a milkhouse, they shall be stored in an enclosed cabinet, separate from all other articles stored
4 in the milkhouse. Drugs and medicinal items shall be clearly labeled to indicate their identity
5 and intended use, and prescription drugs shall be labeled as provided under s. ATCP 65.20 (5).
6 Drugs and medicinal items intended solely for treatment of non-lactating milking animals shall
7 be kept separate from those used for treatment of lactating milking animals.

8 (c) *Pesticides.* No pesticides, except for sanitizers, germicides, disinfectants, or other
9 pesticides labeled and used for routine milkhouse sanitation purposes, may be stored in a
10 milkhouse. If pesticides are kept in a milkhouse, they shall be stored in a manner that precludes
11 contamination of milk and milk handling equipment.

12 **ATCP 65.10 Dairy farm water supply. (1) GENERAL.** An adequate supply of potable water
13 shall be supplied under pressure for milkhouse and milking operations. Water used for
14 milkhouse and milking operations, including water used to cool milk in a plate or tubular cooler,
15 shall be potable. Potable water shall comply with the bacteriological drinking water standards
16 under s. NR 809.30.

17 **Note:** A properly designed and installed water supply tank that utilizes static head pressure to provide potable
18 running water to the milkhouse is minimally adequate to comply with this paragraph.
19

20 **(2) BACKFLOW PROTECTION; CROSS-CONNECTIONS.** A potable water supply system on a
21 dairy farm shall be designed, constructed, installed, and maintained to prevent contamination of
22 the potable water supply through backflow, backsiphonage, cross-connections, or any other
23 connection to the potable water supply system. An adequate air gap shall be maintained between
24 every potable water outlet and the flood rim of the fixture that it supplies, and between the

1 potable water outlet and every other source of potential contamination, unless alternative
2 protection is approved under s. SPS 382.41.

3 (3) WELL CONSTRUCTION. Wells used to supply water for milkhouse and milking operations
4 on dairy farms shall comply with ch. NR 810, 811, or 812 in the case of a community water
5 system.

6 (4) WATER TRANSPORTED TO DAIRY FARM. If water in containers or tanks is transported to a
7 dairy farm for milkhouse or milking operations, the containers and tanks shall be sealed and
8 protected from contamination. The containers and tanks shall be thoroughly cleaned and
9 sanitized before being filled with potable water for use at the dairy farm. A sanitary cleaned and
10 sanitized pump, hose, and fittings shall be used to transfer water from transport containers and
11 tanks to previously cleaned and sanitized storage tanks at the dairy farm so that the water is not
12 contaminated during transfer.

13 (5) WATER QUALITY TESTING BY DAIRY PLANT. A dairy plant operator shall do all of the
14 following for each milk producer from whom the dairy plant operator procures milk:

15 (a) Sample the milk producer's water supply at least once every two years. If the water
16 supply system has more than one well, water from each well shall be sampled. The water sample
17 from each well shall be taken from water before it has flowed into a pressure tank or any water
18 treatment equipment.

19 (b) Sample the milk producer's water supply whenever the milk producer installs, alters, or
20 repairs the water supply system.

21 (c) Sample any transported water supply used by the milk producer at the point of use, at or
22 before first use and monthly thereafter.

1 (d) Have each water sample under this subsection analyzed at a laboratory that is certified
2 under ch. ATCP 77 to perform water quality analyses. The laboratory shall analyze the water
3 samples for compliance with the microbiological drinking water standards under s. NR 809.30.
4 The dairy plant operator shall submit each water quality analysis result to the division within 30
5 days after the dairy plant receives the water quality analysis result. If the analysis of any water
6 sample indicates that the water supply of a dairy farm may be unsafe, the dairy plant operator,
7 within 3 business days of the water quality analysis result, shall report the analysis result to the
8 division and resample the water supply and have it analyzed.

9 **(6) RECIRCULATING WATER SYSTEM.** (a) A milk producer may use re-circulated water in a
10 plate cooler to cool milk on a dairy farm if all of the following apply:

11 1. The recirculated water originates from a safe source that complies with ch. NR 810, 811,
12 or 812.

13 2. The recirculated water meets the microbiological standards of s. NR. 809.30 at all times.

14 3. The recirculated water is protected from contamination.

15 4. The coolant used in the water recirculation system is food or pharmaceutical grade, is non-
16 toxic, meets the specifications for propylene glycol in 21 CFR 184.1666, and does not contain
17 coliform bacteria as determined by sampling and analysis done at least semi-annually by the
18 dairy plant operator.

19 5. The dairy plant operator who procures milk from the milk producer tests the recirculated
20 water for bacterial contamination at least semi-annually.

21 (b) If a recirculating water system under par. (a) becomes contaminated, the milk producer
22 shall stop using the system until all the following conditions are met:

1 1. The milk producer eliminates the contamination source and treats the recirculated water to
2 make it potable.

3 2. The dairy plant operator who procures milk from the milk producer retests the recirculated
4 water to determine whether the contamination is eliminated.

5 3. Retesting shows that the recirculated water complies with the bacteriological standards
6 under par. (c).

7 (c) Recirculated water shall meet all the following bacteriological test standards:

8 1. The most probable number (MPN) of coliform organisms shall be less than 1.1 per 100 ml.
9 as determined using the multiple tube fermentation technique, or less than 1.0 per 100 ml. as
10 determined using the membrane filter technique.

11 2. Bacteriological testing using the membrane filter technique shall show not more than 200
12 total bacteriological colonies per 100 ml.

13 3. Bacteriological testing using a heterotrophic plate count technique shall show not more
14 than 500 colonies per ml.

15 (7) WATER RECLAIMED FROM HEAT EXCHANGE EQUIPMENT. (a) Except as provided in par.
16 (b), a milk producer may re-use, for milking operations, potable water previously used in a heat
17 exchanger or compressor if all of the following conditions are met:

18 1. The water is stored in a cleaned and sanitized vessel that is constructed of non-
19 contaminating material and is designed to protect the water supply from contamination. The
20 storage vessel shall have a drain and access point that allow for cleaning and sanitizing.

21 2. There is no cross-connection between the potable re-used water and any potential
22 contamination source or potentially unsafe water supply.

1 3. There are no submerged inlets through which the potable re-used water may be
2 contaminated.

3 4. The water is of satisfactory organoleptic quality and has no off-flavors or odors.

4 5. The water complies with the microbiological drinking water standards in s. NR 809.30.

5 6. The dairy plant operator who procures milk from the milk producer collects and analyzes
6 samples of the re-used water supply before the milk producer first uses the water for milking
7 operations, and at least semi-annually thereafter.

8 7. Any chemicals used to suppress bacterial growth, tastes, and odors are registered for that
9 use with the U.S. environmental protection agency. Chemicals may not contaminate milk. A
10 milk producer who uses any chemical to suppress bacterial growth, tastes, or odors shall comply
11 with label instructions, and shall routinely monitor chemical concentrations in treated water.

12 8. Sanitizers used to sanitize equipment, utensils, backflush systems, or teats of milking
13 animals shall be chemical sanitizers that comply with 21 CFR 178.1010, are registered with the
14 U.S. environmental protection agency, and are thereby suitable for use on food contact surfaces.
15 An approved sanitizer may be added by an automatic metering device that is located downstream
16 from the storage vessel but upstream from the end-use application of the sanitizer.

17 (b) Water obtained directly from the discharge of a raw milk heat exchanger after a milking
18 may be used once to pre-rinse dairy equipment including milk lines, milking claw assemblies,
19 and milk receivers if all of the following apply:

20 1. The water is collected directly from the heat exchanger into a cleaned and sanitized wash
21 vat or utensil sink.

22 2. The water piping system complies with s. ATCP 65.10 (2).

23 3. After pre-rinse use, the water is discharged to waste.

1 **Note:** Paragraph (b) does not prevent the use of heat exchanger discharge water for nonpotable uses involving
2 no contact with potable water, milk, milk contact surfaces or potable water contact surfaces. Before using or
3 discharging heat exchanger discharge water, contact the Division of Water, Bureau of Drinking Water and Ground
4 Water, at the Department of Natural Resources, P.O. Box 7921, Madison, WI 53707, telephone 608-266-0821 or
5 TTY access via relay — 711 or <http://www.dnr.state.wi.us/environmentprotect/water.html>.

6
7 **ATCP 65.12 Equipment and utensils. (1) CONSTRUCTION; GENERAL.** Equipment and
8 utensils shall be constructed of smooth, non-absorbent, corrosion-resistant, and non-toxic
9 materials. Equipment and utensils shall be designed and constructed so that they can be easily
10 cleaned and shall be durable under repeated conditions of use. Surfaces shall be free of breaks
11 and corrosion. Joints and seams shall be smooth and flush. Milk pails used for hand milking and
12 stripping shall be seamless. Multiple-use woven material shall not be used for straining milk.
13 Milking and milk handling systems shall comply with s. ATCP 65.14.

14 **(2) MILK CONTACT SURFACES; CONSTRUCTION.** Milk contact surfaces of equipment and
15 utensils shall be constructed of smooth, non-toxic, and non-absorbent materials. Only the
16 following materials may be used on milk contact surfaces, unless another material is specifically
17 authorized by the division in writing:

18 (a) Stainless steel of the American Iron and Steel Institute 300 Series, or an equally
19 corrosion-resistant metal.

20 (b) Heat resistant glass.

21 (c) Plastic, rubber or rubber-like materials that are fat resistant and insoluble; that are
22 resistant to scratching, scoring, decomposition, crazing, chipping and distortion under normal use
23 conditions; that do not impart chemicals, flavor or odor to milk; and that maintain their original
24 properties under repeated and prolonged use.

25 **(3) MAINTENANCE.** Equipment and utensils shall be kept in good repair and shall be readily
26 accessible for inspection by the division upon request.

1 (4) CLEANING. Equipment and utensils shall be kept clean. Utensils and milk contact
2 surfaces of equipment shall be rinsed immediately after each use and then washed with an
3 effective detergent and rinsed clean. C-I-P equipment shall be pre-washed with warm water
4 before being cleaned with a detergent solution, according to manufacturer's instructions.

5 (5) SANITIZING. After being cleaned and rinsed, utensils, and milk contact surfaces of
6 equipment shall be sanitized before being used.

7 (6) STORAGE. Equipment and utensils, unless stored in sanitizing solutions, shall be handled
8 and stored in a manner that will ensure complete drainage and protection from contamination
9 before use.

10 (7) SINGLE SERVICE ARTICLES. Single-service articles shall be clean and sanitary, and shall
11 be packaged, handled, and stored in a sanitary manner. Single-service articles shall be stored in
12 their original containers inside a dispensing cabinet. Single service articles may not be reused.

13 **ATCP 65.14 Milking and milk handling systems. (1) SANITARY REQUIREMENTS;**
14 **GENERAL.** Milking and milk handling systems shall be of sanitary design and construction, and
15 shall be installed and maintained for sanitary operation. Pressurized air that contacts a milk or
16 milk contact surface shall be clean, safe, and free of contaminants. The system used to generate
17 and supply pressurized air shall comply with "3-A Accepted Practices for the Design,
18 Fabrication and Installation of Milking and Milk Handling Equipment, 606-05." Milk contact
19 surfaces shall be accessible for inspection. If it is necessary to disassemble any portion of a
20 milking or milk handling system in order to inspect a milk contact surface, all tools needed for
21 the disassembly shall be readily available in the milkhouse.

22 **Note:** Guidelines for sanitary design and construction of milking and milk handling systems are set forth in the
23 "3-A Accepted Practices for the Design, Fabrication and Installation of Milking and Milk Handling Equipment,"
24 606-05, as amended effective November 2002, published by 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite
25 2D, McLean, VA 22101-3850, telephone (703) 790-0295, website www.3-a.org. Milking and milk handling
26 systems manufactured in compliance with the "3-A Accepted Practices" meet the sanitary design and construction

1 requirements of this subsection. Copies of the "3-A Accepted Practices" are on file with the division and the
2 legislative reference bureau. Copies may be obtained from 3-A Sanitary Standards, Inc. Online Store," at
3 <http://www.techstreet.com>.

4
5 **(2) MILK CONTACT SURFACES; CONSTRUCTION.** Milk contact surfaces of milking and milk
6 handling systems shall be constructed of smooth, nontoxic, and nonabsorbent materials.

7 Materials shall be of any of the following types, unless another material is specifically authorized
8 by the division in writing:

9 (a) Stainless steel of the American Iron and Steel Institute 300 series, or an equally corrosion
10 resistant metal.

11 (b) Heat resistant glass.

12 (c) Plastic, rubber or rubber-like materials that are fat resistant and insoluble; that are
13 resistant to scratching, scoring, decomposition, crazing, chipping and distortion under normal use
14 conditions; that do not impart chemicals, flavor or odor to milk; and that maintain their original
15 properties under repeated use conditions.

16 **(3) MILK PIPELINES.** (a) Milk contact surfaces of permanently mounted milk pipelines shall
17 be constructed of stainless steel or an equally corrosion resistant metal, or of heat resistant glass.
18 Plastic or rubber-like materials may be used for pipeline gaskets, connections, and sealing
19 applications, but not for other purposes. Paper gaskets are prohibited.

20 (b) All joints of permanently mounted milk pipelines, including joints in solution lines, shall
21 be welded or equipped with fittings designed for C-I-P. Welded joints shall be smooth and free
22 of pits, cracks, or other defects. Removable fittings shall be designed to form substantially flush
23 interior joints. Ferrules shall be properly faced and reamed.

24 (c) Permanently mounted pipelines shall be supported at intervals of not more than 10 feet so
25 that the pipelines remain in constant alignment and position. Permanently mounted pipelines
26 shall be self-draining, and shall have a minimum slope of one inch per 10 feet. The support

1 system shall be designed and constructed to prevent electrolytic reactions between supports and
2 pipelines. Pipeline supports shall be mounted on the floor, except as authorized by the division in
3 writing.

4 (d) Milk pipeline systems shall be designed and constructed so that cleaning, rinsing and
5 sanitizing solutions cannot enter the pipeline while milk is being transferred through the pipeline.

6 **(4) NON-PIPELINE SYSTEMS.** If milk from milking animals is initially collected in a portable
7 transfer receptacle and pumped to the milkhouse through a flexible tube, rather than being
8 pumped directly to the milkhouse through a permanently mounted pipeline, the transfer
9 receptacle and tube system shall comply with the following requirements:

10 (a) The portable transfer receptacle shall be constructed of stainless steel or an equally
11 corrosion resistant metal and shall have an overlapping self-closing cover. The receptacle shall
12 be supported off the floor on a cart or mobile structure that can be easily cleaned.

13 (b) The tube used to transfer milk from the portable transfer receptacle to the milkhouse shall
14 consist of a single length of transparent tubing material. The milk transfer tube shall be
15 supported off the floor at all times. The interior milk contact surface of the transfer tube shall be
16 mechanically cleaned and sanitized, and dried after each use. The opening through which the
17 milk transfer tube enters the milkhouse shall be kept closed when the tube is not in use. A milk
18 transfer tube shall not be left suspended in a milking barn or parlor between uses, but shall be
19 stored in the milkhouse.

20 **(5) MILKING EQUIPMENT.** (a) Surfaces of milking equipment, including surfaces of milker
21 claws, inflations, weigh jars, meters, milk hoses, milk receivers, and milk pumps, shall be
22 smooth and readily amenable to cleaning and sanitizing by mechanical or manual methods. If
23 thorough cleaning requires the removal of any part, that part shall be easily removable. Milking

1 equipment shall be designed and constructed so that milk, milk cleaning solutions, rinsing
2 solutions, and sanitizing solutions will drain completely from the equipment.

3 (b) Milking equipment that deposits milk into a bucket or container, rather than into a
4 permanently mounted pipeline, shall be equipped with a check valve or other device that
5 prevents moisture and contaminants from entering the milk through the temporary creation of
6 vacuum. The moveable portion of the check valve shall consist of a single piece, or pieces that
7 are permanently and completely bonded to each other.

8 (c) Automatic milking installations, or robotic milking systems shall comply with Appendix
9 Q of the PMO.

10 (6) REVIEW OF PLANS. (a) Before installing, reconstructing, or extensively altering a bulk
11 tank, milking system, milk handling system, milk house, milking parlor, or dairy farm water
12 supply system, the installer shall on behalf of the milk producer submit plans to the division for
13 review. The department shall charge a fee of \$25 under s. 93.06 (1w), Stats., to recover costs for
14 providing the review service. The division shall return the plans, together with any comments or
15 objections, within 14 days after the plans are received by the division. No review is required for
16 a portable transfer receptacle or its appurtenances.

17 (b) No manufacturer or distributor of milking or milk handling systems may sell, or distribute
18 for sale in this state, any portion of a milking or milk handling system unless specifications or
19 prototype equipment are first reviewed by the division. Within 30 days after specifications or
20 prototype equipment are received by the division, the division shall return them with any
21 comments or objections. The division may require field testing of the equipment prior to sale if
22 the division finds that field testing is necessary to determine whether the requirements of this
23 section are met. Field testing shall be conducted under conditions prescribed by the division.

1 (c) Plans and specifications submitted under this subsection shall be sufficiently detailed to
2 permit review by the division within the time periods specified under this subsection.

3 (7) CERTIFICATION OF COMPLIANCE BY INSTALLER. A person who installs, reconstructs or
4 extensively alters a milking system, milk handling system, milkhouse, milking parlor, or dairy
5 farm water supply system shall certify to the owner of the system that the system has been
6 installed or modified in compliance with this section and in compliance with the plans filed with
7 the division under sub. (6) (a). The installer, immediately after installing or modifying the
8 system, shall provide to the milk producer and the division a signed written statement certifying
9 compliance. The milk producer shall post a copy of the certificate in the milkhouse for at least
10 12 months after it is provided to the milk producer.

11 **ATCP 65.16 Bulk tanks and bulk transport containers. (1) BULK TANK LOCATION.** If a
12 bulk tank is used to receive, cool, or store milk on a dairy farm, the bulk tank shall be installed in
13 the milkhouse. A bulk tank may be installed so that a portion of the bulk tank protrudes through
14 the wall of a milkhouse, provided that all bulk tank openings are located inside the milkhouse.
15 Agitator seals, other than weatherproof agitator seals approved in writing by the division, shall
16 be located inside the milkhouse. Adequate clearance shall be maintained on the top and all sides
17 of a bulk tank to permit effective cleaning, sanitizing, and maintenance of the bulk tank. No bulk
18 tank opening may be located directly under a ventilator. No bulk tank may be located directly
19 over a floor drain.

20 **Note:** Clearance of at least 24 inches on the top and the milk outlet side of the bulk tank, and 18 inches on all
21 other sides of the bulk tank, is adequate to comply with this subsection. No clearance is required for that portion of a
22 bulk tank that protrudes through the wall of a milkhouse.
23

24 (2) BULK TANK CONSTRUCTION. (a) The lining and milk contact surfaces of a bulk tank shall
25 be constructed of stainless steel or other materials that are equally smooth, nontoxic, stable, non-

1 absorbent, corrosion resistant, and capable of withstanding cleaning and sanitizing treatment.

2 Milk contact surfaces shall be readily accessible for inspection.

3 (b) A bulk tank shall be self-draining. Openings shall be equipped with self-draining covers.

4 Openings and covers shall be constructed and installed to prevent drainage into milk or onto milk
5 contact surfaces.

6 (c) A bulk tank shall be equipped with all of the following:

7 1. An indicating thermometer that has a range of at least 32° F to 80° F.

8 2. A temperature recording device approved by the division, if the bulk tank is manufactured
9 after January 1, 2000. The temperature recording device shall comply with sub. (3).

10 (d) A bulk tank with a capacity of less than 1,500 gallons shall be equipped with a
11 mechanical agitator that will ensure homogeneity of all milk contained in the bulk tank within 5
12 minutes after the agitator begins operating. A bulk tank with a capacity of 1,500 gallons or more
13 shall be equipped with an agitator that will ensure homogeneity of all milk contained in the bulk
14 tank within 10 minutes after the agitator begins operating.

15 (e) A C-I-P bulk tank shall be designed and constructed so that cleaning, rinsing, and
16 sanitizing solutions cannot enter the bulk tank while it contains milk.

17 **Note:** Bulk tanks manufactured in compliance with the "3-A Sanitary Standards for Farm Milk Cooling and
18 Holding Tanks" meet the sanitary design and construction requirements of this subsection. The "3-A Standards" are
19 published by 3-A Sanitary Standards, Inc., 6888 Elm Street, Suite 2D, McLean, VA 22101-3850, telephone (703)
20 790-0295, website www.3-a.org. Copies of the "3-A Standards" as amended effective July 23, 2012, are on file with
21 the division and the legislative reference bureau. Copies may be obtained from "3-A Sanitary Standards, Inc., Online
22 Store," at <http://www.techstreet.com>.

23
24 **(3) BULK TANK TEMPERATURE RECORDING DEVICE.** All of the following requirements apply
25 to a temperature recording device under sub. (2) (c) 2.:

26 (a) The temperature recording device shall be capable of accurately recording temperatures
27 between 40°F (4° C.) and 180°F (82° C.).

1 (b) A temperature recording chart on which the temperature recording device records milk
2 temperatures shall have graduations of not more than 2° F. (1° C.) at temperatures below 100° F.
3 (38° C.) and shall have at least one time span division per hour. The circular chart shall make
4 one revolution in not more than 7 days and shall be graduated for a maximum record of 7 days.

5 (c) The milk producer shall retain milk temperature records for at least 6 months after the
6 temperature recording device makes those records. Milk temperature records shall identify the
7 milk producer, the date or dates to which the records pertain, the bulk tank to which the records
8 pertain if there is more than one bulk tank on the dairy farm, the signature of the person who
9 removed the temperature records from the temperature recording device, and any unusual
10 occurrences related to milk temperature.

11 (d) The dairy plant operator who procures milk from the milk producer shall calibrate the
12 temperature recording device every 6 months and shall keep complete and accurate records of
13 the calibration. The dairy plant operator shall make the records required under this section
14 available to the division for inspection and copying upon request.

15 (4) BULK TANK COOLING CAPACITY. A bulk milk tank shall be capable of cooling all milk
16 placed in the tank to a temperature of 45° F. (7° C.) within one hour after the milk is placed in the
17 tank. If uncooled milk from subsequent milkings is added to cooled milk in the bulk tank, the
18 bulk tank shall be capable of maintaining the blend temperature at or below 50° F. (10° C.), and
19 reducing the blend temperature to 45° F. (7° C.) within one hour.

20 (5) MILKING DIRECTLY TO BULK TRANSPORT CONTAINER. A milk producer may milk directly
21 to a bulk milk tanker if all the following apply:

22 (a) The milk producer controls the operation and maintenance of the bulk milk tanker.

23 **Note:** A milk producer may not collect milk from another milk producer, or commingle that milk with the milk
24 producer's milk, unless the milk producer operates as a bulk milk weigher and sampler under ch. ATCP 82. A milk
25 producer operating as a bulk milk weigher and sampler must hold a bulk milk tanker license, a grade A bulk milk

1 tanker permit (if applicable), and a bulk milk weigher and sampler license. The producer must also collect and
2 sample milk according to ch. ATCP 82.

3
4 (b) The bulk milk tanker is constructed and maintained according to bulk milk tanker
5 standards under s. ATCP 82.06.

6 (c) The bulk milk tanker has an access port that can be sealed.

7 (d) The bulk milk tanker, while parked at the dairy farm, is kept on a pad of concrete or
8 equally impervious material. The pad shall be sloped for proper drainage and shall be kept in a
9 clean condition.

10 (e) All permanent pipelines connecting the bulk milk tanker to the milk handling system end
11 in the milkhouse.

12 (f) The bulk milk tanker is parked such that the distance between the back of the tanker and
13 the milkhouse is minimized and the tanker to pipeline connection is made inside the milkhouse.

14 (g) The milk producer cools all milk to a temperature of 45° F. (7° C.) or lower before the
15 milk enters the bulk milk tanker. The milk producer may use a plate cooler, tube cooler or bulk
16 tank to cool the milk. Coolant used in cooling devices shall be food grade coolant approved by
17 the United States food and drug administration. The dairy plant operator who procures milk
18 from the milk producer shall test the coolant semi-annually for levels of coliform bacteria.

19 (h) A temperature recording device that records milk temperatures downstream from the
20 cooling device under par. (g). The probe of the temperature recording device shall be mounted
21 in a well in the milk pipeline except that if the producer cools the milk in a bulk tank the probe
22 may be mounted in the bulk tank. The temperature recording device shall comply with all of the
23 requirements that apply to bulk tank temperature recording devices under sub. (3).

24 (i) An indicating thermometer is installed as close as possible to the temperature recording
25 device under par. (h) to verify recorded temperatures.

1 (j) The bulk milk tanker outlet valve is close-coupled and protected with an effective dust
2 cover.

3 (k) The milk producer keeps the bulk milk cooling device, transport hose and bulk milk
4 tanker outlet valve in clean and sanitary condition. The milk producer shall clean and sanitize
5 the outlet valve before attaching it to the transport hose. The milk producer shall clean and
6 sanitize the bulk milk cooling device and transport hose between milkings or at least once every
7 24 hours if the producer milks continuously.

8 (L) The dairy plant operator who receives the bulk milk shipment does all of the following
9 before unloading any milk from the bulk milk tanker or commingling it with milk from another
10 producer:

11 1. Tests the bulk shipment for drug residues according to s. ATCP 65.72.

12 2. Ensures that a person licensed under s. 97.17 or 98.146, Stats., has collected a sample from
13 the bulk shipment according to s. ATCP 82.12.

14 (m) The dairy plant operator cleans and sanitizes the bulk milk tanker after each milk
15 shipment, the same as the operator would clean and sanitize a bulk milk tanker under s. ATCP
16 82.08. The dairy plant operator shall seal the access port after cleaning and sanitizing the bulk
17 milk tanker.

18 **ATCP 65.18 Milking procedure. (1) PREPARING MILKING ANIMALS FOR MILKING.** A milk
19 producer shall clip the flanks, udder, belly, and tail of each milking animal as often as necessary
20 to facilitate cleaning. The tail, belly, and flanks shall be reasonably free of visible dirt at the time
21 of milking. If flanks and udders are brushed, brushing shall be completed before milking begins.
22 Hair on udders shall be kept short enough so that it is not incorporated with the teat in the
23 milking machine inflation during milking. The udder of each milking animal shall be clean at

1 the time of milking. Teats shall be cleaned, sanitized, and dried immediately before milking.
2 Wet hand milking is prohibited.

3 (2) TRANSFER AND PROTECTION OF MILK. Milk shall be protected from contamination at all
4 times. Upon being drawn from milking animals, milk shall immediately be transferred from the
5 milking barn or parlor to the milkhouse. Containers of milk may not be stored in the milking
6 barn or parlor. If milk is transferred to the milkhouse in containers, rather than through a
7 pipeline or other vacuum transfer system, the milk producer shall transfer each container of milk
8 to the milkhouse immediately after it is filled. Milk contact surfaces of equipment and utensils
9 used to collect or transfer milk shall be protected from contamination before and during use.
10 Milk containers shall be covered to protect milk and milk contact surfaces from contamination,
11 except when milk is being poured into or out of the container. Milk that overflows, leaks, or
12 spills from its proper container or transfer vessel shall be discarded.

13 (3) PERSONNEL; CLEANLINESS. Milkers and milk handlers shall wash and dry their hands
14 before engaging in milking or milk handling operations, and before resuming such operations
15 after engaging in other activities. Outer garments worn by milkers and milk handlers shall not be
16 soiled to the extent that they might contaminate milk, milk contact surfaces, or the hands of a
17 milker or milk handler. No person may engage in milking or milk handling operations if that
18 person is infected with a communicable disease that is transmissible to others as a result of the
19 milking or milking handling operations.

20 (4) COOLING MILK. (a) Except as provided under par. (b), milk shall be cooled to 45° F. (7°
21 C.) or less within 1 hour after milking. If uncooled milk from subsequent milkings is added to
22 cooled milk, the blend temperature shall not exceed 50° F. (10° C.) at any time, and the blend

1 temperature shall be reduced to not more than 45° F. (7° C.) within 1 hour after the uncooled
2 milk is added.

3 (b) Grade B milk in cans shall be cooled to 50° F. (10° C.) or less within 2 hours after
4 milking, and shall be kept at or below 50° F. (10° C.) until it is delivered to the dairy plant. If
5 milk is stored or cooled in cans, milk from a morning milking shall not be commingled with milk
6 from an evening milking.

7 (5) STRAINING MILK. Milk shall be strained before it is deposited in a bulk tank or shipping
8 container. Only clean single-service filters may be used to strain milk. Filters shall not be
9 reused.

10 (6) COMMINGLING OF MILK FROM DIFFERENT MILKING SPECIES PROHIBITED. A milk producer
11 may not commingle milk from one species of milking animal with the milk of another species of
12 milking animal.

13 **Note:** Cows are the same species, even if they are of different breeds, so their milk may be commingled.
14 However, cows and goats are different species and their milk may not be commingled.

15
16 (7) MILK COOLING AND STORAGE. Milk cooled and stored on a dairy farm shall be cooled
17 and stored in facilities that comply with this chapter.

18 **ATCP 65.20 Abnormal milk; milking diseased animals.** (1) Milking animals that appear
19 to be secreting abnormal milk from one or more quarters shall be milked last or with separate
20 equipment, and their milk shall be discarded.

21 (2) If milking animals consume or are treated with chemical, medicinal, or radioactive
22 agents which may be secreted in milk and that may be deleterious to human health, the milking
23 animals shall be milked last or with separate equipment, and their milk shall be discarded.

24 (3) Milk that is bloody, stringy, off-colored, abnormal to sight or odor, or abnormal in any
25 other respect shall be discarded.

1 (4) Equipment and utensils used to handle abnormal milk shall not be used to handle milk
2 produced for human consumption unless the equipment and utensils are first thoroughly cleaned
3 and sanitized.

4 (5) Drugs prescribed by a veterinarian for use on milking animals shall be clearly labeled
5 with the name of the drug, each active ingredient, directions for use, the length of time for which
6 milk must be withheld following the cessation of drug therapy, any applicable warnings or
7 precautions to be observed by the milk producer, and the name and address of the prescribing
8 veterinarian. No drug or medicinal item may be used in a manner inconsistent with label
9 directions or the veterinarian's prescription, or in a negligent manner.

10 (6) Abnormal milk or milk from diseased animals shall not be stored or held in the
11 milkhouse or milking parlor after being collected. The milk shall be immediately removed and
12 discarded.

13 **ATCP 65.22 Farm premises. (1) GENERAL.** Farm premises adjacent to a milking barn,
14 milking parlor, or milkhouse shall be kept free of conditions that may result in the contamination
15 of milk.

16 (2) **MANURE STORAGE AND DISPOSAL.** Manure shall be removed and stored in a manner that
17 inhibits the breeding of flies. No milking animals may have access to a manure storage area.
18 This does not prohibit a cold weather manure pack in a cowyard if the manure pack is properly
19 maintained to prevent excessive accumulations of manure on the udders and flanks of milking
20 animals.

21 (3) **COWYARD.** A cowyard shall be graded for proper drainage and shall be kept free of
22 standing pools of water and accumulations of manure or feed waste. In loafing pens, manure
23 shall be removed or clean bedding added with sufficient frequency to prevent excessive

1 accumulation of manure on the udders and flanks of milking animals. Accumulations of waste
2 feed shall be promptly removed. Manure packs shall be properly drained and shall provide a
3 reasonably firm footing. Swine and other non-milking animals shall be kept out of the cowyard.

4 **(4) STATIONARY FEEDERS IN COWYARD.** Stationary feeders in a cowyard shall be fully
5 surrounded by a paved surface on which milking animals stand while feeding. The paved
6 surface shall extend at least 12 feet in all directions from the feeder, except that a paved surface
7 installed before January 1, 1979, shall extend at least 8 feet in all directions from the feeder. If
8 the distance between a feeder and another building or permanent structure is less than the paved
9 surface width prescribed under this subsection, the paved surface shall extend to the building or
10 other permanent structure.

11 **(5) STOCK WATERING DEVICES AND PORTABLE FEEDERS IN COWYARD.** Stock watering devices
12 and portable feeders shall be located in an area that is well drained and provides reasonably firm
13 footing for animals using the facilities.

14 **(6) TOILETS.** (a) Every dairy farm shall have one or more sanitary toilets that are
15 conveniently accessible by persons engaged in milking operations. A conveniently accessible
16 toilet may include a toilet in a farm residence or other farm building.

17 (b) Toilets under par. (a) shall comply with chs. SPS 362 and NR 812. Toilets shall be kept in
18 clean and sanitary condition.

19 (c) There shall be no mixing or storage of human waste or septage with animal manure on a
20 dairy farm.

21 **(7) PEST CONTROL.** Insects, rodents, and other pests shall be controlled, as necessary, to
22 prevent the contamination of milk and milk contact surfaces of equipment and utensils.

1 Pesticides shall not be stored, handled or used in a manner that might contaminate milk, milk
2 contact surfaces, feed, or water.

3 **Note:** Pesticide storage and use must comply with ss.94.67 to 94.71, Stats., and ch. ATCP 29. Pesticides must
4 be registered for use by the U.S. environmental protection agency or by the department. Pesticides shall not be
5 stored, handled or used in a manner inconsistent with label directions, or in a negligent manner.

6
7 **(8) ANIMAL DRUG STORAGE.** No animal drug or medicinal item may be kept in or
8 immediately adjacent to dairy farm facilities used for dairying operations unless the animal drug
9 or medicinal item is designed or prescribed for use on dairy animals. Animal drugs and
10 medicinal items stored immediately adjacent to the milking barn, milking parlor, or milkhouse
11 shall be protected from outdoor conditions and shall be stored above the floor, on racks or in a
12 cabinet. Animal drugs and medicinal items shall be stored in a manner that prevents
13 contamination of milk and equipment and utensils coming in contact with milk. Animal drugs
14 and medicinal items shall be clearly labeled to indicate their identity and intended use and
15 prescription drugs shall be labeled as provided under s. ATCP 65.20 (5). Animal drugs and
16 medicinal items intended solely for non-lactating animals shall be stored separately from those
17 used on lactating animals.

18 **Subchapter III – Dairy Plants**

19 **ATCP 65.24 Construction and maintenance.** (1) GENERAL. (a) Buildings, facilities, and
20 equipment used in the operation of a dairy plant shall be soundly constructed and shall be
21 capable of being maintained in a clean and sanitary condition. The interior and exterior portions
22 of a dairy plant and the premises on which a dairy plant is located shall be kept free of
23 unhealthful and unsanitary conditions and shall be maintained in compliance with this chapter.

24 (b) The division may issue a written waiver granting a variance from a construction standard
25 under this subchapter if the division finds that the variance is reasonable and necessary under the
26 circumstances, and will not compromise the purpose served by the construction standard and the

1 facility does not hold a grade A permit. A waiver under this paragraph may be issued by the
2 administrator of the division or the administrator's designee.

3 (c) A dairy plant may not be directly connected to a milking barn, milking parlor or animal
4 housing area.

5 (2) FLOORS. The floors of all rooms in which dairy products are processed, handled, or
6 stored or in which dairy product containers, equipment, or utensils are cleaned and sanitized shall
7 be all of the following:

8 (a) Kept clean and in good repair.

9 (b) Smooth enough to be easily cleanable.

10 (c) Constructed of concrete or equally impervious and easily cleanable materials. This
11 paragraph does not prohibit tightly joined wooden floors in storage rooms used solely for the
12 storage of dry ingredients or packaging materials, or both.

13 (d) Sloped to provide adequate drainage. This paragraph does not apply to floors in storage
14 rooms used solely for the storage of dry ingredients or packaging materials, or both.

15 (e) Equipped with an adequate number of trapped floor drains, so that any liquids draining
16 onto the floors are promptly removed. Floors in refrigerated storage rooms need not have floor
17 drains if the floors are sloped to drain to one or more exits to prevent pooling of liquids. This
18 paragraph does not apply to floors in storage rooms used solely for the storage of dry ingredients
19 or packaging materials, or both.

20 (3) WALLS AND CEILINGS. (a) Walls and ceilings of rooms in which dairy products are
21 handled, processed, or stored, or in which dairy product containers, equipment, or utensils are
22 cleaned and sanitized, shall have a smooth, washable, and light-colored surface, and shall be kept
23 clean and in good repair. Suspended ceiling panels are prohibited in any room where powdered

1 dairy products are packaged or processed if that room is constructed or substantially altered after
2 December 1, 1994.

3 **Note:** Walls and ceilings may consist, for example of smooth finished concrete construction panels or cement
4 plaster.

5
6 (b) If condensation may accumulate on overhead pipes, ducts, or other fixtures, those fixtures
7 shall be arranged or shielded so that condensation does not drop into dairy products or onto
8 product contact surfaces.

9 (c) In rooms constructed or substantially altered after the effective date of this chapter, the
10 junctions of walls and floors in processing areas shall be coved to facilitate cleaning.

11 **(4) DOORS, WINDOWS, AND OTHER OPENINGS.** (a) Doors, conveyor openings, and other
12 openings to the outside environment shall be kept closed when not in use, and shall at all times
13 be protected against the entry of insects, rodents, and excessive dust. Doors to the outside, other
14 than overhead doors and electronic sliding doors in delivery areas of milk receiving stations and
15 grade B dairy plants, shall be self-closing. External screen doors, if any, shall open outward.

16 **Note:** Air curtains, strip curtains, and similar devices may be used to prevent insects and excessive dust from
17 entering through doors and other openings while those openings are in use. Emergency exit doors need not be self-
18 closing unless they are routinely used by dairy plant personnel.

19
20 (b) Windows, if not permanently closed, shall be screened against flying insects, rodents, and
21 birds. In dairy plants constructed or substantially altered after the effective date of this chapter,
22 window ledges shall be sloped to an angle of at least 45° to facilitate cleaning.

23 (c) Outside openings of dairy product pipelines shall be tightly capped when not in use.
24 When a pipeline is in use, the pipeline cap shall be tethered or placed on a sanitary hanger or
25 rack to protect it from contamination. Pipeline openings through walls shall be completely
26 cemented or fitted with tight metal collars.

1 (d) At each doorway leading from a nonprocessing area to a processing area in which
2 exposed dairy products are processed, a dairy plant operator shall provide a sanitizing footbath,
3 disposable footwear, dedicated footwear, or other facilities to ensure that footwear worn in the
4 processing area is clean and sanitary.

5 (5) LIGHTING. (a) Lighting in every area of a dairy plant shall be fully adequate for the
6 purpose for which the area is used. Except as provided under par. (b) or (c), there shall be at
7 least 5 foot candles (54 lux) of illumination, measured at 30 inches above the floor, in every part
8 of a dairy plant.

9 (b) Except as provided under par. (c), there shall be at least 30 foot candles (323 lux) of
10 illumination at every place where dairy products are processed and at every place where
11 equipment or utensils are cleaned and sanitized.

12 (c) There shall be at least 50 foot-candles (538 lux) of illumination on every surface where
13 dairy products are graded or examined for condition and quality, and on every surface where
14 multi-use packages are inspected before being reused.

15 (d) Light bulbs, fluorescent tubes, skylights, and other overhead glass fixtures shall be
16 shielded to prevent broken glass from falling into dairy products or onto dairy product contact
17 surfaces.

18 (6) VENTILATION. (a) Every room in a dairy plant shall be adequately ventilated and
19 adequately controlled for temperature and humidity to keep the room reasonably free of fumes,
20 odors, mildew, and excessive condensation.

21 (b) Ventilation systems, including exhaust fans, intake fans, and ventilation ducts, shall be
22 kept clean and in good repair and shall be screened or louvered to prevent contamination of dairy
23 products by dust, insects, or other contaminants. Intake fans shall be equipped with filters that

1 are readily removable for cleaning and replacement. Air intake filters shall be capable of
2 removing at least 85% of particulate matter that is 5 microns or larger in size.

3 (c) Ventilation systems in a dairy plant shall be positioned so that exhaust air does not
4 contaminate exposed dairy products, clean dairy product packages, or clean equipment or
5 utensils.

6 (7) ROOMS. (a) Dairy plant rooms shall be large enough so that activities conducted in those
7 rooms can be conducted in a safe and sanitary manner.

8 (b) Within a dairy plant, all of the following areas shall be located in separate rooms:

9 1. Raw milk unloading areas.

10 2. Areas used to clean and sanitize bulk milk tankers or bulk transport containers. Bulk milk
11 tankers and bulk transport containers may be cleaned and sanitized in the same room where they
12 are unloaded.

13 3. Processing areas.

14 4. Areas used to clean or sanitize dairy product packages or containers.

15 5. Areas used to store or fabricate dairy product packages. Packaging materials required for
16 each day's processing operations may be kept in a processing area on that day.

17 6. Areas used to store dairy product ingredients, other than raw milk. Ingredients required
18 for each day's processing operations may be kept in the processing area on that day.

19 7. Areas used to receive, handle, or store returned packaged dairy products.

20 8. Areas used for boiler, heating plant, utility, or maintenance equipment.

21 9. Employee toilet areas.

22 10. Employee locker areas, dressing areas, break areas, and lunch areas.

1 11. Areas, if any, used as living quarters. Processing or storage rooms that are constructed
2 after the effective date of this chapter and share one or more walls with adjacent living or
3 sleeping quarters shall have a separate entrance and shall not provide direct access to the living
4 or sleeping quarters.

5 (c) In dairy plants constructed or licensed after December 1, 1994, raw milk shall be
6 unloaded in a fully enclosed intake room.

7 (d) Notwithstanding par. (b), a dairy plant operator may store, cool, separate, and clarify raw
8 milk in an area that the operator uses to unload bulk milk shipments if all the following apply:

9 1. The area is within a fully enclosed room.

10 2. Containers used to store, cool, separate, and clarify the raw milk are filtered or vented to a
11 separate room to protect the milk from airborne contamination in the unloading area. If
12 containers are vented to a separate room, that room shall comply with processing area sanitation
13 standards under this chapter.

14 (e) Notwithstanding par. (d), a dairy plant operator may not store, cool, separate, or clarify
15 raw milk in a room used to unload bulk milk shipments if any of the following apply:

16 1. The dairy plant was constructed or licensed after December 1, 1994.

17 2. The dairy plant is a grade A dairy plant constructed or licensed after July 1, 1980.

18 3. The storage, cooling, separating, or clarifying operations were initiated after December 1,
19 1994.

20 (f) Rooms are considered separate, for purposes of this subsection, if they are fully separated
21 by permanent floor-to-ceiling partitions and if doorways between the rooms are equipped with
22 solid, tight-fitting, self-closing doors.

1 **(8) DAIRY PLANT WATER SUPPLY.** (a) Water used in dairy plant operations, or as an
2 ingredient in dairy products, shall be obtained from a source that complies with ch. NR 811 or
3 812, administered by the Wisconsin department of natural resources. All water obtained for use
4 in a dairy plant shall comply with the bacteriological standards in ch. NR 809. Water shall be
5 available in consistently adequate quantity for all dairy plant operations, including processing,
6 cleaning, handwashing, and drinking. The division may grant a conditional waiver for elevated
7 levels of non-microbial contaminants as defined in NR 809 in processing water or ingredient
8 water.

9 (b) If a dairy plant uses water from a privately owned water system, the dairy plant operator
10 or, in the case of a grade A dairy plant, the division shall, at least once every 6 months, and after
11 a repair or alteration to the water system, collect and analyze a sample of the water for
12 compliance with the microbiological standards under s. NR 809.30. If the water supply is from
13 more than one well, each well shall be sampled and tested. Each sample shall be taken upstream
14 from any pressure tank or other water treatment equipment. Microbiological analyses shall be
15 conducted in a laboratory certified under ch. ATCP 77.

16 (c) At the division's request, a dairy plant operator who receives water from a municipal
17 source shall provide the division with documentation showing that the water complies with the
18 bacteriological standards under s. NR 809.30.

19 (d) The following requirements apply to recirculated water used in a cooler or heat exchanger
20 that may come in contact with any dairy product:

- 21 1. Obtained from a safe source that complies with par. (a).
- 22 2. Bacteriologically safe.
- 23 3. Protected from contamination.

1 4. Tested by the dairy plant operator at least semiannually or, in the case of a grade A dairy
2 plant, by the department at least semiannually.

3 (e) If a recirculating water system under par. (d) becomes contaminated, that system may not
4 be used until it is properly treated and retested to ensure that the contamination has been
5 eliminated. Freezing point depressants used in recirculating water systems under par. (d) shall be
6 food or pharmaceutical grade, non-toxic, meet the specifications for propylene glycol in 21 CFR
7 184.1666, and shall not contain coliform bacteria as determined by sampling and analysis which
8 the dairy plant operator has done at least semi-annually.

9 (f) A dairy plant operator may use only potable water, or reclaimed water in compliance with
10 sub. (9) (c), to produce culinary steam. In boilers used to produce culinary steam, boiler water
11 additives shall comply with 21 C.F.R. 173.310.

12 (g) All of the following requirements apply to water that is transported to a dairy plant in a
13 container or tank, for use in dairy plant operations:

14 1. The water shall be potable.

15 2. The container or tank shall be thoroughly cleaned and sanitized before being filled.

16 3. The container or tank shall be sealed, and the water shall be protected from contamination
17 during transit.

18 4. A suitable cleaned and sanitized pump, hose, and fittings shall be used to transfer water
19 from the container or tank to a storage tank at the dairy plant, so that the water is not
20 contaminated during transfer.

21 (h) If a grade A dairy plant uses water to flush pasteurized milk or milk products from milk
22 processing systems, that water shall be of a microbiological quality equivalent to that of
23 pasteurized milk.

1 (9) RECLAIMED WATER. (a) A dairy plant operator may use water reclaimed from heat
2 exchanger processes or from the condensation of milk or dairy products if all the following
3 apply:

4 1. The water is reclaimed from a heat exchanger process or by means of evaporation, reverse
5 osmosis, or ultrafiltration.

6 2. The water meets applicable use conditions under this section.

7 (b) Reclaimed water may not be used for any purpose requiring potable water unless all the
8 following apply:

9 1. The department pre-inspects and pre-approves the reclamation system.

10 2. The reclaimed water contains less than 1 coliform bacterium per 100 ml. of water.

11 3. The reclaimed water otherwise meets the microbiological standards under s. NR 809.30.

12 4. The organic content of the water is less than 12 mg. per liter as measured by the chemical
13 oxygen demand or permanganate-consumed test, or the water has a standard turbidity of less
14 than 5 units. The dairy plant operator shall use an automatic fail-safe monitoring device to
15 identify, and automatically divert to a waste water system, any water reclaimed from the
16 condensation of dairy products if that water fails to meet this standard.

17 5. The reclaimed water is of satisfactory organoleptic quality and has no off-odors, off-
18 flavors, or slime. The dairy plant operator shall sample and organoleptically test reclaimed water
19 at weekly intervals.

20 6. The department pre-approves any chemicals used to suppress bacterial growth, tastes, or
21 odors in the reclaimed water. An automatic proportioning device shall add the chemicals to the
22 water before the water enters the storage tank. The dairy plant operator shall test reclaimed

1 water at least daily for each added chemical. An added chemical may not contain any substance
2 that may contaminate dairy products or limit the use of reclaimed water.

3 7. The reclaimed water is stored in a properly constructed tank. The tank shall be constructed
4 of a material that will not contaminate the water and can be easily cleaned and sanitized.

5 8. The dairy plant operator or, in the case of a grade A dairy plant, the department tests the
6 reclaimed water for compliance with microbiological and organic content standards at least semi-
7 annually. The operator shall test the reclaimed water for 14 working days after the department
8 approves the reclamation system under subd. 1., and for at least 7 working days after any repairs
9 or alterations to the system.

10 9. There are no cross-connections between reclaimed water lines and any public or private
11 water system.

12 (c) Reclaimed water may be used for the limited purposes of producing culinary steam, pre-
13 rinsing food contact surfaces of equipment or utensils, or preparing cleaning solutions if all the
14 following apply:

15 1. The reclaimed water meets all conditions under par. (b) 1., 2., 4. to 7. and 9.

16 2. The reclaimed water is used only on the day that it is reclaimed, except that reclaimed
17 water may be stored for later use if it is automatically maintained at a temperature of not less
18 than 145° F. (63° C.), or is chemically treated to suppress bacterial propagation. Chemical
19 treatments shall comply with par. (b) 6.

20 3. Distribution lines and hose stations used to distribute the reclaimed water are clearly
21 identified as "limited-use reclaimed water."

22 4. The dairy plant operator posts clear instructions for the use of the reclaimed water. The
23 operator shall post the instructions so that they will be seen and understood by persons using the

1 reclaimed water. The instructions shall disclose the limited purposes for which the reclaimed
2 water may be used.

3 5. Water lines distributing the reclaimed water are not permanently connected to dairy
4 product vessels. If a water line is temporarily connected to a dairy product vessel, there shall be
5 an atmospheric break and automatic controls to prevent the reclaimed water from contacting
6 dairy products.

7 (d) Reclaimed water that does not qualify for use under par. (b) or (c) may only be used as
8 boiler feedwater.

9 **(10) PLUMBING SYSTEM; DISPOSAL OF SEWAGE AND LIQUID WASTE.** (a) All dairy plant
10 plumbing, plumbing fixtures, and equipment shall comply with state and local plumbing codes
11 and shall be designed, installed, and maintained to prevent backflow, backsiphonage, and cross-
12 connections.

13 (b) Sewage and liquid waste from a dairy plant shall be removed in a sanitary manner, in
14 compliance with applicable state and local regulations.

15 **Note:** Plumbing and plumbing fixtures must comply with applicable rules of the Wisconsin department of
16 safety and professional services under chs. SPS 382 to 386.

17
18 **(11) CLEANING FACILITIES.** (a) If equipment or utensils in a dairy plant are cleaned or
19 sanitized manually, the dairy plant shall be equipped with wash and rinse sinks that are suitable
20 for all manual cleaning and sanitizing operations. Sinks shall be conveniently located and
21 adequate in number, and shall comply with all of the following requirements:

22 1. Every sink shall be constructed of stainless steel or other materials approved by the
23 department.

24 2. Every sink shall have at least 2 compartments. If a dairy plant is also engaged in food
25 processing as defined under s. 97.29 (2) (b), Stats., every sink installed in a food processing area

1 after December 1, 1994 shall have at least 3 compartments for washing, rinsing, and sanitizing
2 equipment and utensils unless the dairy plant operator uses an alternative method for sanitizing
3 equipment and utensils that is approved by the division in writing.

4 3. Every sink compartment shall be large enough so that the largest item cleaned or sanitized
5 in the sink can be halfway immersed in the sink. Every sink compartment shall be served by hot
6 and cold running water and shall be cleaned prior to each use.

7 (b) Sinks used to clean and sanitize equipment and utensils may not be used as handwashing
8 sinks.

9 (c) Brushes and other cleaning tools used to clean equipment and utensils shall be cleaned
10 after each use and sanitized prior to their next use. Single-service disposable towels, if used to
11 clean equipment or utensils, shall be discarded after a single use.

12 (d) If a mechanical system is used to clean or sanitize equipment or utensils, the mechanical
13 system shall be designed, installed, and maintained so that it is fully effective for the purpose
14 used.

15 (e) A dairy plant shall be equipped with conveniently located hose connections to facilitate
16 cleaning operations in the dairy plant. When hoses are not in use, they shall be neatly stored off
17 the floor on racks or reels.

18 **(12) TOILET FACILITIES.** (a) Every dairy plant shall have toilet facilities that comply with
19 chs. SPS 361 to 365.

20 (b) Toilet rooms shall be conveniently located, but shall not open directly into any room
21 where milk or dairy products are processed. Every toilet room shall be completely enclosed and
22 shall have a tight-fitting, solid, self-closing door. The door shall be kept closed except when the
23 toilet room is being cleaned or repaired.

1 (c) Toilet rooms and fixtures shall be kept clean, sanitary, and in good repair. A supply of
2 toilet tissue shall be provided at each toilet at all times.

3 (d) Every toilet room shall be equipped with hand-washing facilities with hot and cold
4 running water, soap, and single service towels or air drying equipment. Common towels are
5 prohibited. Easily cleanable, covered receptacles shall be provided for waste materials.

6 (e) One or more conspicuous signs, directing personnel to wash their hands before returning
7 to work, shall be prominently posted in every toilet and dressing room. Signs shall be clearly
8 printed in a language or languages that can be understood by all dairy plant personnel.

9 **(13) LOCKER AND LINEN FACILITIES.** (a) Clothing and personal items of dairy plant
10 personnel, when not being worn or carried, shall be neatly stored in lockers or comparable
11 facilities provided for that purpose. Clothing and personal items may not be stored in areas
12 where milk, dairy products, or ingredients are received, processed, handled, or stored, or in areas
13 where dairy product containers, equipment, or utensils are cleaned or stored.

14 (b) Work clothing, when not being worn by dairy plant personnel, shall be stored in an
15 orderly and sanitary manner. Soiled linen and clothing shall be kept in nonabsorbent containers
16 or laundry bags until removed for laundering or disposal. Soiled linen and clothing shall be
17 removed as often as necessary to prevent unsanitary conditions.

18 **(14) HANDWASHING SINKS IN PROCESSING AREAS.** (a) Handwashing sinks with available hot
19 and cold running water shall be provided for use by all dairy plant personnel working in
20 processing areas. The sinks shall be conveniently accessible, and shall be kept in a clean and
21 sanitary condition.

1 (b) A supply of soap or detergent, and a sanitary single- service means for drying hands, shall
2 be provided at each handwashing sink at all times. Common towels are prohibited. If disposable
3 towels are used, a clean covered waste receptacle shall be provided for their disposal.

4 (c) A handwashing sink may not be used to clean or sanitize equipment or utensils.

5 (d) A handwashing sink installed to serve a processing area shall be located in that
6 processing area. The sink shall be served by potable tempered water, or by potable hot and cold
7 water delivered through a mixing valve or combination faucet. The sink shall not be hand
8 operated. If a self-closing, slow-closing, or metered faucet is used, the faucet shall provide an
9 uninterrupted flow of water for at least 15 seconds before it becomes necessary to reactivate the
10 faucet.

11 (e) An automatic handwashing device may be substituted for a handwashing sink under this
12 subsection if the automatic handwashing device provides a safe and effective means for washing
13 hands.

14 **(15) INTERIOR PREMISES; CLEANLINESS.** Every room of a dairy plant shall be kept in a clean
15 and orderly condition.

16 **(16) EXTERIOR PREMISES; CLEANLINESS.** (a) The premises surrounding a dairy plant shall be
17 well drained and shall be kept in an orderly condition. The premises shall be kept free of
18 accumulated trash, garbage, and other sanitation hazards. Driveways and parking lots shall be
19 surfaced or maintained to minimize airborne dust and dirt.

20 (b) Every outdoor storage tank used for liquid food ingredients shall be located on a drained
21 impermeable surface. All loading and unloading of liquid food ingredients from that storage
22 tank shall be conducted over a drained impermeable surface.

1 **(17) GARBAGE AND SOLID WASTE DISPOSAL.** (a) Garbage and solid waste shall be removed
2 from the dairy plant premises as often as necessary to keep the premises in a clean and sanitary
3 condition.

4 (b) Garbage and solid waste storage areas shall be constructed and maintained so that they do
5 not attract or harbor insects, rodents, or other animals.

6 (c) Garbage and solid waste shall be held in durable, leakproof, easily cleanable, and pest-
7 resistant containers. Containers shall be covered with tight-fitting lids, and shall be cleaned
8 when necessary to prevent unsanitary conditions. Waste containers receiving solid waste from
9 packaging and bottle washing operations may be uncovered, if necessary, when those operations
10 are in progress.

11 (d) No garbage or solid waste may be burned on the dairy plant premises, except in
12 compliance with state and local regulations. No garbage or solid waste may be burned on the
13 premises if the burning may contaminate dairy products.

14 **(18) PEST CONTROL.** A dairy plant shall be free of any evidence of insect, rodent, or other
15 pest infestation. A dairy plant operator shall take effective measures to prevent and, if necessary,
16 eradicate pest infestations. No pesticide may be stored, handled, or used in a manner
17 inconsistent with label directions, in a negligent manner, or in a manner that may contaminate
18 dairy products.

19 **Note:** Pesticides must be handled, stored, and used in compliance with ss. 94.67 to 94.71, Stats., and ch. ATCP
20 29.

21 **(19) CONSTRUCTION PLANS; NOTIFICATION; REVIEW.** Before constructing, substantially
22 reconstructing, or extensively altering a dairy plant, a dairy plant operator shall provide the
23 division with complete plans and specifications for the construction, reconstruction, or alteration.
24

1 Within 30 days after a dairy plant operator files plans with the division under this subsection, the
2 division shall return its comments or objections, if any, in writing.

3 **ATCP 65.26 Personnel; sanitation standards. (1) CLEANLINESS AND SANITATION;**

4 GENERAL. (a) Within a dairy plant, access to processing areas shall be restricted to dairy plant
5 employees and other authorized personnel.

6 (b) Persons who handle or process dairy products shall maintain a high degree of personal
7 cleanliness, and shall observe good hygienic practices during all working periods.

8 (c) Persons who handle or process dairy products shall thoroughly wash their hands before
9 beginning work and before returning to work after using toilet facilities, eating, smoking, or
10 engaging in other activities that may contaminate their hands.

11 (d) A person with a discharging or infected lesion on a hand or arm may not handle or
12 process unpackaged dairy products without appropriate sanitary protection. Appropriate sanitary
13 protection shall include any of the following:

14 1. An impermeable bandage on the lesion.

15 2. Single-use sanitary gloves or, if the lesion is on the arm, a full sleeved garment with tight
16 fitting cuffs.

17 (e) A person who handles or processes dairy products shall keep his or her fingernails clean
18 and neatly trimmed and shall not wear fingernail polish unless he or she wears sanitary gloves at
19 all times when working.

20 (f) No person infected with a disease communicable by food handling may work in a dairy
21 plant in any capacity that may contaminate dairy products.

22 **(2) CLOTHING AND JEWELRY.** (a) Whenever any person is in a processing area or is engaged
23 in handling unpackaged milk or dairy products, that person shall wear clean, washable outer

1 garments and an effective hair restraint, including an effective hair restraint for any beard longer
2 than 1/2 inch. Hair restraints may include hair nets, caps, and snoods, but do not include
3 hairsprays, visors, or headbands.

4 (b) No person may wear any jewelry while working in a processing area or handling
5 unpackaged dairy products. This paragraph does not apply to plain band wedding rings.

6 (3) CONSUMPTION OF FOOD AND BEVERAGES, AND USE OF TOBACCO. No person may consume
7 food or beverages, or use tobacco in any processing area or in any area where dairy processing
8 equipment or utensils are cleaned or stored. Employees may not consume food or beverages or
9 use tobacco except in designated areas that are separated from food processing areas. This
10 subsection does not prohibit a sanitary water fountain in a processing area, nor does it prohibit
11 on-line quality control sampling and organoleptic evaluation according to written quality control
12 procedures established by the dairy plant operator.

13 **ATCP 65.28 Equipment and utensils. (1) CONSTRUCTION AND MAINTENANCE. (a)**
14 Equipment and utensils, including C-I-P systems, shall be of sanitary design and construction.
15 Equipment and utensils, including C-I-P systems installed after the effective date of this chapter,
16 shall comply with applicable "3-A Sanitary Standards" and "3-A Accepted Practices" listed in
17 ch. ATCP 65 APPENDIX A.

18 **Note:** The "3-A Sanitary Standards" and "3-A Accepted Practices" listed in APPENDIX A are
19 published by 3-A Sanitary Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA
20 22101-3850, telephone (703) 790-0295, website www.3-a.org. Copies are on file with the division and the
21 legislative reference bureau and may be obtained from the "3-A Sanitary Standards, Inc. Online Store" at
22 <http://www.techstreet.com>.

23
24 (b) Equipment and utensils shall be readily accessible for cleaning and inspection and shall
25 be designed and constructed so that they can be easily cleaned. Equipment and utensils shall be
26 kept clean and in good repair.

1 (c) Tanks, vats, separators, and other containers used to store or process dairy products shall
2 be designed or equipped with appropriate devices to prevent surface condensation and drainage
3 from entering the container.

4 (d) Pipeline systems used to convey dairy products shall contain no dead ends in which dairy
5 products may collect. Pipelines and other equipment shall be designed and constructed to
6 preclude cross-contamination between pasteurized dairy products, unpasteurized dairy products,
7 and cleaning and sanitizing solutions.

8 (e) If it is necessary to disassemble any equipment or utensil to inspect a product contact
9 surface, all tools needed for the disassembly shall be readily available at the dairy plant.

10 (f) Water hoses used to wash dairy products or add ingredient water to dairy products shall be
11 constructed of approved food grade materials and shall be used and stored in a sanitary manner.

12 (g) A dairy plant operator may use sanitary flexible pipelines to transfer partially processed
13 products in the intermediate stages of production or to load and unload bulk loads of milk from
14 transport vehicles, if all the following apply:

15 1. The use of rigid pipelines for that purpose is impractical.

16 2. The dairy plant operator properly cleans and sanitizes the flexible pipeline after
17 completing the transfer of product, or at least once every 24 hours.

18 3. The operator uses only a length of flexible pipeline necessary to conduct the transfer
19 operation.

20 **(2) PRODUCT CONTACT SURFACES.** (a) Product contact surfaces of equipment and utensils
21 shall be made of materials that are smooth, impervious, nontoxic, noncorrosive, nonabsorbent,
22 and durable under foreseeable use conditions. A product contact surface shall be constructed of

1 one or more of the following materials unless another material is specifically authorized by the
2 department in writing:

3 1. Stainless steel of the American Iron and Steel Institute 300 series, or an equally corrosion
4 resistant metal.

5 2. Heat resistant glass.

6 3. Plastic, rubber, or rubber-like materials that are fat resistant and insoluble; that are
7 resistant to scratching, scoring, decomposition, crazing, chipping, and distortion under normal
8 use conditions; that do not impart chemicals, flavor, or odor to milk; and that maintain their
9 original properties under repeated use conditions.

10 (b) Product contact surfaces shall be easily cleanable and shall be free of breaks, open seams,
11 cracks, or similar defects. Product contact surfaces shall not impart any odor, color, taste, or
12 adulterating substance to food. Product contact surfaces, other than product contact surfaces of
13 approved C-I-P systems, shall be readily accessible for manual cleaning. Joints and fittings shall
14 be of sanitary design and construction.

15 **(3) LOCATION AND INSTALLATION OF EQUIPMENT.** (a) Equipment shall be located and
16 installed to prevent overcrowding and to prevent contamination of dairy products or product
17 contact surfaces by splash, condensation, or manual contact.

18 (b) Equipment that cannot be easily moved shall be installed in a manner that prevents liquid
19 or debris from accumulating under or around the equipment.

20 (c) Equipment shall be installed so that there is adequate clearance on all sides for cleaning
21 and maintenance. This does not apply to that portion of a tank or container that is designed to
22 protrude into or through a wall or the ceiling of a dairy plant.

1 **(4) BULK STORAGE TANKS; VENTING.** A tank used for the bulk storage of milk, whey, or
2 liquid food products shall be equipped with an air filter to prevent contamination of tank
3 contents, or shall be vented only to one of the following:

4 (a) A processing area.

5 (b) A tank gallery room that complies with processing area sanitation standards under this
6 chapter.

7 **(5) MEASURING DEVICES AND CONTROLS.** (a) Every storage tank, freezer, and cold storage
8 compartment used to hold milk or dairy products shall be equipped with a thermometer or other
9 device that accurately indicates the temperature in the storage tank, freezer, or compartment.

10 (b) Each of the following bulk storage tanks shall be equipped with a 7-day temperature
11 recording device that shows the temperature of dairy products stored in that bulk storage tank
12 over the immediately preceding period of at least 7 days:

13 1. Every bulk storage tank used to store grade A milk or grade A dairy products for longer
14 than 24 hours.

15 2. A silo tank installed after December 1, 1994.

16 (c) Instruments and controls used for measuring, regulating, and recording temperatures, pH,
17 acidity, water activity, or other conditions that control or prevent the growth of undesirable
18 microorganisms in milk or dairy products shall be accurate, fully functional, and adequate for
19 their intended use.

20 **(6) LUBRICATION.** Equipment shall be designed and constructed so that gear and bearing
21 lubricants do not come in contact with milk or dairy products, or with product contact surfaces.
22 Food grade lubricants shall be used if there is any chance that lubricants may come in contact
23 with milk or dairy products, or with product contact surfaces.

1 (7) CLEANING AND SANITIZING EQUIPMENT AND UTENSILS. (a) A dairy plant operator shall
2 clean and sanitize product contact surfaces of equipment and utensils to keep them at all times in
3 sanitary condition. Sanitizing methods shall comply with s. ATCP 65.34.

4 (b) Except as provided in pars. (c) to (f), a dairy plant operator shall at a minimum clean all
5 product contact surfaces of equipment and utensils after each day's use, sanitize those surfaces
6 before each day's use, and clean and sanitize those surfaces before any change in use that may
7 cross-contaminate dairy products.

8 (c) A dairy plant operator shall clean and sanitize tanks used to store liquid dairy products
9 whenever the dairy plant operator empties those tanks. Tanks used to store raw milk or grade A
10 dairy products shall be emptied at least once every 72 hours.

11 (d) A dairy plant operator shall clean evaporators at the end of a continuous operation, not to
12 exceed 44 hours.

13 (e) Paragraph (b) does not apply to any of the following equipment, provided that the dairy
14 plant operator cleans and sanitizes the equipment according to manufacturer specifications and
15 complies with par. (a):

16 1. Drying equipment.

17 2. Cloth collector systems.

18 3. Dry product packaging equipment and storage containers.

19 4. Equipment used in brining, aging, curing, and dry product blending processes.

20 5. Reverse osmosis equipment that utilizes a permeate stream from a previously pasteurized
21 product that has passed through a nanofiltration system achieving an efficiency of not more than
22 1,000 daltons.

1 (f) The division may authorize an alternative cleaning and sanitizing schedule for
2 continuously-operated equipment, in lieu of the schedule under par. (b), based on a proposal
3 under par. (g). If the proposal involves cleaning and sanitizing of equipment that contacts grade
4 A dairy products, the proposal shall be developed in consultation with the US food and drug
5 administration. The division's authorization of a proposal for equipment in contact with grade A
6 dairy products is contingent upon acceptance of the proposal by the US food and drug
7 administration. A dairy plant operator shall adhere to the practices described in an approved
8 proposal. A dairy plant operator may not materially alter practices described in an approved
9 proposal without division approval.

10 (g) A dairy plant operator's proposal under par. (f) shall include all of the following:

11 1. A complete description of the continuously-operated equipment covered by the proposal,
12 including relevant design and sanitation features.

13 2. A complete description of the processing, handling, or storage operations for which the
14 continuously-operated equipment is used. The description shall identify the types of dairy
15 products involved, the types of continuous operations conducted, and the duration of the
16 continuous operations.

17 3. A complete description of the cleaning and sanitizing procedure proposed by the dairy
18 plant operator. The description shall include cleaning and sanitizing frequency, cleaning and
19 sanitizing methods and materials, and other relevant process parameters such as time and
20 temperature. The description shall include relevant process diagrams and specifications.

21 4. A certification, by the dairy plant operator, that the proposed cleaning and sanitizing
22 procedure complies with par. (a). The certification shall be based on a thorough hazard analysis
23 and safety assessment by qualified personnel.

1 (h) A dairy plant operator shall keep records to document, on an ongoing basis, the operator's
2 compliance with this subsection.

3 (8) STORING CLEAN EQUIPMENT AND UTENSILS. Clean equipment and utensils, unless stored
4 in an approved sanitizing solution, shall be stored so that they drain dry. Utensils and equipment
5 components disassembled for cleaning shall be stored above the floor in metal racks or other
6 suitable storage facilities. Clean equipment and utensils shall be protected from contamination
7 prior to use.

8 (9) SINGLE-SERVICE UTENSILS. Single-service utensils shall be stored in the original
9 containers in which they were received, or in other closed containers that will protect them from
10 contamination until they are used. Single-service utensils shall not be reused.

11 (10) CLEANING COMPOUNDS, DETERGENTS, AND SANITIZERS; STORAGE AND LABELING.
12 Cleaning compounds, detergents, and sanitizers used in a dairy plant shall be clearly labeled.
13 When they are not being used, they shall be stored in designated areas and in an appropriate
14 manner so that they do not contaminate dairy products, ingredients, equipment, or utensils.

15 **ATCP 65.30 C-I-P systems. (1) CONSTRUCTION AND MAINTENANCE; GENERAL.** (a) C-I-P
16 systems shall be designed, constructed, installed, and maintained in compliance with s. ATCP
17 65.28.

18 (2) CLEANING AND SANITIZING C-I-P SYSTEMS. (a) A dairy plant operator shall clean and
19 sanitize all C-I-P systems in compliance with s. ATCP 65.28 (7). Surfaces that cannot be
20 cleaned and sanitized by C-I-P procedures shall be cleaned and sanitized manually.

21 (b) A dairy plant operator shall keep records on the cleaning and sanitizing of all C-I-P
22 systems. The records shall identify every C-I-P system that has been cleaned or sanitized, the
23 date and time when each C-I-P system was cleaned and sanitized, the temperature of the cleaning

1 and sanitizing solutions, and the length of time for which the C-I-P system was exposed to the
2 cleaning and sanitizing solutions. Records shall be signed or initialed by a responsible person at
3 the dairy plant. The division shall review the records as part of every routine inspection of the
4 dairy plant.

5 (3) CONSTRUCTION PLANS. (a) Before installing or modifying any C-I-P system, the dairy
6 plant operator shall submit to the division a plan for the installation or modification. The plan
7 shall clearly describe each C-I-P circuit in the installed or modified system, including the size
8 and length of piping, fittings, pitch, drain points, access points, relative elevations, locations and
9 specifications of circulating units, and other features of the system.

10 (b) Plans for a C-I-P system under par. (a) shall include the manufacturer's specifications for
11 the system, including the manufacturer's specifications for operating, maintaining, cleaning, and
12 sanitizing the system.

13 (c) Within 20 business days after any person files plans with the division under this
14 subsection, the division shall return its comments or objections, if any, in writing.

15 **ATCP 65.32 Dairy product packages. (1) GENERAL.** (a) Dairy product packages shall be
16 of sanitary design and construction. Packages shall be designed and constructed to protect
17 packaged dairy products from reasonably foreseeable contaminants.

18 (b) Product contact surfaces of dairy product packages shall be smooth, nontoxic,
19 noncorrosive, nonabsorbent, and durable under foreseeable use conditions. Product contact
20 surfaces shall not impart any odor, color, taste, or adulterating substance to packaged dairy
21 products.

22 (c) Dairy product packages shall be clean, sanitary, and free of any extraneous or deleterious
23 substance. Dairy products shall not be sold or distributed in packages that are damaged to the

1 extent that package contents may be adulterated as a result of the damage. A sealed package is
2 unacceptably damaged if the seal is broken.

3 (d) Single-service packages shall be made of clean and sanitary materials, shall be protected
4 from contamination prior to use, shall be handled in a sanitary manner, and shall be clean and
5 sanitary at the time of use. Single service packages shall not be re-used.

6 (2) GRADE A DAIRY PRODUCT PACKAGES. (a) The residual bacteria count on product contact
7 surfaces of grade A dairy product packages shall not exceed one per milliliter of capacity when
8 the rinse test is used, or 50 colonies per 8 square inches (one per square centimeter) when the
9 swab test is used, in 3 out of 4 samples randomly taken and analyzed on a given day. Product
10 contact surfaces shall be free of coliform organisms.

11 (b) A grade A dairy product package shall be designed so that the product, the package
12 pouring lip if any, and the package opening rim and area are protected from contamination
13 during handling, storage, and initial opening. A grade A dairy product package shall be designed
14 so that it cannot be opened without breaking the cap or closure seal, or leaving other readily
15 apparent evidence that the package has been opened.

16 (c) Product contact surfaces of multi-use packages used for grade A milk or dairy products
17 shall be constructed of one or more of the following materials unless another material is
18 specifically authorized by the division in writing:

19 1. Stainless steel of the Iron and Steel Institute 300 series or an equally corrosion resistant
20 metal.

21 2. Heat resistant glass.

1 3. Plastic materials that maintain their original properties under repeated use conditions; that
2 are fat resistant and insoluble; and that are resistant to scratching, scoring, decomposition,
3 crazing, chipping, and distortion under normal use conditions.

4 (d) Product contact surfaces of multi-use packages used to contain grade A milk or dairy
5 products shall have rounded corners, and shall be easily cleanable.

6 (e) Multi-use packages used to contain grade A milk or dairy products shall be effectively
7 cleaned and sanitized before being reused. Cleaning and sanitizing procedures shall remove all
8 extraneous matter and potential adulterants from each package. Sanitizing procedures shall
9 comply with s. ATCP 65.34. If returnable glass bottles are sanitized in an automatic bottle
10 washer by soaking those bottles in a caustic solution, the sanitizing procedure shall comply with
11 sub. (3).

12 (f) Multi-use packages used to contain grade A milk or dairy products shall be inspected
13 before they are reused. Inspection shall be adequate to detect extraneous materials, adulterants,
14 and damage to product contact surfaces. Inspection shall be performed on surfaces lighted in
15 compliance with s. ATCP 65.24 (5) (c).

16 (g) No multi-use plastic package may be reused for grade A milk or dairy products unless
17 that package is tested for the presence of volatile organic compounds before the package is filled.
18 An automatic testing device, capable of detecting volatile organic compounds at levels of public
19 health significance, shall be used to test each package. The testing device shall be installed in
20 conjunction with the dairy product packaging apparatus so that no packages can be filled unless
21 the testing device is operating properly, and so that packages containing unsatisfactory levels of
22 volatile organic compounds are automatically made unusable. The dairy plant operator shall test

1 the system daily with a test solution consisting of 0.5 ppm petroleum distillate or another test
2 solution approved by the division.

3 (h) No plastic multi-use package may be used to contain grade A milk or dairy products
4 unless all of the following requirements are met:

5 1. The package is identified to show the plant at which the package was manufactured, the
6 date of manufacture, and the type and class of plastic material used. This information may be
7 coded if the code is provided to the division.

8 2. The phrase "Use only for food" appears on the package.

9 3. The division has approved a prototype of the package.

10 (i) Single-service packages used to contain grade A milk or dairy products shall be
11 manufactured by a manufacturer listed in the "Certified Manufacturers of Single-Service
12 Containers and Related Products" published online by the Food and Drug Administration, Public
13 Health Service, United States Department of Health and Human Services.

14 **Note:** Copies of "Certified Manufacturers of Single-Service Containers and Related Products" are available
15 online at <http://www.fda.gov/food/guidanceregulation/federalstatefoodprograms/ucm2007965.htm> or from the Milk
16 Safety Team, HFS-626, Food and Drug Administration, Public Health Service, United States Department of Health
17 and Human Services, 5100 Paint Branch Parkway, College Park, MD 20740-3835.

18
19 (j) Packaged grade A milk and dairy products shall be conspicuously labeled as grade A milk
20 or dairy products.

21 **(3) AUTOMATIC BOTTLE WASHING.** (a) Returnable glass bottles cleaned in an automatic
22 bottle washer shall be sanitized while in the washer. Bottles cleaned in an automatic bottle
23 washer may be sanitized by being soaked in a caustic solution. The causticity of the sanitizing
24 solution shall be monitored and maintained at an appropriate level in relation to solution
25 temperature and soaking time. Table 1 shows minimum causticity levels required for sanitizing

1 solutions, expressed in terms of percent concentration of sodium hydroxide, NaOH, in the
2 sanitizing solution, based on applicable soaking times and temperatures.

3 (b) After being soaked in caustic solution under par. (a), bottles shall be rinsed with water
4 that has been treated with heat or chemicals to eliminate viable pathogenic or other harmful
5 microorganisms from the rinse water.

6 **Table 1**
7 **Minimum Causticity Levels Required for Sanitizing Solutions (% concentration of NaOH),**
8 **Based on Soaking Time and Temperature**

Time in Minutes	F 170 C 77	160 71	150 66	140 60	130 54	120 49	110 43
3	0.57	0.86	1.28	1.91	2.86	4.27	6.39
5	0.43	0.64	0.96	1.43	2.16	3.22	4.80
7	0.36	0.53	0.80	1.19	1.78	2.66	3.98

9
10 **(4) PACKAGING GRADE A DAIRY PRODUCTS.** (a) Grade A dairy products shall be packaged in
11 a sanitary manner at the dairy plant where they are pasteurized.

12 (b) Grade A dairy products shall be mechanically packaged with equipment approved by the
13 division. Hand capping is prohibited.

14 (c) A drip deflector, designed and adjusted to deflect condensation away from open
15 packages, shall be installed on each filler valve.

16 (d) Conveyors that feed packages to packaging machines shall have overhead shields to
17 protect open packages from contamination.

18 (e) If a filled package is imperfectly sealed, the contents of that package shall be emptied into
19 a sanitary container. The contents shall be discarded or shall be repasteurized before being
20 repackaged.

21 **ATCP 65.34 Sanitizers and sanitizing methods.** (1) SANITIZING METHODS. Cleaned
22 product contact surfaces shall be sanitized by using any of the following methods:

1 (a) Complete and continuous exposure to clean water at a temperature of at least 170° F. (70°
2 C.) for at least 5 minutes.

3 (b) Complete and continuous exposure to steam at a temperature of at least 170° F. (70° C.)
4 for at least 15 minutes or at a temperature of at least 200° F. (93° C.) for at least 5 minutes.

5 (c) Complete and continuous exposure for at least 2 minutes to a sanitizing solution
6 containing at least 50 ppm of available chlorine and having a pH not higher than 8.3, at a
7 temperature not less than 75° F. (24° C.) nor more than 110° F. (44° C.)

8 (d) Complete and continuous exposure for at least one minute to a sanitizing solution
9 containing at least 12.5 ppm of available iodine and having a pH not higher than 5.0, at a
10 temperature of not less than 75° F. (24° C.) nor more than 110° F. (44° C.).

11 (e) Complete and continuous exposure to a caustic sanitizing solution according to s. ATCP
12 65.32 (3).

13 (f) Application, according to manufacturer's instructions, of a chemical sanitizer or sanitizing
14 method that has been shown to be as effective as the methods specified under pars. (a) to (d), and
15 that has been approved by the division under sub. (3).

16 **(2) SANITIZERS; MAXIMUM CONCENTRATIONS.** The use of a sanitizer shall leave no toxic
17 residue on a product contact surface. Sanitizing solutions shall not exceed the maximum
18 concentrations specified by the food and drug administration, United States department of health
19 and human services, under 21 CFR 178.1010. A test kit or other device that measures the
20 concentration of sanitizing solutions in parts per million shall be used as necessary to ensure
21 compliance with this subsection at all times.

22 **(3) SANITIZERS; DIVISION APPROVAL.** The division shall approve sanitizers and sanitizing
23 methods that the division finds to be safe and effective for sanitizing equipment, utensils, and

1 multi-use dairy product packages. The division may deny or withdraw approval of any sanitizer
2 or sanitizing method, whether or not approved by any other state or federal agency, if the
3 division determines that the sanitizer or sanitizing method is not safe or effective for the
4 purposes or under the conditions used, or that it adversely affects the sanitary characteristics of
5 equipment, utensils, or dairy product packages.

6 **Note:** Sanitizers approved under s. 4-501.114, ch. ATCP 75 Appendix (Wisconsin Food Code), are approved by
7 the division.

8
9 **ATCP 65.36 Receiving milk and dairy products. (1) MILK FROM DAIRY FARMS.** (a) No
10 dairy plant operator may collect or receive milk from a dairy farm located in this state unless the
11 milk producer holds a current license for that dairy farm under s. 97.22 (2), Stats., and s. ATCP
12 65.02.

13 (b) No dairy plant operator may collect or receive a milk shipment from a dairy farm in this
14 state unless a person licensed under s. 97.17 or 98.146, Stats., does all the following before that
15 milk shipment is commingled with milk from any other dairy farm:

- 16 1. Collects a sample of milk from the shipment, according to s. ATCP 65.38.
- 17 2. Accurately measures and records the temperature and quantity of milk in the shipment.

18 **Note:** A dairy plant operator shall comply with applicable requirements under subch. V, which requires dairy
19 plant operators to sample and test producer milk and report test results. Dairy plant operators must reject milk
20 shipments and take follow-up action in some cases.

21
22 **(2) GRADE A MILK FROM DAIRY FARMS.** No dairy plant operator may collect or receive as
23 grade A milk any of the following:

24 (a) Milk from a dairy farm in this state unless the milk producer holds a current grade A
25 permit for that dairy farm under s. 97.22 (3), Stats., and s. ATCP 65.02 (10).

26 (b) Milk from a dairy farm in any other state unless the milk producer holds a current grade
27 A permit for that dairy farm from the responsible regulatory authority in that state.

1 **(3) BULK MILK TANKER DELIVERIES.** (a) No dairy plant operator may receive any fluid milk
2 or dairy products transported in a bulk milk tanker unless the bulk milk tanker operator holds a
3 current license for that bulk milk tanker under s. 97.21 (2) (a), Stats., and s. ATCP 82.02 (1).

4 (b) No dairy plant operator may receive any grade A milk or grade A fluid milk products
5 transported in a bulk milk tanker unless the bulk milk tanker operator holds, in addition to the
6 license under par. (a), a current grade A permit for that bulk milk tanker under s. 97.21 (2) (b),
7 Stats., and s. ATCP 82.02 (7) or issued by another state's regulatory agency.

8 (c) Before a dairy plant operator unloads milk from a bulk milk tanker or commingles it with
9 milk from another milk producer, the dairy plant operator shall test the bulk shipment for drug
10 residues according to s. ATCP 65.72 (3).

11 **(4) GRADE A DAIRY PLANT MAY NOT RECEIVE GRADE B MILK.** A grade A dairy plant operator
12 may not process grade B milk at a grade A dairy plant unless the division authorizes that
13 processing in writing. A grade A dairy plant operator may not receive, transfer, or process grade
14 A milk or dairy products through the same equipment used to receive, transfer, or process grade
15 B milk or dairy products unless the dairy plant operator first cleans and sanitizes the equipment
16 and makes a record of the cleaning and sanitization.

17 **(5) MANUFACTURED DAIRY INGREDIENTS; APPROVED SOURCES.** Manufactured dairy
18 ingredients used in the manufacture or processing of dairy products shall originate from dairy
19 plants licensed under s. 97.20, Stats., and this chapter or licensed or inspected under equivalent
20 laws of other states or nations.

21 **(6) RECEIVING FACILITIES.** A dairy plant's facilities for receiving milk shipments shall be
22 constructed and maintained in compliance with s. ATCP 65.24 and shall be separated from other
23 areas of the dairy plant as required by s. ATCP 65.24 (7).

1 **(7) CLEANING AND SANITIZING BULK MILK TANKERS.** A dairy plant operator shall ensure that
2 bulk milk tankers are cleaned and sanitized after each day's use as required by s. ATCP 82.08.

3 **(8) CLEANING AND SANITIZING MILK CANS.** If a dairy plant operator receives raw milk in
4 cans, the dairy plant operator shall clean, sanitize, and thoroughly dry those cans before the cans
5 are removed from the dairy plant for reuse. Can washing equipment shall be kept clean and in
6 good repair.

7 **ATCP 65.38 Collecting milk samples. (1) SAMPLE REQUIRED.** A dairy plant operator who
8 receives a milk shipment from a milk producer shall collect a representative milk sample from
9 that shipment. A person licensed under s. 97.17 or 98.146, Stats., shall collect the sample before
10 the dairy plant operator commingles the milk with milk from any other milk producer or
11 shipment.

12 **(2) SAMPLE COLLECTED AT THE DAIRY FARM.** A bulk milk weigher and sampler who collects
13 a bulk milk shipment from a dairy farm shall collect the milk sample under sub. (1) for the dairy
14 plant operator, in accordance with ch. ATCP 82. The bulk milk weigher and sampler shall
15 promptly deliver the sample to the dairy plant operator, or to a milk testing laboratory designated
16 by the dairy plant operator.

17 **(3) SAMPLE COLLECTED FROM BULK TRANSPORT CONTAINER.** A person who receives a bulk
18 transport container at a dairy plant shall collect the milk sample under sub. (1) for the dairy plant
19 operator in accordance with ch. ATCP 82. The person shall promptly deliver the sample to the
20 dairy plant operator or to a milk testing laboratory designated by the dairy plant operator.

21 **(4) INCREASED SAMPLING FREQUENCY.** If milk from any dairy farm violates a standard under
22 s. ATCP 65.70 on any single test, the dairy plant operator shall do any of the following:

1 (a) Collect and test a milk sample from that farm at least once every 2 days until a
2 subsequent test shows that the violation has been corrected.

3 (b) Reject milk shipments from the producer, if the operator is required to reject those milk
4 shipments under s. ATCP 82.10 (4), 65.70 (2) (f), or 65.70 (4).

5 **ATCP 65.40 Storing and handling milk and dairy products. (1) GENERAL.** Dairy
6 products shall be protected from contamination and decomposition while being received,
7 processed, handled, conveyed, or held at a dairy plant. Dairy products shall be received,
8 processed, handled, conveyed, and held in a manner that keeps the products in a safe,
9 wholesome, and unadulterated condition.

10 (2) STORAGE TEMPERATURES. (a) Milk and dairy products shall be stored at temperatures
11 listed in sub. (a) – (d), unless the division has authorized alternative temperature limits in
12 writing. An authorization by the division shall be valid for 5 years, and may be renewed upon a
13 written request from the dairy plant operator.

14 (b) Raw grade A milk and grade A dairy products received for processing at a dairy plant
15 shall be kept at a temperature of 45° F. (7° C.) or less until pasteurized or, if pasteurization is not
16 required, until processed. This paragraph does not apply to raw grade A milk received at a dairy
17 plant within 2 hours after milking, provided that the raw milk is held in compliance with par. (d).

18 (c) Except as provided under par. (a), raw milk and other dairy products received for
19 processing at a dairy plant shall be kept at a temperature of 50° F. (10° C.) or less until
20 pasteurized or, if pasteurization is not required, until processed. This paragraph does not apply
21 to raw milk received at a dairy plant within 2 hours after milking, provided that the raw milk is
22 held in compliance with par. (d).

1 (d) Pasteurized grade A dairy products, after being pasteurized, shall be cooled to a
2 temperature of 45° F. (7° C.) or less and shall then be kept at that temperature at all times. This
3 paragraph does not apply to a grade A cultured dairy product while being cultured, to a dried
4 milk product, or to a grade A dairy product that is sterilized and packaged in a hermetically
5 sealed package.

6 (e) No milk or dairy product may be held at a dairy plant for more than 4 hours at a
7 temperature that is between 45° F. (7° C.) and 140° F. (60° C.). This paragraph does not apply to
8 any of the following:

- 9 1. Grade A cultured dairy products while being cultured.
- 10 2. Dried dairy products.
- 11 3. Butter micro-fixing.
- 12 4. Cheese while being cured, ripened, or tempered for further processing.
- 13 5. Pasteurized cream while being ripened for churning into butter.
- 14 6. Whey and whey products during the process of crystallation.
- 15 7. Acid whey with titratable acidity of not less than 0.40%, expressed as % lactic acid, or a
16 pH of not higher than 4.6.
- 17 8. Dairy products that are sterilized and packaged in hermetically sealed packages.
- 18 9. Grade B whey held, transported, received, and then either immediately processed or
19 cooled to 50° F. or colder not more than 8 hours after its generation at a licensed dairy plant.

20 **(3) PASTEURIZATION.** Dairy products shall be pasteurized in compliance with subch. IV.

21 **(4) STORING DAIRY PRODUCTS AND INGREDIENTS.** (a) Areas used to store dairy products and
22 ingredients shall be kept in a clean, sanitary, and orderly condition, free from conditions that may
23 adulterate dairy products or dairy product ingredients.

1 (b) Dairy products shall be stored at temperatures specified under sub. (2). Other potentially
2 hazardous foods, including potentially hazardous ingredients used in dairy products, shall be
3 stored at safe temperatures as defined in s. ATCP 65.01 (60).

4 (c) Dairy products and ingredients shall be stored in an orderly manner, so that storage areas
5 can be easily inspected and cleaned. Dairy products and ingredients may not be stored under
6 conditions that may cause adulteration. Storage areas shall be constructed and maintained so that
7 waste liquids do not accumulate in those areas.

8 (d) Dairy products and ingredients may not be stored in a manner that may attract or harbor
9 pests. No pesticides or other toxic materials may be stored in a manner that may contaminate
10 dairy products, dairy product ingredients, or packaging materials.

11 **(5) REPROCESSING AND DISPOSAL OF DAIRY PRODUCTS.** (a) A dairy plant operator may not
12 reprocess, for use in any dairy product, packaged grade A dairy products that have left the
13 custody of the dairy plant or that have originated from another dairy plant. This does not
14 prohibit any of the following:

15 1. The use, as ingredients, of packaged dairy products that are specifically manufactured and
16 packaged for use as ingredients in other dairy products.

17 2. Reprocessing dry milk and dry milk products returned to the dairy plant, provided that the
18 products' package is intact.

19 3. Reprocessing dairy products collected from a packaging defoamer system or drained from
20 processing equipment at the end of a run, if those dairy products are collected and handled in a
21 sanitary manner, held at a temperature of 45° F. (7° C.) or less, and re-pasteurized.

22 4. Reprocessing specifically authorized in writing by the division, under conditions specified
23 by the division.

1 (b) A dairy plant operator shall discard any packaged grade A dairy products that are
2 returned to a dairy plant by a wholesaler or retailer. Pending disposal, returned grade A dairy
3 products shall be kept in an area that is clearly designated as a holding area for returned products.
4 The holding area shall be separate from other areas used for the receipt, storage, or processing of
5 dairy products.

6 (c) A dairy plant operator shall discard all milk and dairy products that have spilled,
7 overflowed, or leaked from equipment, utensils, or packages. This paragraph does not apply to
8 milk and dairy products caught and collected in a sanitary manner, in equipment specifically
9 designed for that purpose.

10 (6) DAIRY PRODUCTS INTENDED FOR NON-FOOD USE. Milk and dairy products not intended
11 for human consumption shall be clearly and conspicuously labeled as being not for use as human
12 food. No person may repackage or sell, for use as human food, any milk or dairy products
13 labeled or intended for non-food use.

14 **Note:** The manufacture and sale of animal feed is subject to separate licensing and regulation under s. 94.72,
15 Stats.

16
17 (7) RECONSTITUTED OR RECOMBINED DAIRY PRODUCTS; PASTEURIZATION. (a) A dairy plant
18 operator shall pasteurize reconstituted or recombined dairy products after those dairy products
19 are reconstituted or recombined, except where the resulting product is exempt from
20 pasteurization under s. ATCP 65.54 (2).

21 (b) A dairy plant operator may not commingle pasteurized dairy products with unpasteurized
22 milk or dairy products unless the dairy plant operator pasteurizes the resulting product or the
23 resulting product is exempt from pasteurization under s. ATCP 65.54 (2).

24 (c) A dairy plant operator shall take effective measures to prevent cross contamination
25 between pasteurized and unpasteurized dairy products.

1 **(8) PRESSURIZED AIR AND STEAM; CONTACT WITH DAIRY PRODUCTS.** Pressurized air and
2 steam coming in contact with a dairy product or product contact surface shall be clean, safe, and
3 free of contaminants. The system used to generate and supply pressurized air and steam shall
4 comply with applicable "3-A Sanitary Standards" and "3-A Accepted Practices" listed in ch.
5 ATCP 65 APPENDIX A.

6 **Note:** The "3-A Sanitary Standards" and "3-A Accepted Practices" listed in APPENDIX A are published by 3-
7 A Sanitary Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA 22101-3850, telephone
8 (703)790-0295, website www.3-a.org. Copies are on file with the division and the legislative reference bureau.
9 Copies may be purchased from the "3-A Sanitary Standards, Inc. Online Store" at <http://www.techstreet.com>.
10

11 **(9) FIRE, FLOOD, OR CASUALTY DAMAGE.** If a dairy product or ingredient is subjected to
12 possible contamination in a fire, flood, or other casualty, no person may sell or reprocess that
13 product or ingredient for human consumption unless the division first inspects the product or
14 ingredient and authorizes its sale or reprocessing for human consumption. A dairy plant operator
15 shall notify the division whenever dairy products or ingredients in the operator's possession have
16 been subjected to possible damage or contamination because of fire, flood, or other casualty.

17 **ATCP 65.42 Recall plan. (1) PLAN REQUIRED.** A dairy plant operator shall have a written
18 plan for identifying and recalling milk and dairy products processed at that dairy plant, should a
19 recall become necessary. The dairy plant operator shall update the plan as necessary and shall
20 make it available to the division for inspection and copying upon request.

21 **(2) PLAN CONTENTS.** A plan pursuant to sub. (1) shall do all of the following:

22 **(a)** Identify key individuals or positions that are responsible for planning, approving, and
23 implementing recalls on behalf of the dairy plant operator.

24 **(b)** Identify key individuals or entities to be contacted or consulted in connection with a
25 recall.

1 (c) Include procedures for the routine identification, dating, and tracking of milk and dairy
2 product lots so that in a recall the affected lots can be identified and distinguished from
3 unaffected lots.

4 (d) Include procedures to enable routine identification, dating, and tracking of milk and dairy
5 product shipments from the dairy plant. Tracking shall identify shipment recipients and
6 contents, cross-referenced to lots, so that in a recall recipients of affected lots can be contacted.

7 (e) Include procedures for determining the nature and scope of a recall, including affected
8 milk and dairy product lots, shipments, and shipment recipients.

9 (f) Include procedures for identifying and communicating with affected persons, including
10 suppliers, milk and dairy product shipment recipients, down-line buyers, consumers, government
11 agencies, and others.

12 (g) Identify potential target audiences for recall information, including consumers,
13 distributors, and government agencies.

14 (h) Identify potential methods for communicating with target audiences under par. (g).

15 (i) Identify key information, including the identity of the affected milk and dairy products,
16 the reason for the recall, and suggested actions to be taken by affected persons that may be
17 necessary to communicate to affected persons in a recall.

18 **ATCP 65.44 Dairy plant records. (1) MANDATORY RECORDS.** A dairy plant operator
19 shall keep all of the following records, and shall retain those records for the period of time
20 specified under this subsection:

21 (a) Records related to milk receipts and producer payrolls, as required by s. ATCP 100.32

22 (1). Records under this paragraph shall include milk collection records received from bulk milk

1 weighers and samplers under s. ATCP 82.10 (10). Records under this paragraph shall be
2 retained for at least 3 years.

3 (b) Records of all dairy product ingredients received at the dairy plant, including the sources
4 from which the ingredients were received. Records under this paragraph shall be retained for at
5 least one year.

6 (c) Daily records of all finished products produced at the dairy plant. Records under this
7 paragraph shall be retained for at least one year.

8 (d) Records of all milk quality tests and sediment tests conducted on milk shipments received
9 by the dairy plant operator, including but not limited to tests required under subch. V. Records
10 under this paragraph shall be retained for at least 2 years.

11 (e) Records of all in-plant tests, performed by a dairy plant operator on milk and dairy
12 products held or processed by the dairy plant operator, to determine bacterial counts or identify
13 possible adulteration of that milk or those dairy products. Records under this paragraph shall be
14 retained for at least one year.

15 (f) Records of private water supply tests, if any, conducted under s. ATCP 65.24 (8).
16 Records under this paragraph shall be retained for at least one year.

17 (g) Cleaning and sanitizing records for all C-I-P systems, as required under s. ATCP 65.30.

18 (2) (b). Records under this paragraph shall be retained for at least 6 months. Records may be
19 stored in electronic form, with or without hard copy printouts, if the electronic records are
20 readily accessible by a division representative.

21 (h) A record of every calibration, daily performance check, daily reference check, and
22 hourly reference check performed on a milkfat or protein testing device, as required by s. ATCP
23 65.84 (10). Records under this paragraph shall be retained for at least one year.

1 (i) Pasteurization records required under s. ATCP 80.50. Records under this paragraph shall
2 be retained for at least 6 months.

3 (j) Cleaning and sanitizing records for bulk milk tankers cleaned and sanitized at a dairy
4 plant, as required under s. ATCP 82.08 (4). Records under this paragraph shall be retained for at
5 least 15 days.

6 (k) Temperature records made by the dairy plant operator, including records of dairy product
7 temperatures, storage temperatures, and processing temperatures. Except where a longer
8 retention period is required for specific temperature records under this chapter, records under this
9 paragraph shall be retained for at least 6 months.

10 (L) Inventory control records for vitamin fortification of fluid milk products, including
11 vitamins used and the quantity of fortified fluid milk products produced. Records under this
12 paragraph shall be retained for at least 2 years.

13 (m) Vitamin assay test results conducted on fortified dairy products under s. ATCP 65.74 (4).
14 Records under this paragraph shall be retained for at least 2 years.

15 (n) Cleaning and sanitizing records required under s. ATCP 65.28 (7) (g). Records under this
16 paragraph shall be retained for at least 6 months.

17 (o) Bills of lading or other shipping documents relating to the bulk shipment of dairy
18 products from the dairy plant to another dairy plant, or to the dairy plant from another dairy
19 plant. The dairy plant operator shall retain each shipping document for at least 3 years. Each
20 shipping document shall include all of the following information:

21 1. The name, address, and license number of the dairy plant from which the shipment
22 originates. If the dairy product is a grade A dairy product, the shipping document shall also
23 include the dairy plant shipper identification number assigned under the PMO.

- 1 2. If the dairy product was shipped in a bulk milk tanker, the bulk milk tanker identification
- 2 number assigned under ch. ATCP 82 or the PMO and the seal number on the bulk milk tanker
- 3 inlet, outlet, wash connections, and vents.
- 4 3. The name of the dairy product shipped.
- 5 4. The weight of the dairy product shipped.
- 6 5. The temperature of the dairy product when loaded for shipment.
- 7 6. The date of shipment.
- 8 7. The name of the dairy regulatory agency at the shipment point of origin.
- 9 8. Whether the dairy product was raw, pasteurized, or treated with heat to an extent less than
- 10 pasteurization.
- 11 9. The grade of product.

12 **(2) ACCESSIBILITY OF RECORDS; ELECTRONIC RECORDS.** Records under sub. (1) shall be kept
13 at the dairy plant, and shall be made available to the division for inspection and copying upon
14 request. Records may be kept in electronic form, with or without hard copy printouts, if the
15 electronic records are readily accessible to a division representative and the dairy plant operator
16 maintains secure electronic backup.

17 **ATCP 65.46 Dairy plant reports to department.** **(1) REPORTS RELATED TO LICENSES,**
18 **PERMITS, FINANCIAL STATEMENTS AND MILK QUALITY.** A dairy plant operator shall submit all of
19 the following reports to the department:

- 20 (a) Reports required for the issuance or renewal of a dairy plant license or grade A permit
- 21 under s. ATCP 65.02.
- 22 (b) Financial statements and reports required under ch. ATCP 100, if any.

1 (c) Milk quality test reports required under subch. V and dairy farm inspection reports
2 required under ss. ATCP 65.910 and 65.912.

3 (2) REPORTS RELATED TO RESULTS OF PRODUCT TESTING FOR MICROBIAL PATHOGENS OR
4 TOXINS. (a) Except as provided in par. (b), a dairy plant operator shall report to the division the
5 result of any microbiological test or laboratory analysis that confirms the presence of a
6 pathogenic organism or toxin in a ready-to-eat dairy product produced by the operator. The
7 operator shall report to the division within 24 hours after the operator obtains the test result. The
8 operator may report orally, electronically, or in writing.

9 (b) A dairy plant operator is not required to report a test result under par. (a) if all the
10 following apply:

11 1. The ready-to-eat dairy product is identified by a product code or production lot number
12 and remains under the control or custody of the dairy plant operator.

13 2. The operator does not sell or distribute any ready-to-eat dairy product that bears the
14 product code or production lot number under subd. 1.

15 **ATCP 65.48 Confidential information.** (1) None of the following information, received
16 by the department from a dairy plant operator, is not subject to public inspection under s. 19.35,
17 Stats.:

18 (a) Financial information protected from disclosure under s. 126.84 (1) (a), Stats.

19 (b) Information qualifying as a trade secret as defined in s. 134.90 (1) (c), Stats.

20 (2) None of the following information received by the department from a dairy plant
21 operator is subject to public inspection under s. 19.35, Stats., unless the department determines
22 that inspection is necessary to protect the public health, safety, or welfare:

1 (a) Information that identifies individual milk producers who deliver milk to the dairy plant
2 operator if the information is in the form of a composite list identifying those producers with that
3 dairy plant operator, except as provided under s. 126.70 (6), Stats.

4 **Note:** See s. 97.20 (3m), Stats.

5 (b) Information pertaining to individual milk producer production and milk quality records if
6 that information identifies the producer.

7 **Note:** See s. 97.22 (10), Stats.

8 **ATCP 65.50 Dairy product labeling. (1) GENERAL.** Dairy product labeling shall comply
9 with applicable requirements in ch. 97, Stats., this chapter, and chs. ATCP 81, 83, 85, and 90.

10 **(2) PRODUCTS NOT FOR HUMAN CONSUMPTION.** No dairy plant operator may distribute any
11 dairy product manufactured by that dairy plant operator unless any of the following applies:

12 (a) The dairy product complies with, and has been produced according to, this chapter and
13 ch. ATCP 82.

14 (b) The dairy product is prominently labeled as animal feed according to ch. ATCP 42.

15 (c) The dairy product is prominently labeled as "NOT FOR HUMAN FOOD OR ANIMAL
16 FEED" and is sold only for non-food and non-feed purposes. The label shall include the
17 manufacturer's name and address and the address of the location where the product was
18 manufactured. The label may not include any dairy plant license or identification number issued
19 by the department.

20 **Subchapter IV – Pasteurization**

21 **ATCP 65.52 Raw milk sales prohibited; exemptions.** No person may sell or distribute
22 unpasteurized fluid milk or milk products to consumers or to any person for resale or
23 redistribution in unpasteurized form to consumers. This section does not prohibit any of the
24 following:

1 (1) The sale or distribution of fluid milk or milk products that are heat sterilized in
2 hermetically sealed containers.

3 (2) The distribution of unpasteurized fluid milk, produced on a dairy farm, to any of the
4 following:

5 (a) The milk producer who is licensed under s. ATCP 65.02 (1) to operate that dairy farm,
6 and who, as license holder, assumes legal responsibility for dairy farm and milking operations.

7 (b) An individual who has a bona fide ownership interest in the dairy farm and milking
8 operation under par. (a), if the milk producer operating the dairy farm and milking operation is a
9 legal entity other than an individual or married couple.

10 (c) A family member or nonpaying household guest who consumes the milk at the home of
11 an individual milk producer or bona fide owner under par. (a) or (b).

12 (3) The sale or distribution of unpasteurized milk, produced on a dairy farm, to the
13 employees of that dairy farm.

14 (4) The incidental sale of unpasteurized milk to a consumer at the dairy farm where the milk
15 is produced. A sale is not incidental if the consumer subsequently sells the milk or distributes the
16 milk, other than distribution for consumption by the consumer, the consumer's family, or the
17 consumer's nonpaying household guests. A sale is not incidental if it is made in the regular
18 course of business, or is preceded by any advertising, offer or solicitation made to the general
19 public through any communications medium.

20 **ATCP 65.54 Pasteurization required.** (1) Except as provided under sub. (2), every dairy
21 product shall be pasteurized at the dairy plant where that dairy product is manufactured.

22 (2) Subsection (1) does not apply to any of the following:

1 (a) A dairy product shipped in bulk to another dairy plant for use in manufacturing dairy
2 products, provided that the shipment is accompanied by a bill of lading that identifies the dairy
3 product as unpasteurized.

4 (b) A dairy product made entirely from dairy products that have been pasteurized at the same
5 dairy plant.

6 (c) Ice cream or frozen dessert made from pasteurized ice cream mix or pasteurized frozen-
7 dessert mix, provided that no unpasteurized dairy product is added to the pasteurized mix.

8 (d) A dairy product for which the standard of identity provides that the dairy product and its
9 ingredients need not be pasteurized.

10 (e) A dairy product that is sterilized and packaged in a hermetically sealed package.

11 (f) Cream, skim milk, or lowfat milk that have been treated with heat to an extent less than
12 pasteurization, and then shipped in bulk to another dairy plant for use in manufacturing dairy
13 products, provided that the bulk shipment is accompanied by a bill of lading that identifies the
14 contents of the bulk shipment as being unpasteurized and heat-treated. The heat-treated cream,
15 skim milk, or lowfat milk may be heated not more than once for separation purposes, to a
16 temperature that is not less than 125° F. (52° C.) nor more than 161° F. (72° C.). Heat-treated
17 cream may be heated to a greater extent, up to a temperature of 166° F. (75° C.) in a continuing
18 heating process, if further heating is necessary to deactivate enzymes for functional reasons.
19 Cream, skim milk, and lowfat milk, after being heated to an extent less than pasteurization, shall
20 immediately be cooled to a temperature of 45° F. (7° C.) or less.

21 (g) Dried condensed whey produced by drying condensed whey that was previously
22 pasteurized at another dairy plant, provided that all of the following apply:

1 1. The pasteurized condensed whey received for drying contained at least 40% total solids,
2 and was partially crystallized by cooling at the dairy plant where it was pasteurized.

3 2. The partially crystallized condensed whey was kept at a temperature of 45° F. (7° C.) or
4 less prior to drying.

5 3. The bulk milk tanker used to transport the partially crystallized condensed whey was
6 washed and sanitized immediately prior to filling, was sealed immediately after filling, and
7 remained sealed until it was unloaded at the receiving dairy plant.

8 4. The receiving dairy plant unloaded the partially crystallized condensed whey using
9 unloading pumps and pipelines that are used only for that purpose and cleaned and sanitized the
10 pumps and pipelines as a separate cleaning circuit before use in unloading.

11 (h) Grade B dairy products produced by adding previously pasteurized and dried dairy
12 products with a low water activity to previously pasteurized grade B dairy products, if approved
13 by the division.

14 (i) Grade B dairy products produced by adding previously pasteurized packaged dairy
15 products to previously pasteurized grade B dairy products, if approved by the division.

16 (j) A dairy product shipped in bulk to a licensed food processing plant for use in
17 manufacturing food products, provided that the shipment is accompanied by a bill of lading that
18 identifies the dairy product as unpasteurized and that the food processing plant will use a
19 recognized treatment step in processing to render the dairy product safe.

20 **(3)** A dairy product that is required to be pasteurized under sub. (1) shall be pasteurized by,
21 or under the direct supervision of, a pasteurizer operator who has successfully completed any of
22 the following:

1 (a) A pasteurization training course of at least 8 hours duration provided by the university of
2 Wisconsin or an equivalent course approved by the division.

3 (b) A competency examination approved by the division.

4 (4) If a dairy product standard of identity requires that any ingredient of that product be
5 pasteurized, the ingredient shall be pasteurized according to s. ATCP 65.58.

6 (5) Except as provided in subs. (6) to (8), a dairy product that is required to be pasteurized
7 under sub. (1) or (4) shall be pasteurized before it is introduced into any membrane or
8 condensing processing system.

9 (6) Subsection (5) does not apply to grade B whey or whey product if at least one of the
10 following applies:

11 (a) The whey or whey product is derived from milk pasteurized in the same dairy plant.

12 (b) The whey is acid whey, which has a pH less than 4.7 when drawn from the curd.

13 (c) The whey or whey product is processed in a membrane processing system that complies
14 with sub. (9) and is designed and maintained to keep the whey or whey product at a temperature
15 of 65° F. (18.3° C.) or below during processing. If the whey or whey product temperature
16 exceeds 65° F. (18.3° C.) for more than 15 minutes during processing, or exceeds 70° F. (21.1°
17 C.) at any time during processing, the whey or whey product shall be immediately diverted from
18 moving beyond the membrane processing system by means of automatic controls. The diverted
19 product shall be treated in one of the following ways:

20 1. Recycled through the membrane processing system and subjected to cooling. The diverted
21 product may proceed beyond the membrane processing system when the product temperature
22 falls to 65° F. (18.3 ° C.) or below.

1 2. Cooled in a system other than the membrane processing system until the temperature falls
2 to 45° F. (7° C.) or below, and may then be reintroduced into the membrane processing system.

3 3. Pasteurized in a pasteurization system, and may then be reintroduced into the membrane
4 processing system.

5 4. Discarded.

6 **(7)** Subsection (5) does not apply to grade A whey or whey product that is pasteurized in a
7 membrane processing system that complies with sub. (9) if at least one of the following apply:

8 (a) The whey is acid whey, which has a pH less than 4.7 when drawn from the curd.

9 (b) The membrane processing system is designed and maintained to keep the whey or whey
10 product at a temperature of 45° F. (7° C.) or below during processing.

11 **(8)** Subsection (5) does not apply to raw milk that is processed, prior to pasteurization, in a
12 membrane processing system that complies with sub. (9) and is designed and maintained to keep
13 the milk at a temperature of 65° F. (18.3° C.) or below during processing. If the milk
14 temperature exceeds 65° F. (18.3 ° C.) for more than 15 minutes during processing, or exceeds
15 70° F. (21.1° C.) at any time during processing, the milk shall be immediately diverted from
16 moving beyond the membrane processing system by means of automatic controls. The diverted
17 milk shall be treated in any of the following ways:

18 (a) Recycled through the membrane processing system and subjected to cooling. The
19 diverted product may proceed beyond the membrane processing system when the product
20 temperature falls to 65° F. (18.3° C.) or below.

21 (b) Cooled in a system other than the membrane processing system until the temperature falls
22 to 45° F. (7° C.) or below, and may then be reintroduced into the membrane processing system.

1 (c) Pasteurized in a pasteurization system, and may then be reintroduced into the membrane
2 processing system.

3 (d) Discarded.

4 (9) A membrane processing system under sub. (6) (c), (7), or (8) shall be equipped with
5 temperature monitoring and recording devices that comply with PMO Appendix H, Subsection
6 IV. At a minimum, the system shall monitor and record product temperature at all of the
7 following points during processing:

8 (a) The point at which the dairy product enters the system.

9 (b) A point immediately preceding each intermediate cooling.

10 (c) A point immediately preceding final cooling.

11 (d) The point at which the product exits the system.

12 **Note:** PMO Appendix H, Subsection IV is on file with the division and the legislative reference bureau. Copies
13 may be obtained from the division at cost or online at
14 <http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk>.

15
16 **ATCP 65.56 Labeling pasteurized and unpasteurized products (1)** If a dairy product is
17 pasteurized or made exclusively from pasteurized ingredients, the label on every shipping
18 container of that dairy product shall clearly and conspicuously state that the product is
19 pasteurized. If a grade A dairy product is pasteurized or made exclusively from pasteurized
20 ingredients, the label on every shipping container and consumer package of that grade A dairy
21 product shall clearly and conspicuously state that the grade A dairy product is “pasteurized” or
22 “UHT pasteurized,” if appropriate. Every label under this subsection shall also include the name
23 and address, or the unique identification number, of the dairy plant where the dairy product was
24 pasteurized.

1 (2) Except as provided under sub. (3) or (4), if a dairy product is not pasteurized or made
2 exclusively from pasteurized ingredients, the label on every shipping container and consumer
3 package of that dairy product shall state that the product is unpasteurized.

4 (3) Subsection (2) does not apply to cheese that meets all of the following requirements:

5 (a) The standard of identity for the cheese provides that the cheese may be made from
6 unpasteurized dairy products.

7 (b) The cheese is held for at least 61 days at a temperature not less than 35° F. before being
8 distributed for retail sale, or for further processing without pasteurization.

9 (c) The label on every shipping container and consumer package of cheese states that the
10 cheese is “aged over 60 days.”

11 (4) Subsection (2) does not apply to a dairy product that is sterilized and sealed in a
12 hermetically sealed container.

13 **Note:** See dairy product labeling requirements in subch. III.

14 **ATCP 65.58 Pasteurization time and temperature (1)** If a dairy product is required to be
15 pasteurized under s. ATCP 65.54, the dairy product shall be pasteurized according to this section
16 unless the division authorizes a different but equally effective pasteurization method in writing.
17 Alternative methods of pasteurization of grade A products must be recognized by the United
18 States food and drug administration. Every particle of the dairy product shall be heated to the
19 required temperature and continuously held at or above the required temperature for the required
20 period of time. Pasteurization equipment shall be equipped with accurate measuring, recording,
21 and control devices, as required by ss. ATCP 65.60 and 65.62, to ensure that the time and
22 temperature requirements under this section are met.

23 (2) Dairy products identified in table 2, unless UHT pasteurized under sub. (3), shall be
24 pasteurized in a batch pasteurizer tested in accordance with s. ATCP 65.68 or HTST pasteurizer

1 tested in accordance with s. ATCP 65.68 at or above the temperature specified in the table for at
 2 least the length of time specified in the table.

3 **Table 2**
 4 **Pasteurization Requirements for Selected Dairy Products**

Product Group	Batch Pasteurization	HTST Pasteurization
(a) Milk, skim milk, or buttermilk	145°F.(63° C.) for 30 minutes	161°F. (72°C.) for 15 seconds
(b) Cream, fluid dairy products, or blends of those products	150°F. (66° C.) for 30 minutes	166°F. (75°C.) for 15 seconds
(c) Cream for butter	165°F. (74°C.) for 30 minutes	185°F. (85° C.) for 15 seconds
(d) High total solids products (>18%)	150°F. (66° C.) for 30 minutes	166° F. (75° C.) for 15 seconds
(e) Frozen-dessert mixes	155° F. (69°C.) for 30 minutes	175°F. (80°C.) for 25 seconds or 180° F. (83°C.) for 15 seconds
(f) Egg nog	155° F. (69°C.) for 30 minutes	175° F. (80° C.) for 25 seconds or 180° F. (83°C.) for 15 seconds
(g) Process cheese	150°F. (66° C.) for 30 seconds	—

5
 6 **(3)** A dairy plant operator may use an HHST pasteurizer as an alternative to an HTST
 7 pasteurizer. An HHST pasteurizer shall operate at temperatures of 191° F. (89° C.) and above
 8 with holding times of 1 second or less. An HHST pasteurizer shall heat and hold a dairy product
 9 at one of the following temperatures for the corresponding length of time:

- 10 (a) 191° F. (89° C.) for 1.0 sec.
 11 (b) 194° F. (90° C.) for 0.5 sec.

1 (c) 201° F. (94° C.) for 0.1 sec.

2 (d) 204° F. (96° C.) for 0.05 sec.

3 (e) 212° F. (100° C.) for 0.01 sec.

4 **(4)** A UHT pasteurized dairy product shall be thermally processed at or above a temperature
5 of 280° F. (138° C.) for at least 2 seconds in order to destroy microbes in the dairy product.

6 **ATCP 65.60 Batch pasteurization.** Batch pasteurization equipment shall be of the non-coil
7 type. Batch pasteurization equipment shall be constructed and operated so that pasteurization
8 complies with item 16p (A) of the PMO and with applicable “3-A Sanitary Standards” and “3-A
9 Accepted Practices” listed in ch. ATCP 65 Appendix A. Thermometers shall be constructed and
10 operated in compliance with PMO Appendix H, item IV. The temperature of the air space above
11 the pasteurized product shall be at least 5° F. (3° C.) higher than the minimum pasteurization
12 temperature of the pasteurized product.

13 **Note:** The “3-A Sanitary Standards” and “3-A Accepted Practices” listed in Appendix A are published by 3-A
14 Sanitary Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA 22101-3850, telephone (703)
15 790-0295, website www.3-a.org. Copies are on file with the division and the legislative reference bureau. Copies
16 may be purchased from the “3-A Sanitary Standards, Inc. Online Store” at <http://www.techstreet.com>. Copies of
17 the PMO are on file with the division and the legislative reference bureau. Copies may be obtained from the
18 division at cost or are available online at
19

20 **ATCP 65.62 HTST and HHST pasteurization.** Pasteurization by means of HTST or
21 HHST pasteurization shall comply with the standards set forth in “3-A Accepted Practices for the
22 Sanitary Construction, Installation, Testing and Operation of High-Temperature Short-Time and
23 Higher Heat Shorter Time Pasteurizer Systems,” standard 3A 603-07 (November, 2005),
24 published by 3-A Sanitary Standards, Inc.

25 **Note:** Copies of the “3-A Accepted Practices for the Sanitary Construction, Installation, Testing, and Operation
26 of High-Temperature Short-Time and Higher Heat Shorter Time Pasteurizer Systems,” standard 3A 603-07
27 (November, 2005) are on file with the division and the legislative reference bureau. Copies may be obtained from
28 the “3-A Sanitary Standards, Inc. Online Store” at <http://www.techstreet.com>.
29

1 **ATCP 65.64 Aseptic processing and packaging. (1) GRADE A REQUIREMENTS.** Grade A
2 aseptic processing and packaging systems shall comply with standards specified in PMO items
3 16p (B), (C), and (D) and with standards specified by the food and drug administration, United
4 States department of health and human services, under 21 CFR 113 and 21 CFR 114.

5 **(2) GRADE B REQUIREMENTS.** Grade B aseptic processing and packaging systems shall
6 comply with standards specified by the food and drug administration, United States department
7 of health and human services, under 21 CFR 113 and 21 CFR 114.

8 **Note:** The PMO is on file with the division and the legislative reference bureau. Copies may be obtained from
9 the division at cost or online at
10 <http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk>.

11
12 **ATCP 65.66 Pasteurization records. (1) GENERAL.** A dairy plant operator shall keep
13 pasteurization records for all dairy products pasteurized by the operator. Records shall cover all
14 types of pasteurization operations, including batch operations, HTST operations, and HHST
15 operations. Records shall comply with this section. The department shall review pasteurization
16 records as part of each routine inspection of a dairy plant.

17 **(2) BATCH PASTEURIZATION RECORDS.** Except as provided in sub. (3), batch pasteurization
18 records shall include all the following:

19 (a) Each date on which dairy products are pasteurized.

20 (b) The identification number or location of each pasteurization time and temperature
21 recording chart, if more than one is used.

22 (c) A continuous temperature recording chart temperature record for each batch of
23 pasteurized product.

24 (d) The pasteurization holding time, as shown on the temperature recording chart, for each
25 batch of pasteurized product. Records shall include filling and emptying times, if applicable.

1 (e) The temperature reading on the airspace thermometer at the start and end of the
2 pasteurization holding period, and at specific times identified as points on the temperature
3 recording chart.

4 (f) The temperature reading on the indicating thermometer at the start of the pasteurization
5 holding period, and at a specific time identified as a point on the temperature recording chart.

6 (g) The name and quantity of dairy product included in each pasteurization batch shown on
7 the temperature recording chart.

8 (h) A record of any unusual circumstances that occurred during each batch pasteurization.

9 (i) The name of the dairy plant.

10 (j) The signature or initials of the dairy plant operator, or a responsible employee or agent of
11 the operator.

12 **(3) HTST AND HHST PASTEURIZATION RECORDS.** Pasteurization records for HTST and
13 HHST pasteurization operations shall include all the following:

14 (a) Each date on which dairy products are pasteurized.

15 (b) The identification number or location of each pasteurization time and temperature
16 recording chart, if more than one is used.

17 (c) A continuous temperature recording chart for each pasteurization run.

18 (d) The temperature reading on the indicating thermometer at the start of each pasteurization
19 run, and at a specific time identified as a point on the temperature recording chart.

20 (e) Documentation, on the temperature recording chart, of every time period during which
21 the flow-diversion device on the pasteurizer is in the forward-flow position.

1 (f) The cut-in and cut-out product temperatures at the beginning of each HTST pasteurization
2 run. The pasteurizer operator shall record these temperatures daily on the temperature recording
3 chart.

4 (g) The temperature reading on the indicating thermometer whenever the temperature
5 recording chart for the pasteurization system is changed.

6 (h) The name and quantity of dairy product included in each pasteurization run shown on the
7 temperature recording chart.

8 (i) A record of any unusual circumstances that occurred during each pasteurization run.

9 (j) The name of the dairy plant.

10 (k) The signature or initials of the dairy plant operator, or a responsible employee or agent of
11 the operator.

12 **(4) FLOW RECORDS FOR HTST AND HHST PASTEURIZERS WITH METER BASED TIMING**
13 **SYSTEMS.** In addition to requirements in sub. (3), pasteurization records for HTST and HHST
14 pasteurization operations with meter based timing systems shall include all of the following:

15 (a) Each date on which dairy products are pasteurized.

16 (b) The identification number or location of each pasteurization time and flow-rate recording
17 chart, if more than one is used.

18 (c) A continuous flow-rate recording chart record of the flow rate.

19 (d) A continuous flow-rate recording chart record of the status of the high and low flow/loss
20 of signal alarms.

21 (e) The name and quantity of dairy product pasteurized in each pasteurization run shown on
22 the flow-rate recording chart.

23 (f) A record of any unusual circumstances that occurred during each pasteurization run.

1 (g) The name of the dairy plant.

2 (h) The signature or initials of the dairy plant operator or a responsible employee or agent of
3 the operator.

4 **ATCP 65.68 Pasteurizer testing. (1) GENERAL.** The division shall test and seal
5 pasteurization systems according to this section. Except as provided under sub. (6), no person
6 may use any pasteurization system to pasteurize grade A or grade B dairy products unless that
7 system bears the unbroken seals applied by the department under sub. (5).

8 **(2) TEST PROCEDURE.** The division shall test grade A and grade B pasteurization systems
9 according to the procedure specified in PMO Appendix I.

10 **Note:** PMO Appendix I is on file with the division and the legislative reference bureau. Copies may be
11 obtained from the division at cost or online at
12 <http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk>.

13
14 **(3) TEST FREQUENCY; GRADE A PASTEURIZERS.** The division shall test each grade A
15 pasteurization system at the following times:

16 (a) Before the pasteurization system is first put into operation.

17 (b) At least once every 3 months, except that a holding time test may be conducted at least
18 once every 6 months.

19 (c) Whenever a seal under sub. (5) is broken.

20 **(4) TEST FREQUENCY; GRADE B PASTEURIZERS.** The division shall test a grade B
21 pasteurization system at the following times:

22 (a) Before the pasteurization system is first put into operation.

23 (b) At least once every 12 months.

24 (c) Whenever a seal under sub. (5) is broken.

1 (5) DEPARTMENT SEALS. When the division's test confirms that a pasteurization system is
2 operating correctly, the division shall apply seals that prevent any alteration of the system that
3 would allow any unpasteurized milk or dairy product to flow through the system.

4 (6) BROKEN SEAL. (a) A dairy plant operator shall notify the division by telephone,
5 electronic mail, or facsimile (FAX) transmission within 2 hours after the dairy plant operator
6 breaks a seal applied by the division under sub. (5) and within 2 hours after a pasteurizing system
7 malfunctions to the possible detriment of public health or safety. The dairy plant operator shall
8 also notify the department in writing, on a form provided by the division, within 5 business days
9 after the seal is broken or the system malfunctions.

10 (b) A dairy plant operator may not operate a pasteurizer after breaking a seal applied by the
11 department under sub. (5) unless all of the following conditions are met:

12 1. The dairy plant operator notifies the department under par. (a).

13 2. The dairy plant operator determines and documents that pasteurization time and
14 temperature requirements under s. ATCP 65.58 are met, and that the pasteurization system is
15 repaired and functioning properly. Time and temperature records required by s. ATCP 65.66
16 shall be retained for at least 6 months.

17 3. The dairy plant operator conducts phosphatase tests under par. (d) if the pasteurizer is used
18 to pasteurize milk without added flavors or ingredients other than vitamins. Phosphatase testing
19 shall confirm that pasteurized milk without added flavors or ingredients other than vitamins
20 contains less than 350 milli-units of detectable alkaline phosphatase per liter.

21 4. A pasteurizer operator qualified under s. ATCP 65.54(3) is present to operate the
22 pasteurizer, or to supervise its operation.

1 (c) A dairy plant operator may not operate a pasteurizer for more than 10 calendar days after
2 breaking a seal applied by the department under sub. (5) unless any of the following occurs:

3 1. The division tests the pasteurizer and replaces the broken seal.

4 2. A dairy plant operator or employee certified under sub. (7) tests the pasteurizer and
5 replaces the broken seal on an interim basis, pending retesting and resealing by the department.

6 (d) Phosphatase testing under par. (b) 3. shall comply with all of the following requirements:

7 1. The dairy plant operator shall collect a test sample, directly from the pasteurizer system, at
8 least once during every 4 hours of pasteurizer operations.

9 2. The dairy plant operator shall store each test sample at a temperature below 45° F. (7° C.)
10 until it is tested and shall test each sample within 48 hours after it is collected.

11 3. The dairy plant operator shall test each sample using the Fluorophos ALP method, the
12 Charm Paslite Alkaline Phosphatase method, or another test method approved in writing by the
13 division.

14 4. Tests shall be performed by an individual who is trained to conduct phosphatase tests on
15 milk. If the dairy plant is a grade A dairy plant, tests shall be performed by a laboratory that the
16 department has certified under ch. ATCP 77 or the PMO.

17 **(7) EMERGENCY TESTING AND SEALING.** (a) The division may certify a dairy plant operator
18 or employee to test and seal a pasteurization system in that dairy plant on an emergency basis
19 under par. (b). To be certified under this paragraph, a dairy plant operator or employee shall
20 have successfully completed a training course approved by the division. The division may
21 suspend or revoke certification for cause.

22 (b) A dairy plant operator or employee certified under par. (a) may test and seal a
23 pasteurization system in that dairy plant on an emergency basis, pending retesting and resealing

1 by the division under par. (c), if emergency testing and sealing is necessary to continue
2 pasteurizing operations after the department's seal is broken. Testing under this paragraph shall
3 comply with the procedure specified under sub. (2).

4 (c) The division shall promptly retest and reseal a pasteurization system after the division
5 receives notice under sub. (6) (a) that its seal applied to that system has been broken. The
6 division shall retest and reseal a pasteurization system under this paragraph, regardless of
7 whether the pasteurization system has been tested and sealed under par. (b). The division need
8 not retest or reseal a pasteurization system that is withdrawn from service.

9 **Subchapter V – Safety and Quality Standards**

10 **ATCP 65.70 Milk quality standards for milk collected from a dairy farm.** Milk received
11 or collected from a dairy farm shall comply with all of the following standards at the time of
12 receipt or collection:

13 (1) **ADULTERATION AND ODORS.** The milk shall not be visibly or otherwise adulterated, have
14 any objectionable odor, or be abnormal in appearance or consistency.

15 (2) **BACTERIAL COUNT.** (a) *Limits.* The bacterial count of grade A milk, as determined by a
16 standard plate count, plate loop count or other method approved by the division under this
17 subchapter, shall not exceed 100,000 per ml. The bacterial count of grade B milk shall not
18 exceed 300,000 per ml. Except as provided under par. (f), a dairy plant operator is not required
19 to reject milk shipments in response to a violation of this subsection unless the division suspends
20 or revokes the milk producer's license or grade A producer permit, or issues an order affecting
21 the milk shipments under s. ATCP 65.927.

22 (b) *Monthly testing required.* During every month in which a dairy plant operator receives
23 milk from a milk producer, the dairy plant operator shall perform at least one standard plate

1 count (SPC) or plate loop count (PLC) on a milk sample obtained from the producer under s.
2 ATCP 82.12. A dairy plant operator shall perform tests under this section and s. ATCP 65.76 on
3 the same milk samples.

4 (c) *New milk producer; initial testing.* A dairy plant operator shall perform a standard plate
5 count (SPC) or plate loop count (PLC) on a milk sample collected from a milk producer's first
6 milk shipment to that operator. The dairy plant operator shall report the test result to the
7 department and the milk producer within 7 days after the dairy plant operator obtains the test
8 result.

9 (d) *Monthly reporting.* For each month in which a dairy plant operator procures milk from a
10 milk producer, the dairy plant operator shall report to the division and the milk producer at least
11 one representative test result under par. (b) for a milk shipment procured in that month. The
12 dairy plant operator shall report the test result within 7 days after the operator obtains the test
13 result.

14 (e) *Representative test results.* A test result is not representative, for reporting purposes
15 under sub. (3), unless all the following apply:

16 1. The dairy plant operator collects the test sample according to a uniform sampling schedule
17 that the operator applies to all milk producers who ship milk to the operator's dairy plant.

18 2. The dairy plant operator reports the test result according to standard reporting criteria that
19 the operator applies to all milk producers who ship milk to the dairy plant operator's dairy plant.

20 (f) *Immediate response level; reporting and follow-up.* If a bacterial count under this section
21 or s. ATCP 65.76 exceeds 750,000 per ml., the dairy plant operator shall do all the following:

22 1. Report the test result to the division and the milk producer within 3 business days after the
23 operator obtains the test result.

1 2. Perform a confirmatory bacteriological test on at least one more sample of milk collected
2 from the milk producer's dairy farm. The dairy plant operator shall collect the confirmatory
3 sample within 14 days after the date on which the dairy plant operator collected the original
4 sample. The dairy plant operator shall report the confirmatory test result to the division and the
5 milk producer within 3 business days after the operator obtains the test result.

6 3. Reject milk shipments from the dairy farm if the confirmatory test shows a bacterial count
7 still in excess of 750,000 per ml. The milk producer may not ship milk from the dairy farm to
8 any dairy plant until a dairy plant operator conducts another test and finds that milk from the
9 farm no longer has a bacterial count in excess of 750,000 per ml.

10 (g) *Division inspection; reinspection fee.* The division may inspect a dairy farm in response
11 to any bacterial count reported to the division under this section. If the division inspects a dairy
12 farm in response to a confirmatory bacterial count of more than 750,000 per ml. under par. (f),
13 the division shall charge a reinspection fee under s. ATCP 65.02. The division may not charge a
14 reinspection fee if the confirmatory bacterial count does not exceed 750,000 per ml., or if the
15 division inspects more than 3 weeks after the division receives the confirmatory bacterial count.

16 **Note:** Under s. ATCP 65.924 the department will suspend a producer's grade A farm permit if 3 of the last 5
17 bacterial counts reported to the department under this section exceed the grade A standard of 100,000 per ml. under
18 s. ATCP 65.70 (2). The department will suspend the producer's grade A permit regardless of whether any bacterial
19 count exceeds the immediate response level of 750,000 per ml. under this section.

20
21 **Note:** Under s. ATCP 65.920 the department may suspend a milk producer's license if bacterial counts continue
22 to exceed the grade B standard of 300,000 per ml. under s. ATCP 65.70 (2). The department may suspend the
23 producer's license regardless of whether any bacterial count exceeds the immediate response level of 750,000 per
24 ml. under this section. If 2 of the last 4 bacterial counts reported to the department under this section exceed the
25 grade B standard of 300,000 per ml., the department will, at a minimum, send a warning notice to the producer.

26
27 (h) *Laboratory reporting.* A laboratory that performs tests under this section for a dairy
28 plant operator may report the test results for the dairy plant operator.

29 (i) *Electronic reporting.* A dairy plant operator or laboratory shall report test results under
30 this section in an electronic form approved by the division.

1 (3) DRUG RESIDUES. The milk shall not contain any drug residue. A dairy plant operator
2 shall test each load of milk received from each milk producer for drug residues in accordance
3 with s. ATCP 65.72.

4 (4) SOMATICCELL COUNT. (a) *Limits*. The somatic cell count of cow or sheep milk, as
5 determined by a direct microscopic somatic cell count, an electronic somatic cell count, or other
6 method approved by the division under this subchapter, shall not exceed 750,000 cells per ml.
7 The somatic cell count of goat milk, as determined by the Pyronin Y Methyl green stain test,
8 shall not exceed 1,500,000 cells per ml. Except as provided under sub. (g), a dairy plant is not
9 required to reject milk shipments in response to a violation of this subsection unless the
10 department suspends or revokes the milk producer's license or grade A producer permit, or
11 issues an order affecting the milk shipments under s. ATCP 65.927.

12 (b) *Monthly Testing Required*. During every month in which a dairy plant operator procures
13 milk from a milk producer, the dairy plant operator shall perform at least one somatic cell count
14 on a milk sample obtained from the producer under s. ATCP 82.12. If the dairy plant operator
15 tests more than one milk sample each month, the dairy plant operator shall collect the samples at
16 regular intervals throughout the month. A dairy plant operator shall perform tests under this
17 section and s. ATCP 65.76 on the same milk samples.

18 **Note:** Somatic cell tests must be performed using methods prescribed under s. ATCP 65.78 (3). The maximum
19 time between sample collection and testing depends on the test method used.
20

21 (c) *New milk producer; initial testing*. A dairy plant operator shall perform a somatic cell
22 count on a milk sample collected from a milk producer's first milk shipment to that operator.
23 The operator shall report the test result to the division and the producer within 7 days after the
24 operator obtains the test result.

1 (d) *Test methods.* A somatic cell count under this section shall be a direct microscopic
2 somatic cell count or an electronic somatic cell count. If the somatic cell count on goat milk
3 exceeds 1,500,000 somatic cells per ml., the somatic cell count shall be confirmed using the
4 Pyronin Y Methyl green stain test, unless that test was used to obtain the initial count.

5 (e) *Monthly reporting.* For each month in which a dairy plant operator procures milk
6 shipments from a milk producer, the dairy plant operator shall report to the division and the
7 producer at least one representative somatic cell count under sub. (4) for a milk shipment
8 procured in that month. The dairy plant operator shall report the somatic cell count within 7 days
9 after the dairy plant operator obtains the count.

10 (f) *Representative somatic cell counts.* A somatic cell count is not representative, for
11 reporting purposes under sub. (4), unless all the following apply:

12 1. The dairy plant operator collects the test sample according to a uniform sampling schedule
13 that the dairy plant operator applies to all milk producers who ship milk to the same dairy plant.

14 2. The dairy plant operator reports the somatic cell count according to standard reporting
15 criteria that the dairy plant operator applies to all milk producers who ship milk to the same dairy
16 plant.

17 (g) *Immediate response level; reporting and follow-up.* If a somatic cell count under this
18 section exceeds 1,000,000 somatic cells per ml. for cow or sheep milk, the dairy plant operator
19 shall do all the following:

20 1. Report the somatic cell count to the division and the milk producer within 3 business days
21 after the operator obtains the somatic cell count.

22 2. Perform a confirmatory somatic cell count on at least one more sample of milk collected
23 from the milk producer's dairy farm. The dairy plant operator shall collect the confirmatory

1 sample within 14 days after the date on which the operator collected the original sample. The
2 dairy plant operator shall report the confirmatory somatic cell count to the division and the milk
3 producer within 3 business days after the dairy plant operator obtains the confirmatory count.

4 3. Reject milk shipments from the dairy farm if the confirmatory somatic cell count under
5 par. (2) still exceeds 1,000,000 somatic cells per ml. The milk producer may not ship cow or
6 sheep milk from the dairy farm to any dairy plant until a dairy plant operator conducts another
7 somatic cell count and finds that the count no longer exceeds this number.

8 **Note:** The department will suspend a grade A farm permit if 3 of the last 5 reported somatic cell counts exceed
9 the standard under s. ATCP 65.70(4), regardless of whether any somatic cell count exceeds the immediate response
10 level under this subsection. See s. ATCP 65.924.

11 **Note:** Under s. ATCP 65.920, the department may suspend a milk producer license if somatic cell counts
12 continue to exceed the standard under s. ATCP 65.70 (4), regardless of whether any somatic cell count exceeds the
13 immediate response level under this subsection. If 2 of the last 4 reported somatic cell counts exceed the standard
14 under s. ATCP 65.70 (4), the department will at least send a warning notice to the producer. See s. ATCP 65.924.

15
16 (h) *Laboratory reporting.* A laboratory that performs somatic cell counts under this section
17 for a dairy plant operator may report the somatic cell counts for the dairy plant operator.

18 (5) TEMPERATURE. The temperature of milk received or collected from a dairy farm more
19 than 1 hour after the most recent milking shall not exceed 45° F. (7° C.), or 50° F. (10° C.) in the
20 case of grade B milk in cans. The temperature of blended milk consisting of milk from 2 or
21 more milkings, that was received or collected less than 2 hours after the most recent milking
22 shall not exceed 45° F.(7° C.).

23 (6) PESTICIDES AND TOXIC SUBSTANCES. The milk shall be free of pesticides and toxic
24 substances.

25 **ATCP 65.72 Drug residue testing. (1) MONTHLY TESTING OF PRODUCER MILK SHIPMENTS.**
26 During every month in which a dairy plant receives milk from a milk producer, the dairy plant
27 operator shall perform a drug residue test on a milk sample obtained from that producer under s.
28 ATCP 82.12 The drug residue test shall be sensitive, at a minimum, to beta lactam drug residues.

1 (2) NEW MILK PRODUCER; INITIAL TESTING. A dairy plant operator shall perform a drug
2 residue test on a milk sample collected from a milk producer's first milk shipment to that dairy
3 plant operator. The drug residue test shall be sensitive, at a minimum, to beta lactam drug
4 residues and any other drug residues for which testing is required under sub. (3) (b). If the
5 sample tests positive for any drug residue, the dairy plant operator shall report the result to the
6 division and the producer within the time prescribed in sub. (9).

7 (3) TESTING BULK LOADS. (a) *Beta lactam drug residues; routine bulk load testing.* The
8 operator of every dairy plant shall perform a drug residue test on every bulk load of raw milk
9 received at that dairy plant. The drug residue test shall be sensitive, at a minimum, to beta
10 lactam drug residues.

11 (b) *Other drug residues; random bulk load testing.* 1. In addition to performing routine beta
12 lactam tests under par. (a), the operator of a dairy plant shall randomly test bulk milk deliveries
13 received at that dairy plant for other drug residues whenever random testing is required by the
14 division under subd. 2. The random testing program shall be designed so that, during any
15 consecutive 6 month period, a milk shipment from each producer is included in at least 4
16 separate bulk load tests in each of 4 separate months.

17 2. The division may issue a periodic written notice to dairy plant operators, requiring dairy
18 plant operators to perform random tests under subd. 1. for drug residues specified in the
19 division's notice. The division shall issue the same notice to every dairy plant licensed by the
20 division. The notice shall specify the effective date of the random testing requirements and the
21 period of time during which the random testing requirements remain in effect.

22 (c) *Bulk load testing procedure.* Whenever a dairy plant operator performs a drug residue
23 test on a bulk load of milk under par. (a) or (b), the operator shall perform the test on a sample

1 taken from the bulk milk tanker. The test shall be completed before the bulk load is commingled
2 with any other milk. For testing purposes under pars. (a) and (b), a milk shipment received in
3 cans is considered a bulk load.

4 (d) *Responsibility for follow-up testing.* If a bulk load of milk tests positive for drug residue,
5 and if the dairy plant receiving that milk from producers is not the dairy plant to which those
6 producers are assigned for licensing purposes under s. ATCP 65.02, the operator of the receiving
7 dairy plant shall immediately notify the operator of the assigned dairy plant. The assigned dairy
8 plant is responsible for performing follow-up tests on producer samples under sub. (3), and for
9 rejecting producer shipments under sub. (6).

10 (4) DRUG RESIDUE FOUND IN BULK LOAD; FOLLOW-UP TESTING. If a bulk load of milk tests
11 positive for a drug residue under sub. (3), the dairy plant operator shall perform a drug residue
12 test on each of the individual milk producer samples collected for that bulk load under s. ATCP
13 82.12. The dairy plant operator shall test each milk producer's sample before collecting any
14 further milk from that producer. The drug residue test performed on each producer sample shall
15 be sensitive to the same drug residue that was detected in the bulk load. If a milk producer's
16 sample tests positive for any drug residue, the dairy plant operator shall perform a confirmatory
17 test using the same test method and sample. The dairy plant operator shall perform the
18 confirmatory test in duplicate, with single positive and negative controls. If either confirmatory
19 test result is positive for a drug residue, the milk producer's sample is considered positive for that
20 drug residue.

21 (5) DRUG RESIDUE FOUND IN BULK LOAD; LOAD REJECTED. If a bulk load of milk from one or
22 more milk producers tests positive for a drug residue under sub. (3), the dairy plant operator shall
23 reject the entire bulk load. Milk from a rejected bulk load may not be used for human food. The

1 dairy plant operator shall denature or take responsibility for disposing of the rejected bulk load in
2 a manner that precludes its use for human food.

3 (6) REJECTED BULK LOAD; DAIRY PLANT RECOVERY FROM PRODUCERS. (a) *Dairy plant loss*
4 *recovery*. Except as provided in (k), if a dairy plant operator properly rejects a bulk load of milk
5 under sub. (4), the dairy plant operator shall recover the value of that bulk load from producers
6 whose milk samples, representing milk shipments contained in that bulk load, test positive for
7 drug residue under sub. (3). The dairy plant operator shall recover what would have been the
8 value of the bulk load, had the load not tested positive for drug residue. The dairy plant operator
9 shall also recover any additional bulk load disposal, transportation, and testing costs that the
10 dairy plant operator incurs because the bulk load tests positive for drug residues.

11 (b) *Pro rata recovery*. Except as authorized under par. (k), the dairy plant operator shall
12 recover, from each offending producer under par. (a), a pro rata share of the total recovery
13 amount under par. (a). The pro rata recovery from each offending producer shall be based on the
14 size of that producer's shipment compared to those of other offending producers in the same bulk
15 load. If there is only one offending producer, the operator shall recover the entire amount from
16 that producer.

17 (c) *Recovery deadline*. The dairy plant operator shall recover the full amount owed by each
18 offending milk producer under par. (b) within 90 days after that producer's milk sample tests
19 positive for drug residue under sub. (3). If the dairy plant operator fails to recover the full
20 amount within that time period, the dairy plant operator shall give the department a written
21 explanation.

1 (d) *Payroll deduction.* A dairy plant operator may deduct the amount owed by an offending
2 milk producer under par. (b) from the dairy plant operator's payroll obligation to that offending
3 milk producer.

4 (e) *Notice of deduction.* A dairy plant operator shall give a milk producer at least 30 days
5 prior written notice of any deduction under par. (d), unless the milk producer transfers to another
6 dairy plant operator. The notice shall state all the following:

7 1. The basis for the deduction.

8 2. The total amount of the deduction.

9 3. The date on which the dairy plant operator will make each deduction.

10 4. That the dairy plant operator will meet with the milk producer to discuss the deduction, at
11 the milk producer's request.

12 (f) *Meeting to discuss recovery.* A dairy plant operator shall meet with a milk producer, at
13 the milk producer's request, to discuss the dairy plant operator's recovery from that milk producer
14 under this subsection. The dairy plant operator shall meet with the milk producer within 10 days
15 after the milk producer requests the meeting, unless the milk producer requests a later meeting
16 date. If the milk producer contests the validity of the recovery, and the matter is not resolved,
17 the dairy plant operator shall notify the milk producer that the milk producer may request a
18 hearing before the department under par. (g).

19 (g) *Hearing request.* If a milk producer contests the validity of a dairy plant operator's
20 recovery under this subsection, and if the parties do not resolve the matter after meeting under
21 par. (f), the producer may request a hearing before the division. A request for hearing does not
22 automatically stay a recovery under this subsection.

1 (h) *Informal hearing.* If a milk producer requests a hearing under par. (g), the division shall
2 hold an informal hearing by telephone or at the division's nearest regional office. The division
3 shall hold the informal hearing within 10 business days after the division receives the hearing
4 request, unless the milk producer agrees to a later hearing date. The division shall include the
5 producer and the dairy plant operator in the informal hearing.

6 (i) *Formal hearing.* If an informal hearing under par. (h) does not resolve the matter, a milk
7 producer may request a contested case hearing before the department under ch. ATCP 1 and ch.
8 227, Stats. A request for hearing does not automatically stay a recovery under this subsection. If
9 the department grants a milk producer's request for hearing, the department shall include the milk
10 producer and the dairy plant operator as parties to the hearing.

11 (j) *Invalid recovery.* If the department finds that a dairy plant operator's recovery under this
12 subsection is invalid, the department may prohibit the recovery or order the dairy plant operator
13 to repay the producer. The division may issue an order under this paragraph after the division
14 holds an informal hearing under par. (h). If the division issues an order under this paragraph, the
15 dairy plant operator may request a contested case hearing under ch. ATCP 1 and ch. 227, Stats.,
16 to contest the division's order. A request for hearing does not automatically stay the division's
17 order.

18 (k) *Waiver of recovery.* A dairy plant operator may waive the requirement to recover the cost
19 of a bulk load of milk that has been properly rejected because drug residues have been found in
20 the milk, if all the following apply:

- 21 1. The load contains milk from only one producer.
- 22 2. The milk has not been commingled with milk from another producer.
- 23 3. The milk has not been unloaded from the tanker into which it was originally loaded.

1 4. The milk producer properly disposes of the load.

2 5. The load of milk is properly reported to the department as positive for drug residue.

3 (7) PRODUCER MILK SHIPMENTS REJECTED. (a) *Dairy plant to reject.* A dairy plant operator
4 shall immediately notify a milk producer, and shall reject that producer's milk shipments as
5 required under par. (b), if any of the following occurs:

6 1. A sample of the producer's milk under sub. (1) tests positive for a drug residue.

7 2. A sample of the producer's milk under sub. (3) tests positive for a drug residue.

8 3. A sample of the producer's milk tests positive for a drug residue after that milk has been
9 commingled with milk from other producers, regardless of whether the drug residue test is
10 required under this chapter.

11 (b) *Producer milk rejected.* If a dairy plant operator is required to reject producer milk
12 shipments under par. (a), the dairy plant operator shall reject all milk produced on that dairy farm
13 until a sample of that milk tests negative for drug residues by the same or an equivalent test at a
14 laboratory that is certified under s. ATCP 77.03 (2) (c) to perform confirmatory tests.

15 (c) *Rejected milk; use prohibited.* If a dairy plant operator rejects a producer's milk under
16 par. (b), no person may do any of the following:

17 1. Ship, collect, or use that milk for human food.

18 2. Comingle that milk with milk from any other producer.

19 (d) *Transfer between dairy plants.* If a dairy plant operator rejects a producer's milk under
20 par. (b), the milk producer may not ship milk to another dairy plant until a dairy plant operator
21 tests that producer's milk and the milk tests negative for drug residues on the same or an
22 equivalent test at a laboratory that is certified under s. ATCP 77.03 (2) (c) to perform
23 confirmatory tests.

1 **(8) REPORTING DRUG RESIDUE FINDINGS; BULK LOADS.** Within 2 hours after a bulk load of
2 milk tests positive for a drug residue under sub. (2), the dairy plant operator shall report the drug
3 test result to the division by telephone, electronic mail, or facsimile (FAX) transmission. The
4 dairy plant operator shall confirm the report in writing, in a form approved by the division,
5 within 3 business days after the drug residue test is completed. The report shall indicate the
6 result of the drug residue test, the volume of milk contained in the bulk load, and the dairy plant's
7 disposition of that milk.

8 **(9) REPORTING DRUG RESIDUE FINDINGS; PRODUCER MILK SHIPMENTS.** (a) *Dairy plant to*
9 *report.* Whenever any of the following occurs, the dairy plant operator that performs the drug
10 residue test shall report the test result to the division under par. (b):

- 11 1. A milk producer sample under sub. (1) tests positive for a drug residue.
- 12 2. A milk producer sample under sub. (3) tests positive for a drug residue.
- 13 3. A sample of a producer's milk tests positive for a drug residue after that milk has been
14 commingled with milk from other producers, regardless of whether the drug residue test is
15 required under this chapter.

16 (b) *Form of report.* Whenever a dairy plant operator is required to report a drug residue test
17 result under par. (a), the dairy plant operator shall report that result to the division by telephone,
18 electronic mail, or facsimile (FAX) transmission. The dairy plant operator shall make the report
19 within 2 hours after the drug residue test is completed. The dairy plant operator shall confirm the
20 report in writing, on a form approved by the division, within 3 business days after the drug
21 residue test is completed.

22 **(10) INSPECTION BY DIVISION; REINSPECTION FEE.** The division may, in its discretion, inspect
23 a dairy farm in response to any positive drug residue test report under sub. (8) or (9). The

1 division shall charge a reinspection fee for the inspection under s. ATCP 65.02 (19). The
2 division shall not charge a reinspection fee if it makes its inspection more than 3 weeks after the
3 dairy plant operator reports the drug residue test result to the division.

4 **(11) DRUG RESIDUE TEST RESULTS.** (a) *Positive test result; general.* For purposes of this
5 section and s. ATCP 65.923, a drug residue test is considered positive if the detected amount of
6 drug residue exceeds the action level specified for that drug under par. (b). The action levels
7 under par. (b) do not establish legal tolerances for drug residues in milk, nor do they preclude the
8 department from taking enforcement action where drug residues are present at levels below these
9 action levels.

10 (b) *Specified drug tests; positive test result.* In a test for any of the following drugs, the
11 action level is exceeded whenever the drug residue level found in the test exceeds the level
12 specified below:

13 Drug Action Level (ppb)

14 Ampicillin 10

15 Amoxicillin 10

16 Cephapirin 20

17 Ceftiofur 100

18 Cloxacillin 10

19 Neomycin 150

20 Novobiocin 100

21 Penicillin G 5

22 Sulfadimethoxine 10

23 Tylosin 50

- 1 Erythromycin* 50
- 2 Gentamicin* 30
- 3 Dihydrostreptomycin* 125
- 4 Sulfachloropyridazine* 10
- 5 Sulfadiazine* 10
- 6 Sulfamerazine* 10
- 7 Sulfamethazine* 10
- 8 Sulfamethizole* 10
- 9 Sulfanilamide* 10
- 10 Sulfapyridine* 10
- 11 Sulfaquinoxaline* 10
- 12 Sulfathiazole* 10
- 13 Tetracyclines* 300

14 **Note:** Action levels specified under this paragraph are based on tolerances or "safe levels" specified by the
15 United States food and drug administration, and identified in a memorandum from FDA's Milk Safety Branch, M-I-
16 05-5, September 27, 2005. A copy of the memorandum is on file with the department, and is available upon request.
17 For drugs identified with an asterisk (*), the levels in this paragraph are based on "safe levels" specified by
18 FDA. "Safe levels" are merely enforcement guides and do not constitute legal tolerances. "Safe levels" are not
19 binding on the courts or the department. They do not limit the department's discretion in any way, and they do not
20 protect milk producers or milk itself from enforcement action. "Safe levels" do not constitute animal drug tolerances
21 under section 512 (b) of the federal food, drug and cosmetic act.
22

23 (c) *Test result presumed valid.* For purposes of this section and s. ATCP 65.923, whenever a
24 dairy plant operator reports a positive test result to the division under sub. 9, that test result is
25 presumed to be valid. The milk producer may appeal the test result in an informal hearing under
26 s. ATCP 65.928.

27 **(12) LABORATORY REPORTING.** A laboratory that performs tests under this section for a dairy
28 plant operator may report the test results for the dairy plant operator.

1 (13) TIMELY TESTING. Drug residue tests required under this section shall be completed
2 within 72 hours after the tested milk, or any portion of the tested milk, was first collected from a
3 dairy farm.

4 **Note:** If a drug residue test is performed on a bulk load of milk collected from several dairy farms, the test must
5 be completed within 72 hours after the bulk milk weigher and sampler collects milk from the first farm.
6 Confirmation of positive drug residue screening tests, at a different laboratory than the laboratory which performed
7 the screening tests, as required under s. ATCP 65.78 (1)(b) 3., must be completed within the same 72-hour period.
8

9 **ATCP 65.74 Milk and dairy products; quality standards. (1) MILK HELD AT DAIRY**
10 **PLANT; BACTERIAL COUNT.** The bacterial count of commingled grade A milk held at a dairy plant
11 before pasteurization may not exceed 300,000 per ml. The bacterial count of grade B milk held
12 at a dairy plant before pasteurization or processing may not exceed 750,000 per ml.

13 **(2) PASTEURIZED GRADE A DAIRY PRODUCTS.** (a) Bacterial counts in pasteurized grade A
14 dairy products other than cultured dairy products may not exceed the following levels:

- 15 1. 10,000 per g. for nonfat dry milk.
- 16 2. 20,000 per ml., except as provided in subs. 1. and 3.
- 17 3. 30,000 per ml. for condensed milk, whey, whey products, and dried whey.

18 (b) Coliform counts in pasteurized grade A dairy products may not exceed 10 per ml. or per
19 gram, except that coliform counts in bulk milk tanker shipments of pasteurized grade A dairy
20 products may not exceed 100 per ml.

21 (c) In pasteurized grade A fluid milk without added flavors or ingredients, other than
22 vitamins, there shall be fewer than 350 milliunits of phosphatase per liter as determined by the
23 Fluorophos ALP method, the Charm Paslite Alkaline Phosphatase method or another test method
24 approved by the department.

25 (d) The yeast and mold count of pasteurized cottage cheese may not exceed 10 per gram.

1 **(3) PASTEURIZED GRADE B DAIRY PRODUCTS.** (a) Bacterial counts in pasteurized grade B
2 dairy products, other than cultured dairy products or frozen desserts containing nuts or other
3 inclusions, may not exceed the following levels:

- 4 1. 20,000 per ml., except as provided in subd. 1. or 2.
- 5 2. 30,000 per ml. for condensed milk, whey, whey products, dried whey, and nonfat dry milk.
- 6 3. 50,000 per gram for frozen desserts, except that the bacterial count for frozen-dessert
7 mixes may not exceed 20,000 per gram.

8 (b) Coliform counts in pasteurized grade B dairy products other than cultured grade B dairy
9 products may not exceed 10 per ml. or per gram, except that coliform counts in bulk milk tanker
10 shipments may not exceed 100 per ml.

11 **Note:** Cultured grade B dairy products are dairy products, including all natural cheeses, that are produced using
12 natural or added cultures to achieve desired flavor, body, and texture requirements.

13
14 **(4) FORTIFIED DAIRY PRODUCTS.** Whenever milk or a fluid milk product is fortified with
15 vitamin A or D the fortification shall comply with PMO Appendix O.

16 **(5) PATHOGEN CONFIRMED IN READY-TO-EAT DAIRY PRODUCT; SALE PROHIBITED.** A dairy
17 plant operator may not sell or distribute any ready-to-eat dairy product in which a
18 microbiological test or laboratory analysis has confirmed the presence of a pathogenic organism
19 or toxin.

20 **Note:** Copies of PMO Appendix O are on file with the department and the legislative reference bureau. Copies
21 may be obtained from the department at cost or online at
22 www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk.

23
24 **ATCP 65.76 Milk quality testing. (1) REQUIRED TESTING.** (a) A dairy plant operator
25 shall test raw milk from dairy farms as required under this chapter.

26 (b) A dairy plant operator shall test milk and dairy products held or processed at a dairy plant
27 for compliance with standards specified under s. ATCP 65.74 (1) to (4). The dairy plant operator

1 shall test the milk and dairy products as often as necessary to provide reasonable statistical
2 assurance of compliance.

3 (2) PAYMENT BASED ON MILK COMPONENT TESTS. No dairy plant operator may adjust the
4 price paid to any milk producer based on the results of any milk component test or somatic cell
5 test unless the dairy plant operator does all of the following:

6 (a) Bases the price adjustment on either the arithmetic or weighted average of all test results
7 obtained for that producer during the pay period to which the price adjustment applies. The
8 dairy plant operator shall use the same method for computing average test results for all
9 producers shipping milk to the dairy plant.

10 (b) Tests at least 3 milk shipments from that producer at regular intervals throughout the pay
11 period to which the price adjustment applies or tests composite samples representing all milk
12 shipments from that milk producer during that pay period.

13 **ATCP 65.78 Certified testers of milk quality and components; test methods. (1)**

14 LABORATORY. (a) Except as provided under par. (b), milk quality tests required under this
15 chapter shall be performed in a laboratory that is all of the following:

- 16 1. Approved by the department to conduct milk quality tests.
- 17 2. Certified by the department under ch. ATCP 77, or by an equivalent certifying agency in
18 another state, to conduct milk quality tests.

19 (b) A laboratory that is not certified under s. ATCP 77.03 to perform a drug residue test
20 under s. ATCP 65.72 may perform that test as a screening test if all of the following apply:

- 21 1. The department has approved that laboratory to perform that screening test under s. ATCP
22 77.23.

1 2. The department has approved the person who performs the screening test under s. ATCP
2 77.23 (2).

3 3. A different laboratory performs a confirmatory test if the screening test result is positive
4 for drug residue. The laboratory performing the confirmatory test shall be certified to do so
5 under s. ATCP 77.03. The laboratory shall perform the confirmatory test on the same test
6 sample using the same or an equivalent test method and shall complete the confirmatory test
7 within the time period specified in s. ATCP 65.72 (8).

8 (c) The department may withdraw its approval under par. (a) or (b) for cause, including false
9 or inaccurate test results or reports, or failure to conduct tests according to required procedures.

10 **(2) ANALYSTS AND LICENSED MILK COMPONENT TESTERS.** (a) Except as provided in par. (b) or
11 (c), no individual may perform a milk test under ss. ATCP 65.70 and 65.72 unless the
12 department has certified that individual under s. ATCP 77.22 to perform that test.

13 (b) Pursuant to s. ATCP 77.23 (2), the department may approve an individual to perform a
14 drug residue test under s. ATCP 65.72 as a screening test, even though the individual is not
15 certified under s. ATCP 77.22 to perform that test as a confirmatory test.

16 (c) Bulk load tests for drug residues under s. ATCP 65.72 shall be conducted at the receiving
17 dairy plant by any of the following:

18 1. An individual approved by the department to conduct drug residue tests.

19 2. An individual who performs drug residue tests only under the direct supervision of an
20 individual approved and certified under subd. 1.

21 (d) No person may perform any milk component test unless that person is licensed to perform
22 milk component tests, either as a buttermaker or cheesemaker under s. 97.17, Stats., or as a milk
23 and cream tester under s. 98.145, Stats.

1 (e) No person may use an automated testing device to perform any milk component test
2 unless that person is trained and qualified to use automated testing devices, and that fact is stated
3 on his or her license under s. 97.17 or 98.145, Stats.

4 **Note:** A "milk component test," as defined under s. ATCP 65.01 (35), means a test that determines the amount
5 of milkfat, protein, total solids, solids-not-fat, or other valuable components in milk, and that may affect the price
6 that a dairy plant operator pays a milk producer for milk.

7
8 **(3) TEST METHODS.** Milk testing under ss. ATCP 65.70 and 65.72 shall use test methods
9 prescribed in the applicable FDA 2400 series laboratory evaluation forms, published by the
10 United States department of health and human services, public health service, food and drug
11 administration, that are in effect on February 1, 2008. If no FDA form applies, testing shall be
12 conducted according to methods prescribed in the "Standard Methods for the Examination of
13 Dairy Products," 17th Edition (2004), or in "Official Methods of Analysis of AOAC
14 International," 18th Edition (2005).

15 **Note:** Copies of the FDA 2400 series laboratory evaluation forms in effect on February 1, 2008, are on file with
16 the department and the legislative reference bureau. To find out how to obtain a copy of these forms, you may
17 contact the department at the following address:

18 Wisconsin Department of Agriculture, Trade and Consumer Protection
19 Division of Food Safety
20 Laboratory Certification Program
21 P.O. Box 8911, Madison, WI 53708-8911
22 Telephone: (608) 224-4712
23

24 The American Public Health Association's "Standard Methods for the Examination of Dairy Products," 17th
25 Edition (2004), is on file with the department and the legislative reference bureau and may be obtained from the
26 American Public Health Association, Inc., 800 I Street, NW, Washington, D.C. 20001, telephone 202-777-2742,
27 website www.apha.org.

28
29 The "Official Methods of Analysis of AOAC International," 18th Edition (2005), is on file with the department
30 and the legislative reference bureau and may be obtained from AOAC International, 2275 Research Blvd.,
31 Rockville, MD 20850, telephone 800-379-2622, website www.aoac.org.

32
33 **(4) MILK COMPONENT TESTING; LICENSED TESTER.** (a) No person may perform any milk
34 component test unless that person is licensed to perform milk component tests, either as a

1 buttermaker or cheesemaker under s. 97.17, Stats., or as a milk and cream tester under s. 98.145,
2 Stats.

3 (b) No person may use an automated testing device to perform any milk component test
4 unless that person is trained and qualified to use automated testing devices and that fact is stated
5 on his or her license under s. 97.17 or 98.145, Stats.

6 **ATCP 65.80 Test samples. (1) GENERAL.** (a) Whenever a dairy plant operator performs a
7 milk quality test on a bulk milk shipment from a milk producer, the dairy plant operator shall
8 perform that milk quality test on a test sample collected under s. ATCP 82.12.

9 (b) Whenever a dairy plant operator performs a milk quality test on shipment of milk in cans
10 from a milk producer, the dairy plant operator shall perform that milk quality test on a test
11 sample collected under sub. (3).

12 (c) Notwithstanding pars. (a) and (b), a dairy plant operator may use a composite sample
13 under sub. (4) to perform a Babcock test for milkfat or to perform another milk quality test
14 approved by the division under sub. (4). A composite sample shall be compiled from fresh milk
15 samples collected under par. (a) or (b).

16 (d) This subsection does not apply to a bulk load test for drug residues under s. ATCP 65.72
17 (3).

18 (e) Upon reasonable notice from the division, a dairy plant operator shall provide the division
19 with samples of producer milk collected under s. ATCP 65.38. The division may request
20 samples once every 4 months, or more often as the department considers necessary for animal
21 health and milk quality testing. Every sample shall be marked with the identification number of
22 the individual producer from whom the sample was collected, and shall also indicate the date on

1 which the sample was collected. A sample shall be kept at a temperature of 32° to 40° F. (0° F. to
2 4° C.) until it is transferred to the custody of the department.

3 (2) TEST SAMPLES REFRIGERATED. At all times prior to testing, a test sample under sub. (1)
4 shall be kept refrigerated at a temperature of 32 to 40° F. (0 to 4° C.). Test samples kept at a
5 dairy plant or testing laboratory shall be kept in a refrigerated storage facility used only for
6 storing test samples and laboratory supplies.

7 (3) COLLECTING TEST SAMPLES FROM SHIPMENTS OF MILK IN CANS. (a) If a producer ships
8 milk to a dairy plant in cans, rather than in bulk, the dairy plant operator shall collect a test
9 sample from each milk shipment immediately after that milk shipment is transferred to the weigh
10 tank at the dairy plant, and before it is commingled with any other milk shipment. The weigh
11 tank shall be constructed so that milk poured into the weigh tank is completely mixed.

12 (b) If a weigh tank is not large enough to accommodate a producer's entire milk shipment, so
13 that multiple weighings are needed, the dairy plant operator shall divide the shipment as evenly
14 as possible between weighings and collect a sample from each weighing. The samples shall be
15 of equal volume and shall be combined to form a single sample representing the entire shipment
16 from the producer. The dairy plant operator may not split the contents of any single can of milk
17 between weighings, but shall include all of the contents of that can in the same weighing.

18 (4) COMPOSITE SAMPLES. (a) A dairy plant operator may use a composite sample to perform
19 a Babcock test for milkfat, but may not perform any other milk quality test on a composite
20 sample except with the division's written authorization. A composite sample shall be compiled
21 according to this subsection.

22 (b) A composite sample shall include a representative sample of milk from each of 2 or more
23 milk shipments represented by the composite sample. No composite sample may include milk

1 from more than 16 milk shipments. Each component sample included in the composite sample
2 shall have the same volume and shall include at least 10 ml. of milk. A composite sample shall
3 include at least 150 ml. of milk.

4 (c) A composite sample container shall have a capacity of at least 240 ml. The composite
5 sample container shall include an effective permanent closure that is attached to the container.
6 The composite sample container shall be marked to identify the producer and the milk shipments
7 represented in the composite sample.

8 (d) A composite sample representing a producer's bulk milk shipments shall be compiled
9 from fresh milk samples collected from those shipments under s. ATCP 82.12. On the same day
10 that a producer's bulk milk shipment is received by the dairy plant operator, or by 12:00 noon of
11 the following day, the dairy plant operator shall transfer, to the composite sample, at least 10 ml.
12 of milk from the sample collected from that milk shipment under s. ATCP 82.12.

13 (e) A composite sample representing a producer's shipments of milk in cans shall be
14 compiled from milk samples collected from those shipments according to sub. (3).

15 (f) A dairy plant operator shall preserve a composite sample by adding potassium
16 dichromate, or another preservative approved by the division, to the composite sample. Not less
17 than 100 mg., nor more than 190 mg. of potassium dichromate may be used in each composite
18 sample to obtain a concentration of 20 mg. per 30 ml. of milk in the completed sample.

19 **Note:** Potassium dichromate is available in tablets containing 40 mg. of active ingredient per tablet. The use of
20 these tablets at the rate of one tablet per 2 fl. oz. of milk in a completed composite sample is equivalent to the
21 concentration specified under par. (f). Labeling requirements and limitations on the disposal of milk samples
22 preserved with potassium dichromate are contained in s. ATCP 30.15 (2) (b).

23
24 **ATCP 65.82 Test methods. (1) GENERAL.** Milk quality tests shall be performed using any
25 of the following methods, subject to additional requirements under subs. (2) to (6):

1 (a) A method described in the American Public Health Association., "Standard Methods for
2 the Examination of Dairy Products," 17th edition (2004).

3 (b) A method described in the "Official Methods of Analysis of AOAC International," 18th
4 edition (2005).

5 (c) A method approved in writing by the division.

6 **Note:** A laboratory performing milk quality tests must be certified under ch. ATCP 77.
7

8 The American Public Health Association's "Standard Methods for the Examination of Dairy Products," 17th
9 edition (2004), is on file with the division and the legislative reference bureau. Copies may be obtained from the
10 American Public Health Association, 800 I Street, NW, Washington, D.C. 20001, telephone 202-777-2742, website
11 www.apha.org.
12

13 The "Official Methods of Analysis of AOAC International," 18th Edition (2005), is on file with the division and
14 the legislative reference bureau. Copies may be obtained from AOAC International, 2275 Research Blvd.,
15 Rockville, MD 20850, telephone 800-379-2622, website www.aoac.org
16

17 **(2) MILKFAT TEST METHODS.** (a) Milkfat tests shall be performed using the Babcock
18 method, the ether extraction method, or another test method approved by the division. Babcock
19 and ether extraction tests shall be conducted according to the "Official Methods of Analysis of
20 the Association of Official Analytical Chemists (AOAC) International," 17th edition (2000),
21 except as provided under par. (b).

22 (b) Each milk sample tested by the Babcock method shall be agitated for at least 3 minutes
23 by the use of a mechanical agitator after pipetting the sample and adding sulfuric acid according
24 to the procedure prescribed under par. (a). A reader, such as a needlepoint divider or other
25 mechanical divider, that accurately determines milkfat level in a test bottle shall be used in
26 reading all Babcock tests. All Babcock test readings shall be made against a light-colored
27 surface with adequate natural or artificial light. The Babcock test shall be read to the nearest
28 0.05% by weight.

1 (3) BACTERIA COUNTS. Bacteria counts required under s. ATCP 65.70 and bacteria counts
2 that may affect the amount paid to a milk producer shall be obtained by means of a standard plate
3 count (SPC), plate loop count (PLC), or petrifilm aerobic count method.

4 (4) DRUG RESIDUES. Drug residue tests required under s. ATCP 65.72 shall be performed
5 according to s. ATCP 65.72.

6 (5) SOMATIC CELLS. Somatic cell counts required under s. ATCP 65.70 (4) and somatic cell
7 counts that may affect the amount paid to a milk producer shall be obtained by means of a direct
8 microscopic somatic cell count or an electronic somatic cell count. The Pyronin Y-Methyl green
9 stain test may be used in place of a direct microscopic somatic cell count or electronic somatic
10 cell count for goat milk and shall be used to confirm a direct microscopic somatic cell count or
11 electronic somatic cell count on goat milk that exceeds 1,000,000.

12 (6) TESTING DEADLINES. A milk quality test shall be conducted within the time period
13 specified by the test method.

14 **ATCP 65.84 Milk component testing devices. (1) GENERAL.** If an automated testing
15 device is used to perform a milk component test for any milk component, that device shall be
16 calibrated and regularly checked to ensure that it accurately tests for that milk component.

17 (2) CALIBRATION. (a) *Requirement.* If an automated testing device is used to test for
18 milkfat, protein, total solids, or solids-not-fat in milk, and if the test results may affect the price
19 paid to a milk producer, the testing device shall be calibrated according to this subsection. The
20 testing device shall be calibrated, for each relevant milk component, by a tester who is licensed
21 under s. 97.17 or 98.145, Stats., to operate that device.

22 **Note:** See s. ATCP 65.78 (2).

23 (b) *Calibration frequency.* A milk component testing device under par. (a) shall be calibrated
24 at all of the following times:

- 1 1. Upon installation.
- 2 2. At regular 3 month intervals after installation.
- 3 3. Immediately after every significant repair or alteration to the testing device.
- 4 4. Whenever the mean difference on a daily performance check under sub. (3) exceeds plus
- 5 or minus 0.044% for milkfat or protein or 0.084% for total solids or solids-not-fat.

6 (c) *Calibration procedure.* To calibrate a milk component testing device under par. (a), a
7 tester shall use the device to test a set of calibration samples under par. (d). The milk component
8 testing device shall be adjusted, as necessary, to satisfy all of the following requirements:

- 9 1. The performance error on each calibration sample shall be as near as practicable to zero.

10 The performance error is the difference between the known percentage content of each milk
11 component in the calibration sample, as determined by the sample provider, and the percentage
12 content, as measured by the testing device.

- 13 2. The mean difference for the entire set of calibration samples shall be as near as practicable
- 14 to zero and shall not exceed plus or minus 0.044% for milkfat or protein or 0.084% for total
- 15 solids or solids-not-fat. The mean difference is the sum of the performance errors for the
- 16 individual calibration samples divided by the number of samples in the set.

- 17 3. The standard deviation of test results, calculated for the set of calibration samples
- 18 according to the formula set forth in the "Official Methods of Analysis of AOAC International,"
- 19 18th edition (2005), section 969.16, shall not exceed 0.044 percent for milkfat or protein, or
- 20 0.084 percent for total solids or solids-not-fat.

21 **Note:** The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the
22 division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd.,
23 Rockville, MD 20850, website <http://www.aoac.org>.

1 (d) *Calibration samples.* A set of calibration samples shall be obtained from a sample
2 provider approved by the division. A set of calibration samples shall consist of at least 12
3 individual samples, each of which complies with all of the following requirements:

4 1. Each sample shall be not more than 21 days old.

5 2. Each sample shall be a fresh milk sample preserved with bronopol (2-bromo-2-nitro-1,3-
6 propanediol) or another approved preservative. Preservative methods, formulations, and
7 concentrations shall be approved by the division.

8 3. Each sample shall have a known percentage content of each relevant milk component
9 determined by the sample provider under subs. (5) to (8).

10 **(3) DAILY PERFORMANCE CHECK.** (a) *Requirement.* If an automated testing device is used to
11 test for milkfat, protein, total solids, or solids-not-fat in milk, and if the test results may affect the
12 price paid to a milk producer, the device shall be subjected to a daily performance check before
13 each day's testing. The daily performance check shall be conducted, for each relevant milk
14 component, by a tester who is licensed under s. 97.17 or 98.145, Stats., to operate the testing
15 device.

16 (b) *Procedure.* To conduct a daily performance check under par. (a), a tester shall test a set
17 of daily performance check samples under par. (d). Based on the daily performance check, the
18 tester shall do all of the following:

19 1. Determine the performance error of the testing device with respect to each daily
20 performance check sample. The performance error is the difference between the known
21 percentage content of each milk component in that sample, as determined by the sample
22 provider, and the percentage content, as measured by the testing device.

1 2. Based on the performance errors for the individual samples under subd. 1., calculate the
2 mean difference for the set of daily performance check samples. The mean difference is the sum
3 of the performance errors for the individual samples, divided by the number of samples in the
4 set.

5 (c) *Calibration based on daily performance check.* If, on a daily performance check under
6 par. (a), the mean difference calculated under par. (b) 2. exceeds plus or minus 0.044% for
7 milkfat or protein or 0.084% for total solids or solids-not-fat the testing device shall not be used
8 until it is recalibrated under sub. (2).

9 (d) *Daily performance check samples.* A set of daily performance check samples shall be
10 obtained from a sample provider approved by the division. A set shall consist of at least 5
11 individual samples, each of which complies with all of the following requirements:

12 1. Each sample shall be not more than 21 days old.

13 2. Each sample shall be a fresh milk sample preserved with bronopol (2-bromo-2-nitro-1,3-
14 propanediol) or another approved preservative. Preservative methods, formulations, and
15 concentrations shall be approved by the department.

16 3. Each sample shall have a known percentage content of each relevant milk component,
17 determined by the sample provider under subs. (5) to (8).

18 (4) REFERENCE CHECKS. (a) *Requirement.* If an automated testing device is used to test for
19 milkfat, protein, total solids, or solids-not-fat in milk, and if the test results may affect the price
20 paid to a milk producer, that device shall be subjected to a daily reference check under par. (b)
21 and hourly reference checks under par. (c).

22 (b) *Daily reference check.*

1 1. A daily reference check shall be conducted before each day's testing, at the same time that
2 the dairy plant operator conducts the daily performance check under sub. (3). The daily
3 reference check shall be conducted, for each relevant milk component by a tester who is licensed
4 under s. 97.17 or 98.145, Stats., to operate the testing device.

5 2. To perform a daily reference check, a tester shall perform 10 tests on a reference sample.
6 The reference sample may be a homogenized milk sample prepared by the dairy plant operator,
7 or it may be a daily performance check sample obtained from a sample provider approved by the
8 department under sub. (3) (d). The 10 test results shall be averaged and the average result shall
9 be used as a comparison value for the hourly reference checks under par. (c).

10 (c) *Hourly reference checks.*

11 1. An hourly reference check shall be conducted for each milk component before each hour's
12 testing for that component. To conduct an hourly reference check, a tester shall test the same
13 reference sample used for the daily reference check under par. (b).

14 2. For each relevant milk component the hourly reference check result shall be compared to
15 the average result obtained on the daily reference check under par. (b). If an hourly reference
16 check result differs from the average result on the daily reference check by more than 0.034% for
17 milkfat or protein or 0.064% for total solids or solids-not-fat, the testing device shall not be used
18 until the condition causing the difference is found and corrected. Test results obtained before the
19 device is corrected, and after the last previous conforming reference check, shall not be used in
20 determining the amount paid to milk producers.

21 (5) CALIBRATION AND DAILY PERFORMANCE CHECK SAMPLES; MILKFAT CONTENTS. (a) The
22 provider of a calibration sample under sub. (2) or a daily performance check sample under sub.
23 (3) shall determine the known percentage content of milkfat in that sample by averaging the

1 results of 3 milkfat tests using a method specified under par. (d). The results from those 3
2 milkfat tests shall not vary by more than 0.034%.

3 (b) The known milkfat content of a calibration sample, expressed as a percentage of the
4 sample weight, shall be at least 2.5%. Within a set of calibration samples, the difference in
5 known milkfat content between the lowest milkfat sample and the highest milkfat sample,
6 expressed as a percentage of average sample weight, shall be at least 2.5%.

7 (c) The known milkfat content of a daily performance check sample, expressed as a
8 percentage of the sample weight, shall be at least 2.8%. Within a set of daily performance check
9 samples, the difference in known milkfat content between the lowest milkfat sample and the
10 highest milkfat sample, expressed as a percentage of average sample weight, shall be at least
11 1.5%.

12 (d) To determine the milkfat content of a calibration sample or daily performance check
13 sample, the sample provider shall use either a manual or robotic version of the Modified
14 Mojonnier method as described in the "Official Methods of Analysis of AOAC International,"
15 18th edition (2005), section 989.05.

16 **Note:** The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the
17 division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd.,
18 Rockville, MD 20850, website <http://www.aoac.org>.
19

20 **(6) CALIBRATION AND DAILY PERFORMANCE CHECK SAMPLES; PROTEIN CONTENTS.** (a) The
21 provider of a calibration sample under sub. (2) or a daily performance check sample under sub.
22 (3) shall determine the known percentage content of protein in that sample by averaging the
23 results of 3 protein tests using the method specified under par. (c). The results from those 3
24 protein tests shall not vary by more than 0.034%.

25 (b) The known protein content of a calibration or daily performance check sample, expressed
26 as a percentage of sample weight, shall be at least 2.7%. Within a set of calibration samples, the

1 difference in known protein content between the lowest protein sample and the highest protein
2 sample, expressed as a percentage of average sample weight, shall be at least 0.7%. Within a set
3 of daily performance check samples, the difference in known protein content between the lowest
4 protein sample and the highest protein sample, expressed as a percentage of average sample
5 weight, shall be at least 0.5%.

6 (c) To determine the protein content of a calibration sample or daily performance check
7 sample, the sample provider shall use the traditional or block digester/steam distillation Kjeldahl
8 method as described in the "Official Methods of Analysis of AOAC International," 18th edition
9 (2005), section 991.20.

10 **Note:** The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the
11 division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd.,
12 Rockville, MD 20850, website <http://www.aoac.org>.
13

14 **(7) CALIBRATION AND DAILY PERFORMANCE CHECK SAMPLES; TOTAL SOLIDS.** (a) The
15 provider of a calibration sample under sub. (2) or a daily performance check sample under sub.
16 (3) shall determine the known percentage content of total solids in that sample by averaging the
17 results of 3 total solids tests using the method specified under par. (c). The results from those 3
18 total solids tests shall not vary by more than 0.054%.

19 (b) The known total solids content of a calibration or daily performance check sample,
20 expressed as a percentage of sample weight, shall be at least 11%. Within a set of calibration
21 samples, the difference in known total solids content between the lowest total solids sample and
22 the highest total solids sample, expressed as a percentage of average sample weight, shall be at
23 least 2.00%. Within a set of daily performance check samples, the difference in known total
24 solids content between the lowest total solids sample and the highest total solids sample,
25 expressed as a percentage of average sample weight, shall be at least 1.5%.

1 (c) To determine the total solids content of a calibration sample or daily performance check
2 sample, the sample provider shall use the direct forced air oven drying method as described in
3 the "Official Methods of Analysis of AOAC International," 18th edition (2005), section 990.20.

4 **Note:** The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the
5 division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd.,
6 Rockville, MD 20850, website <http://www.aoac.org>.

7
8 **(8) CALIBRATION AND DAILY PERFORMANCE CHECK SAMPLES; SOLIDS-NOT-FAT.** The
9 provider of a calibration sample under sub. (2) or a daily performance check sample under sub.
10 (3) shall calculate the known percentage content of solids-not-fat in that sample by subtracting
11 the percent milkfat as determined under sub. (5) from the total solids for that sample as
12 determined under sub. (7). The calculation method shall be that described in the "Official
13 Methods of Analysis of AOAC International," 18th edition (2005), section 990.21.

14 **Note:** The "Official Methods of Analysis of AOAC International," 18th edition (2005), is on file with the
15 division and the legislative reference bureau, and may be obtained from AOAC International, 2275 Research Blvd.,
16 Rockville, MD 20850 , website <http://www.aoac.org>.

17
18 **(9) TESTING DEVICES; CONSTANT VOLTAGE.** A constant voltage regulator shall be connected
19 to, or form a part of, every milk component testing device that is in line with a single phase 115
20 or 220 volt power supply.

21 **(10) RECORDS RELATED TO CALIBRATIONS, DAILY PERFORMANCE CHECKS, AND REFERENCE**
22 **CHECKS.** (a) A dairy plant operator shall keep a record of every calibration, performance check,
23 or reference check conducted on a milk component testing device under this section.

24 (b) Every record required under par. (a) shall be signed by the licensed tester who made the
25 record. Calibration records shall be kept separate from performance check and reference check
26 records.

27 **(11) ACCURACY OF DEVICES; DIVISION AUDIT.** The division may audit the accuracy of milk
28 component testing devices using test samples prepared by the division under subs. (5) to (8).

1 **ATCP 65.86 Milk quality test records and reports. (1) TEST RECORDS; GENERAL.** (a) A
2 person performing a milk quality test shall immediately record the test result and sign the test
3 record. The test record shall specify the date of the test, the identification number of the milk
4 producer, and the milk shipment from which the milk sample was collected.

5 (b) No test record may be altered except that errors, if any, may be corrected by marking a
6 single line through the original entry and inserting the correct entry immediately adjacent to the
7 original. A corrected entry shall be initialed by the person who made the corrected entry.

8 (c) The division may authorize a dairy plant to keep test records in electronic form if the
9 division finds that all of the following requirements are met:

10 1. The records are effectively secured against loss or tampering.

11 2. The records can be readily retrieved for inspection by the dairy plant operator and the
12 division.

13 3. The person who performs the test identifies himself or herself on the test record, by an
14 electronic method that is equivalent to a personal signature.

15 4. If an erroneous test record is corrected, the correction is identified so that the reader can
16 easily compare the corrected record to the original record.

17 **(2) RECORDS RETAINED BY DAIRY PLANT OPERATOR.** A dairy plant operator shall retain
18 records required under this section for the time period specified under s. ATCP 65.44 and shall
19 make the records available for inspection and copying by the division upon request.

20 **ATCP 65.88 False samples, test results or reports.** No person may do any of the
21 following or conspire with another person to do any of the following:

22 **(1) Falsely identify milk samples.**

1 (2) Submit a false milk sample to the department, a dairy plant operator, or a testing
2 laboratory.

3 (3) Falsify any milk quality test or test result.

4 (4) Make any false or misleading record or report related to a milk quality test.

5 (5) Withhold any milk quality test report required under this chapter.

6 **Subchapter V — Inspection and Enforcement**

7
8 **ATCP 65.910 Inspection of dairy farms; general.** (1) INSPECTION BY DAIRY PLANT.

9 Before a dairy plant operator submits a milk producer license application or a grade A permit
10 application under s. ATCP 65.02 on behalf of a milk producer, the dairy plant operator shall
11 inspect the dairy farm. The dairy plant operator, when submitting the producer's license or
12 permit application, shall include a copy of the dairy plant operator's inspection report and shall
13 certify that the dairy farm facilities comply with applicable dairy farm standards under this
14 chapter. The department may, at other times, require a dairy plant operator to inspect a dairy
15 farm as necessary.

16 (2) INSPECTION BY THE DIVISION. The division shall inspect dairy farms for compliance with
17 applicable standards under this chapter. Except as provided in s. ATCP 65.912, the division
18 shall inspect a grade A dairy farm at least once every 6 months and a grade B dairy farm at least
19 once every year. For the purpose of conducting a lawful inspection under this chapter, the
20 department may exercise its authority under ss. 93.08, 93.15 (2), and 97.12 (1), Stats.

21 (3) VARIANCES. The division may issue a written waiver granting a variance from a dairy
22 farm standard under subch. II if the division determines that the variance is reasonable and
23 necessary under the circumstances, it will not compromise the purpose served by the standard,

1 and the milk producer does not hold a grade A farm permit. The division administrator, or the
2 administrator's designee, may issue a waiver under this subsection.

3 **ATCP 65.912 Performance-based grade A dairy farm inspections. (1) GENERAL.** The
4 division shall use the performance standards in this section to determine grade A dairy farm
5 inspection frequency. The division shall evaluate each grade A dairy farm every 3 months,
6 based on inspection reports, milk quality tests, and department compliance actions during the
7 preceding 12 months. Based on the evaluation, the division shall place each dairy farm in one of
8 the following categories:

9 (a) Twelve-month inspection interval.

10 (b) Six-month inspection interval.

11 (c) Four-month inspection interval.

12 (d) Three-month inspection interval.

13 **(2) TWELVE-MONTH INSPECTION INTERVAL.** The division shall inspect a grade A dairy farm
14 in the twelve-month inspection interval category at least once every 12 months. The division
15 shall place a dairy farm in this category if all the following apply, based on dairy farm inspection
16 reports, milk quality tests, and department compliance actions during the preceding 12 months:

17 (a) None of the producer's standard plate counts (SPC) exceed 25,000 per ml., except that one
18 SPC may exceed 25,000 per ml. if it is not more than 100,000 per ml.

19 (b) None of the producer's somatic cell counts (SCC) exceed 500,000 per ml.

20 (c) None of the milk shipped by the milk producer has been found to contain a drug residue,
21 and the department has not issued any warning to the milk producer under s. ATCP 65.923 (1) or
22 65.924 (1).

1 (d) No dairy farm inspection report shows more than 5 violations, a consecutive inspection
2 violation, or a violation that creates a substantial risk of adulteration or a violation that creates an
3 imminent health hazard.

4 (e) The department has not suspended the producer's grade A dairy farm permit or milk
5 producer license.

6 (f) The producer's latest water supply test does not show any violation of s. ATCP 65.10.

7 (g) The milk producer has not violated any milk temperature or cooling standards under this
8 chapter.

9 **(3) SIX-MONTH INSPECTION INTERVAL.** The division shall inspect a grade A dairy farm in the
10 six-month inspection interval category at least once every 6 months. The division shall place a
11 dairy farm in this category if all the following apply, based on dairy farm inspection reports, milk
12 quality tests, and department compliance actions during the preceding 12 months:

13 (a) The dairy farm fails to qualify under sub. (2).

14 (b) The department has issued no more than one warning to the milk producer under s. ATCP
15 65.922 (1).

16 (c) None of the milk shipped by the milk producer has been found to contain a drug residue,
17 and the department has not issued any warning to the milk producer under ss. ATCP 65.923(1) or
18 65.924(1).

19 (d) No dairy farm inspection report shows more than 5 violations, a consecutive inspection
20 violation, or a violation that creates a substantial risk of adulteration or a violation that creates an
21 imminent health hazard.

22 (e) The department has not suspended the producer's grade A dairy farm permit or milk
23 producer license.

1 (f) The producer's latest water supply test does not show any violation of s. ATCP 65.10.

2 (g) The milk producer has not violated any milk temperature or cooling standards under this
3 chapter.

4 **(4) FOUR-MONTH INSPECTION INTERVAL.** (a) The division shall inspect a grade A dairy farm
5 in the four-month inspection interval category at least once every 4 months. The division shall
6 place a dairy farm in this category if subs. (2), (3) and (5) do not apply and if any of the
7 following apply based on dairy farm inspection reports, milk quality tests, and department
8 compliance actions during the preceding 12 months:

9 1. At least one load of milk shipped by the milk producer has been found to contain a drug
10 residue,

11 2. At least one violation for improper milk cooling under s. ATCP 65.18 (4), drug use and
12 storage under ss. ATCP 65.20 (5) and 65.22 (8), or cleaning and sanitization of utensils and
13 equipment under s. ATCP 65.12 was noted during the most recent inspection.

14 (b) Once the division places a dairy farm in the four-month inspection interval category, the
15 division may not reassign the dairy farm to any inspection category under sub. (2) or (3) until a
16 date that is at least 12 months after the division's next 3-month evaluation of the dairy farm under
17 this section.

18 **(5) THREE-MONTH INSPECTION INTERVAL.** (a) The division shall inspect a grade A dairy farm
19 in the three-month inspection category at least once every 3 months. The division shall place a
20 dairy farm in this category if subs. (2) and (3) do not apply and if any of the following apply
21 based on dairy farm inspection reports, milk quality tests, or department compliance actions
22 during the preceding 12 months:

23 1. The department issued more than one warning to the milk producer under s. ATCP 65.922.

1 2. The department issued more than one warning to the milk producer under s. ATCP 65.923.

2 3. The department issued more than one warning to the milk producer under s. ATCP 65.924.

3 4. The division conducted more than one reinspection of the dairy farm.

4 5. The department suspended the milk producer's license or grade A dairy farm permit.

5 (b) Once the division places a dairy farm in the 3-month inspection interval category under
6 par. (a), the division may not reassign the dairy farm to any inspection category under subs. (2)
7 to (4) until a date that is at least 12 months after the division's next 3-month evaluation of the
8 dairy farm under this section.

9 **ATCP 65.920 Suspension or revocation of milk producer license. (1) GENERAL.** The
10 department may suspend or revoke a milk producer's license for cause, as provided in s. 93.06
11 (7), Stats. The suspension or revocation of a milk producer's license also suspends or revokes
12 any grade A producer permit held by the milk producer. Except as provided under sub. (2), the
13 department may not suspend or revoke a milk producer's license except by order of the secretary
14 or the secretary's designee, after notice and opportunity for hearing under ch. 227, Stats. The
15 division may file a written complaint with the department, seeking the suspension or revocation
16 of a milk producer's license. Pending completion of the proceedings, the secretary or the
17 secretary's designee may issue interim orders as necessary to protect the public health, safety,
18 and welfare.

19 **Note:** Cause for which a milk producer's license may be suspended or revoked may include violations of dairy
20 farm standards under subchapter II; violations of milk quality standards under s. ATCP 65.70; willful interference
21 with, or refusal to permit a lawful dairy farm inspection; or failure to pay a required fee under s. ATCP 65.02(19).
22

23 **(2) SUMMARY SUSPENSION BY THE DIVISION.** The division may issue a written notice
24 summarily suspending a milk producer's license if the division makes a written finding in its
25 suspension notice that any of the following circumstances exist and warrant summary
26 suspension:

1 (a) The sale or shipment of milk from the milk producer's dairy farm poses an imminent
2 hazard to public health and there is a reasonable likelihood that the hazard may continue if the
3 milk producer's license is not summarily suspended.

4 **Note:** The following conditions, individually or in combination, may constitute evidence of an imminent public
5 health hazard under this paragraph:

- 6 1. An inspection of the milk producer's dairy farm reveals gross violations of dairy farm standards under
7 subchapter II, or reveals violations that pose an acute health risk.
- 8 2. Confirmed standard plate counts or plate loop counts on the milk producer's milk indicate bacterial counts of
9 more than 1,000,000 per ml. in the milk.
- 10 3. Drug tests on the milk producer's milk indicate that drug residues are present in the milk.
- 11 4. Milk from the milk producer's dairy farm is reliably believed to contain pesticides or toxic substances that
12 may be harmful to humans.
- 13 5. An infectious disease, transmissible to humans through milk, is reliably diagnosed in the milk producer's
14 herd.

15
16 (b) The milk producer has refused to permit inspection or sampling authorized by law.

17 **(3) SUMMARY SUSPENSION NOTICE; RIGHT OF HEARING.** A summary suspension notice under
18 sub. (2) becomes effective when served on the milk producer. A summary suspension notice
19 shall comply with s. ATCP 65.925. A person adversely affected by a summary suspension
20 notice may request a hearing on the summary suspension notice, as provided in s. ATCP 65.928.

21 **(4) INSPECTION PRIOR TO REINSTATEMENT; REINSPECTION FEE.** If an inspection is required for
22 reinstatement of a license that is suspended or revoked under this section, the department shall
23 charge a reinspection fee under s. ATCP 65.02 (19) for the inspection.

24 **ATCP 65.921 Suspension or revocation of grade A producer permit; general.** The
25 department may suspend or revoke a milk producer's grade A permit for cause, as provided in s.
26 93.06 (7), Stats. Except as provided under s. ATCP 65.920, 65.922, 65.923, or 65.924, the
27 department may not suspend or revoke a grade A producer permit except by order of the
28 secretary or the secretary's designee, after notice and opportunity for hearing under ch. 227,
29 Stats. The division may file a written complaint with the department seeking the suspension or
30 revocation of a grade A producer permit. Pending completion of the proceedings, the secretary

1 or the secretary's designee may issue interim orders as necessary to protect the public health,
2 safety and welfare. If an inspection is required for the reinstatement of a grade A producer
3 permit that is suspended or revoked under this section, the department shall charge a reinspection
4 fee under s. ATCP 65.02 (19) for the inspection.

5 **Note:** Cause for which a milk producer's grade A producer permit may be suspended or revoked may include
6 violation of a dairy farm standard under subchapter II; violation of a milk quality standard under s. ATCP 65.70;
7 willful interference with, or refusal to permit, a lawful dairy farm inspection; or failure to pay fees for which the
8 producer is liable under s. ATCP 65.02 (19).
9

10 **ATCP 65.922 Violation of grade A milk quality standards; suspension of grade A**

11 **producer permit by the division. (1) WARNING NOTICE.** The division shall mail a written
12 warning notice to a grade A milk producer whenever any of the following occurs:

13 (a) Two of the last 4 bacterial counts reported to the division under s. ATCP 65.70 (2) (d)
14 exceed 100,000 per ml., in violation of the standard for grade A milk under s. ATCP 65.70 (2).

15 (b) Two of the last 4 somatic cell counts reported to the division under s. ATCP 65.70 (4) (e)
16 exceed 750,000 per ml. for cow or sheep milk, or 1,000,000 per ml. for goat milk, in violation of
17 the standard under s. ATCP 65.70 (4).

18 (c) Two of the last 4 milk temperature readings violate standards for grade A milk under s.
19 ATCP 65.70 (5).

20 **(2) CONTENTS OF WARNING NOTICE; EFFECTIVE PERIOD.** A warning notice under sub. (1)
21 shall warn the milk producer that the milk producer's grade A producer permit will be suspended
22 if milk quality testing indicates a continued violation of the standard under s. ATCP 65.70 to
23 which the warning notice pertains. A copy of the notice shall be mailed to the dairy plant
24 operator. A warning notice becomes effective 3 days after it is mailed, and remains in effect as
25 long as the standard cited in the warning notice is violated on 2 of the last 4 reported tests.

1 **(3) TESTING AFTER WARNING NOTICE.** Not less than 3 calendar days nor more than 21
2 calendar days after a warning notice under subs. (1) and (2) becomes effective, the dairy plant
3 operator shall obtain and test a sample of the milk producer's milk for compliance with the milk
4 quality standard cited under sub. (1). A milk sample collected under s. ATCP 65.38 and tested
5 by a dairy plant operator under subchapter V satisfies this requirement, provided that the sample
6 is obtained and tested within the time period specified under this paragraph, and the dairy plant
7 operator reports the test result to the division within the applicable reporting time specified under
8 subchapter V.

9 **(4) SUSPENSION NOTICE.** The division shall mail a written notice to a milk producer
10 suspending the milk producer's grade A producer permit if any of the following occurs while a
11 warning notice under subs. (1) and (2) remains in effect:

12 (a) Three of the last 5 bacterial counts reported to the division under s. ATCP 65.70 (2) (d)
13 and 65.922 (3) exceed 100,000 per ml.

14 (b) Three of the last 5 somatic cell counts reported to the division under s. ATCP 65.70 (4)
15 (e) and 65.922 (3) exceed 750,000 per ml. for cow or sheep milk, or 1,000,000 per ml. for goat
16 milk.

17 (c) Three of the last 5 milk temperature readings violate standards for Grade A milk under s.
18 ATCP 65.70 (5)

19 **Note:** This subsection does not prohibit the department from summarily suspending a milk producer's license
20 and grade A producer permit under s. ATCP 65.920, without prior warning, if the department determines that any of
21 the circumstances identified under s. ATCP 65.920(2) exists.

22
23 **(5) EFFECTIVE DATE OF SUSPENSION; CONTENTS OF SUSPENSION NOTICE.** The suspension of a
24 milk producer's grade A producer permit becomes effective 3 days after a suspension notice
25 under sub. (4) is mailed. The department shall give prior oral or written notice of the suspension

1 to the dairy plant operator and shall mail or deliver a copy of the suspension notice to the dairy
2 plant operator. The suspension notice shall comply with s. ATCP 65.925.

3 (6) REINSTATEMENT OF GRADE A PRODUCER PERMIT. (a) A milk producer may ask the
4 department to reinstate a grade A producer permit suspended under sub. (4). The producer shall
5 make the request in writing, on a form provided by the department under s. ATCP 65.925(4).
6 The request shall include the result of a milk quality test, performed by the dairy plant operator
7 on a milk sample collected after the effective date of the suspension, showing that the milk
8 producer is no longer violating the relevant milk quality standard.

9 (b) Within 7 days after the department receives a complete reinstatement request that
10 complies with par. (a) the department shall do one of the following:

11 1. If the milk producer seeks reinstatement of a grade A producer permit suspended under
12 sub. (4) (a), the department shall inspect the dairy farm and charge a reinspection fee under s.
13 ATCP 65.02 (19). A division representative shall reinstate the grade A producer permit if the
14 division representative finds that the milk producer has corrected all the conditions potentially
15 responsible for the violations cited in the suspension notice. The division representative shall
16 notify the dairy plant operator of the reinstatement.

17 2. If the milk producer seeks reinstatement of a grade A producer permit suspended under
18 sub. (4) (b), the department shall reinstate the grade A producer permit. The department shall
19 notify the milk producer and the dairy plant operator of the reinstatement.

20 (c) If a milk producer does not request reinstatement under par. (a) within 6 months after the
21 producer's grade A producer permit is suspended under this section, the permit is automatically
22 revoked at the end of the 6 month period. Once revoked, the grade A producer permit may not
23 be reinstated except upon the filing of a new application under s. ATCP 65.02 (10). Written

1 notice to this effect shall be provided to the milk producer at the time of revocation. This
2 paragraph does not apply if the suspension of the milk producer's grade A producer permit has
3 been contested, and the contested case proceedings are still pending.

4 **ATCP 65.923 Drug residue violations; milk producer sanctions. (1) WARNING NOTICE.**

5 (a) *Requirement.* Whenever the division receives notice under s. ATCP 65.72 (9) that a milk
6 producer milk sample has tested positive for a drug residue, the division shall mail a warning
7 notice to that milk producer. The warning notice takes effect 3 days after it is mailed. The
8 warning notice shall include all of the following:

9 1. A description of the positive drug residue findings that caused the division to issue the
10 notice.

11 2. The warnings specified in pars. (b) and (c).

12 3. Notice of the milk producer's right to hearing under par. (d).

13 4. Notice that the division or its agent will conduct an investigation under sub. (4).

14 (b) *Grade A producer permit suspension; 21-day notice.* The warning notice under par. (a)
15 shall state that, 21 days after the effective date of the warning notice, the department will
16 suspend the milk producer's grade A producer permit unless, prior to that date, the milk producer
17 certifies to the division that the milk producer has implemented a drug residue prevention
18 program on the milk producer's dairy farm in consultation with a licensed veterinarian.

19 (c) *Milk producer license suspension; 45-day notice.* The warning notice under par. (a) shall
20 state that, 45 days after the effective date of the warning notice, the department will initiate
21 action to suspend the milk producer's license unless, prior to that date, the milk producer certifies
22 to the division that the milk producer has implemented a drug residue prevention program on the
23 milk producer's dairy farm in consultation with a licensed veterinarian.

1 **Note:** The drug residue prevention program under this section should conform to the "Milk and Dairy Beef
2 Quality Assurance Program" published by Agri-Education, Inc. A copy of that manual is on file with the division
3 and the legislative reference bureau and may be obtained from the Milk & Dairy Beef Quality Assurance Center,
4 801 Shakespeare Avenue, Stratford, Iowa, 50249, telephone 800-553-2479, website
5 www.dqacenter.org/catalog.htm.
6

7 (d) *Right to informal hearing.* If a milk producer receiving a warning notice under par.

8 (a) disputes the drug residue findings on which the notice is based, the milk producer may
9 request an informal hearing to discuss the drug residue findings. A request for hearing does not
10 automatically stay the warning notice. If the milk producer requests an informal hearing, the
11 division shall hold an informal hearing at the division's office or by telephone. The division shall
12 hold the informal hearing within 10 business days after the division receives the request for
13 hearing, unless the milk producer agrees to a later hearing date. The division may withdraw a
14 warning notice if it appears that the notice was not justified.

15 **(2) GRADE A PRODUCER PERMIT SUSPENSION.** (a) *Notice suspending permit.* If the division

16 does not receive a milk producer certification within the 21-day period specified under sub. (1)

17 (b), the department shall mail a notice to the milk producer suspending the milk producer's grade

18 A producer permit. The suspension notice shall comply with s. ATCP 65.921. The suspension

19 notice takes effect 3 days after it is mailed. The division shall notify the dairy plant operator

20 who procures milk from the milk producer of the suspension, and shall provide that dairy plant

21 operator with a copy of the suspension notice.

22 (b) *Permit reinstatement.* 1. If the department suspends a milk producer's grade A producer

23 permit under par. (a), the milk producer may ask the department to reinstate the permit. The

24 milk producer shall file the reinstatement request in writing, on a form provided by the

25 department under s. ATCP 65.925(4). The request shall certify that the milk producer has

26 implemented a drug residue prevention program on the producer's dairy farm in consultation

27 with a licensed veterinarian.

1 2. Within 7 days after the department receives a complete reinstatement request under subd.
2 1., the division shall inspect the milk producer's dairy farm. The department shall charge a
3 reinspection fee for the inspection, pursuant to s. ATCP 65.02 (19). If, upon inspection, it
4 appears that all conditions potentially responsible for the positive drug residue finding have been
5 corrected, the division representative shall reinstate the milk producer's grade A producer permit
6 and shall notify the dairy plant operator of the reinstatement.

7 3. If a milk producer does not request reinstatement under subd. 1. within 6 months after the
8 milk producer's grade A producer permit is suspended under par. (a), the permit is revoked
9 automatically at the end of the 6 month period. A permit, once revoked, may not be reinstated
10 unless the milk producer files a new application under s. ATCP 65.02(11). Written notice to this
11 effect shall be included in the suspension notice under par. (a), and shall also be provided to the
12 milk producer at the time of revocation. This subdivision does not apply if the milk producer's
13 grade A producer permit suspension has been contested and the contested case proceeding is
14 pending.

15 **(3) LICENSE SUSPENSION.** (a) *License suspension; failure to implement drug residue*
16 *prevention program.* If the division does not receive a milk producer certification within the 45-
17 day period specified under sub. (1) (c), the division shall file a complaint asking the department
18 to suspend the milk producer's license until the milk producer implements a drug residue
19 prevention program.

20 (b) *License suspension; 2 violations within 12 months.* If, within any 12 month period, the
21 division receives 2 notices under s. ATCP 65.72(9) that milk samples from the same milk
22 producer have tested positive for drug residues, the division shall file a complaint asking the
23 department to suspend the milk producer's license for at least 10 days and require that the milk

1 producer attend and present a certificate of completion for a drug residue prevention program
2 approved by the department within 180 days of the first day of the license suspension. If the
3 certificate of completion is not presented to the division, then the division shall file a complaint
4 asking the department to suspend the milk producer's license until the certificate of completion is
5 presented. The certificate of course completion shall be signed by the milk producer, a licensed
6 veterinarian, and the field representative of the dairy plant to which the milk producer's milk is
7 shipped.

8 (c) *License suspension; 3 violations within 12 months.* If, within any 12 month period, the
9 division receives 3 notices under s. ATCP 65.72 (9) that milk samples from the same milk
10 producer have tested positive for drug residues, the division shall file a complaint asking the
11 department to suspend the milk producer's license for at least 30 days.

12 (d) *License suspension; repeat tissue residue violations.* If the division receives notice that a
13 milk producer has been reported on the US department of agriculture repeat residue violators list
14 for having twice within a 12 month period presented for slaughter dairy cattle with one or more
15 tissues testing positive for a drug residue, the division shall file a complaint asking the
16 department to suspend the milk producer's license for at least 10 days and require that the milk
17 producer attend and present a certificate of completion for a drug residue prevention program
18 approved by the department within 180 days of the first day of the license suspension. If the
19 certificate of completion is not presented to the division, then the division shall file a complaint
20 asking the department to suspend the milk producer's license until the certificate of completion is
21 presented. The certificate of course completion shall be signed by the milk producer, a licensed
22 veterinarian, and the field representative of the dairy plant to which the milk producer's milk is
23 shipped.

1 **Note:** The milk producer sanctions under this section are in addition to any other sanctions provided under this
2 chapter or ch. 93 or 97, Stats., and do not limit the application of those other sanctions.

3
4 **Note:** A drug residue prevention program that is department approved is the “What Matters” course offered by
5 the Wisconsin Veterinary Medicine Association.

6
7 **(4) INVESTIGATION.** After the department issues a warning notice under sub. (1), the division
8 or its agent shall conduct an investigation to determine the cause of the drug residue violation
9 and to identify milk producer actions that may be necessary to prevent future violations. The
10 division may direct the dairy plant operator who procures milk from the milk producer to
11 conduct the investigation as the division's agent and report its findings to the division, in writing.

12 **ATCP 65.924 Violation of grade A dairy farm standards; suspension of grade A**
13 **producer permit by division. (1) WARNING NOTICE.** If a division representative finds a key
14 violation during an inspection, including one or more identical violations, during 2 consecutive
15 inspections on a grade A dairy farm, the division representative shall issue a warning notice to
16 the milk producer. The warning notice shall state that the department will suspend the milk
17 producer's grade A producer permit if the producer does not correct the violation by a deadline
18 date specified in the notice. The division representative shall specify a correction deadline based
19 on the seriousness of the key violation and the time reasonably required to correct the key
20 violation. The correction deadline shall be not less than 3 days nor more than 65 days after the
21 division representative issues the warning notice. The division representative shall serve the
22 warning notice in person or by mail or shall prominently post the notice in the milkhouse. The
23 division representative shall mail or deliver a copy of the warning notice to the dairy plant
24 operator who procures milk from the milk producer. The warning notice shall include a notice of
25 the milk producer's right to hearing under s. ATCP 65.928.

26 **(2) REINSPECTION; SUSPENSION NOTICE.** Within 7 days after the correction deadline date
27 specified in a warning notice under sub. (1), a division representative shall reinspect the dairy

1 farm to determine whether the milk producer has corrected each key violation cited in the
2 warning notice. The department shall charge a reinspection fee for the inspection pursuant to s.
3 ATCP 65.02 (19). If the division representative finds that the milk producer has not corrected a
4 key violation cited in the warning notice, the division representative shall issue a written notice
5 suspending the milk producer's grade A producer permit. The suspension takes effect when the
6 division representative serves the notice on the milk producer in accordance with s. ATCP
7 65.925(6). The division representative shall promptly notify the dairy plant operator, and place a
8 tag indicating that the milk is now to be handled as grade B milk, on the outlet valve of the bulk
9 tank to notify the bulk milk weigher and sampler of the suspension. The division representative
10 shall mail or deliver a copy of the suspension notice to the dairy plant operator who procures
11 milk from the milk producer. A person adversely affected by the suspension notice may request
12 a hearing on the notice as provided under s. ATCP 65.928.

13 **(3) REINSTATEMENT OF PERMIT.** (a) A milk producer whose grade A producer permit is
14 suspended under sub. (2) may file a written request for reinstatement with the department. The
15 reinstatement request shall be made on a form provided by the department under s. ATCP 65.925
16 (4). Within 7 days after the department receives the reinstatement request, the division shall
17 inspect the milk producer's dairy farm in response to the reinstatement request. The department
18 shall charge a reinspection fee for the inspection under s. ATCP 65.02 (19). If, upon inspection,
19 it appears that all violations cited in the suspension notice have been corrected, the division
20 representative shall reinstate the milk producer's grade A producer permit, and shall notify the
21 dairy plant operator who procures milk from the milk producer of the reinstatement.

22 (b) If a milk producer does not request reinstatement under par. (a) within 6 months after a
23 milk producer's grade A producer permit is suspended under sub. (2), the grade A producer

1 permit is automatically revoked at the end of the 6 month period. Once revoked, the permit may
2 not be reinstated except upon the filing of a new application under s. ATCP 65.02 (11). Written
3 notice to this effect shall be provided to the milk producer at the time of revocation. This
4 paragraph does not apply if the suspension of the milk producer's grade A producer permit has
5 been contested and the contested case proceedings are still pending.

6 **Note:** Subsection (3) does not prohibit the division from summarily suspending a milk producer's license and
7 grade A producer permit under s. ATCP 65.920 without prior warning if the division determines that any of the
8 circumstances identified under s. ATCP 65.920 (2) exist.
9

10 **ATCP 65.925 Suspension notice; requirements.** Whenever the division suspends a milk
11 producer license under s. ATCP 65.920(2), or a grade A producer permit under s. ATCP 65.922
12 (4) or 65.924 (2), the suspension notice shall comply with all of the following requirements:

13 **(1) ISSUED BY AUTHORIZED PERSON.** A suspension notice shall be issued by one of the
14 following:

15 (a) The division administrator.

16 (b) A person that the division administrator designates in writing, by name or position.

17 (c) A division representative if the suspension notice is issued under s. ATCP 65.924 (2).

18 **(2) REASON FOR SUSPENSION.** A suspension notice shall specify the reasons for which the
19 suspension notice is issued.

20 **(3) TERM OF SUSPENSION; REINSTATEMENT REQUIREMENT.** A suspension notice shall indicate
21 the term of the suspension or, if the suspension is for an indefinite term, the conditions that the
22 milk producer must meet in order to obtain reinstatement of the license or grade A producer
23 permit. Conditions for reinstatement shall be reasonably related to the reasons for which the
24 license or permit is suspended. A summary license suspension notice under s. ATCP 65.920 (2),
25 may authorize a dairy plant operator to receive milk from the suspended milk producer on a

1 conditional basis, pending full reinstatement of the milk producer's license, provided that the
2 dairy plant operator performs specified inspections or tests.

3 (4) REINSTATEMENT APPLICATION FORM. A notice suspending a grade A producer permit
4 under s. ATCP 65.922 (4) or 65.924 (2) shall be accompanied by a reinstatement application
5 form which may be used by the affected milk producer to apply for reinstatement of the milk
6 producer's grade A producer permit. The form shall include a statement, to be signed by the
7 affected milk producer, that all requirements for the reinstatement of the grade A producer
8 permit have been met to the best of the milk producer's knowledge. If a milk producer requests a
9 hearing on a suspension under s. ATCP 65.928, a request for reinstatement under this subsection
10 does not constitute an admission or waiver by the milk producer with respect to any fact, issue or
11 cause of action.

12 (5) NOTICE OF RIGHT TO HEARING. A suspension notice shall include a notice that the milk
13 producer may request a hearing on the suspension, as provided under s. ATCP 65.928.

14 (6) SERVICE ON MILK PRODUCER. A suspension notice shall be served on the affected milk
15 producer by one of the following methods:

16 (a) By delivering the notice in person to the milk producer or to a competent member of the
17 milk producer's family who is 14 years of age or older.

18 (b) By mailing the notice to the milk producer. Service may be proved by an affidavit of
19 mailing or by a return receipt signed by the milk producer. Absent proof of later delivery, a
20 notice served by mail is considered served 3 days after the date of mailing.

21 (c) For a notice suspending a grade A producer permit under s. ATCP 65.924, by posting the
22 suspension notice in a prominent location in the milk producer's milkhouse. A notice posted in
23 the milkhouse under this paragraph is considered served at the time of posting.

1 (7) COPY PROVIDED TO DAIRY PLANT OPERATOR. A copy of every suspension notice shall be
2 mailed or delivered to the dairy plant operator who normally procures milk from the milk
3 producer. Failure to mail or deliver a copy to the dairy plant operator does not invalidate a
4 suspension notice.

5 **ATCP 65.926 Dairy plant license and grade A permit suspension or revocation. (1)**

6 The department may suspend or revoke a dairy plant license or grade A dairy plant permit for
7 cause, as provided under s. 93.06 (7), Stats. Cause includes any of the following :

8 (a) A violation of this chapter or ch. ATCP 100.

9 (b) Interference with lawful inspection or sampling by the department or certifying agency,
10 or refusal to permit lawful inspection or sampling by the department or certifying agency.

11 (c) Refusal to permit the lawful inspection or copying of documents under s. 65.44 (2).

12 (d) Failure to pay fees required under s. ATCP 65.04.

13 **Note:** The procedure for suspending or revoking a dairy plant license or grade A permit is specified in ch.
14 ATCP 1.

15
16 (2) The suspension or revocation of a dairy plant license automatically suspends or revokes
17 any grade A permit that the dairy plant operator holds for that dairy plant.

18 **Note:** Violations of this chapter may also result in court prosecution under s. 97.72 or 97.73,
19 Stats.

20 **ATCP 65.927 Holding orders; identification and disposal of adulterated milk. (1)**

21 HOLDING ORDER. Whenever a division representative has reasonable cause to believe that milk
22 or a milk product examined by the division representative is adulterated or misbranded and is
23 dangerous to health or misleading to the injury or damage of a purchaser or consumer, the
24 division representative may issue a temporary holding order to allow for further testing or
25 examination of the milk or milk product, pursuant to s. 97.12 (2), Stats. A holding order shall be
26 in writing and shall identify the milk or milk product that is subject to the holding order. The

1 division may extend or terminate a holding order by written notice, as provided in s. 97.12 (2),
2 Stats. A notice extending a holding order shall be signed by the division administrator, or a
3 person authorized in writing by the division administrator. A holding order and every notice
4 extending a holding order shall include a notice of the recipient's right to hearing under s. ATCP
5 65.928.

6 (2) DISPOSAL ORDER. If analysis or examination shows that milk or a milk product is
7 adulterated or misbranded and is dangerous to health or misleading to the injury or damage of a
8 purchaser or consumer, the division may issue a summary disposal order under s. 97.12 (2) (c),
9 Stats., requiring the disposal or other disposition of the milk or milk product. A disposal order
10 may be issued by the division representative who examines the milk, or by the division
11 administrator, or by a person whom the administrator designates in writing. Where appropriate,
12 an order may require relabeling of misbranded milk in lieu of disposal. A holding order under
13 sub. (1) is not a prerequisite to a disposal order under this subsection. A disposal order shall be
14 issued in writing, and shall include a notice of the recipient's right to hearing under s. ATCP
15 65.928.

16 (3) IDENTIFICATION OF ADULTERATED MILK. If milk is found to be adulterated and hazardous
17 to health, a division representative may identify the milk for disposal or disposition in
18 compliance with a notice under sub. (2). To identify the adulterated milk, the division
19 representative may tag the milk container and may add a harmless food grade color to the milk to
20 prevent its sale or use for human food purposes.

21 **ATCP 65.928 Right of hearing. (1) HEARING REQUEST.** A person adversely affected by
22 any of the following division actions may ask the department to hold a hearing on that action:

1 (a) The denial of a milk producer license application or grade A producer permit application
2 under s. ATCP 65.02.

3 (b) The summary suspension of a milk producer license under s. ATCP 65.920 (2).

4 (c) The issuance of a warning notice under s. ATCP 65.922 (1) or 65.924 (1)

5 (d) The suspension of a grade A producer permit under s. ATCP 65.922 (4) or 65.924 (2).

6 (e) The denial of a reinstatement application under s. ATCP 65.922 (6) or 65.924 (3).

7 (f) A holding order, disposal order, or other summary action under s. ATCP 65.927.

8 (g) The suspension or revocation of a dairy plant license or grade A permit under s. ATCP
9 65.926.

10 **(2) FORM AND TIMING OF REQUEST; EFFECT PENDING HEARINGS.** A person requesting a
11 hearing under sub. (1) shall make that request, in writing, within 10 days after the milk producer
12 receives notice of the division action. A request for hearing does not stay the effect of any action
13 under this chapter. The filing deadline under this subsection is waived if the department fails to
14 give the milk producer timely written notice of the filing deadline.

15 **(3) INFORMAL HEARING.** (a) Whenever the department receives a hearing request under sub.
16 (2), the department shall conduct a prompt informal hearing on the contested action. The hearing
17 shall be conducted by a presiding officer who is a department employee or official who was not
18 personally involved in the investigation or decision to take the contested action, and who has
19 authority to withdraw or correct the action as necessary. The division shall conduct the informal
20 hearing unless the contested action was taken by the division administrator. The division shall
21 hold the informal hearing within 20 business days after it receives the hearing request under sub.
22 (2), unless the person requesting the hearing agrees to a later date. The division may hold the
23 informal hearing by telephone or at the division's office.

1 (b) The issue for hearing, held under par. (a), shall be limited to whether the division had
2 adequate grounds for the contested action. Within 2 business days after the conclusion of the
3 informal hearing, the presiding officer shall issue a brief written memorandum that summarizes
4 the informal hearing, and any decision or action resulting from the informal hearing. A copy of
5 the memorandum shall be provided to the person who requested the hearing. The memorandum
6 shall include notice of the person's right to request a full evidentiary hearing under sub. (4).

7 (4) FULL EVIDENTIARY HEARING. If a person adversely affected by a division action files a
8 timely written request for hearing under subs. (1) and (2), and if the matter is not resolved by an
9 informal hearing under sub. (3), the person may request a full evidentiary hearing before the
10 department, pursuant to ch. 227, Stats., and ch. ATCP 1. The person shall make the hearing
11 request within 10 days after the officer presiding at the informal hearing issues the written
12 memorandum under sub. (3) (b) summarizing that informal hearing. A full evidentiary hearing,
13 if any, shall be held before an administrative law judge appointed by the secretary. A request for
14 a full evidentiary hearing does not stay any action under this chapter.

15 **ATCP 65.930 Grade A dairy plants; compliance monitoring and inspection. (1)**

16 AUDIT SURVEYS BY CERTIFYING AGENCY. (a) *Requirement.* The division shall perform audit
17 surveys of grade A dairy plants, and the dairy farms shipping milk to those dairy plants, to
18 establish a grade A sanitation compliance rating under this chapter. The division shall survey a
19 grade A dairy plant, and the farms shipping milk to that dairy plant, at all of the following times:

20 1. Within 20 business days after the department first issues a grade A dairy plant permit to
21 the dairy plant under s. ATCP 65.04.

22 2. At least once every 2 years after the initial survey under subd. 1.

1 (b) *Survey method.* A survey under par. (a) shall include an inspection of the grade A dairy
2 plant, an inspection of a randomly selected statistically representative sample of dairy farms
3 shipping grade A milk to that dairy plant, and an evaluation of enforcement methods. A survey
4 shall be conducted in compliance with "Methods of Making Sanitation Ratings of Milk
5 Supplies," 2013 revision, published by the Food and Drug Administration, Public Health Service,
6 United States Department of Health and Human Services.

7 (c) *Survey rating.* Based on a survey under par. (a), the division shall assign an overall grade
8 A sanitation compliance rating to the dairy plant and the dairy farms that ship milk to that dairy
9 plant.

10 **Note:** The "Methods of Making Sanitation Ratings of Milk Supplies" is on file with the division and
11 the legislative reference bureau. Copies may be purchased from the Milk Safety Team, HFS-626, Food
12 and Drug Administration, Public Health Service, United States Department of Health and Human
13 Services, 5100 Paint Branch Parkway, College Park, MD 20740-3835. Also available online at
14 <http://www.fda.gov/food/guidanceregulation/federalstatefoodprograms/ucm2007965.htm>.

15
16 (d) *Unsatisfactory survey rating; grade A permit suspension.* The department may suspend
17 or revoke a dairy plant's grade A permit if the sanitation compliance rating for that dairy plant
18 under par. (c) falls below 80%. This subsection does not prohibit the department from
19 suspending or revoking a grade A dairy plant permit for any other reason.

20 **Note:** Procedures related to the suspension or revocation of a grade A dairy plant permit are set forth in ch.
21 ATCP 1. If a compliance rating falls below 80%, the department may also decertify the dairy plant as an interstate
22 milk shipper. Decertification may prevent the dairy plant operator from shipping grade A dairy products in interstate
23 commerce.

24
25 (2) INSPECTION FREQUENCY. (a) Except as provided in par. (b), the division shall inspect
26 every grade A processing plant at least once every 3 months, every grade A receiving station at
27 least once every 3 months, and every grade A transfer station at least once every 6 months.

28 (b) Paragraph (a) does not apply to a grade A processing plant, receiving station, or transfer
29 station that the United States food and drug administration lists as being enrolled in the program
30 described in PMO Appendix K.

1 **Note:** PMO Appendix K describes a voluntary "hazard analysis-critical control point (HACCP)" program for
2 dairy plants. The HACCP program serves as a partial alternative to traditional inspection. If a dairy plant is currently
3 enrolled in the HACCP program, as indicated by the Interstate Milk Shippers List published by the United States
4 food and drug administration, the department is not required to inspect the dairy plant with the normal frequency
5 required under sub. (2)(a). If an enrolled dairy plant fails to comply with HACCP program standards in PMO
6 Appendix H, the food and drug administration may "de-list" the dairy plant from the HACCP program and the
7 department must then inspect the dairy plant at the normal frequency required by sub. (2)(a). PMO Appendix K is on
8 file with the division and the legislative reference bureau. Copies may be obtained from the department at cost or
9 online at <http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Milk>.

10 **(3) DAIRY PRODUCT SAMPLING; FREQUENCY.** (a) *Pasteurized milk and dairy products;*

11 *sample testing.* Except as provided in par. (c), the division in every consecutive 6 month period
12 shall collect from every grade A dairy plant at least 4 samples of each pasteurized grade A dairy
13 product produced by that dairy plant. The division shall collect each sample in a separate month,
14 except that the division may collect 2 of the samples in the same month if it collects those 2
15 samples at least 20 days apart and collects the other two samples in two other months. Dairy
16 plants producing pasteurized grade A dairy products on an intermittent basis shall notify the
17 division of intended production schedules to facilitate sample collection under this paragraph.
18 The division shall measure and record the temperature of each pasteurized grade A dairy product
19 from which the samples are collected and shall test the samples for bacteria counts, coliform
20 counts, and beta lactam drug residues. The division may collect additional samples and perform
21 additional tests that the division considers necessary.

22 (b) *Raw milk held at dairy plant; sample testing.* During every consecutive 6-month period,
23 the division shall collect at least 4 samples of commingled raw milk from each grade A dairy
24 plant that receives raw milk. The division shall collect each sample in a separate month, except
25 that the division may collect 2 of the samples in the same month if it collects those 2 samples at
26 least 20 days apart and collects the other two samples in two other months. The division shall
27 measure and record the temperature of the raw commingled milk from which the division
28 collects each sample and shall test each sample for bacterial counts and beta lactam drug
29

1 residues. The division may collect additional samples and perform additional tests that the
 2 division considers necessary.

3 (c) Paragraph (a) does not apply to a grade A condensed or dry milk product that is not
 4 produced on a continuous monthly basis, provided that the division collects at least 5 samples
 5 within each continuous production period.

6 **SECTION 3.** ATCP 65 Appendix A is created to read:

7 **Chapter ATCP 65**

8 **APPENDIX A**

9 **3-A SANITARY STANDARDS AND ACCEPTED PRACTICES**

10 The following 3-A standards and 3-A accepted practices establish criteria for the sanitary construction and
 11 operation of dairy handling and processing equipment. These standards are published by the “3-A Sanitary
 12 Standards, Inc., 1451 Dolley Madison Boulevard, Suite 210, McLean, VA 22101-3850, website www.3-A.org,
 13 Telephone: (703) 790-0295, Fax: (703) 761-6284. Copies are on file with the department and the revisor of
 14 statutes. Copies may be obtained from “3-A Sanitary Standards, Inc. Online Store” at <http://www.techstreet.com>.

15 **You may also search, order and download standards (in PDF format) by visiting <http://www.3-A.org>.**

16 **3-A SANITARY STANDARDS**

Doc. No.	Title (3-A Sanitary Standards for:)	Effective
00-00	General Requirements	10/2014
01-09	Insulated Tanks	11/2013
02-11	Centrifugal and Positive Rotary Pumps	7/2012
04-05	Homogenizers and Reciprocating Pumps	6/2012
05-15	Stainless Steel Automotive Transportation Tanks	11/2002
10-04	Filters Using Single Service Filter Media	11/2000
11-09	Plate-Type Heat Exchangers	8/2010
12-07	Tubular Heat Exchangers	11/2003
13-11	Farm Milk Cooling and Holding Tanks	7/2012
16-05	Product Evaporators and Vacuum Pans	8/1997
17-11	Formers, Fillers, and Sealers of Containers for Fluid Products	11/2012
18-03	Multiple-Use Rubber and Rubber-Like Materials	8/1999
19-07	Batch and Continuous Freezers Ice Cream, Ices, and Similarly Frozen Foods	12/2008
20-27	Multiple-Use Plastic Materials	7/2011

Doc. No.	Title (3-A Sanitary Standards for:)	Effective
21-01	Centrifugal Separators and Clarifiers	11/2006
22-08	Silo-Type Storage Tanks	11/2004
23-06	Equipment for Packaging Viscous Products	11/2012
24-03	Non-Coil Type Batch Pasteurizers	7/2010
25-03	Non-Coil Type Batch Processors	11/2002
26-05	Sifters for Dry Products	4/2007
27-06	Equipment for Packaging Dry Products	5/2010
28-04	Flow Meters	1/2009
29-03	Air Eliminators	8/2011
30-01	Farm Milk Storage Tanks	9/1984
31-06	Scraped Surface Heat Exchangers	9/2010
32-03	Uninsulated Tanks	3/2013
33-02	Metal Tubing	9/2009
34-02	Portable Bins for Dry Products	9/1992
35-04	Blending Equipment	8/2011
36-01	Inline Rotor-Stator Mixers	11/2003
38-00	Cottage Cheese Vats	8/1997
39-01	Pneumatic Conveyors for Dry Products	11/2003
40-04	Bag Collectors	3/2012
41-03	Mechanical Conveyors for Dry Products	1/2008
42-01	In-Line Strainers	11/1997
44-03	Diaphragm Pumps	11/2001
45-02	Crossflow Membrane Modules	11/2003
46-03	Refractometers and Energy-Absorbing Optical Sensors	11/2002
49-01	Air Driven Sonic Horns for Dry Products	11/2001
50-01	Level Sensing Devices for Dry Products	11/2001
51-01	Plug-Type Valves	11/1998
52-02	Plastic Plug-Type Valves	11/1998
53-06	Compression-Type Valves	5/2009
54-02	Diaphragm-Type Valves	11/1997
55-02	Boot Seal Type Valves	8/2010
56-00	Inlet and Outlet Leak-Protector Plug-Type Valves	5/1993
57-02	Disc-Type Valves	5/2008

Doc. No.	Title (3-A Sanitary Standards for:)	Effective
58-01	Vacuum Breakers and Check Valves	8/2010
59-00	Automatic Positive Displacement Samplers for Fluid Products	11/1993
60-01	Rupture Discs	7/2013
61-01	Steam Injection Heaters	9/2006
62-02	Hose Assemblies	11/2010
63-03	Sanitary Fittings	11/2002
64-00	Pressure Reducing and Back Pressure Regulating Valves	11/1993
65-01	Sight and/or Light Windows and Sight Indicators in Contact with Product	6/2008
68-00	Ball-Type Valves	11/1996
70-02	Italian-Type Pasta Filata Style Cheese Cookers	7/2013
71-01	Italian-Type Pasta Filata Style Cheese Moulders	11/2002
72-01	Italian-Type Pasta Filata Style Moulded Cheese Chillers	11/2002
73-01	Shear Mixers, Mixers, and Agitators	10/2005
74-06	Sensors and Sensor Fittings and Connections Used on Equipment	8/2013
75-01	Belt-Type Feeders	6/2012
78-01	Spray Cleaning Devices Intended to Remain in Place	11/2003
81-00	Auger-Type Feeders	11/1998
82-00	Pulsation Dampening Devices	11/2002
83-00	Enclosed Cheese Vats and Tables	11/2003
84-02	Personnel Access Ports for Wet Applications	6/2007
85-03	Double-Seat Mixproof Valves	4/2014
87-00	Mechanical Strainers	11/2007
88-00	Machine Leveling Feet and Supports	12/2006
95-00	Transportation Tank Vents	10/2012
101-00	Pipeline Product Recovery Equipment Using Projectiles	8/2012

1
2

3-A ACCEPTED PRACTICES

Doc. No.	Title (3-A Sanitary Standards Topic)	Effective
603-07	Sanitary Construction, Installation, Testing, and Operation of High-Temperature Short-Time and Higher-Heat Shorter-Time Pasteurizer Systems	11/2005
604-05	Supplying Air Under Pressure for Contact with Product or Product Contact Surfaces	11/2004
605-04	Permanently Installed Product and Solution Pipelines and Cleaning	8/1994

Systems

606-05	Design, Fabrication, and Installation of Milking and Milk Handling Equipment	11/2002
607-05	Spray Drying Systems	11/2004
608-02	Instantizing Systems	11/2001
609-03	Method of Producing Steam of Culinary Quality	11/2004
610-02	Sanitary Construction, Installation, and Cleaning of Crossflow Membrane Processing Systems	7/2009
611-00	Farm Milk Cooling and Storage Systems	11/1994
612-00	Plant Environmental Air Quality	12/2011

1 **SECTION 4.** ATCP 80 is repealed.

2 **SECTION 5. EFFECTIVE DATE:** This rule shall take effect on the first day of the month
3 following publication in the Wisconsin administrative register, as provided under s. 227.22 (2)
4 (intro).

Dated this _____ day of _____, 2015.

WISCONSIN DEPARTMENT OF AGRICULTURE,
TRADE AND CONSUMER PROTECTION

By _____
Ben Brancel, Secretary