

April 7, 2021

Edward Blazel
Wisconsin Assembly Chief Clerk
17 West Main Street
Room 401
Madison, WI 53703

Kay Inabnet
Wisconsin Assembly Records Clerk
17 West Main Street
Room 401
Madison, WI 53703

Dear Assembly Chief Clerk's Office:

On February 5, 2021, the Department of Public Instruction (DPI) submitted CR 20-070, relating to speech and language pathologist licenses, to the chief clerks of the legislature. Since then, the DPI has identified a germane modification to CR 20-070 which is necessary for the implementation of the proposed rule. The germane modification is a technical revision to s. PI 34.040 (2) (j) 4. to properly conform the rule with requirements in statute.

Accordingly, this letter serves as both notice of the DPI recalling CR 20-070 from the chief clerk of each house of the legislature and as a resubmission of CR 20-070 with the germane modification, pursuant to s. 227.19 (4) (b) 4., Stats., as laid out below.

PI 34.040 (2) (j) 4. ~~Has successfully completed training in equity and conflict resolution as required in s. PI 34.022 (3) and (4) completed training under s. 118.19 (8) and (9), Stats.~~

Please contact Carl Bryan at Carl.Bryan@dpi.wi.gov if you have any questions.

Sincerely,

Jennifer Kammerud
Senior Policy Advisor

cc: Legislative Reference Bureau
Legislative Council Rules Clearinghouse