

H 62

STATE OF WISCONSIN }
BOARD OF HEALTH } SS

TO ALL TO WHOM THESE PRESENTS SHALL COME, GREETINGS:

I, Carl N. Neupert, M.D., Executive Secretary of the Wisconsin State Board of Health and custodian of the official records of said Board, do hereby certify that Section H 62.20 (1) (f), Maintenance, of the Wisconsin Administrative Code was repealed and that the annexed rule and regulation (Section H 62.20 (1) (f) of the Wisconsin Administrative Code) relating to Maintenance and Sludge Disposal was duly approved and adopted by this Board on May 25, 1956, subject to the provisions of Section 227.02 (1) (e), Wis. Stats., pursuant to authority vested in said Board by Sec. 140.05 (3) and 145.02 (2), Wis. Stats.

I further certify that said copy has been compared by me with the original on file in this department, and that the same is a true copy thereof, and of the whole of such original.

The attached rule shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, as provided in Sec. 227.026 (1), Wis. Stats.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the official seal of the department at the State Office Building in the City of Madison, this 1st day of June, 1956.

Seal

Carl N. Neupert, M.D.
Executive Secretary

R 62.20 (1) (f) Maintenance and sludge disposal. Septic tanks shall be cleaned whenever the sludge and scum occupies one-third of the tank volume. Sludge and scum from septic tanks and any other material removed from a sewage disposal unit, all hereafter referred to as sludge, shall be disposed of in such manner as not to create a nuisance or menace to public health. Unless otherwise authorized by a local health officer the sludge shall be disposed of as follows:

(1) By discharge into a public sewerage system when practical. The point and method of discharge into the system shall be subject to the requirements of the municipality,

(2) By discharge at a disposal site designated by a city, village, or town for such purpose, or

(3) In the absence of a public sewerage system or designated disposal site by one of the following methods:

a. By burial under 18 inches of earth on the premises on which produced at a distance of at least 50 feet from a well or if on other premises at a distance of at least 500 feet from a place of habitation provided that there is also at least 18 inches of soil between the buried sludge and the ground water level or limestone rock.

b. By spreading on land, not used for pasturing livestock or for growing vegetables, at a distance of 1000 feet from a place of habitation.

4. The sludge shall not be disposed of by discharge into a lake, stream, ditch or dry run or be deposited within 25 feet of such watercourses.



The State of Wisconsin

BOARD OF HEALTH

STATE OFFICE BUILDING

MADISON 2

June 1, 1956

IN REPLY PLEASE REFER TO:

Filed June 1/56

Mr. James J. Burke
Revisor of Statutes
321 Northeast, State Capitol
Madison 2, Wisconsin

Dear Mr. Burke:

As provided in Section 227.023, Wisconsin Statutes, I hereby submit a certified copy of Section 62.20 (1) (f), Maintenance and Sludge Disposal, of the Wisconsin Administrative Code as adopted by the Wisconsin State Board of Health on May 25, 1956, subject to the provisions of Section 227.02 (1) (e), Wisconsin Statutes, for publication in the Wisconsin Administrative Register. It is anticipated that the rules will be published in the June issue of the Register so the effective date may be July 1, 1956.

A copy of this rule is also being submitted to the Governor as required by Section 14.225, Wisconsin Statutes.

Respectfully submitted,

Carl N. Neupert

Carl N. Neupert, M. D.
Executive Secretary

CNN:dp

Enclosures (2)

H 62

Recd July 2, 1956

STATE OF WISCONSIN }
BOARD OF HEALTH } SS

TO ALL TO WHOM THESE PRESENTS SHALL COME, GREETINGS:

I, Carl N. Neupert, M.D., Executive Secretary of the Wisconsin State Board of Health and custodian of the official records of said Board, do hereby certify that Section H 62.20 (1) (f), Maintenance, of the Wisconsin Administrative Code was repealed and that the annexed rule and regulation (Section H 62.20 (1) (f) of the Wisconsin Administrative Code) relating to Maintenance and Sludge Disposal was duly approved and adopted by this Board on June 30, 1956, pursuant to authority vested in said Board by Sec. 140.05 (3) and 145.02 (2), Wis. Stats.

I further certify that said copy has been compared by me with the original on file in this department, and that the same is a true copy thereof, and of the whole of such original.

The attached rule shall take effect on the first day of the month following publication in the Wisconsin Administrative Register, as provided in Sec. 227.026 (1), Wis. Stats.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the official seal of the department at the State Office Building in the City of Madison, this 2nd day of July, 1956.

Seal

Carl N. Neupert, M.D.
Executive Secretary

WISCONSIN ADMINISTRATIVE CODE

State Board of Health - Departmental Rules

H 62.20 (1) (f) Maintenance and sludge disposal. Septic tanks shall be cleaned whenever the sludge and scum occupies one-third of the tank volume. Sludge and scum from septic tanks and any other material removed from a sewage disposal unit, all hereafter referred to as sludge, shall be disposed of in such manner as not to create a nuisance or menace to public health. Unless otherwise authorized by a local health officer the sludge shall be disposed of as follows:

1. By discharge into a public sewerage system when practical. The point and method of discharge into the system shall be subject to the requirements of the municipality,
2. By discharge at a disposal site designated by a city, village, or town for such purpose, or
3. In the absence of a public sewerage system or designated disposal site by one of the following methods:
 - a. By burial under 18 inches of earth on the premises on which produced at a distance of at least 50 feet from a well or if on other premises at a distance of at least 500 feet from a place of habitation provided that there is also at least 18 inches of soil between the buried sludge and the ground water level or limestone rock.
 - b. By spreading on land, not used for pasturing livestock or for growing vegetables, at a distance of 1000 feet from a place of habitation.
4. The sludge shall not be disposed of by discharge into a lake, stream, ditch or dry run or be deposited within 25 feet of such watercourses.

6/1/56



The State of Wisconsin

BOARD OF HEALTH

STATE OFFICE BUILDING

MADISON 2

IN REPLY PLEASE REFER TO:

July 2, 1956

Mr. James J. Burke
Revisor of Statutes
321 Northeast, State Capitol
Madison 2, Wisconsin

Dear Mr. Burke:

As provided in Section 227.023, Wisconsin Statutes, I hereby submit a certified copy of Section H 62.20 (1) (f), Maintenance and Sludge Disposal, of the Wisconsin Administrative Code as adopted by the Wisconsin State Board of Health on June 30, 1956 for publication in the Wisconsin Administrative Register. It is our understanding that the effective date of the rules will be July 1, 1956.

A copy of these rules is also being submitted to the Secretary of State as required by Section 227.023, Wisconsin Statutes.

Respectfully submitted,

Carl N. Neupert

Carl N. Neupert, M. D.
Executive Secretary

CNN:dp

Enclosures (2)