

WISCONSIN STATE ELECTRICAL CODE

Volume 2

History: The Electrical Code as it existed on April 30, 1964 was repealed and a new Electrical Code was created effective May 1, 1964.

TABLE OF CONTENTS

Volume 2

INTRODUCTION

General Requirements and Definitions

Chapter

- E 1 Scope
- E 10 General Requirements
- E 100 Definition of Special Terms

PART 4

Protection of Buildings and Structures Against Lightning

- E 160 Scope, Definitions, etc.
- E 161 Lightning Protection for Ordinary Buildings
- E 162 Miscellaneous Structures
- E 163 Buildings Containing Baled Flammable Materials
- E 164 Smokestacks and Chimneys
- E 165 Hangars, Balloons and Airships
- E 166 Ships
- E 167 Trees
- E 168 Livestock in Fields

Protection of Structures Containing Flammable Liquids and Gases

- E 170 Scope, Exceptions, etc.
- E 171 Protective Measures
- E 172 Protection of Specific Classes of Structures

PART 5

Electrical and Communication Equipment and Wiring Including Grounding

- E 190 Scope and Application of Rules
- E 195 General

Wiring Design and Protection

- E 200 Use and Identification of Grounded Conductors
- E 210 Branch Circuits
- E 215 Feeders
- E 220 Branch Circuit and Feeder Calculations
- E 230 Services
- E 240 Overcurrent Protection
- E 250 Grounding
- E 280 Lightning Arresters

Wiring Methods and Materials

- E 300 Wiring Methods—General Requirements
- E 310 Conductors for General Wiring
- E 318 Continuous Rigid Cable Supports
- E 320 Open Wiring on Insulators

Chapter

- E 324 Concealed Knob-and-Tube Work
- E 328 Bare-Conductor Feeders
- E 330 Mineral Insulated-Metal Sheathed Cable, Type MI
- E 331 Aluminum Sheathed Cable
- E 334 Metal Clad Cable
- E 336 Non-Metallic Sheathed Cable, Types NM and NMC
- E 338 Service-Entrance Cable, Types ASE, SE and USE
- E 339 Underground Feeder and Branch Circuit Cable, Type UF
- E 342 Non-Metallic Extensions
- E 344 Underplaster Extensions
- E 346 Rigid Metal Conduit
- E 347 Rigid Non-Metallic Conduit
- E 348 Electrical Metallic Tubing
- E 350 Flexible Metal Conduit
- E 351 Liquid-Tight Flexible Metal Conduit
- E 352 Surface Metal Raceways
- E 353 Metal Multi-Outlet Assembly
- E 354 Underfloor Raceways
- E 356 Cellular Metal Floor Raceways
- E 358 Cellular Concrete Floor Raceways
- E 362 Wireways
- E 364 Busways
- E 370 Outlet, Switch and Junction Boxes, and Fittings
- E 373 Cabinets and Cutout Boxes
- E 374 Auxiliary Gutters
- E 380 Switches
- E 384 Switchboards and Panelboards
- E 390 Prefabricated Buildings
- E 391 Trailers and Mobile Homes

Equipment for General Use

- E 400 Flexible Cords
- E 402 Fixture Wires
- E 410 Lighting Fixtures, Lampholders, Lamps, Receptacles and Rosettes
- E 422 Appliances
- E 430 Motors, Motor Circuits and Controllers
- E 445 Generators
- E 450 Transformers and Transformer Vaults (Including Secondary Ties)
- E 460 Capacitors
- E 470 Resistors and Reactors
- E 480 Storage Batteries

Special Occupancies

- E 500 Hazardous Locations
- E 501 Class I Installations—Hazardous Locations
- E 502 Class II Installations—Hazardous Locations
- E 503 Class III Installations—Hazardous Locations
- E 510 Hazardous Locations—Specific
- E 511 Commercial Garages, Repair and Storage
- E 512 Residential Storage Garages
- E 513 Aircraft Hangars

Chapter

- E 514 Gasoline Dispensing and Service Stations
- E 515 Bulk-Storage Plants
- E 516 Finishing Processes
- E 517 Flammable Anesthetics
- E 520 Theaters and Assembly Halls
- E 530 Motion Picture Studios and Similar Locations
- E 540 Motion Picture Projectors
- E 560 Farm Wiring

Special Equipment

- E 600 Electric Signs and Outline Lighting
- E 610 Cranes and Hoists
- E 615 Trolley Conductors
- E 620 Elevators, Dumbwaiters, Escalators, and Moving Walks or Ramps
- E 630 Electric Welders
- E 640 Sound-Recording and Similar Equipment
- E 650 Organs
- E 660 X-Ray Equipment
- E 665 Inductive and Dielectric Heat Generating Equipment
- E 670 Metal Working Machine Tools
- E 680 Swimming Pools

Special Conditions

- E 700 Emergency Systems
- E 710 Over 600 Volts—General
- E 720 Circuits and Equipment Operating at Less than 50 Volts
- E 725 Remote-Control, Low-Energy Power, Low-Voltage Power and Signal Circuits
- E 730 Outside Branch Circuits and Feeders

Communication Systems

- E 800 Communication Circuits
- E 810 Radio and Television Equipment

Tables and Examples

Tables
Examples

PRINCIPAL TABLES

Table	Description
E 210.25	Branch Circuit Requirements
E 220.02 (3) (a) 2.	General Lighting Loads by Occupancies
E 220.04 (2)	Calculation of Feeder Loads by Occupancies
E 220.05	Demand Loads for Household Cooking Appliances Over 1½ KW Rating
E 220.06	Demand Factors for Household Electric Clothes Dryers
E 220.07	Optional Calculation for One-Family Residence
E 240.28	Number of Overcurrent Units, Such as Trip Coils or Relays, for Protection of Circuits

Table	Description
E 250.094 (1)	Sizes of Grounding Conductors
E 250.094 (2)	Sizes of Grounding Conductors
E 250.095	Sizes of Grounding Conductors
E 310.02 (1)	Conductor Application
E 310.02 (2)	Conductor Insulations
E 310.02 (8) (a)	Thickness of Rubber Insulation for Rubber-Covered Wire and Cable, in 64ths of an Inch
E 310.02 (8) (b)	Thickness of Varnished-Cambric Insulation for Single-Conductor Cable, in 64ths of an Inch
E 310.02 (8) (c)	Thickness of Varnished-Cambric Insulation for Multiple-Conductor Cable, in 64ths of an Inch
E 310.02 (8) (d)	Thickness of Asbestos and Varnished-Cambric Insulation for Single-Conductor Cable, Types AVA, AVB and AVL, in Mils
E 310.12	Allowable Current-Carrying Capacities of Insulated Copper Conductors in Amperes
E 310.13	Allowable Current-Carrying Capacities of Insulated Copper Conductors in Amperes
E 310.14	Allowable Current-Carrying Capacities of Insulated Aluminum Conductors in Amperes
E 310.15	Allowable Current-Carrying Capacities of Insulated Aluminum Conductors in Amperes
E 346.10	Radius of Conduit Bends
E 350.03	Maximum Number of Conductors in $\frac{3}{4}$ " Flexible Metal Conduit
E 370.06 (1) (a)	Deep Boxes
E 370.06 (1) (b)	Shallow Boxes
E 370.06 (2)	Other Boxes
E 373.06 (1)	Width of Gutters
E 374.09 (4)	Maximum Width of the Widest Surface of Gutters
E 384.26	Spacings Between Bare Metal Parts
E 400.09 (2)	Current-Carrying Capacity of Flexible Cord in Amperes
E 400.11	Flexible Cord
E 402.04	Allowable Current-Carrying Capacity of Fixture Wire
E 402.06	Fixture Wire
E 430.007 (2)	Locked Rotor Indicating Code Letters
E 430.146	Overcurrent Protection for Motors
E 430.147	Full Load Currents in Amperes—Direct Current Motors
E 430.148	Full Load Currents in Amperes, Single Phase Alternating Current Motors
E 430.149	Full-Load Current, Two-Phase AC Motors (4-wire)
E 430.150	Full-Load Current, Three-Phase AC Motors
E 430.151	Locked-Rotor Current Conversion Table
E 430.152	Maximum Rating or Setting of Motor-Branch-Circuit Protective Devices for Motors Marked with a Code Letter Indicating Locked Rotor KVA

Table	Description
E 430.153	Maximum Rating or Setting of Motor-Branch-Circuit Protective Devices for Motors not Marked with a Code Letter Indicating Locked Rotor KVA
E 610.14 (1)	Current-Carrying Capacity in Amperes of Insulated Conductors in Raceway or Cable Used with Short Time Rated Crane and Hoist Motors
E 710.05	Shielding of Rubber-Insulated Conductors
E 710.33	Minimum Air Separation in Inches, Indoors—Circuits over 600 Volts
E 710.37	Isolation by Elevation—Circuits over 600 Volts
E 710.38	Working Space—Circuits over 600 Volts

Chapter E 900—Tables and Examples

A. Tables

1	Number of Conductors in Conduit or Tubing, Rubber and Thermoplastic
2	Number of Conductors in Conduit or Tubing, Lead Covered
3	Combination of Conductors
4	Dimensions and Per Cent Area of Conduit and of Tubing
5	Dimensions of Rubber-Covered and Thermoplastic-Covered Conductors
6	Dimensions of Lead-Covered Conductors
7	Dimensions of Asbestos-Varnished-Cambric Insulated Conductors
8	Properties of Conductors
9	Multiplying Factors for Converting DC Resistance to 60 Cycle AC Resistance

B. Examples

1	Single Family Dwelling
2	Small Roadside Fruitstand With No Show Windows
3	Store Building
4	Multi-Family Dwelling
5	Calculation of Neutral Feeder
6	Maximum Demand for Range Loads
7	Ranges on a 3-Phase System
8	Motors, Conductors, and Overcurrent Protection

SUMMARY OF 1964 REVISION

The 1964 revision of Volume 2 of the Wisconsin State Electrical Code includes most of the changes incorporated into the 1962 National Electrical Code. In addition, many other revisions have been made.

New chapters E 318, E 331, E 347, and E 680 have been added.

Chapters E 334, E 342, E 391, E 620, and E 670 have been completely rewritten.

The following individual sections have either been amended or added new:

E 100.02, E 195.17, E 195.21.

E 200.05, E 200.06, E 200.10, E 210.02, E 210.04, E 210.05, E 210.06, E 210.07, E 210.09, E 210.19, E 210.20, E 210.21, E 210.22, E 215.02, E 220.02, E 220.03, E 220.04, E 230.002, E 230.003, E 230.023, E 230.024, E 230.026, E 230.032, E 230.041, E 230.044, E 230.045, E 230.047, E 230.070, E 230.071, E 230.090, E 230.101, E 230.106, E 240.03, E 240.05, E 240.06, E 240.07, E 240.15, E 240.16, E 240.20, E 240.22, E 240.23, E 240.30, E 250.002, E 250.023, E 250.043, E 250.044, E 250.045, E 250.052, E 250.053, E 250.057, E 250.059, E 250.061, E 250.072, E 250.074, E 250.079, E 250.081, E 250.082, E 250.091, E 250.092, E 250.112, E 250.114, E 250.116.

E 300.03, E 300.05, E 300.08, E 300.15, E 300.16, E 300.17, E 300.19, E 300.20, E 300.21, E 300.22, E 310.02, E 310.05, E 310.06, E 310.08, E 310.11, E 330.06, E 334.06, E 336.02, E 336.03, E 338.01, E 338.03, E 339.03, E 344.02, E 344.05, E 346.01, E 346.04, E 346.06, E 348.01, E 348.04, E 348.08, E 348.13, E 350.01, E 350.02, E 351.03, E 351.04, E 353.03, E 354.03, E 358.01, E 362.05, E 362.10, E 364.07, E 370.03, E 370.05, E 370.06, E 370.07, E 370.15, E 370.18, E 370.19, E 374.05, E 374.06, E 380.08, E 380.09, E 384.09, E 384.15.

E 400.03, E 400.09, E 400.14, E 400.15, E 402.05, E 410.04, E 410.26, E 410.52, E 410.55, E 410.56, E 410.63, E 410.92, E 410.96, E 422.13, E 422.21, E 422.22, E 422.26, E 422.46, E 422.54, E 422.56, E 422.60, E 422.61, E 422.62, E 422.63, E 430.005, E 430.007, E 430.021, E 430.032, E 430.036, E 430.052, E 430.053, E 430.058, E 430.071, E 430.086, E 430.107, E 430.142, E 430.145, E 450.03, E 450.09, E 450.21, E 450.23, E 450.41, E 450.42, E 450.44, E 480.07.

E 500.01, E 500.04, E 500.05, E 500.06, E 501.03, E 501.06, E 501.08, E 501.10, E 501.11, E 501.16, E 502.01, E 502.03, E 502.06, E 502.10, E 502.16, E 503.01, E 503.06, E 503.08, E 511.05, E 511.06, E 513.04, E 513.05, E 514.01, E 514.02, E 514.04, E 514.05, E 514.06, E 515.02, E 515.04, E 515.05, E 516.01, E 516.03, E 516.05, E 517.03, E 517.04, E 517.06, E 520.04, E 520.43, E 520.45, E 520.61, E 520.63, E 530.01, E 530.11, E 530.16, E 530.51, E 540.13.

E 600.06, E 600.21, E 600.31, E 610.01, E 610.11, E 610.14, E 610.21, E 610.32, E 610.42, E 610.51, E 630.01, E 630.11, E 630.13, E 630.14, E 660.01.

E 700.06, E 700.07, E 700.08, E 700.09, E 700.10, E 700.13, E 700.14, E 700.22, E 710.10, E 710.22, E 710.31, E 720.05, E 725.15, E 725.18, E 725.21, E 725.42, E 725.44, E 730.08, E 730.10, E 730.13, E 730.19.

E 800.02, E 800.21, E 810.01, E 810.11, E 810.12, E 810.13, E 810.14, E 810.16, E 810.17, E 810.52, E 810.54.

Several other sections have been renumbered although their wording has not been changed.

The following tables have been amended: E 210.25, E 220.05, E 250.094 (2), E 250.095 (1), E 310.02 (1), E 310.02 (2), E 310.12-E 310.15, E 370.06 (1) (a), E 370.06 (1) (b), E 400.09 (2), E 400.11, E 430.147-E 430.151, Chapter E 900—Tables 1, 2, and 5.

The following examples have been amended: Chapter E 900—Examples 1, 2, 3, 4, 5, and 7.