

Ind 19

Filed Jan 18, 1965  
11 AM.

STATE OF WISCONSIN  
DEPT. OF INDUSTRIAL COMMISSION } ss.

TO ALL TO WHOM THESE PRESENTS SHALL COME, GREETINGS:


I, Stephen J. Reilly, Administrative Officer-Secretary of the Industrial Commission of Wisconsin, and custodian of the official records of said Commission, do hereby certify that the attached amendments to Wisconsin Administrative Code Ind 19 Illumination Code were adopted by the Industrial Commission on January 13, 1965.

I further certify that said copy has been compared by me with the original on file in this Commission and that the same is a true copy thereof and of the whole of such original.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the official seal of the department at the Capitol, in the city of Madison, this

15th day of January

A. D., 1965.

  
Administrative Officer-Secretary

Pursuant to the authority vested in the Industrial Commission by Section 101.01-101.29 Wisconsin Statutes, and pursuant to Chapter 227, the Industrial Commission on January 13, 1965 voted to amend Chapter Ind 19 Wisconsin Administrative Code as follows:

Subsection Ind 19.04 (2) (a) of the Wisconsin Administrative Code is adopted to read:

Minimum maintained illumination,  
Foot candles

(a) Exception: Hallways and  
corridors in dwelling-type  
occupancies

2.5

Section Ind 19.05 of the Wisconsin Administrative Code is amended to read:

Ind 19.05 Distribution of light. The reflectors or other accessories, mounting height and spacing employed with lamps for general illumination shall be such as to secure a maximum ratio of highest level to lowest level of general illumination at the work plane of 4 to 1, avoiding objectionable shadow and sharp contrast of brightness. Where local lighting is used, the general level of illumination shall be not less than 1/10 the local level, with both systems operating, measured at the seeing task.

Section Ind 19.06 (introductory paragraph) of the Wisconsin Administrative Code is amended to read:

Ind 19.06 Illumination at the work. Electric illumination at the work in factories, offices, mercantile buildings and all outdoor work areas shall be supplied and maintained in accordance with the minimum values shown in the following table.


Subsections Ind 19.22 (2) (a) and (b) of the Wisconsin Administrative Code are amended to read:

(a) Two and one-half hundredths (0.025) watt per square foot of floor area for those spaces specified in subsection Ind 19.21 (1).

(b) Five hundredths (0.05) watt per square foot of floor area for those spaces specified in subsections Ind 19.21 (2) and Ind 19.21 (3).

The amendments shall become effective on the first day of the month following its publication in the Wisconsin Administrative Code as provided in Section 227.

INDUSTRIAL COMMISSION OF WISCONSIN

  
Stephen J. Reilly  
Administrative Officer-Secretary

January 15, 1965