2 rd 4

Filis November 2, 196, 2: 20 Pm

STATE OF WISCONSIN
)
DEPARTMENT OF INDUSTRY,) SS.
LABOR AND HUMAN RELATIONS)

TO ALL TO WHOM THESE PRESENTS SHALL COME, GREETINGS:

I, Stephen J. Reilly, Executive Secretary of the Department of Industry, Labor and Human Relations, and custodian of the official records of said Department, do hereby certify that the attached rules to Wisconsin Administrative Code Ind 4.001 (26), Ind 4.001 (27), Ind 4.17 (7), Ind 4.31 (6)(b), Ind 4.63 (3), and Ind 4.63 (4) and (4)(a) were adopted by the Department of Industry, Labor and Human Relations on November 1, 1967.

I further certify that said copy has been compared by me with the original on file in this Department and that the same is a true copy thereof and of the whole of such original.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the official seal of the department at the Capitol, in the city of Madison, this lst day of November, A. D., 1967.

Executive Secreta

ORDER OF THE

DEPARTMENT OF INDUSTRY, LABOR AND HUMAN RELATIONS

Pursuant to authority vested in the Department of Industry, Labor and Human Relations by section 101.01 to 101.29 Wis. Stats., the Department of Industry, Labor and Human Relations hereby repeals, amends, and adopts rules as follows:

Section Ind 4.001 (26) of the WISCONSIN ADMINISTRATIVE CODE is amended to read as follows:

- (26) Existing installations. Every installation of equipment that has been completed or for which the contract was let before the effective date of any applicable rule change.
- Section Ind 4.001 (27) of the WISCONSINMADMINISTRATIVE CODE is repealed and recreated to read as follows:
- (27) New installations. Every installation of equipment for which the contract has been let on or after the effective date of any applicable rule change.
- (a) This shall include every installation of equipment that is changed from the approved installation on record.
- Section Ind 4.17 (7) of the WISCONSIN ADMINISTRATIVE CODE is repealed and recreated to read as follows:
- (7) The pit switch of every power elevator hereafter installed shall be provided with an enclosed emergency stop switch, series connected to the elevator control safety circuit, of the type to satisfy Ind 4.70 (7) (a), (b), (c) and (d).
- (a) In pit depths 6 feet 4 inches or less the location of the enclosed emergency stop switch shall satisfy the following conditions:
 - 1. Shall be accessible from the lowest hoistway entrance.
 - 2. Shall be adjacent to the ladder.
- 3. Shall be within 2 inches of a line parallel with the sill of lowest hoistway entrance.
- (b) In pit depths greater than 6 feet 4 inches enclosed emergency stop switches shall be provided, series connected to the elevator control safety circuit, at the following locations:

- 1. Provide one switch in position stated in section Ind 4.17 (7) (a).
- 2. Provide the additional switch adjacent to the ladder at a height approximately 4 feet 6 inches from the pit floor.
- (c) Pits of elevators with separate pit access doors shall have the enclosed emergency stop switch placed adjacent to the nearest point of access to each pit from the pit access door at a height approximately 4 feet 6 inches above pit floor. Ind 4.17 (7) (b) 1. and 2. may be omitted in these installations.
- Section Ind 4.31 (6) (b) of the WISCONSIN ADMINISTRATIVE CODE is repealed and recreated to read as follows:
 - (b) Emergency key openings shall be provided for landing doors for every automatic push button controlled elevator.
- \checkmark Section Ind 4.63 (3) of the WISCONSIN ADMINISTRATIVE CODE is repealed.
 - $\sqrt{}$ Section Ind 4.63 (4) and (4) (a) of the WISCONSIN ADMINI-STRATIVE CODE to be renumbered as (3) and (3) (a), respectively.

The rules, amendments, and repeals contained herein shall take effect on the first day of the month following publication in the Wisconsin Administrative Code as provided in Section 227.

DEPARTMENT OF INDUSTRY, LABOR AND HUMAN RELATIONS

tephen J, Reilly, Executive Secretar

November 1, 1967