Ind 51,52,59

Feled January 24, 1974 10:40 am 628

| STATE OF WISCONSIN |) | . 88 |
|---------------------------|---|------|
| DEPARTMENT OF INDUSTRY, |) | |
| LABOR AND HUMAN RELATIONS |) | |

TO ALL TO WHOM THESE PRESENTS SHALL COME, GREETINGS:

I, Stephen J. Reilly, Executive Secretary of the Department of Industry, Labor and Human Relations, and custodian of the official records of said Department, do hereby certify that the attached rules to Wisconsin Administrative Code Chapters Ind 50-59--Building and Heating, Ventilating and Air Conditioning, were adopted by the Department of Industry, Labor and Human Relations on January 23, 1974.

I further certify that said copy has been compared by me with the original on file in this Department and that the same is a true copy thereof and of the whole of such original.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the official seal of the Department at the Capitol, in the City of Madison, this day of A.D., 19/4.

Stephen J. Reilly, Executive Secretary

ORDER OF

DEPARTMENT OF INDUSTRY, LABOR AND HUMAN RELATIONS

Pursuant to authority vested in the Department of Industry, Labor and Human Relations by sections 101.01 to 101.20, Wis. Stats., the Department of Industry, Labor and Human Relations hereby amends and adopts rules of Wisconsin Administrative Code Chapters Ind 50-59--Building and Heating, Ventilating and Air Conditioning.

The rules attached hereto shall become effective on the first day of the month following publication in the Wisconsin Administrative Code as provided in section 227, Wis. Stats. Subsection Ind 51.02 (14) (d) to be amended to read:

(d) Construction according to subsection Ind 51.02 (4) (b) 1. b. shall also be counted as a story(ies).

Subsection Ind 52.59 (2) to be amended to read:

(2) A space of 6 to 12 inches shall be left between the floor and the bottom of each partition. The top of the partition shall be from 5-1/2 to 6 feet above the floor. Doors with the top 5-1/2 to 6 feet above the floor, and the bottom 6 to 12 inches above the floor, shall be provided for all water closet compartments. All partitions and doors shall be of material and finish required for walls and ceilings under Wis. Adm. Code section Ind 52.58.

Subsection Ind 59.49 (4) (a) Note #2 to be amended to read:

Note #2: See Ind 59.69 (13) (a) 6. for fire dampers.

Subsection Ind 59.52 (4) (b) Note to be repealed.

Subsection Ind 59.69 (4) (e) to be amended to read:

(e) All room inlets and outlets for underground ducts shall comply with section Ind 59.22. A water-tight connection shall be provided where the inlet and outlet risers are connected to underground ducts.

DEPARTMENT OF INDUSTRY, LABOR AND HUMAN RELATIONS

Stephen J. Reilly, Executive Secretary

Date 23,1974