

Ind 3

STATE OF WISCONSIN)
) SS
DEPARTMENT OF INDUSTRY,)
LABOR AND HUMAN RELATIONS)


RECEIVED
FEB 10 1977
100 pm
REVISOR OF STATUTES
BUREAU GWP

TO ALL TO WHOM THESE PRESENTS SHALL COME, GREETINGS:

I, Stephen J. Reilly, Executive Secretary of the Department of Industry, Labor and Human Relations, and custodian of the official records of said Department, do hereby certify that the attached rules to Wisconsin Administrative Code chapter Ind 3--Mines, Pits and Quarries, were adopted by the Department of Industry, Labor and Human Relations on February 9, 1977.

I further certify that said copy has been compared by me with the original on file in this Department and that the same is a true copy thereof and of the whole of such original.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the official seal of the Department at the Capitol, in the City of Madison, this 9 day of February, A.D., 1976.


Stephen J. Reilly, Executive Secretary

ORDER OF

DEPARTMENT OF INDUSTRY, LABOR AND HUMAN RELATIONS

Pursuant to authority vested in the Department of Industry, Labor and Human Relations by sections 101.01 to 101.20, Wis. Stats., the Department of Industry, Labor and Human Relations hereby amends, repeals and recreates, and adopts rules of Wis. Adm. Code chapter Ind 3--Mines, Pits and Quarries.

The rules attached hereto shall become effective on the first day of the month following publication in the Wisconsin Administrative Register as provided in section 227.026, Wis. Stats.

Subsection Ind 3.23 (2) to be amended to read:

- (2) Potable water. A supply of potable water shall be provided for the employes. Portable containers used to dispense drinking water shall be equipped with a tight-fitting lid and a tap. The use of common drinking cups is prohibited. Single service cups shall be kept in a sanitary container.

Subsection Ind 3.23 (8) to be amended to read:

- (8)* Toilet facilities. Toilet facilities shall be provided for the employes at convenient locations. Where both sexes are employed, separate toilet rooms for each sex shall be provided in accordance with the sanitation requirements established in Wis. Adm. Code chapters Ind 50-64--Building and Heating, Ventilating and Air Conditioning Code. In locations where a public sewer system is not available and where a sewage disposal system cannot be provided, privies, chemical toilets, recirculating toilets or combustion toilets may be used. Toilet facilities shall be provided in the mines unless the miners are permitted to use the toilet facilities provided on the surface.

*See Appendix B for sanitation requirements.

Subsection Ind 3.23 (37) to be repealed and recreated to read:

(37) Sanitation requirements:

- (a) A miner's dry-house shall be provided for the purpose of drying the work clothes of miners employed in and about the mine. The dry-house shall comply with the minimum requirements established in Wis. Adm. Code chapters Ind 50-64--Building and Heating, Ventilating and Air Conditioning Code.
1. Washing facilities;
 2. Shower facilities, where miners are exposed to lead, cyanide, zinc and other materials injurious to health;
 3. At least 2 exits;
 4. Clothes lockers or approved hangers;
 5. Minimum levels of illumination and heat maintained at a temperature of 80° F at all times when miners are changing their clothes.
- (b) Dressing rooms, dry-houses, toilet rooms, lavatories and showers shall be kept clean and sanitary.

Appendix B to be created to read:

APPENDIX B

SANITATION REQUIREMENTS

B-3.23 (8) SANITATION REQUIREMENTS. Wis. Adm. Code chapters Ind 50-64--Building and Heating, Ventilating and Air Conditioning Code, requires separate toilet rooms and fixtures to be provided for each sex in accordance with the following table:

NUMBER OF FIXTURES REQUIRED FOR EMPLOYEES*

Type of Occupancy	Type of Fixture				
	Water Closets		Urinals	Lavatories (L)	Showers (S)
	Males	Females	Males		
Places of employment (employes/shift)					
0- 5 employes	1		0		
3- 9 employes of each sex	1	1	0	One (L) for each 2 water closets and/or urinals, or fraction	One (S) for each 10 employes of each sex, or fraction
10- 15 employes of each sex	1	1	1		
16- 35 employes of each sex	1	2	1		
36- 55 employes of each sex	2	3	1		
56- 80 employes of each sex	2	4	2		
81-110 employes of each sex	3	5	2		
111-150 employes of each sex	4	6	2		
Over 150 employes of each sex	One additional fixture for each additional 40 employes of each sex; 2/3 of the additional water closets for males may be urinals.				

* Adapted from Table 54.12.

Virginia B. Hart

Virginia B. Hart, Chairman

John C. Zinos

John C. Zinos, Commissioner

William A. Johnson

William A. Johnson, Commissioner