


Hy 36

CERTIFICATE

STATE OF WISCONSIN)
DEPARTMENT OF TRANSPORTATION) SS




TO WHOM IT MAY CONCERN:

I, Dale Cattanach, Secretary of the Department of Transportation, and custodian of the official records of the Department do hereby certify that the annexed rules, relating to truck tractor steering axle weight limits and tire load carrying capacity, were duly adopted by the Department on May 19, 1978.

I further certify that this copy has been compared by me with the original on file in this Department and that the same is a true copy thereof, and of the whole of such original.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the official seal of the Department at the Hill Farms State Office Building in the City of Madison, this 19th day of May, 1978.

Dale Cattanach
Secretary
Wisconsin Department of Transportation



In the Matter of the Adoption :
of Chapter Hy 36, Wis. Admin. : ORDER ADOPTING
Code Relating to Truck Tractor : RULES
Steering Axle Weight Limits and :
Tire Load Carrying Capacity :

Pursuant to the authority vested in the Department of Transportation by sections 110.06(1) and 348.15(3)(b)(intro.), Wis. Stats., the Secretary hereby creates Chapter Hy 36, Wis. Admin. Code, relating to truck tractor steering axle weight limits and tire load carrying capacity, in the form and manner of the rule text annexed hereto and incorporated herein by reference.

Signed at Madison, Wisconsin, this 19th day of May, 1978.



Dale Cattanaach
Secretary
Wisconsin Department of Transportation



CHAPTER Hy 36

TRUCK TRACTOR STEERING AXLE WEIGHT LIMITS
AND TIRE LOAD CARRYING CAPACITY

Hy 36.01 PURPOSE AND SCOPE This rule is adopted pursuant to the authority vested in the department of transportation by section 348.15(3)(b), Wis. Stats. The purpose of this rule is to establish under what conditions the weight on the steering axle of a truck tractor may exceed 13,000 pounds.

Hy 36.02 TIRE LOAD CARRYING CAPACITY IN EXCESS OF 13,000 POUNDS

(1) Subject to the restrictions and limitations in sub. (2), the weight on the steering axle of a truck tractor may exceed 13,000 pounds if the sum of the maximum load carrying capacities of the tires used on that axle, as certified by the tire manufacturer, allows a greater steering axle load.

(2)(a) The actual weight on the steering axle of a truck tractor may not exceed the sum of the maximum load carrying capacities of the tires used on that axle and in any event may not exceed 20,000 pounds.

(b) The extra weight privilege allowed by this chapter is available only when the tires used on the steering axle of a truck tractor have the manufacturer's certified load carrying capacity embossed thereon in compliance with applicable federal regulations. If the tires on a steering axle have no certified load carrying capacity embossed on them,

the steering axle is restricted to the 13,000 pound load limit prescribed in section 348.15(3)(b), Wis. Stats.

(c) This chapter does not authorize the operator of a truck tractor to exceed the gross axle weight rating (G.A.W.R.) established by the manufacturer of the steering axle being used.

(d) The tires on the steering axle of a truck tractor exceeding the statutory 13,000 pound weight limit shall have equal load carrying capacity and shall be properly inflated.

(END)