

Chapter NR 207

EFFLUENT LIMITATIONS BASED UPON FEDERALLY PROMULGATED REGULATIONS

NR 207.01	Purpose	NR 207.05	Establishment of effluent guideline limitations in the Wisconsin administrative code
NR 207.02	Applicability	NR 207.06	Provision for modification
NR 207.03	Definitions	NR 207.07	Severability
NR 207.04	Establishment of limitations based upon federal regulations		

NR 207.01 Purpose. The purpose of this chapter is to provide for the incorporation of effluent limitations into discharge permits required under s. 147.02, Stats., as soon as possible after the promulgation of federal regulations establishing BCT or BAT effluent guidelines.

History: Cr. Register, July, 1981, No. 307, eff. 8-1-81.

NR 207.02 Applicability. This chapter is applicable to discharge permits issued for all categories and classes of point sources listed in s. NR 220.02.

History: Cr. Register, July, 1981, No. 307, eff. 8-1-81; am. Register, April, 1983, No. 328, eff. 5-1-83.

NR 207.03 Definitions. Terms used in this chapter are defined in s. NR 205.03. Abbreviations used in this chapter are defined in s. NR 205.04.

History: Cr. Register, July, 1981, No. 307, eff. 8-1-81.

NR 207.04 Establishment of limitations based upon federal regulations. In the event that federal regulations establishing effluent guidelines have been promulgated for a point source included in one of the categories and classes of point sources listed in s. NR 220.02, the department may establish in the discharge permit for such source, effluent limitations based upon these federal regulations. Prior to permit modification or renewal, the federally promulgated guidelines shall be used for enforcement purposes except where permit conditions and limitations are based on water quality or where standards have been promulgated under s. 147.035 (3), Stats.

History: Cr. Register, July, 1981, No. 307, eff. 8-1-81; am. Register, April, 1983, No. 328, eff. 5-1-83.

NR 207.05 Establishment of effluent guideline limitations in the Wisconsin administrative code. The department shall, as soon as possible after the promulgation of any federal regulations establishing effluent guidelines for certain categories and classes of point sources, adopt appropriate effluent guideline limitations for such point sources in the Wisconsin administrative code.

History: Cr. Register, July, 1981, No. 307, eff. 8-1-81; am. Register, April, 1983, No. 328, eff. 5-1-83.

NR 207.06 Provision for modification. Any WPDES permits containing effluent limitations established under s. NR 207.04 shall be modified

Register, April, 1983, No. 328
Environmental Protection

under s. 147.03, Stats., to reflect any changes in applicable effluent limitations later promulgated in the Wisconsin administrative code.

History: Cr. Register, July, 1981, No. 307, eff. 8-1-81; am. Register, April, 1983, No. 328, eff. 5-1-83.

NR 207.07 Severability. If any section, paragraph, phrase, sentence or clause of this chapter is declared invalid or unconstitutional for any reason, the remainder of this chapter shall not be affected thereby.

History: Cr. Register, July, 1981, No. 307, eff. 8-1-81.

Table 1
Probable 24 Hour Rainfall Events,
in inches of rain, for counties in Wisconsin

	10 year	25 year		10 year	25 year
Adams	4.0	4.5	Marathon	3.9	4.4
Ashland	3.8	4.2	Marinette	3.5	4.1
Barron	4.0	4.5	Marquette	4.0	4.5
Bayfield	3.8	4.2	Menominee	3.6	4.2
Brown	3.6	4.2	Milwaukee	3.8	4.4
Buffalo	4.2	4.7	Monroe	4.2	4.7
Burnett	4.0	4.5	Oconto	3.6	4.1
Calumet	3.7	4.3	Oneida	3.7	4.2
Chippewa	4.1	4.6	Outagamie	3.7	4.3
Clark	4.0	4.5	Ozaukee	3.8	4.4
Columbia	4.0	4.5	Pepin	4.2	4.8
Crawford	4.3	4.9	Pierce	4.1	4.7
Dane	4.1	4.6	Polk	4.0	4.6
Dodge	3.9	4.5	Portage	3.9	4.4
Door	3.5	4.0	Price	3.8	4.3
Douglas	3.8	4.3	Racine	3.9	4.5
Dunn	4.1	4.7	Richland	4.2	4.7
Eau Claire	4.1	4.6	Rock	4.1	4.7
Florence	3.5	4.0	Rusk	4.0	4.5
Fond du Lac	3.8	4.4	St. Croix	4.1	4.7
Forest	3.6	4.1	Sauk	4.1	4.6
Grant	4.4	4.9	Sawyer	3.9	4.4
Green	4.2	4.7	Shawano	3.7	4.3
Green Lake	3.9	4.4	Sheboygan	3.7	4.3
Iowa	4.3	4.8	Taylor	4.0	4.4
Iron	3.7	4.2	Trempealeau	4.2	4.7
Jackson	4.1	4.6	Vernon	4.3	4.8
Jefferson	4.0	4.6	Vilas	3.7	4.2
Juneau	4.1	4.6	Walworth	4.0	4.6
Kenosha	3.9	4.6	Washburn	3.9	4.4
Kewaunee	3.6	4.1	Washington	3.8	4.4
LaCrosse	4.2	4.8	Waukesha	3.9	4.5
Lafayette	4.3	4.8	Waupaca	3.8	4.3
Langlade	3.7	4.2	Waushara	3.9	4.4
Lincoln	3.8	4.3	Winnebago	3.8	4.3
Manitowoc	3.6	4.2	Wood	4.0	4.5

Note: The data of table 1 were obtained by extrapolation from maps published by the National Weather Service in Technical Bulletin No. 40, "Rainfall Frequency Atlas of the United States", published in May 1961 and now out of print.

History: Cr. Register, June, 1976, No. 246, eff. 7-1-76.