

Chapter NR 484

INCORPORATION BY REFERENCE

NR 484.01	Applicability; purpose	NR 484.04	Code of federal regulations provisions and other materials in ch. NR 439
NR 484.02	Definitions	NR 484.05	Materials in ch. NR 445
NR 484.025	Code of federal regulations in chs. NR 445 to 483		
NR 484.03	Other materials in chs. NR 445 to 483		

NR 484.01 Applicability; purpose. (1) **APPLICABILITY.** This chapter applies to all air contaminant sources governed by ch. NR 439 or chs. NR 445 to 483 and to all owners or operators of an air contaminant source governed by ch. NR 439 or chs. NR 445 to 483.

(2) **PURPOSE.** This chapter is adopted under s. 144.31, Stats., to incorporate testing and monitoring standards, established by the federal government and technical societies and organizations, by reference into the chapters governing the testing and determination of compliance of a source and the emission of hazardous pollutants by air contaminant sources.

History: Cr. Register, September, 1986, No. 369, eff. 10-1-86; am. Register, September, 1987, No. 381, eff. 10-1-87.

NR 484.02 Definitions. The definitions contained in ch. NR 400 apply to the terms used in this chapter.

History: Cr. Register, September, 1986, No. 369, eff. 10-1-86.

NR 484.025 Code of federal regulations in chs. NR 445 to 483. The federal regulations or appendix materials in effect on June 30, 1983 listed in this section are incorporated by reference in the corresponding sections of chs. NR 445 to 484. Copies of these materials are available for inspection in the offices of the department of natural resources, secretary of state and revisor of statutes, Madison, Wisconsin or may be purchased for personal use from the superintendent of documents, U.S. government printing office, Washington D.C. 20402.

(1) Appendix B of 40 C.F.R. pt. 61 for chs. NR 446 to 483.

(2) Test Method 3, Appendix A of 40 C.F.R. pt. 60 for s. NR 449.09 (6) (a) 3.

(3) Test Method 5, Appendix A of 40 C.F.R. pt. 60 for Test Method 101, Appendix B, 40 C.F.R. pt. 61.

(4) 29 C.F.R. s. 1910.145 (d) (4) for ss. NR 447.12 (2) (b) and 447.14 (2).

(5) 29 C.F.R. s. 1910.93a (g) (2) (ii) for s. NR 447.12 (3) (a) 3.

History: Renum. from NR 154.19 (7) (a) and am. Register, September, 1986, No. 369, eff. 10-1-86.

NR 484.03 Other materials in chs. NR 445 to 483. The materials listed in this section are incorporated by reference in the corresponding sections noted. Some of the materials are also incorporated in Appendix B of 40 C.F.R. pt. 61 as in effect on June 30, 1983. Since Appendix B is incorporated by reference in s. NR 484.025, materials incorporated by reference

Register, September, 1988, No. 393

in that Appendix are hereby also incorporated by reference and made a part of this section. The materials are available for inspection in the offices of the department of natural resources, secretary of state and revisor of statutes, Madison, Wisconsin or may be purchased for personal use at the corresponding address noted.

(1) The following materials are available for purchase from at least one of the following addresses: American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, Pennsylvania 19103, or the University Microfilms International, 300 North Zeeb Road, Ann Arbor, Michigan 48106.

(a) ASTM D737-75, Standard Test Method for Air Permeability of Textile Fabrics, for s. NR 447.08 (1).

(b) ASTM D1193-74, Standard Specifications for Type I Reagent Water, for 40 C.F.R. pt. 61, Appendix B, Method 101, par. 6.1.1.

(c) ASTM D2986-71 (Reapproved 1978), Standard Method for Evaluation of Air, Assay Media by the Monodisperse DOP (Dioctyl Phthalate) Smoke Test, for 40 C.F.R. pt. 60, Appendix A, Method 5, par. 3.1.1.

(2) The Architectural Aluminum Manufacturer's Association publication number AAMA 605.2-1985 is incorporated by reference in s. NR 422.02 (21m). The publication is available for inspection in the offices of the department of natural resources, secretary of state and revisor of statutes, Madison, Wisconsin, or may be purchased for personal use from the Architectural Aluminum Manufacturer's Association, 2700 River Road, Suite 118, Des Plaines, IL 60018.

History: Renum. from NR 154.19 (7) (b) and am. Register, September, 1986, No. 369, eff. 10-1-86; cr. (2), Register, July, 1988, No. 391, eff. 8-1-88.

NR 484.04 Code of federal regulations provisions and other materials in ch. NR 439. (1) APPENDICES A AND B. Appendices A and B and test methods in the appendices of 40 C.F.R. pt. 60 as in effect on October 31, 1986, which are listed in this section are incorporated by reference in the corresponding sections of ch. NR 439. Copies of these appendices are available for inspection in the offices of the department of natural resources, secretary of state and revisor of statutes, Madison, Wisconsin, or may be purchased for personal use from the superintendent of documents, U.S. government printing office, Washington, D.C. 20402.

- (a) Appendix A of 40 C.F.R. pt. 60 for s. NR 439.07 (1) (a).
- (b) Appendix B of 40 C.F.R. pt. 60 for ss. NR 439.06 (2) (b), (4) (b), (6) (b), (7) (b) and (9) (a) 2. and 439.12 (3) (f).
- (c) Test Method 1, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.07 (1) (h) 8. and 9.
- (d) Test Method 2, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.07 (1) (h) 9.
- (e) Test Method 3, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.07 (1) (h) 7. and 9.
- (f) Test Method 3A, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.07 (1) (h) 7.

- (g) Test Method 4, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.07 (1) (h) 9.
- (h) Test Method 5, Appendix A of 40 C.F.R. pt. 60 for ss. NR 439.06 (1) and 439.07 (1) (h) 14.
- (i) Test Method 5A, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06(1).
- (j) Test Method 5D, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06(1).
- (k) Test Method 6, Appendix A of 40 C.F.R. pt. 60 for ss. NR 439.06 (2) (a) and 439.07 (1) (h) 10.
- (l) Test Method 6A, Appendix A of 40 C.F.R. pt. 60 for ss. NR 439.06 (2) (a) and 439.07 (1) (h) 10.
- (m) Test Method 6B, Appendix A of 40 C.F.R. pt. 60 for ss. NR 439.06 (2) (a) and 439.07 (1) (h) 11.
- (n) Test Method 6C, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (2) (a).
- (o) Test Method 7, Appendix A of 40 C.F.R. pt. 60 for ss. NR 439.06 (6) (a) and 439.07 (1) (h) 13.
- (p) Test Method 7A, Appendix A of 40 C.F.R. pt. 60 for ss. NR 439.06 (6) (a) and 439.07 (1) (h) 13.
- (q) Test Method 7B, Appendix A of 40 C.F.R. pt. 60 for ss. NR 439.06 (6) (a) and 439.07 (1) (h) 13.
- (r) Test Method 7C, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (6) (a).
- (s) Test Method 7D, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (6) (a).
- (t) Test Method 7E, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (6) (a).
- (u) Test Method 8, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (2) (a).
- (v) Test Method 9, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (9) (a) 1.
- (w) Test Method 10, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (4) (a).
- (x) Test Method 12, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06(5).
- (y) Test Method 16, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (7) (a).
- (z) Test Method 16A, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (7) (a).
- (za) Test Method 17, Appendix A of 40 C.F.R. pt. 60 for ss. NR 439.06 (1) and 439.07 (1) (h) 5. and 14.

(zb) Test Method 18, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (3) (a).

(zc) Test Method 19, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.07 (1) (h) 6. and 7.

(zd) Test Method 21, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (3) (c).

(ze) Test Method 22, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (9) (b).

(zf) Test Method 24, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (3) (b).

(zg) Test Method 24A, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (3) (b).

(zh) Test Method 25, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (3) (a).

(zi) Test Method 25A, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (3) (a).

(zj) Test Method 25B, Appendix A of 40 C.F.R. pt. 60 for s. NR 439.06 (3) (a).

(zk) Performance Specification 1, Appendix B of 40 C.F.R. pt. 60 for s. NR 439.07 (3) (a).

(zl) Performance Specification 2, Appendix B of 40 C.F.R. pt. 60 for s. NR 439.07 (3) (b).

(zm) Performance Specification 3, Appendix B of 40 C.F.R. pt. 60 for s. NR 439.07 (3) (c).

(zn) Performance Specification 4, Appendix B of 40 C.F.R. pt. 60 for s. NR 439.07 (3) (d).

(zo) Performance Specification 5, Appendix B of 40 C.F.R. pt. 60 for s. NR 439.07 (3) (e).

(2) OTHER MATERIALS. The materials listed in this subsection are incorporated by reference in the corresponding sections noted. Some of the materials are also incorporated in Appendix A or B of 40 C.F.R. pt. 60 as in effect on October 31, 1986. Since these Appendices are incorporated by reference in this chapter by sub. (1), materials listed in this subsection which are incorporated by reference in the Appendices are hereby also incorporated by reference and made a part of this chapter and ch. NR 439. The materials are available for inspection in the offices of the department of natural resources, secretary of state and revisor of statutes, Madison, Wisconsin or may be purchased for personal use at one of the following addresses: American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, Pennsylvania 19103; or the University Microfilms International, 300 North Zeeb Road, Ann Arbor, Michigan 48106.

(a) ASTM D2986-78, Standard Method for Evaluation of Air, Assay Media by the Monodisperse DOP (Dioctyl Phthalate) Smoke Test, for 40 C.F.R. pt. 60, Appendix A, Method 5, par. 3.1.1., Method 12, par. 4.1.1., Method 13A, par. 6.1.1.2., and Method 17, par. 3.1.1.

(b) ASTM D1193-77, Standard Specification for Reagent Water, for 40 C.F.R. pt. 60, Appendix A, Method 6, par. 3.1.1., Method 7, par. 3.2.2., Method 7A, par. 3.2., Method 8, par. 3.1.3., Method 11, par. 6.1.3., Method 12, par. 4.1.3., and Method 13A, par. 6.1.2.

(c) ASTM D2234-76, Standard Methods for Collection of a Gross Sample of Coal, for 40 C.F.R. pt. 60, Appendix A, Method 19, par. 2.1.1. and for s. NR 439.07 (2) (a) 1 and 439.12 (2) (b) 1.a., 2.a. and 3.a.

(d) ASTM D2013-72, Standard Method for Preparing Coal Samples for Analysis, for 40 C.F.R. pt. 60, Appendix A, Method 19, par. 2.1.3 and for s. NR 439.07 (2) (a) 2.

(e) ASTM D3177-75, Standard Test Methods for Total Sulfur in the Analysis Sample of Coal and Coke, for 40 C.F.R. pt. 60, Appendix A, Method 19, par. 2.1.3. and for s. NR 439.07 (2) (a) 3.

(f) ASTM D4239-83, Standard Test Method for Sulfur in the Analysis Sample of Coal and Coke Using High Temperature Tube Furnace Combustion Methods, for 40 C.F.R. pt. 60, Appendix A, Method 19, par. 2.1.3. and for s. NR 439.07 (2) (a) 3.

(g) ASTM D3173-73, Standard Test Method for Moisture in the Analysis Sample of Coal and Coke, for 40 C.F.R. pt. 60, Appendix A, Method 19, par. 2.1.3. and for s. NR 439.07 (2) (a) 6.

(h) ASTM D2015-77, Standard Test Method for Gross Calorific Value of Solid Fuel by the Adiabatic Bomb Calorimeter, for 40 C.F.R. pt. 60, Appendix A, Method 19, pars. 2.1.3. and 5.2.2. and for s. NR 439.07 (2) (a) 4.

(i) ASTM D3174-82, Standard Test Method for Ash in the Analysis Sample of Coal and Coke, for s. NR 439.07 (2) (a) 5.

(j) ASTM D4057-81, Standard Practice for Manual Sampling of Petroleum and Petroleum Products, for s. NR 439.07 (2) (b) 1.

(k) ASTM D4177-82, Standard Method for Automatic Sampling of Petroleum and Petroleum Products, for s. NR 439.07 (2) (b) 1.

(l) ASTM D240-76, Standard Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, for 40 C.F.R. pt. 60, Appendix A, Method 19, pars. 2.2.3. and 5.2.2 and for s. NR 439.07 (2) (b) 3.

(m) ASTM D129-78, Standard Test Method for Sulfur in Petroleum Products, for 40 C.F.R. pt. 60, Appendix A, Method 19, par. 2.2.3 and for s. NR 439.07 (2) (b) 2.

(n) ASTM D4294-83, Standard Method for Sulfur in Petroleum Products by Non-Dispersive X-Ray Fluorescence Spectrometer, for s. NR 439.07 (2) (b) 2.

(o) ASTM D1826-77, Standard Test Method for Calorific Value of Gases in Natural Gas Range by Continuous Recording Calorimeter, for 40 C.F.R. pt. 60, Appendix A, Method 19, par. 5.2.2.

(p) ASTM D1475-80, Standard Test Method for Density of Paint, Varnish, Lacquer, and Related Products, for 40 C.F.R. pt. 60, Appendix A, Method 24, par. 2.1. and Method 24A, pars. 2.2. and 2.3.

(q) ASTM D2369-81, Standard Test Method for Volatile Content of Coatings, for 40 C.F.R. pt. 60, Appendix A, Method 24, par. 2.2.

(r) ASTM D3792-79, Standard Method for Water Content of Water-Reducible Paints by Direct Injection into a Gas Chromatograph, for 40 C.F.R. pt. 60, Appendix A, Method 24, par. 2.3.

(s) ASTM D4017-81, Standard Test Method for Water in Paints and Paint Materials by the Karl Fischer Titration Method, for 40 C.F.R. pt. 60, Appendix A, Method 24, par. 2.4.

(t) ASTM D3176-84, Method for Ultimate Analysis of Coal and Coke, for s. NR 439.07 (2) (a) 7.

History: Cr. Register, September, 1987, No. 381, eff. 10-1-87.

NR 484.05 Materials in ch. NR 445. The threshold limit values and biological exposure indices for 1987-1988 published by the American conference of governmental industrial hygienists (publication ISBN:0-936712-72-4) are incorporated by reference in ss. NR 445.04 (1) (a) 1. and 2. and (b) and (2) (a) and (b), 445.05 (1) (a) 1. and 2. and (b) and (2) (a) and (b) and 445.06 (4). The materials are available for inspection in the offices of the department of natural resources, secretary of state and revisor of statutes, Madison, Wisconsin or may be purchased for personal use at the following address: American Conference of Governmental Industrial Hygienists (ACGIH), 6500 Glenway Avenue, Cincinnati, Ohio 45211.

History: Cr. Register, September, 1988, No. 393, eff. 10-1-88.