

CR 93-20

RULES CERTIFICATE


STATE OF WISCONSIN)
) SS
DEPT. OF INDUSTRY,)
LABOR & HUMAN RELATIONS)

TO ALL TO WHOM THESE PRESENTS SHALL COME, GREETINGS:

I, Carol Skornicka, Secretary of the Department of Industry,
Labor and Human Relations, and custodian of the official records of said department, do hereby certify that
the annexed rule(s) relating to Fire Division Wall or Occupancy Separation Wall Identification
(Subject)
were duly approved and adopted by this department on October 7, 1993.
(Date)

I further certify that said copy has been compared by me with the original on file in the department
and that the same is a true copy thereof, and of the whole of such original.

IN TESTIMONY WHEREOF, I have hereunto set
my hand and affixed the official seal of the
department at 1:00 p.m.
in the city of Madison, this 7th
day of October A.D. 19 93


Secretary



1-1-94

ORDER OF ADOPTION

Pursuant to authority vested in the Department of Industry, Labor and Human Relations by section(s)

101.02(1), 101.02(15)(h) to (j) and 101.135

Stats., the Department of Industry, Labor and Human Relations creates; amends;

repeals and recreates; repeals and adopts rules of Wisconsin Administrative Code chapter(s):

ILHR 52.25

(Number)

Fire Division Wall or Occupancy Separation Wall Identification

(Title)

The attached rules shall take effect on the first day of the month following publication in
the Wisconsin Administrative Register pursuant to section 227.22, Stats.



Adopted at Madison, Wisconsin this

date: October 7, 1993

DEPARTMENT OF INDUSTRY, LABOR AND HUMAN
RELATIONS

Debrae J. Paen
Secretary



RULES in FINAL DRAFT FORM



Rule No.: Section Chapter ILHR 52.25

Relating to: Fire Division Wall or Occupancy Separation Wall Identification

Clearinghouse Rule No.: 93-20

The Wisconsin Department of Industry, Labor and Human Relations proposes to create section ILHR 52.25, relating to uniform fire division wall identification.

Analysis of Proposed Rules

Statutory Authority: s. 101.135, Stats.
Statutes Interpreted: s. 101.135, Stats.

The proposed rule specifies the identification of fire walls, and the type of walls which need identification. The rule includes the sign requirements, and where and how signs can be located.

The proposed rule applies only where a city, village, or town has adopted an ordinance that requires fire walls to be identified with signs.



SECTION 1. ILHR 52.25 is created to read:

ILHR 52.25 FIRE DIVISION WALL OR OCCUPANCY SEPARATION WALL

IDENTIFICATION. (1) PURPOSE. Pursuant to s. 101.135, Stats., the purpose of this section is to establish uniform standards for the identification of fire division walls or occupancy separation walls of 2-hour fire-resistive rating or greater on the exterior of buildings.

(2) MUNICIPAL ORDINANCE. A city, village, or town may by ordinance require owners to identify the location of a fire division wall or occupancy separation wall at the exterior walls of buildings with a sign. A sign may not be required to identify a fire division wall or occupancy separation wall:

(a) Abutting exterior walls of 2 or more buildings along streets in downtown areas;

(b) With a visible parapet from the street;

(c) Which extends above roofs and is an exterior wall of another part of a building; and

(d) In buildings more than 3 stories.

(3) DEFINITION. "Fire division wall or occupancy separation wall" means a wall extending from the lowest floor level to or through the roof and extending the full width or length of the building.

Note: See "fire division wall" as defined in s. ILHR 51.01 (144)(b); fire division wall requirements in accordance with s. ILHR 51.02 (13), or occupancy separation wall requirements in accordance with s. ILHR 51.02 (20); and occupancy separation requirements in accordance with Table 51.08.

(4) SIGN REQUIREMENTS. (a) General. The sign shall consist of 3 circles arranged vertically on the exterior wall marking the location of the fire division wall or occupancy separation wall and centered on the fire division wall or occupancy separation wall. The circles may be affixed directly to the surface of the building or may be placed on a background material which is affixed to the building.

(b) Size of circle. Each circle shall be the same size. The diameter of the circle shall be at least 1-1/2 inches, but no greater than 2 inches.

(c) Spacing. The circles shall be spaced equal distance apart. The maximum distance measured from the top of the uppermost circle to the bottom of lowermost circle shall be 12 inches.

(d) Color. The color of the circle shall be limited to either red, amber (orange-yellow) or white (clear) and shall be reflective. The color of the circle shall contrast with the color of the background.

(5) LOCATION. The top of the sign shall be located on the face of the exterior wall of the building and located no more than 12 inches below the eave, roof edge, fascia or parapet.

(END)

EFFECTIVE DATE

Pursuant to s. 227.22 (2) (intro.), Stats., these rules shall take effect on the first day of the month following publication in the Wisconsin Administrative Register.

701WPP0



Tommy G. Thompson
Governor

Carol Skornicka
Secretary




Mailing Address:
201 E. Washington Avenue
Post Office Box 7946
Madison, WI 53707-7946
Telephone (608) 266-7552

State of Wisconsin
Department of Industry, Labor and Human Relations

October 7, 1993

Gary Poulson
Assistant Revisor of Statutes
Suite 800
131 W. Wilson St.
Madison, Wisconsin 53703-3233

Douglas LaFollette
Secretary of State
10th Floor
30 West Mifflin Street
Madison, Wisconsin 53703



Dear Messrs. Poulson and LaFollette:

TRANSMITTAL OF RULE ADOPTION

CLEARINGHOUSE RULE NO. 93-20

RULE NO. Chapter ILHR 52.25

RELATING TO: Fire Division Wall or Occupancy Separation Wall
Identification

Pursuant to section 227.20, Stats., agencies are required to file a certified copy of every rule adopted by the agency with the offices of the Secretary of State and the Revisor of Statutes.

At this time, the following material is being submitted to you:

1. Order of Adoption.
2. Rules Certificate Form.
3. Rules in Final Draft Form.

Pursuant to section 227.114, Stats., a summary of the final regulatory flexibility analysis is included for permanent rules. A fiscal estimate and fiscal estimate worksheet is included with an emergency rule.

Respectfully submitted,


Carol Skornicka
Secretary