

Chapter Trans 233

DIVISION OF LAND ABUTTING A STATE TRUNK HIGHWAY OR CONNECTING HIGHWAY

Trans 233.01	Purpose.	Trans 233.06	Frequency of connections with a state trunk highway or connecting highway
Trans 233.012	Applicability	Trans 233.07	Temporary connections.
Trans 233.015	Definitions.	Trans 233.08	Setback requirements and restrictions.
Trans 233.017	Other abutments.	Trans 233.105	Noise, vision corners and drainage.
Trans 233.02	Basic principles.	Trans 233.11	Variations.
Trans 233.03	Procedures for review.	Trans 233.12	Performance bond.
Trans 233.04	Required information.	Trans 233.13	Fees.
Trans 233.05	Direct access to state trunk highway or connecting highway.		

Note: Chapter Hy 33 was renumbered chapter Trans 233, under s. 13.93 (2m) (b) 1., Stats., Register, August, 1996, No. 488. Chapter Trans 233 as it existed on January 31, 1999, was repealed and a new Chapter Trans 233 was created effective February 1, 1999.

Trans 233.01 Purpose. Dividing or developing lands, or both, affects highways by generating traffic, increasing parking requirements, reducing sight distances, increasing the need for driveways and other highway access points and, in general, impairing highway safety and impeding traffic movements. This chapter specifies the department's minimum standards for the division of land that abuts a state trunk highway or connecting highway, in order to provide for the safety of entrance upon and departure from those highways and for the preservation of public interest and investment in those highways. The authority to impose minimum standards for subdivisions is s. 236.13(1) (e), Stats. The authority to impose minimum standards for land divisions under ss. 236.34, 236.45 and 703.11, Stats., is s. 86.07 (2), Stats.

Note: A "state trunk highway" is a highway that is part of the State Trunk Highway System. It includes State numbered routes, federal numbered highways, the Great River Road and the Interstate System. A listing of state trunk highways with geographic end points is available in the Department's "Official State Trunk Highway System and the Connecting Highways" booklet that is published annually as of December 31. The County Maps published by the Wisconsin Department of Transportation also show the breakdown county by county. As of January 1, 1997, there were 11,813 miles of state trunk highways.

A "connecting highway" is not a state trunk highway. It is a marked route of the State Trunk Highway System over the streets and highways in municipalities which the Department has designated as connecting highways. Municipalities are responsible for their maintenance and traffic control. The Department is generally responsible for construction and reconstruction of the through lanes of connecting highways, but costs for parking lanes and related municipal facilities and other desired local improvements are local responsibilities. The Department reimburses municipalities for the maintenance of connecting highways in accordance with a lane mile formula. See ss. 84.02 (11), 84.03 (10), 86.32 (1) and (4), and 340.01 (60), Stats. A listing of connecting highways with geographic end points is also available in the Department's "Official State Trunk Highway System and the Connecting Highways" booklet that is published annually as of December 31. As of January 1, 1997, there were 520 miles of connecting highways.

A "business route" is an alternate highway route marked to guide motorists to the central or business portion of a city, village or town. The word "BUSINESS" will appear at the top of the highway numbering marker. A business route branches off from the regular numbered route, passes through the business portion of a city and rejoins the regularly numbered route beyond that area. Business routes are not state trunk highways or connecting highways. The authorizing statute is s. 84.02(6), Stats. This rule does not apply to business routes.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.012 Applicability. In accordance with ss. 86.07(2), 236.12, 236.34 and 236.45, Stats., this chapter applies to all land division maps reviewed by a city, village, town or county, the department of administration and the department of transportation. This chapter applies to any land division that is created by plat or map under s. 236.12 or 236.45, Stats., by certified survey map under s. 236.34, Stats., or by condominium plat under s. 703.11, Stats., or other means not provided by statute, and that abuts a state trunk highway, connecting highway or service road.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.015 Definitions. Words and phrases used in this chapter have the meanings given in s. 340.01, Stats., unless a different definition is specifically provided. In this chapter:

(1) "Certified survey map" or "CSM" means a map that complies with the requirements of s. 236.34, Stats.

(2) "Improvement" means any permanent addition to or betterment of real property that involves the expenditure of labor or money to make the property more useful or valuable. "Improvement" includes parking lots, driveways, loading docks, in-ground swimming pools, wells, septic systems, retaining walls, signs, buildings, building appendages such as porches, and drainage facilities. "Improvement" does not include sidewalks, terraces, patios, landscaping and open fences.

(3) "Land divider" means the owner of land that is the subject of a land division or the land owner's agent for purposes of creating a land division.

(4) "Land division" means a division under s. 236.12, 236.34, 236.45 or 703.11, Stats., or other means not provided by statute, of a lot, parcel or tract of land by the owner or the owner's agent for the purposes of sale or of building development.

(5) "Land division map" means an official map of a land division, including all certificates required as a condition of recording the map.

(6) "Public utility" means any corporation, company, individual or association that furnishes products or services to the public, and that is regulated under ch. 195 or 196, Stats., including railroads, telecommunications or telegraph companies, and any company furnishing or producing heat, light, power, cable television service or water, or a rural electrical cooperative, as described in s. 32.02 (10), Stats.

(7) "Structure" includes a temporary or non-permanent addition to or betterment of real property that is portable in nature, but that adversely affects the safety of entrance upon or departure from state trunk or connecting highways or the preservation of public interest and investment in those highways, as determined by the department. "Structure" does not include portable swing sets, movable lawn sheds without pads or footings, and above ground swimming pools without decks.

(8) "Unplatted" means not legally described by a plat, land division map, certified survey map or condominium plat.

(9) "Utility facility" means any pipe, pipeline, duct, wire line, conduit, pole, tower, equipment or other structure used for transmission or distribution of electrical power or light or for the transmission, distribution or delivery of heat, water, gas, sewer, telegraph or telecommunication service, cable television service or broadcast service, as defined in s. 196.01(1m), Stats.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.017 Other abutments. For purposes of this chapter, land shall be considered to abut a state trunk highway or connecting highway if the land is any of the following:

(1) Land that contains any portion of a highway that is laid out or dedicated as part of a land division if the highway intersects with a state trunk highway or connecting highway.

(2) Separated from a state trunk highway or connecting highway by only unplatted lands that abut a state trunk highway or connecting highway if the unplatted lands are owned by, leased to or under option, whether formal or informal, or under contract or lease to the owner.

(3) Separated from a state trunk highway or connecting highway by only a service road.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.02 Basic principles. To control the effects of land divisions on state trunk and connecting highways and to carry out the purposes of ch. 236, Stats., the department promulgates the following basic requirements:

(1) Local traffic from a land division or development abutting a state trunk highway or connecting highway shall be served by an internal highway system of adequate capacity, intersecting with state trunk highways or connecting highways at the least practicable number of points and in a manner that is safe, convenient and economical.

(2) A land division shall be so laid out that its individual lots or parcels do not require direct vehicular access to a state trunk highway or connecting highway.

(3) The department, in order to integrate and coordinate traffic on a highway or on a private road or driveway with traffic on any affected state trunk highway or connecting highway, shall do both of the following:

(a) Consider, particularly in the absence of a local comprehensive general or master plan, or local land use plan, that plat or map's relationship to the access requirements of adjacent and contiguous land divisions and unplatted lands.

(b) Apply this chapter to all lands that are owned by, or are under option, whether formal or informal, or under contract or lease to the land divider and that are adjacent to or contiguous to the land division. Contiguous lands include those lands that abut the opposite side of the highway right-of-way.

(4) Setbacks from a state trunk highway or connecting highway shall be provided as specified in s. Trans 233.08.

(5) A land division map shall include provision for the handling of surface drainage in such a manner as specified in s. Trans 233.105(3).

(6) A land division map shall include provisions for the mitigation of noise if the noise level exceeds noise standards in s. Trans 405.04, Table I.

(7) A land division shall provide vision corners at intersections and driveways per department standards.

Note: Guide dimensions for vision corners are formally adopted in the Department's Facilities Development Manual, Chapter 11, pursuant to s. 227.01 (13) (e), Stats. Rules governing construction of driveways and other connections with highways are found in ch. Trans 231. Detailed specifications may be obtained at the department's district offices.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.03 Procedures for review. The following procedures apply to review by the department of proposed certified survey maps, condominium plats and other land divisions:

(1) **CONCEPTUAL REVIEW.** (a) Before the lots are surveyed and staked out, the land divider shall submit a sketch to the department's district office for review. The sketch shall indicate roughly the layout of lots and the approximate location of streets, and include other information required in this chapter.

(b) Unless the land divider submits a preliminary plat under s. 236.12 (2) (a), Stats., the land divider shall have the district office review the sketch described in par. (a).

(c) There is no penalty for failing to obtain conceptual review; the conceptual review procedure is encouraged to avoid waste that results from subsequent required changes.

(2) **PRELIMINARY AND FINAL PLAT REVIEW.** Preliminary and final subdivision plat review under s. 236.12, Stats., shall occur by the department when the land divider or approving authority submits through the department of administration's plat review office, a formal request for departmental review of the plat for certification of non-objection as it relates to the requirements of this chapter. The request shall be accompanied with the land division map and the departmental review fee. No submittal may be considered complete unless it is accompanied by the fee.

(3) **PRELIMINARY AND FINAL REVIEW FOR LAND DIVISIONS OCCURRING UNDER S. 236.45 AND S. 703.11, STATS.** Review of preliminary and final land division maps occurring under ss. 236.45 and 703.11, Stats., by the department shall occur when the approving authority, or the land divider, when there is no approving authority, submits a formal request for departmental review for certification of non-objection as it relates to the requirements of this chapter. The request shall be accompanied with the land division map and the departmental review fee. No submittal may be considered complete unless it is accompanied by the fee. Additional information required is the name and address of the register of deeds, any approving agency, the land division map preparer and the land divider. This information is to be submitted to the department.

Note: The appropriate department address is Access Management Coordinator, Bureau of Highway Development, 4802 Sheboygan Avenue, Room 651, P. O. Box 7916, Madison, WI 53707-7916.

(4) **PRELIMINARY AND FINAL REVIEW FOR LAND DIVISIONS OCCURRING UNDER S. 236.34 AND BY OTHER MEANS NOT PRESCRIBED BY STATUTES.** Preliminary and final review of land division maps, occurring under s. 236.34, Stats., or by any other means not prescribed by statutes, by the department shall occur when the land divider submits a formal request for departmental review for certification of non-objection as it relates to the requirements of this chapter of the submitted land division. The request shall be accompanied with the land division map and the departmental review fee. No submittal may be considered complete unless it is accompanied by the fee. Additional information required is the name and address of the register of deeds, any approving agency, the land division map preparer and the land divider. This information shall be submitted to the regional transportation district office or to the department.

Note: The appropriate department address is Access Management Coordinator, Bureau of Highway Development, 4802 Sheboygan Avenue, Room 651, P. O. Box 7916, Madison, WI 53707-7916.

(5) **TIME TO COMPLETE REVIEW.** The department shall complete the review by either objecting or certifying non-objection to the land division map within 20 calendar days from the date that a complete request is submitted to the required office of the department.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.04 Required information. The land divider shall show on the face of the preliminary or final land division map or on a separate sketch, at a scale of not more than 1,000 feet to the inch, the approximate distances and relationships between the following, and shall show the information in subs. (1) to (8) about the following:

(1) The geographical relationship between the proposed land division and of any unplatted lands that abut any state trunk highway or connecting highway and that abut the proposed land division, and the ownership rights in and the land divider's interest, if any, in these unplatted lands.

(2) The locations of all existing and proposed highways within the land division and of all private roads or driveways within the land division that intersect with a state trunk highway or connecting highway.

(3) The location, and identification of each highway and private road or driveway, leading to or from the land division.

(4) The principal use, as agricultural, commercial, industrial or residential, of each private road or driveway that leads to or from the land division.

(5) The locations of all easements for accessing real property within the land division.

(6) The location of the highway nearest each side of the land division.

(7) The location of any highway or private road or driveway that connects with a state trunk highway or connecting highway that abuts the land division, if the connection is any of the following:

(a) Within 300 feet of the land division, if any portion of the land division lies within a city or village.

(b) Within 1,000 feet of the land division, if no part of the land division lies within a city or village.

(8) All information required to be shown on a land division map shall be shown in its proper location

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.05 Direct access to state trunk highway or connecting highway. (1) No land divider may divide land in such a manner that a private road or driveway connects with a state trunk highway or connecting highway or any service road lying partially within the right-of-way of a state trunk highway or connecting highway, unless the land divider has received a variance for that purpose approved by the department under s. Trans 233.11. The following restriction shall be placed on the face of the land division map, or as part of the owner's certificate required under s. 236.21 (2) (a), Stats., and shall be executed in the manner specified for a conveyance:

"As owner I hereby restrict all lots and blocks so that no owner, possessor, user, licensee or other person may have any right of direct vehicular ingress from or egress to any highway lying within the right-of-way of (U.S.H.)(S.T.H.) _____ or _____ Street, as shown on the land division map; it is expressly intended that this restriction constitute a restriction for the benefit of the public as provided in s. 236.293, Stats., and shall be enforceable by the department or its assigns."

(2) The department may require a desirable traffic access pattern between a state trunk highway or connecting highway and unplatted lands that abut the proposed land division and that are owned by or under option, whether formal or informal, contract or lease to the owner. The department may require a recordable covenant running with the land with respect to those unplatted lands.

(3) No person may connect a highway or a private road or driveway with a state trunk highway, connecting highway, or with a service road lying partially within the right-of-way of a state trunk highway or connecting highway, without first obtaining a permit under s. 86.07, Stats. The department may not issue a permit authorizing the connection of a highway with a state trunk highway or connecting highway to any person other than a municipality or county. The department may not issue any permit under s. 86.07, Stats., prior to favorable department review of the preliminary or final land division map or, for a subdivision plat, prior to the department's certification of no objection.

Note: The authority maintaining the highway is the one that issues, denies or places conditions on any permit issued under s. 86.07(2), Stats. Cities and villages are responsible for the maintenance of connecting highways under s. 86.32(1), Stats. Cities and villages must condition any permit issued with respect to a connecting highway upon compliance with all requirements imposed pursuant to this chapter.

(4) Whenever the department finds that existing and planned highways provide the land division with reasonable and adequate access to a highway, the department shall prohibit the connection to a state trunk highway or connecting highway of any highway and private road or driveway from within the land division.

Note: Rules governing construction of driveways and other connections with a state trunk highway are found in ch. Trans 231. Detailed specifications may be obtained at the Department's district offices.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.06 Frequency of connections with a state trunk highway or connecting highway.

(1) The land division shall be laid out with the least practicable number of highways and private roads or driveways connecting with abutting state trunk highways or connecting highways.

(2) The department shall determine a minimum allowable distance between connections with the state trunk highway or connecting highway, between any 2 highways within the land division and between a highway within the land division and any existing or planned highway. To the extent practicable, the department shall require a distance of at least 1,000 feet between connections with a state trunk highway or connecting highway.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.07 Temporary connections. (1) The department may issue temporary connection permits, which authorize the connection of a highway or a private road or driveway with a state trunk highway or connecting highway. The department may issue temporary connection permits in the case of:

(a) A land division which at the time of review cannot provide direct traffic access complying with the provisions of s. Trans 233.06 (2).

(b) A land division layout which might necessitate a point or pattern of traffic access for a future adjacent land division, not in accordance with s. Trans 233.06 (2).

(2) The department may require that such temporary connections be altered or closed by the permit holder at a later date in order to achieve a desirable traffic access pattern. The permit may require the permit holder to alter or close the temporary connection by a specified date or upon the completion of a specified activity. The permit holder is responsible for the expense of closing or altering the temporary connection.

(2m) A temporary connection shall be prominently labeled "Temporary Connection" on the land division map, and the following restriction shall be lettered on the land division map:

"The temporary connection(s) shown on this plat shall be used under a temporary connection permit which may be canceled at such time as a feasible alternate means of access to a highway is provided."

(3) When such a temporary connection is granted, the owner shall dedicate a service road or a satisfactory alternative, to provide for a present or future pattern of access that complies with s. Trans 233.06 (2).

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.08 Setback requirements and restrictions. (1) Except as provided in this section or in s. Trans 233.11 or, with respect to connecting highways, as provided in s. 86.16 (1), Stats., no person may erect, install or maintain any structure or improvement within a setback area determined under sub. (2) or (3).

(2) (a) Except as provided in par. (b), the setback area is the area within 110 feet of the centerline of a state trunk highway or connecting highway or within 50 feet of the nearer right-of-way line of a state trunk highway or connecting highway, whichever is furthest from the centerline.

(b) If an applicable ordinance allows structures or improvements to be located closer to the right-of-way of a state trunk highway or connecting highway than is provided under par. (a), the setback area is the area between the right-of-way and the more restrictive of the following:

1. The distance allowed under the ordinance.
2. 42 feet from the nearer right-of-way line.
3. 100 feet from the centerline.



(3) If any portion of a service road right-of-way lies within the setback area determined under sub. (2), the setback area shall be increased by the lesser of the following:

(a) The width of the service road right-of-way, if the entire service road right-of-way lies within the setback area. Any increase under this paragraph shall be measured from the boundary of the setback area determined under sub. (2).

(b) The distance by which the service road right-of-way lies

within the setback area, if the entire service road right-of-way does not lie within the setback area. Any increase under this paragraph shall be measured from the nearer right-of-way line of the service road.

Note: For example, if a service road ROW extends 15 feet (measured perpendicularly to the setback) into the setback determined under sub. (2), and runs for a distance of 100 feet, the setback determined under sub. (2) shall be pushed 15 feet further from the centerline, running for a distance of 100 feet. See Graphic.



(3m) (a) Notwithstanding sub. (1), a public utility may erect, install or maintain a utility facility within a setback area.

(b) If the department acquires land that is within a setback area for a state trunk highway, as provided by this chapter, and on which a utility facility is located, the department is not required to pay compensation or other damages relating to the utility facility, unless the utility facility is any of the following:

1. Erected or installed before the land division map is recorded.

2. Erected or installed on a recorded utility easement that was acquired prior to February 1, 1999.

3. Erected or installed after the land division map is recorded but with prior notice in writing, with a plan showing the nature and distance of the work from the nearest right-of-way line of the highway, to the department's appropriate district office within a normal time of 30 days, but no less than 5 days, before any routine, minor utility erection or installation work commences, nor less than 60 days, before any major utility erection or installation work commences, if any utility work is within the setback.

Note: For purposes of this section, "major utility erection or installation work" includes, but is not limited to, work involving transmission towers, communication towers, water towers, pumping stations, lift stations, regulator pits, remote switching cabinets, pipelines, electrical substations, wells, gas substations, antennae, satellite dishes, treatment facilities, electrical transmission lines and facilities of similar magnitude. "Routine minor utility erection or installation work" refers to single residential distribution facilities and similar inexpensive work of less magnitude. The concept behind the flexible, "normal time of 30 days" standard for utility submission of notice and plans to the department is to encourage and require at least 60 days notice from utilities for larger, complex or expensive installations, but not for routine, minor utility work that has traditionally involved only a few days notice for coordination and issuance of utility permits by the department for which a minimum of 5 days notice is mandatory. However, the normal time for submission and review is 30 days. This notice and plan requirement does not apply to maintenance work on existing utilities.

4. Erected or installed before the land division map is recorded but modified after that date in a manner that increases the cost to remove or relocate the utility facility. In such a case, the department shall pay compensation or other damages related to the utility facility as it existed on the date the land division map was recorded, except that if the modification was made with prior notice in writing, with a plan showing the nature and distance of the work from the nearest right-of-way line of the highway, to the department's appropriate district office within a normal time of 30 days, but no less than 5 days, before any routine, minor utility erection or installation work commences, nor less than 60 days, before any major utility erection or installation work commences, if any utility work is within the setback, then the department shall pay compensation or other damages related to the utility facility as modified.

(c) If a local unit of government or the department acquires land that is within a setback area for a connecting highway as provided by this chapter and on which a utility facility is located, the department is not required to pay compensation or other damages relating to the utility facility, unless the utility facility is compensable under the applicable local setbacks and the utility facility is in any of the categories described in sub. (b)1. to 4.

Note: A "connecting highway" is not a state trunk highway. It is a marked route of the state trunk highway system over the streets and highways in municipalities which the Department has designated as connecting highways. Municipalities have jurisdiction over connecting highways and are responsible for their maintenance and traffic control. The Department is generally responsible for construction and reconstruction of the through lanes of connecting highways, but costs for parking lanes and related municipal facilities and other desired local improvements are local responsibilities. See ss. 84.02 (11), 84.03 (10), 86.32 (1) and (4), and 340.01 (60), Stats. A listing of connecting highways and geographic end points are available in the department's "Official State Trunk Highway System and the Connecting Highways" booklet that is published annually as of December 31.

(d) The department shall review the notice and plan to determine whether a planned highway project within a 6-year improvement program under s. 84.01 (17), Stats., or a planned major highway project enumerated under s. 84.013 (3), Stats., will conflict with the planned utility facility work. If the department determines a conflict exists, it will notify the utility in writing within a normal time of 30 days, but no more than 5 days, after

receiving the written notice and plan for any routine, minor utility erection or installation work, nor more than 60 days, after receiving the written notice and plan for any major utility erection or installation work, and request the utility to consider alternative locations that will not conflict with the planned highway work. The department and utility may also enter into a cooperative agreement to jointly acquire, develop and maintain rights of way to be used jointly by WISDOT and the public utility in the future as authorized by s. 84.093, Stats. If the department and utility are not able to make arrangements to avoid or mitigate the conflict, the utility may proceed with the utility work, but notwithstanding pars. (b) and (c), the department may not pay compensation or other damages relating to the utility facility if it conflicts with the planned highway project. In order to avoid payment of compensation or other damages to the utility, the department is required to record a copy of its written notice to the utility of the conflict, that adequately describes the property and utility work involved, with the register of deeds in the county in which the utility work or any part of it is located.

(4) The land division map shall show the boundary of a setback area on the face of the land division map and shall clearly label the boundary as a highway setback line and shall clearly show existing structures and improvements lying within the setback area.

(5) The owner shall place the following restriction upon the same sheet of the land division map that shows the highway setback line:

"No improvements or structures are allowed between the right-of-way line and the highway setback line. Improvements and structures include, but are not limited to, signs, parking areas, driveways, wells, septic systems, drainage facilities, buildings and retaining walls. It is expressly intended that this restriction is for the benefit of the public as provided in section 236.293, Wisconsin Statutes, and shall be enforceable by the Wisconsin Department of Transportation or its assigns. Contact the Wisconsin Department of Transportation for more information. The phone number may be obtained by contacting the County Highway Department."

If on a CSM there is limited space for the above restriction on the same sheet that shows the setback line, then the following abbreviated restriction may be used with the standard restriction placed on a subsequent page: "Caution - Highway Setback Restrictions Prohibit Improvements. See sheet _____"

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.105 Noise, vision corners and drainage.

(1) **NOISE.** When noise barriers are warranted under the criteria specified in ch. Trans 405, the land divider shall be responsible for any noise barriers for noise abatement from existing state trunk highways or connecting highways. In addition, the owner shall include the following notation on the land division map:

"The lots of this land division may experience noise at levels exceeding the levels in s. Trans 405.04, Table I. These levels are based on federal standards. Owners of these lots are responsible for abating noise sufficient to protect these lots."

Note: Noise barriers are designed to provide noise protection only to the ground floor of abutting buildings and not other parts of the building. Noise levels may increase over time. Therefore, it is important to have the caution placed on the land division map to warn owners that they are responsible for further noise abatement.

(2) **DIVISION CORNERS.** The department may require the owner to dedicate land or grant an easement for vision corners at the intersection of a highway with a state trunk highway or connecting

highway to provide for the unobstructed view of the intersection by approaching vehicles. If the department requires such a dedication or grant, the owner shall include the following notation on the land division map:

"No structure or improvement of any kind is permitted within the vision corner. No vegetation within the vision corner may exceed 30 inches in height."

Note: Guide dimensions for vision corners are formally adopted in the Department's Facilities Development Manual, Chapter 11, pursuant to s. 227.01(13)(e), Stats.

(3) DRAINAGE. The owner of land that directly or indirectly discharges stormwater upon a state trunk highway or connecting highway shall submit to the department a drainage analysis and drainage plan that ensures that the anticipated discharge of stormwater upon a state trunk highway or connecting highway following the development of the land is less than or equal to the discharge preceding the development and that the anticipated discharge will not endanger or harm the traveling public, downstream properties or transportation facilities.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.11 Variances. (1) No municipality or county may issue a variance from this chapter without the prior written consent of the department.

(2) The department may not authorize variances from this chapter except in appropriate cases in which the literal application of this chapter would result in practical difficulty or unnecessary hardship, or would defeat an orderly overall development plan of a local unit of government. A variance may not be contrary to the public interest and shall be in harmony with the general purposes

and intent of ch. 236, Stats., and of this chapter. The department may not grant a variance authorizing the erection or installation of any structure or improvement within a setback area unless the owner executes an agreement providing that, should the department need to acquire lands within the setback area, the department is not required to pay compensation, relocation costs or damages relating to any structure or improvement authorized by the variance. The department may require such conditions and safeguards as will, in its judgment, secure substantially the purposes of this chapter.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.12 Performance bond. The department may, in appropriate cases, require that a performance bond be posted, or that other financial assurance be provided, to ensure the construction of any improvements in connection with the land division which may affect a state trunk highway.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.

Trans 233.13 Fees. The department shall charge a fee of \$110 for reviewing a land division map that is submitted under s. 236.10, 236.12, 236.34, 236.45 or 703.11, Stats., or other means not provided by statute, on or after the first day of the first month beginning after February 1, 1999. The fee is payable prior to the department's review of the land division map. The department may change the fee each year effective July 1 at the annual rate of inflation, as determined by movement in the consumer price index for all urban consumers (CPI-U), published the preceding January in the CPI detailed report by the U.S. department of labor's bureau of labor statistics, rounded down to the nearest multiple of \$5.

History: Cr. Register, January, 1999, No. 517, eff. 2-1-99.