PROPOSED ORDER OF DEPARTMENT OF HEALTH SERVICES TO ADOPT PERMANENT RULES

The Wisconsin Department of Health Services (the "department") proposes an order to **repeal** DHS 118.03 (32) (note), DHS 118.04 (2) (c) 2. (note 1) and DHS 118.08 (2) (a) 2. a. (note); to **renumber and amend** DHS 118.04 (2) (c) 2. (note 2); to **amend** DHS 118.03 (42), DHS 118.03 (32), DHS 118.04 (2) (c) 2., and DHS 118.08 (2) (a) 2. a.; to **repeal and recreate** DHS 118 Appendix A; and to **create** DHS 118.03 (3m), (17m), (34m), (40g), (40r), DHS 118.03 (45g) & (45r), DHS 118.08 (2) (a) 3. c., relating to Trauma Care.

RULE SUMMARY

Statutes interpreted

Sections 256.25 (1r) and (2), Stats.

Statutory authority

Sections 256.25 (1r) and (2), Stats. read:

- (1r) The department shall develop and implement a statewide trauma care system. The department shall seek the advice of the statewide trauma advisory council under s. 15.197 (25) in developing and implementing the system, and, as part of the system, shall develop regional trauma advisory councils.
- (2) The department shall promulgate rules to develop and implement the system. The rules shall include a method by which to classify all hospitals as to their respective emergency care capabilities. The classification rule shall be based on standards developed by the American College of Surgeons. Within 180 days after promulgation of the classification rule, and every 3 years thereafter, each hospital shall certify to the department the classification level of trauma care services that is provided by the hospital, based on the rule. The department may require a hospital to document the basis for its certification. The department may not direct a hospital to establish a certain level of certification. Confidential injury data that is collected under this subsection shall be used for confidential review relating to performance improvements in the trauma care system, and may be used for no other purpose.

Explanation of agency authority

The department is directed by s. 256.25 (2), Stats., to promulgate rules to develop and implement a statewide trauma care system that includes a method by which to classify all hospitals as to their respective trauma and emergency care capabilities based on standards developed by the American College of Surgeons (ACS)¹.

¹ The ACS is a scientific and educational association of surgeons that was founded in 1913 to improve the quality of care for the surgical patient by setting high standards for surgical education and practice.

Related statute or rule

None.

Plain language analysis

The department is charged with developing and implementing a statewide trauma care system. Included in this charge is the classification of hospitals according to their emergency care capabilities. Hospitals are reviewed every three years based on standards developed by the ACS.

No reasonable alternatives exist to rulemaking. Without proposed revisions to Chapter DHS 118, the classification criteria for Wisconsin hospitals will be outdated and not in accordance with the latest recommendations from the ACS.

Summary of, and comparison with, existing or proposed federal regulations

There appears to be no existing or proposed federal regulations that address the activities to be regulated by the proposed rules.

Comparison with rules in adjacent states

Adjacent states generally have a similar hospital classification process to Wisconsin. Most states require Level I and II trauma care facilities to be verified² by the ACS and allow Level III and IV trauma care facilities to be verified by the ACS or by the appropriate department in each state.

²The ACS Verification, Review and Consultation program verifies the presence of the criteria listed in Resources for Optimal Care of the Injured Patient through an on-site review of the hospital by a peer review team.

Illinois:

Illinois statute confers on the Illinois Department of Public Health the authority and responsibility to designate applicant hospitals as Level I or Level II trauma centers. 210 ILCS 50/3.90(b)(4). The Illinois Department of Health must attempt to designate trauma centers in all areas of the state and ensure that at least one Level I trauma center serves each Emergency Medical Services region, unless waived by the Department. 515 Ill. Adm. Code 2000(a).

Illinois statute also confers on the Illinois Department of Health the authority and responsibility to establish the minimum standards for designation as a Level I or Level II trauma center. 210 ILCS 50/3.90(b)(1). The designation criteria for Level I and II trauma centers are specified in 515 Ill. Adm. Code 2030 and 515 Ill. Adm. Code 2040 respectively.

Lowe

Iowa statute confers on the Iowa Department of Public Health the responsibility to adopt rules which specify hospital and emergency care facility verification criteria as well as the verification process. Iowa Code § 147A.23(2)b. Level I and II trauma care facilities must be verified by the ACS Committee on Trauma. 641 IAC 134.2(6)(a). Level II and IV trauma care facilities must be verified by the Iowa Department of Public Health in consultation with the trauma survey team. 641 IAC 134.2(6)(d). Iowa's level III and IV verification are the criteria from the *Resources for the Optimal Care of the Injured Patient 2014*, adopted by reference into Iowa Administrative Code. 641 IAC 134.2(3).

Michigan:

Michigan Public Health Code 333.20910(1) confers on the Department of Health and Human Services the responsibility to develop, implement and promulgate rules for the implementation and operation of a statewide trauma care system and to develop a statewide process for verification and designation of trauma facilities. Health care facilities seeking designation as a Level I or II trauma care facility must be verified by the ACS Committee on Trauma and comply with the additional requirements specified by the Michigan Department of Health and Human Services regarding data submission requirements, participation in regional injury prevention plans and regional performance improvement processes and providing assistance to the Department of Health and Human Services in the designation and verification process of other facilities. Mich. Admin. Code R 325.130(6).

Health care facilities seeking designation as a Level III trauma care facility may either be verified by the ACS Committee on Trauma or by the Department of Health and Human Services. Mich Admin. Code R 325.130(7). All Level III facilities, regardless of verification method, must comply with additional data

submission requirements and participate in regional injury prevention plans and performance improvement processes. Health care facilities seeking designation as a Level IV trauma care facility must be verified by the Department of Health and Human Services. Mich. Admin. Code R 325.130(8). These facilities must comply with additional data submission requirements and participate in regional injury prevention plans and performance improvement processes. Mich. Admin. Code R 325.130(8).

Minnesota:

Minnesota Statue 144.603(1) (2017) confers on the Commissioner of the Department of Health the responsibility to adopt criteria to ensure that severely injured people are promptly transported and treated at trauma hospitals appropriate to the severity of injury. These criteria must be based on Minnesota's comprehensive statewide trauma system plan with the advice of the Trauma Advisory Council and using accepted standards from the ACS, the American College of Emergency Physicians, the Minnesota Emergency Medical Services Regulatory Board, the national Trauma Center Association of America and other trauma experts. Minn. Stat. 144.603(2) (2017).

Facilities seeking designation as a Level I or II trauma care facility must be verified by the ACS. Minn. Stat. 144.605(3) (2017). Facilities seeking designation as a Level III trauma care facility may either be verified by the ACS or by the Department of Health using the criteria adopted by the Commissioner. Minn. Stat. 144.605(4) (2017). Facilities seeking designation as a Level IV trauma care facility must be verified by the Department of Health using the criteria adopted by the Commissioner. Minn. Stat. 144.605(4) (2017).

Summary of factual data and analytical methodologies

The department relied on the following sources to draft the proposed rule:

- A. Resources for the Optimal Care of the Injured Patient: 1999, Committee on Trauma, American College of Surgeons (1998). This publication is on file in the Department's Division of Public Health.
- B. Resources for the Optimal Care of the Injured Patient: 2006, Committee on Trauma, American College of Surgeons (2006). This publication is on file in the Department's Division of Public Health.
- C. Resources for the Optimal Care of the Injured Patient: 2014, Committee on Trauma, American College of Surgeons (2014). This publication is on file in the Department's Division of Public Health and is available at:
- https://www.facs.org/~/media/files/quality% 20programs/trauma/vrc% 20resources/resources% 20for % 20optimal% 20care.ashx.
- D. Data collected from a voluntary statewide survey completed by Level III and IV trauma care facilities concerning the impact of the new criteria in the 2014 edition of the ACS' *Resources for the Optimal Care of the Injured Patient*. This 12 question survey was conducted by the Office of Preparedness and Emergency Health Care, Division of Public Health, Department of Health Services. This survey was conducted through Survey Monkey and was distributed via email on

October 11, 2016 to the trauma coordinators of the Level III and IV trauma care facilities in the state. The trauma care facilities were given until October 18, 2016 to answer the survey and 76 out of 99 Level III and IV trauma care facilities completed the survey.

E. The department formed an Advisory Committee consisting of urban and rural representatives from the Wisconsin Hospital Association, trauma coordinators from Level III and IV trauma care facilities, trauma care nurses and doctors from the Statewide Trauma Advisory Council and Classification Review Committee and hospital administrators. The committee members reviewed the initial draft language and their input guided the development of the proposed rule text.

Analysis and supporting documents used to determine effect on small business

None. The proposed rules do not affect small business.

Effect on small business

The proposed rules do not affect small business.

Agency contact person

Susan Uttech
State Public Health Accreditation Director
1 W. Wilson St.
Madison, WI 53701
Susan.Uttech@dhs.wisconsin.gov
608 267-3561

Statement on quality of agency data

The data sources referenced and used to draft the rules and analyses are accurate, reliable, objective and are discussed in the "Summary of factual data and analytical methodologies."

Place where comments are to be submitted and deadline for submission

Comments on the proposed rules may be submitted by accessing the department's rules site at, https://www.dhs.wisconsin.gov/rules/permanent.htm. Once a public hearing has been scheduled, additional commenting will be enabled trough the Wisconsin State Legislature's site, at http://docs.legis.wisconsin.gov/code. The notice of public hearing and the deadline for submitting comments will be published both to the department's rules site, and in the Administrative Register, at https://docs.legis.wisconsin.gov/code/register.

RULE TEXT

SECTION 1. DHS 118.03 (3m) is created to read:

DHS 118.03 (3m) "ATLS" means advanced trauma life support.

SECTION 2. DHS 118.03 (17m) is created to read:

DHS 118.03 (17m) "ICU" means intensive care unit.

SECTION 3. DHS 118.03 (34m) is created to read:

DHS 118.03 (34m) "PIPS" means performance improvement and patient safety.

SECTION 4. DHS 118.03 (40g) is created to read:

DHS 118.03 (40g) "TMD" means trauma medical director.

SECTION 5. DHS 118.03 (40r) is created to read:

DHS 118.03 (40r) "TPM" means trauma program manager.

SECTION 6. DHS 118.03 (42) is amended to read:

DHS 118.03 (42) "Trauma care facility" or "TCF" means a hospital that the department has approved as having the services and capabilities of a level I, II, III or IV trauma care facility.

SECTION 7. DHS 118.03 (45g) and DHS 118.03 (45r) are created to read:

DHS 118.03 (45g) "Type 1 Criteria" means required criteria that may significantly impact a trauma care facility's ability to provide optimal care for trauma patients.

DHS 118.03 (45r) "Type 2 Criteria" means required criteria that may impact a trauma care facility's ability to provide optimal care for trauma patients.

SECTION 8. DHS 118.03 (32) is amended to read:

DHS 118.03 (32) "Pediatric trauma center" means a <u>freestanding or separate administrative unit in a hospital</u> that is dedicated to <u>providing for addressing</u> the trauma needs of a pediatric patient population and meets the resource requirements outlined by the ACS in <u>Chapter 10 of the publication</u> Resources for the Optimal Care of the Injured Patient: 1999 for verification as a pediatric trauma center. The trauma center may be freestanding or a separate administrative unit in a larger hospital.

SECTION 9. DHS 118.03 (32) (note) is repealed.

SECTION 10. DHS 118.04 (2) (c) 2. is amended to read:

DHS 118.04 (2) (c) 2. Review and approve hospital applications to be a requests for trauma care facility classification in accordance with standards and guidance given provided by the American college of surgeons in the publication Resources for Optimal Care of the Injured Patient: 1999 and the criteria in appendix A and according to the process under sub. (6) (a).

SECTION 11. DHS 118.04 (2) (c) 2. (note 1) is repealed.

SECTION 12. DHS 118.04 (2) (c) 2. (note 2) is renumbered to DHS 118.04 (2) (c) 2. (note) and is amended to read:

DHS 118.04 (2) (c) 2. (note). Hospitals are verified by the <u>American College of Surgeons ACS</u> as level I or II trauma care facilities based on conformance with the standards and guidelines contained in the publication, *Resources for Optimal Care of the Injured Patient: 1999* established by the ACS. The department bases its classification of hospitals as level III or IV trauma care facilities on in accordance with the standards and guidelines provided in appendix A of this chapter.

SECTION 13. DHS 118.08 (2) (a) 2. a. is amended to read:

DHS 118.08 (2) (a) 2. a. A hospital declaring itself as a Level I or II trauma care facility shall have been verified at that level by the American college of surgeons ACS in accordance with the publication Resources for Optimal Care of the Injured Patient standards and guidelines established by the ACS.

SECTION 14. DHS 118.08 (2) (a) 2. a. (note) is repealed.

SECTION 15. DHS 118.08 (2) (a) 3. c. is created to read:

DHS 118.08 (2) (a) 3. c. If any Type 1 Criteria or more than three Type 2 Criteria are not demonstrated at the time of the initial classification site visit or at the initial site visit for any subsequent renewal of classification, the hospital's application may not be approved. If all Type 1 Criteria are met but one to three Type 2 Criteria are not demonstrated at the time of a site visit, then a one-year provisional certificate of classification may be issued and another review shall be required before the hospital's application may be approved. This second review must occur within one year from the date of notification and may include an onsite re-visit or a review of documents submitted by the hospital to the department. If the trauma care facility successfully corrects the deficiencies, the period of classification will be extended to three years from the date of the initial site visit.

SECTION 16. DHS 118 Appendix A is repealed and recreated to read:

DHS 118 Appendix A.

Level	Criterion	Type
	Trauma Care Systems	
III, IV	TCFs and their health care providers must be active and engaged participants in the trauma care system and promote standardization, integration, and PIPS throughout the region and state. TCFs must be involved in state and regional trauma care system planning, development and operation and actively participate in regional and statewide trauma care system meetings and committees that provide oversight. The TPM, TMD or trauma registrar must attend at least 50% of the TCF's RTAC meetings annually. The TPM, TMD or trauma registrar may not represent more than three TCFs at any one RTAC meeting.	II
	Description of Trauma Care Facilities and Their Roles in a Trauma Care System	
III, IV	The TCF must have an integrated, concurrent trauma PIPS program.	I
III	The TCF must have surgical commitment. Surgical commitment may be demonstrated in a number of ways, including but not limited to: (a) Having a surgeon who is the full-time director of the trauma program. (b) Surgeons who take an active role in all aspects of caring for injured patients. (c) Surgical participation in the trauma PIPS program. (d) Surgeons who assume an advocacy role for injured patients. (e) Surgical leadership in promoting the trauma program to the community, hospital and other colleagues.	I

III, IV	The TCF must be able to provide the necessary human and physical resources	II
	(physical plant and equipment), policies and procedures to properly administer acute care for all ages, consistent with their level of classification.	
III, IV	The TCF must have emergency department policies, procedures or protocols for all of the following to care for adult patients: (a) Sedation and analgesia. (b) Medical imaging. (c) Injury imaging guidelines. (d) Dosing guidelines for intubation medications, code drugs and	П
III, IV	neurologic drugs. The TCF must have the all of the following medications and equipment readily available for emergency care: (a) Airway control and ventilation. (b) Pulse oximetry. (c) End tidal carbon dioxide determination. (d) Suction. (e) Electrocardiogram monitoring or defibrillation. (f) Fluid administration (e.g. standard intravenous therapy (IV) or large-bor administration devices and catheters). (g) Cricothyrotomy, thorascostomy, vascular access and chest decompression. (h) Gastric decompression. (i) Conventional radiology. (j) Two-way radio communication with ambulance crew or rescue. (k) Skeletal and cervical immobilization. (l) Thermal control for patients and resuscitation fluids. (m) Rapid fluid infusion.	II
III	It is expected that the surgeon will be in the emergency department on patient arrival with adequate notification from the field. The maximum acceptable surgeon response time, with notification from the field and tracked from patient arrival, is 30 minutes for the highest level activation. The surgeon must be activated for all highest level activations regardless of impending transfer or other scenario. The TCF must demonstrate, through documentation in the medical record, that a surgeon is present within 30 minutes at least 80% of the time for all highest level activations. All activations and response times must be reviewed in the trauma PIPS program. For TCFs with less than six highest level activations annually, surgeon response time may be tracked over three years.	I
IV	It is expected that a physician (if available) or advanced practice provider (APP)/midlevel provider will be in the emergency department on patient arrival with adequate notification from the field. The maximum acceptable response time for a physician or advanced practice provider (APP)/midlevel provider, with notification from the field and tracked from patient arrival, is 30 minutes for the highest level activation. The TCF must demonstrate, through documentation in the medical record, that a physician or advanced practice provider (APP)/midlevel provider is present within 30 minutes at least 80% of the time for all highest level activations. All activations and response times must be reviewed in the trauma PIPS program.	I

advanced practice provider (APP)/midlevel provider response time may be tracked over three years. III The TCF must have continuous general surgical coverage. The TCF must have a back-up plan in place for when a surgeon is not available. The back-up plan may include activation of a back-up surgeon or transfer of the patient. A surgeon may be on-call at more than one TCF but each TCF must have a back-up plan. The TCF must monitor all the times that a surgeon is unable to respond through the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a registered nurse. (d) Have a physician as is medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking.			
III The TCF must have continuous general surgical coverage. The TCF must have a back-up plan in place for when a surgeon is not available. The back-up plan may include activation of a back-up surgeon or transfer of the patient. A surgeon may be on-call at more than one TCF but each TCF must have a back-up plan. The TCF must monitor all the times that a surgeon is unable to respond through the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APP)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmar		For TCFs with less than six highest level activations annually, physician and	
III The TCF must have continuous general surgical coverage. The TCF must have a back-up plan in place for when a surgeon is not available. The back-up plan may include activation of a back-up surgeon or transfer of the patient. A surgeon may be on-call at more than one TCF but each TCF must have a back-up plan. The TCF must monitor all the times that a surgeon is unable to respond through the trauma PIPS program. The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a registered nurse. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulffill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma			
back-up plan in place for when a surgeon is not available. The back-up plan may include activation of a back-up surgeon or transfer of the patient. A surgeon may be on-call at more than one TCF but each TCF must have a back-up plan. The TCF must monitor all the times that a surgeon is unable to respond through the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APP)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance fr			
include activation of a back-up surgeon or transfer of the patient. A surgeon may be on-call at more than one TCF but each TCF must have a back-up plan. The TCF must monitor all the times that a surgeon is unable to respond through the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCF's in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ens	III	The TCF must have continuous general surgical coverage. The TCF must have a	II
include activation of a back-up surgeon or transfer of the patient. A surgeon may be on-call at more than one TCF but each TCF must have a back-up plan. The TCF must monitor all the times that a surgeon is unable to respond through the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCF's in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ens		back-up plan in place for when a surgeon is not available. The back-up plan may	
be on-call at more than one TCF but each TCF must have a back-up plan. The TCF must monitor all the times that a surgeon is unable to respond through the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuous coverage by a registered nurse. (b) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have laisoons to the trauma program from emergency medic			
The TCF must monitor all the times that a surgeon is unable to respond through the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF's must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. Aftis may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevalu			
the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have perpesentation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons to the trauma progra		or our armore than one for our each for mast have a outer up plant	
the trauma PIPS program. III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have perpesentation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons to the trauma progra		The TCE must monitor all the times that a surgeon is unable to respond through	
III, IV The TCF must have transfer plans and transfer agreements that include a plan for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines refecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons			
for expeditious critical care transport, follow-up and performance monitoring. IV The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking	***	2 9	***
The TCF must have collaborative treatment and transfer guidelines reflecting the TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons from all the specialty care services, such as neur	III, IV		11
TCF's capabilities. These treatment and transfer guidelines must be developed and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all			
and regularly reviewed with input from higher-level TCFs in the region. IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuous y available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery	IV	The TCF must have collaborative treatment and transfer guidelines reflecting the	II
IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma form emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		TCF's capabilities. These treatment and transfer guidelines must be developed	
IV The TCF must have 24-hour emergency coverage by a physician or advanced practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma form emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		and regularly reviewed with input from higher-level TCFs in the region.	
practice provider (APP)/midlevel provider. IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery	IV		II
IV The TCF's emergency department must do all of the following: (a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
(a) Be continuously available for resuscitation. (b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery	IV		II
(b) Have continuous coverage by a registered nurse. (c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery	1 4		11
(c) Have continuous coverage by a physician or advanced practice provider (APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
(APP)/midlevel provider. (d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
(d) Have a physician as its medical director. IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV ATMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
IV Physicians who are board-certified by boards other than emergency medicine who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
who treat trauma patients in the ED must be current in ATLS. Advanced practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
practice providers (APPs)/midlevel providers who participate in the initial evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery	IV		II
evaluation of trauma patients must be current in ATLS. This may be fulfilled by the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		_	
the Comprehensive Advanced Life Support (CALS) program if the program includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		practice providers (APPs)/midlevel providers who participate in the initial	
includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		evaluation of trauma patients must be current in ATLS. This may be fulfilled by	
includes the mobile trauma module skills station and the provider is re-verified every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		the Comprehensive Advanced Life Support (CALS) program if the program	
every four years. The Rural Trauma Team Development Course (RTTDC) does not fulfill this requirement. III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
III, IV A TMD and TPM knowledgeable and involved in trauma care must work together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
together with guidance from the trauma multidisciplinary peer review committee to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery	III IV		II
to identify events, develop corrective action plans and ensure methods of monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery	111, 1 ,		
monitoring, reevaluating and benchmarking. III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
III, IV The trauma multidisciplinary peer review committee must do all of the following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		*	
following: (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery	TTT T3.7		TT
 (a) Meet at least quarterly to ensure cases are being reviewed in a timely fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery 	111, 1 V	* * *	111
fashion. (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
 (b) Review systemic and care provider issues and propose improvements to the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery 			
the care of the injured patient. (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery			
 (c) Include the TPM, TMD and other key staff and departments involved with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery 			
with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		the care of the injured patient.	
with care of the trauma patient. (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		(c) Include the TPM, TMD and other key staff and departments involved	
 (d) Have representation from general surgery, including all general surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery 			
surgeons taking trauma call. (e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		•	
(e) Have liaisons to the trauma program from emergency medicine, orthopedics, anesthesiology, critical care and the ICU.(f) Have liaisons from all the specialty care services, such as neurosurgery			
orthopedics, anesthesiology, critical care and the ICU. (f) Have liaisons from all the specialty care services, such as neurosurgery		· · · · · · · · · · · · · · · · · · ·	
(f) Have liaisons from all the specialty care services, such as neurosurgery			
and radiology, provided by the TCF.			
		and radiology, provided by the ICF.	

	(g) Require 50% attendance of its continuous members and document	
	attendance.	
	(h) Systematically review mortalities, significant complications and process	
	variances associated with unanticipated outcomes and determine	
	opportunities for improvement, as evidenced by documented meeting	
	minutes.	
	(i) Review mortality data, adverse events and problem trends and selected	
	cases involving multiple specialties.	
	If a designated liaison is unable to attend another representative from the same	
	service team may participate. The TCF may determine which members of the	
	trauma multidisciplinary peer review committee are continuous versus ad-hoc.	
III, IV	The TCF's trauma PIPS program must have audit filters to review and improve	II
,	pediatric and adult patient care.	
III, IV	If an adult TCF annually admits 100 or more injured children (patients younger	II
,	than 15 years old) the TCF must do all of the following:	
	(a) Have trauma surgeons credentialed for pediatric trauma care by the	
	facility's credentialing body.	
	(b) Have a pediatric emergency department area.	
	(c) Have a pediatric intensive care area.	
	(d) Have appropriate resuscitation equipment.	
	(e) Have a pediatric-specific trauma PIPS program.	
III, IV	If an adult TCF annually admits fewer than 100 injured children (patients	II
111, 1 V	younger than 15 years old) the TCF must review the care of injured children as	11
	part of the trauma PIPS program. This review must include pediatric admissions	
	and transfers.	
	and transfers.	
	Prehospital Trauma Care	
III, IV	The TCF and Emergency Medical Services (EMS) medical director must	II
111, 1 V		11
	participate in the training of prehospital care providers, the development and	
	improvement of prehospital care protocols and the prehospital PIPS program.	
111 137	The TCF must review care and provide feedback to prehospital care providers.	TT
III, IV	The trauma health care team, including surgeons, emergency medicine	II
	physicians, medical directors for Emergency Medical Services (EMS) agencies	
	and basic and advanced prehospital personnel must actively participate in the	
***	development of protocols that guide prehospital care.	**
III	TCFs must evaluate over and under triage rates on a quarterly basis and perform	II
	rigorous multidisciplinary performance improvement to attain a goal of less than	
	five percent under triage. If a TCF is not meeting this goal, the TCF must	
	explain the variance and demonstrate that they are doing performance	
	improvement work to reach this goal.	
III, IV	A TCF must have a diversion protocol for trauma related occurrences, which	II
	includes a system to notify dispatch and Emergency Medical Services (EMS)	
	agencies.	
III	The TMD must be involved in the development of the TCF's diversion protocol	II
	for trauma related occurrences.	
III	A trauma surgeon must be involved in the decision each time the TCF goes on	II
	diversion for trauma related occurrences.	
III	A TCF must not be on diversion for trauma related occurrences more than five	II
	percent of the time.	
	Transfer of the second of the	

111 137	Wilson - TCC is asserted to the state of the	TT
III, IV	When a TCF is required to divert for trauma related occurrences it must do all the following:	II
	(a) Notify other TCFs of divert or advisory status.	
	(b) Maintain a divert log.	
	(c) Subject all diverts and advisories to the trauma PIPS program.	
III, IV	The TCF must routinely document, report and monitor their diversion hours.	II
,	This documentation must include the reason for initiating the diversion policy.	
	Inter-hospital Transfer	
III, IV	When transferring a patient direct provider to provider contact is required.	II
III, IV	The TCF's decision to transfer an injured patient to a specialty care facility in an	II
	acute situation must be based solely on the needs of the patient and not on the	
	requirements of the patient's specific provider network or the patient's ability to	
	pay.	
III, IV	For all patients being transferred for specialty care, the TCF must have transfer	II
	agreements in place with other TCFs with the same or higher level	
	classification, including at least one facility with pediatric ICU capability. The	
	TCF may have one transfer agreement for all types of specialty trauma care; a	
	separate agreement is not required for each type of specialty care.	
	When a patient is being transferred out, the TCF must have a contingency plan	
	that includes all of the following:	
	(a) A credentialing process to allow the trauma surgeon or other physician	
	to provide initial evaluation and stabilization of the patient.	
	(b) A requirement for direct contact with the accepting facility to arrange	
	for expeditious transfer or ongoing monitoring support.	
	(c) Monitoring of the efficacy of the process by the trauma PIPS program.	
III, IV	The TCF must review all trauma patients who are transferred out during the	II
111, 1	acute care phase and all trauma patients transferred to a higher level of care	
	within or outside of the TCF to review the rationale for transfer, appropriateness	
	of care, adverse outcomes and opportunities for improvement. This case review	
	should include evaluation of transport activities and follow-up from the TCF to	
	which the patient was transferred.	
	Hagnital Ouganization and the Trayma Ducaram	
III, IV	Hospital Organization and the Trauma Program The decision of a hospital to become a TCF requires the commitment of the	I
111, 1 V	institutional governing body and the medical staff and this administrative	1
	commitment must be documented. The TCF must have resolutions from both the	
	institutional governing body and the medical staff acknowledging this	
	commitment and these resolutions must empower the trauma PIPS program to	
	address events that involve multiple disciplines and to evaluate all aspects of	
	trauma care	
	The TCF's administrative support, defined as the Board of Directors, Chief	II
III. IV	THE ICE'S AUTHINSULATIVE SUDDOIL DEFINED AS THE DOLLD DIFFECTORS. CHIEF	
III, IV	Executive Officer or Chief Administrator and medical staff or medical executive	
III, IV	Executive Officer or Chief Administrator and medical staff or medical executive	
III, IV	Executive Officer or Chief Administrator and medical staff or medical executive committee support must be current at the time of the site visit and must be	
	Executive Officer or Chief Administrator and medical staff or medical executive committee support must be current at the time of the site visit and must be reaffirmed at least every three years.	
III, IV	Executive Officer or Chief Administrator and medical staff or medical executive committee support must be current at the time of the site visit and must be	II

III, IV	The TMD must be a current board-certified general surgeon or be eligible for board certification and participate in trauma call or be a current board-certified physician or be eligible for board certification or meet the requirements of the alternate pathway of their specialty specified in the clinical functions: general surgery, emergency medicine, neurosurgery and orthopedic surgery sections of this appendix and staff the emergency department.	Ι
III, IV	The TMD must be current in ATLS.	II
III, IV	The TMD must have the authority to manage all aspects of trauma care.	II
III	The TMD may not direct more than two trauma centers.	II
III, IV	The TMD must actively participate in the trauma multidisciplinary PIPS review committee.	II
III	The TMD, in collaboration with the TPM, must have the authority and responsibility to correct deficiencies in trauma care and exclude from trauma call the trauma team members who do not meet specified criteria.	II
III	The TMD must conduct, and have the authority to conduct, an annual assessment of the trauma panel providers in the form of Ongoing Professional Practice Evaluation (OPPE) and Focused Professional Practice Evaluation (FPPE) when indicated by findings of the trauma PIPS process. The TMD must have the authority to recommend changes for the trauma panel based on performance review.	Π
III, IV	The TMD and TPM must be granted authority by the hospital governing body to lead the trauma PIPS program. This authority must be evidenced in written job descriptions for both the TMD and TPM.	I
III, IV	The criteria for a graded activation must be clearly defined by the TCF. TCFs must have the highest level of activation that includes all of the following criteria: (a) Confirmed blood pressure less than 90 millimeters of mercury at any time in adults and age-specific hypotension in children. (b) Gunshot wounds to the neck, chest, or abdomen or extremities proximal to the elbow/knee. (c) Glasgow coma scale score less than nine with mechanism attributed to trauma. (d) Transfer patients from other hospitals receiving blood to maintain vital signs. (e) Intubated patients transferred from the scene or patients who have respiratory compromise or are in need of an emergency airway. This includes intubated patients who are transferred from another facility with ongoing respiratory compromise. (f) Emergency medicine physician's discretion.	П
III, IV	The trauma team, as defined by the TCF, must be fully assembled within 30 minutes of trauma activation.	II
III, IV	The TCF's trauma PIPS program must evaluate on an ongoing basis the potential criteria for the various levels of trauma team activation to determine which patients require the resources of the full trauma team. Variances in trauma team activation must be documented and reviewed for reasons for delay, opportunities for improvement and corrective actions.	II

III required, IV if the TCF has surgical capability	An emergency medicine physician may initially evaluate the limited-tier trauma patient, but the TCF must have a clearly defined response expectation for the trauma surgical evaluation of those patients requiring admission.	II
III	The TCF may admit injured patients to individual surgeons, but the structure of the trauma program must allow the TMD to have oversight authority for the care of these patients. The TCF must have a process for the TMD and TPM to review inpatient cases through the trauma PIPS program.	II
III required, IV if the TCF has surgical capability	For TCFs that admit injured patients to individual surgeons or nonsurgical services, the TCF must have a method to identify injured patients, monitor the provision of health care services, make periodic rounds and hold discussions with individual practitioners. These activities may be carried out by the TPM in conjunction with the TMD at a frequency commensurate with the volume of trauma admissions.	I
III required, IV if the TCF has surgical capability	A TCF must have written guidelines for the care of non-surgically admitted patients. TCFs that admit more than 10% of injured patients to non-surgical services must review all non-surgical admissions through the trauma PIPS program. Care must be reviewed for appropriateness of admission, patient care, complications and outcomes. If a trauma patient is admitted by an internal medicine physician for medical comorbidities or medical management, a surgical consultation is required.	II
III, IV	The TPM must show evidence of educational preparation, relevant clinical experience in the care of injured patients and administrative ability. The TCF may determine who meets these requirements. Evidence that a TPM meets these requirements may include a copy of the trauma coordinator job description. The TPM may be a nurse, but does not have to be.	II
	Clinical Functions: General Surgery	
III	The TCF must have continuous general surgery capability.	I
III required, IV if the TCF has general surgery capability	General surgeons must meet one of the following set of standards in order to take trauma call: (1) Board certified by the American Board of Surgery. (2) Eligible for board certification by the American Board of Surgery according to current criteria. (3) Meet the general surgery alternate pathway requirements; or (4) Complete an Accreditation Council for Graduate Medical Education (ACGME) or Canadian residency and be recognized by a major professional organization. Note: An example of recognition by a major professional organization is being a fellow of the ACS.	II
III required, IV if the TCF has general surgery capability	The alternate pathway requirements for general surgeons are all of the following: (a) Completion of a residency training program in general surgery, with the time period consistent with years of training in the United States. The completion of a residency training program must be evidenced by a certified letter from the program director (b) Currently certified as a provider or instructor of the ATLS program. (c) Completion of 36 hours of trauma continuing medical education within the last three years.	II

	(I) D	
	(d) Present at educational meetings and at least 50% of all trauma PIPS	
	meetings in the past three years.	
	(e) Membership or attendance at local and regional or national meetings	
	during the past three years.	
	(f) Provision of a list of patients treated in the last three years with	
	accompanying Injury Severity Score and outcome data. (g) Completion of a performance improvement assessment by the TMD	
	demonstrating that the morbidity and mortality results for patients	
	treated by the surgeon compare favorably with comparable patients	
	treated by other members of the call panel.	
	(h) Licensed to practice medicine and approved for full and unrestricted	
	surgical privileges by the facility's credentialing committee.	
III required,	Trauma surgeons in a TCF must have privileges in general surgery.	II
IV if the	Tradital surgeons in a Ter mast have privileges in general surgery.	11
TCF has		
general		
surgery		
capability		
III required,	The attending surgeon must be present in the operating room for all operations	II
IV if the	and the TCF must document the presence of the attending surgeon.	
TCF has		
general		
surgery		
capability		
III required,	All general surgeons on the trauma team must have successfully completed the	II
IV if the	ATLS course at least once.	
TCF has		
general		
surgery		
capability		
	Clinical Functions: Emergency Medicine	
III	The TCF's emergency department must have a designated emergency physician	I
	director supported by an appropriate number of additional physicians to ensure	
	immediate care for injured patients.	
III	When it is necessary for the physician to leave the emergency department for	II
	short periods to address in-house emergencies, these cases and their frequency	
	must be reviewed by the trauma PIPS program for timeliness of response and	
	appropriateness of care and to ensure that this practice does not adversely affect	
	the care of patients in the emergency department.	
III, IV	For TCFs with an emergency medicine residency training program supervision	II
	must be provided by in-house attending emergency physicians 24 hours per day.	
III, IV	Emergency medicine physicians must meet one of the following in order to take	II
	trauma call:	
	(1) Board certified in emergency medicine.	
	(2) Eligible for board certification by the appropriate emergency medicine	
	board according to current criteria.	
	(3) Board certified in a specialty other than emergency medicine recognized by the American Board of Medical Specialties, the American	
	by the American Board of Medical Specialties, the American	

	Osteopathic Association, or the Royal College of Physicians and Surgeons of Canada. (4) Meet the emergency medicine alternate pathway requirements; or (5) Complete an Accreditation Council for Graduate Medical Education (ACGME) or Canadian residency and be recognized by a major professional organization. Note: An example of recognition by a major professional organization is being a fellow of the ACS.	
III, IV	The alternate pathway requirements for emergency medicine physicians are all	II
,	of the following:	
	(a) Completion of a residency training program in emergency medicine, with the time period consistent with years of training in the United States. The completion of a residency training program must be	
	evidenced by a certified letter from the program director.	
	(b) Currently certified as a provider or instructor of the ATLS program.	
	(c) Completion of 36 hours of trauma continuing medical education within the last three years.	
	(d) Present at educational meetings and at least 50% of all trauma PIPS meetings in the past three years.	
	(e) Membership or attendance at local and regional or national meetings	
	during the past three years.	
	(f) Provision of a list of patients treated in the last three years with	
	accompanying Injury Severity Score and outcome data.	
	(g) Completion of a performance improvement assessment by the TMD	
	demonstrating that the morbidity and mortality results for patients	
	treated by the surgeon compare favorably with comparable patients	
	treated by other members of the call panel.	
	(h) Licensed to practice medicine and approved for full and unrestricted	
	surgical privileges by the facility's credentialing committee.	***
III, IV	Emergency medicine physicians on the emergency department schedule must be	II
111 137	regularly involved in the care of injured patients.	TT
III, IV	A representative from the emergency department must participate in the	II
III IV	prehospital PIPS program.	TT
III, IV	If the TMD is not an emergency medicine physician, there must be a designated emergency medicine physician liaison available to the TMD for trauma PIPS	II
	issues that occur in the emergency department. As part of the trauma PIPS	
	program, the designated emergency medicine physician liaison must be	
	responsible for all emergency department audits, critiques and mortality review	
	of patients treated in the emergency department.	
III	Emergency medicine physicians must participate actively in the overall trauma	II
	PIPS program and the multidisciplinary trauma peer review committee.	
III, IV	Physicians who are certified by boards other than emergency medicine who treat	II
Í	trauma patients in the emergency department must be current in ATLS. For	
	Level IV TCFs, this may be fulfilled by the Comprehensive Advanced Life	
	Support (CALS) program if the program includes the mobile trauma module	
	skills station and the provider is re-verified every four years. The Rural Trauma	
	Team Development Course (RTTDC) does not fulfill this requirement.	
III, IV	All board-certified emergency medicine physicians or those eligible for	II
	certification by an appropriate emergency medicine board according to current	
	requirements must have successfully completed the ATLS course at least once.	

III if the TCF has neurosurger y capability, IV if the TCF has neurosurger y capability	Clinical Functions: Neurosurgery The TCF must have a formal and published contingency plan for times in which a neurosurgeon is encumbered upon the arrival of a neuro-trauma case. The contingency plan must include all of the following: (a) A credentialing process to allow the trauma surgeon to provide initial evaluation and stabilization of a neuro-trauma patient. (b) Transfer agreements with TCFs that are the same or higher level classification. (c) A requirement for direct contact with the accepting facility to arrange for expeditious transfer or ongoing monitoring support. (d) Monitoring the efficacy of the process by the trauma PIPS program.	П
	The TCF, in conjunction with a higher level classification TCF, may define the non-survivable injury patient who can be kept at the facility and transmitted to palliative care.	
III if the TCF has neurosurger y capability, IV if the TCF has neurosurger y capability	If one neurosurgeon covers more than one TCF, each TCF must have a published back-up schedule. The back-up schedule may include calling a back-up neurosurgeon, guidelines for transfer or both. The trauma PIPS program must demonstrate that appropriate and timely care is provided when the back-up schedule must be used.	П
III, IV	The TCF must have a written policy or guideline approved by the TMD that defines which types of patients require a response by neurosurgery and which type of neurosurgical injuries may remain at the TCF and which should be transferred.	II
III, IV	If a TCF does not have neurosurgical coverage, all patients requiring ICP monitoring and patients with significant traumatic brain injuries should be transferred to a higher level TCF. If the TCF does not transfer the patient with a traumatic brain injury, the scope of practice and care of the patient must be outlined in a written guideline or policy.	II
III, IV	For all neurosurgical cases, whether patients are admitted or transferred, care must be timely and appropriate.	I
III, IV	If a TCF provides neurosurgical services, neurosurgery must be part of the trauma PIPS program.	Ι
III if the TCF has neurosurger y capability, IV if the TCF has neurosurger y capability	For neurosurgical cases, the trauma PIPS program must do all of the following: (a) Monitor all patients admitted or transferred. (b) Review all cases requiring backup to be called in or the patient to be diverted or transferred because of the unavailability of the neurosurgeon on call. (c) Monitor the 30 minute response time for the neurosurgeon once consulted.	I
III if the TCF has neurosurger y, IV if the TCF has	Neurosurgeons must meet one of the following set of standards in order to take trauma call: (1) Board certified by an appropriate neurosurgical board. (2) Eligible for board certification by an appropriate neurosurgical board. (3) Meet the neurosurgery alternate pathway requirements; or	II

naurogurgar	(4) Complete an Accreditation Council for Graduate Medical Education	
neurosurger		
y capability	(ACGME) or Canadian residency and be recognized by a major professional organization.	
	Note: An example of recognition by a major professional organization is being a	
	fellow of the ACS.	
III if the	The alternate pathway requirements for neurosurgeons are all of the following:	II
TCF has		11
	(a) Completion of a residency training program in neurosurgery, with the	
neurosurger	time period consistent with years of training in the United States. The	
y capability, IV if the	completion of a residency training program must be evidenced by a	
	certified letter from the program director.	
TCF has	(b) Currently certified as a provider or instructor of the ATLS program.	
neurosurger	(c) Completion of 36 hours of trauma continuing medical education within	
y capability	the last three years.	
	(d) Present at educational meetings and at least 50% of all trauma PIPS	
	meetings in the past three years.	
	(e) Membership or attendance at local and regional or national meetings	
	during the past three years.	
	(f) Provision of a list of patients treated in the last three years with	
	accompanying Injury Severity Score and outcome data.	
	(g) Completion of a performance improvement assessment by the TMD	
	demonstrating that the morbidity and mortality results for patients treated	
	by the surgeon compare favorably with comparable patients treated by	
	other members of the call panel. (h) Licensed to practice medicine and approved for full and unrestricted	
	surgical privileges by the facility's credentialing committee.	
	surgical privileges by the facility's credentialing confinincee.	
	Clinical Functions: Orthopedic Surgery	
III	The TCF must have orthopedic surgery capability.	I
III required,	An operating room must be adequately staffed, with at least an operating room	Ī
IV if the	nurse and operating room technician, and available within 30 minutes of	
TCF has	operating room team request for emergency operations on musculoskeletal	
orthopedic	injuries.	
surgery	J	
capability		
III required,	The TCF must have an orthopedic surgeon who is identified as the liaison to the	I
IV if the	trauma program.	
TCF has		
orthopedic		
surgery		
capability		
III	TCFs must have an orthopedic surgeon on call and promptly available 24 hours	II
	1 C13 must have an orthopedic surgeon on can and promptly available 24 hours	
	a day.	
III required,	* * * * * * * * * * * * * * * * * * * *	I
III required, IV if the	a day.	I
	a day.	I
IV if the	a day.	I
IV if the TCF has orthopedic	a day.	I
IV if the TCF has	a day.	I
IV if the TCF has orthopedic surgery	a day.	I
IV if the TCF has orthopedic surgery capability	a day. A TCF must include orthopedic surgery as part of the trauma PIPS program.	

TCF has	schedule may include calling a back-up orthopedic surgeon or guidelines for	
orthopedic	transfer or both.	
surgery	transfer of both.	
capability		
III required,	As part of the trauma PIPS program, the TCF must review all major orthopedic	II
IV if the	trauma cases for appropriateness of the decision to transfer or admit. The TCF	11
TCF has	must define the scope of practice and indicators for patients that will be	
orthopedic	admitted.	
surgery		
capability		
III required,	Orthopedic surgeons must meet one of the following in order to take trauma	II
IV if the	call:	
TCF has	(1) Board certified in orthopedic surgery.	
orthopedic	(2) Eligible for board certification by the appropriate orthopedic specialty	
surgery	board according to current criteria.	
capability	(3) Meet the orthopedic surgery alternate pathway requirements; or	
	(4) Complete an Accreditation Council for Graduate Medical Education	
	(ACGME) or Canadian residency and be recognized by a major	
	professional organization.	
	Note: An example of recognition by a major professional organization is being a	
	fellow of the ACS.	
III required,	The alternate pathway requirements for orthopedic surgeons are all of the	II
IV if the	following:	
TCF has	(a) Completion of a residency training program in orthopedic surgery, with	
orthopedic	the time period consistent with years of training in the United States.	
surgery	The completion of a residency training program must be evidenced by a	
capability	certified letter from the program director.	
	(b) Currently certified as a provider or instructor of the ATLS program.	
	(c) Completion of 36 hours of trauma continuing medical education within	
	the last three years.	
	(d) Present at educational meetings and at least 50% of all trauma PIPS	
	meetings in the past three years.	
	(e) Membership or attendance at local and regional or national meetings	
	during the past three years.	
	(f) Provision of a list of patients treated in the last three years with accompanying Injury Severity Score and outcome data.	
	(g) Completion of a performance improvement assessment by the TMD	
	demonstrating that the morbidity and mortality results for patients	
	treated by the surgeon compare favorably with comparable patients	
	treated by other members of the call panel.	
	(h) Licensed to practice medicine and approved for full and unrestricted	
	surgical privileges by the facility's credentialing committee.	
	Pediatric Trauma Care	
III, IV	If a TCF admits pediatric trauma patients for purposes other than stabilization,	II
111,11	the TCF must have guidelines to assure appropriate and safe care of children.	**
	and sure out of climaters.	
	Pediatric trauma guidelines must include all of the following:	
	(a) A transfer agreement with at least one facility with pediatric ICU	
	capability.	
L	1 * *	

	(c) Imaging guidelines, including age and weight-based criteria based on as low as reasonably achievable (ALARA) guidelines.	
	(d) A system to assure appropriate sizing and dosing of resuscitation	
	equipment and medications.	
	(e) Dosing guidelines for intubation, code and neurologic drugs.	
	(f) Guidelines for administration of sedation.	
III, IV	A TCF that stabilizes pediatric trauma patients in the emergency department	II
ĺ	must have all of the following medications and equipment:	
	(a) Mannitol or 3% saline.	
	(b) Intubation, code and neurologic medications.	
	(c) Catheter-over-the-needle device (22 and 24 gauge).	
	(d) Pediatric intraosseous needles or device.	
	(e) Intravenous solutions (normal saline and dextrose 5% normal saline).	
	(f) Infant and child c-collars.	
	(g) Cuffed endotracheal tubes (3.5, 4.5, 5.5, and 6.5 millimeters).	
	(h) Laryngoscope (Straight: 1, Straight: 2, and Curved: 2).	
	(i) Infant and child nasopharyngeal airways.	
	(j) Oropharyngeal airways (size 0, 1, 2, 3, and 4).	
	(k) Pediatric stylets for endotracheal tubes.	
	(l) Infant and child suction catheters.	
	(m) Bag-mask device, self-inflating (infant: 450 milliliters).	
	(n) Masks to fit bag-mask device adaptor (infant and child).	
	(o) Clear oxygen masks (partial non-breather infant and partial non-breather	
	child).	
	(p) Infant and child nasal cannulas.	
	(q) Nasogastric tubes (Infant: 8 French size and child: 10 French size).	
,	(4) 1 (45 0 845 416 0 45 0 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	(r) Laryngeal mask airway (size 1.5, 2, 2.5 and 3))	
	(r) Laryngeal mask airway (size 1.5, 2, 2.5 and 3)).(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size)	
	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size	
	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size	
III	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services	I
III	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)).	I
III	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that	I
III	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and	I
III	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close	I
III	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses	I
	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients.	I
III required, I	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. V Anesthesiology services, including anesthesiologists or certified registered	
III required, I if the TCF ha	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. V Anesthesiology services, including anesthesiologists or certified registered surse anesthetists (CRNAs), must be available within 30 minutes of	
III required, I	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. V Anesthesiology services, including anesthesiologists or certified registered surse anesthetists (CRNAs), must be available within 30 minutes of	
III required, I if the TCF ha anesthesiolog services	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. V Anesthesiology services, including anesthesiologists or certified registered nurse anesthetists (CRNAs), must be available within 30 minutes of notification and request for emergency operations, for managing airway problems, and as needed for patient care.	
III required, I if the TCF ha anesthesiolog	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. V Anesthesiology services, including anesthesiologists or certified registered nurse anesthetists (CRNAs), must be available within 30 minutes of notification and request for emergency operations, for managing airway problems, and as needed for patient care. V A qualified and dedicated physician anesthesiologist or certified registered	I
III required, I if the TCF has anesthesiolog services III required, I if the TCF has	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. V Anesthesiology services, including anesthesiologists or certified registered nurse anesthetists (CRNAs), must be available within 30 minutes of notification and request for emergency operations, for managing airway problems, and as needed for patient care. V A qualified and dedicated physician anesthesiologist or certified registered nurse anesthetist (CRNA) or a certified anesthesia assistant must be	I
III required, I if the TCF ha anesthesiolog services III required, I if the TCF ha anesthesiolog	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. V Anesthesiology services, including anesthesiologists or certified registered nurse anesthetists (CRNAs), must be available within 30 minutes of notification and request for emergency operations, for managing airway problems, and as needed for patient care. V A qualified and dedicated physician anesthesiologist or certified registered nurse anesthetist (CRNA) or a certified anesthesia assistant must be	I
III required, I if the TCF has anesthesiolog services III required, I if the TCF has	(s) Chest tubes (Infant: 10 or 12 French size and Child (16-24 French size (one in the range)). Collaborative Clinical Services The TCF must have an ICU. An ICU, regardless of whether an area of the facility is actually so designated, is a department or area of a TCF that provides intensive treatment medicine, focuses on patients with severe and life-threatening illness or injuries which require constant and close monitoring and support and is staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. V Anesthesiology services, including anesthesiologists or certified registered nurse anesthetists (CRNAs), must be available within 30 minutes of notification and request for emergency operations, for managing airway problems, and as needed for patient care. V A qualified and dedicated physician anesthesiologist or certified registered nurse anesthetist (CRNA) or a certified anesthesia assistant must be designated as a liaison to the trauma program.	I

anesthesiology		
services		
III required, IV	The TCF must document the availability of anesthesia services and delays in	II
if the TCF has	airway control or operations in the trauma PIPS program.	
anesthesiology		
services		
III required, IV	When the anesthesiologist or designee is responding from outside the TCF,	I
if the TCF has	during the time between notification of the anesthesia provider and their	
anesthesiology	arrival, a provider must be available for emergency airway management.	
services	The presence of a provider skilled in emergency airway management must	
	be documented.	
III required, IV	An operating room must be adequately staffed, with at least an operating	I
if the TCF has	room nurse and operating room technician, and available within 30 minutes	
surgical	of operating room team request.	
capability		
III required, IV	The TCF must monitor delays (greater than 30 minutes) in the availability of	II
if the TCF has	operating room personnel including anesthesia support services, post	
surgical	anesthesia care unit personnel and the timeliness of starting operations. The	
capability	TCF must monitor and document through the trauma PIPS program the	
	response times of these personnel. The TCF must identify and review	
	operating room delays involving trauma patients or adverse outcomes for	
	reasons for delay and opportunities for improvement.	
III required, IV	The TCF must have the ability to perform services involving rapid infusers,	I
if the TCF has	thermal control equipment and resuscitation fluids, intraoperative radiologic	
surgical	capabilities and equipment for fracture fixation/stabilization.	
capability		
III, IV	If a TCF provides neurosurgical services, the TCF must have the necessary	I
,	equipment to perform a craniotomy.	
III required, IV	Post anesthesia services, including qualified nurses, must be available 24	I
if the TCF has	hours per day to provide care for the patient if needed during the recovery	
surgical	phase.	
capability		
III required, IV	In the delivery of post anesthesia care, providers must have the necessary	I
if the TCF has	equipment to monitor and resuscitate patients, consistent with the process of	-
surgical	care designated by the facility.	
capability		
III, IV	The TCF's trauma PIPS program must address the need for pulse oximetry,	II
111, 1 ,	end-tidal carbon dioxide detection, arterial pressure monitoring, patient	
	rewarming and intracranial pressure monitoring.	
III, IV	A TCF must have policies designed to ensure that trauma patients who may	II
	require resuscitation and monitoring are accompanied by appropriately	
	trained providers during transportation to, and while in, the radiology	
	department.	
III, IV	Conventional radiology must be available 24 hours per day. The radiology	I
111, 1 V	technician does not need to be in-house 24 hours per day but must respond	1
	within 30 minutes of notification.	
III	Computed tomography (CT) must be available 24 hours per day. The	Ţ
111		1
	computed tomography (CT) technologist does not need to be in-house 24	
	hours per day but must respond within 30 minutes of notification.	

III required, IV	If a computed tomography (CT) technologist takes a call from outside the	II
if the TCF has	facility, the TCF's trauma PIPS program must document the computed	
CT capability	tomography (CT) technologist's time of arrival at the facility.	
III, IV	For TCFs with magnetic resonance imaging (MRI) capabilities, the	II
	magnetic resonance imaging (MRI) technologist may respond from outside	
	the hospital. The trauma PIPS program must document and review arrival of	
	the magnetic resonance imaging (MRI) technologist within one hour of	
	being called.	
III	Qualified radiologists must be available within 30 minutes of notification, in	I
	person or by tele-radiology, to interpret radiographs.	
III	Radiological diagnostic information must be communicated in a timely	II
	manner in either written or electronic form.	
III	Critical radiology information deemed to immediately affect patient care	II
	must be verbally communicated to the trauma team in a timely manner.	
III required, IV	The final radiology report must accurately reflect the chronology and	II
if the TCF has	context of communications with the trauma team, including changes	
radiology	between the preliminary and final interpretations. The TCF must have a	
capability	written over-read process that defines how changes in interpretation are	
	documented and communicated.	
III required, IV	The TCF must monitor changes in interpretation between the preliminary	II
if the TCF has	and final radiology reports, as well as missed injuries, through the trauma	
radiology	PIPS program.	
capability		
III required, IV	A surgeon on the trauma call panel must be actively involved in and	II
if the TCF has	responsible for setting policies and making administrative decisions related	
surgical and ICU	to trauma ICU patients. This may be a TMD who is a surgeon.	
capabilities		
III	The TCF must have physician coverage of the ICU available within 30	I
	minutes and have a formal plan in place for emergency coverage. A TCF	
	must track physician response time as part of the trauma PIPS program.	
	Physician coverage of the ICU does not replace the primary surgeon but	
	instead ensures that the patient's immediate needs are met while the primary	
	surgeon is being contacted.	
III	The TCF's trauma PIPS program must review all ICU trauma admissions	II
	and transfers of ICU patients to ensure that appropriate patients are being	
	selected to remain at the TCF versus being transferred to a higher level of	
	care. The TCF must have a written guideline that defines which types of	
	ICU patients they will admit and which they will transfer to a higher level of	
	care.	
III	In a TCF, the trauma surgeon must retain responsibility for and coordinate	I
	all therapeutic decisions of trauma ICU patients. Many of the daily care	
	requirements can be collaboratively managed by a dedicated ICU team, but	
	the trauma surgeon must be kept informed and concur with major	
	therapeutic and management decisions made by the ICU team.	
III, IV	The TCF's trauma PIPS program must document that timely and appropriate	II
	ICU care and coverage are being provided for trauma ICU patients. The	
	TCF must continuously monitor the timely response of credentialed	
	providers to the ICU as part of the trauma PIPS program. The TCF's trauma	
	PIPS program must include quality indicators for the ICU including review	
	of complications. Review of complications includes but is not limited to	
t	^	

these services. The TCF must have a designated ICU liaison to the trauma service. The liaison must be designated based on the service that provides the majority of the care in the ICU. In the TCF, qualified critical care nurses must be available 24 hours per day to provide care for trauma patients during the ICU phase. The TCF may define who is a qualified critical care nurse based on education and competency standards. For trauma patients, the patient-to-nurse ratio in the ICU must not exceed two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma PIPS program must monitor adherence to this guideline.	II II
liaison must be designated based on the service that provides the majority of the care in the ICU. In the TCF, qualified critical care nurses must be available 24 hours per day to provide care for trauma patients during the ICU phase. The TCF may define who is a qualified critical care nurse based on education and competency standards. For trauma patients, the patient-to-nurse ratio in the ICU must not exceed two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	II
the care in the ICU. In the TCF, qualified critical care nurses must be available 24 hours per day to provide care for trauma patients during the ICU phase. The TCF may define who is a qualified critical care nurse based on education and competency standards. For trauma patients, the patient-to-nurse ratio in the ICU must not exceed two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	II
In the TCF, qualified critical care nurses must be available 24 hours per day to provide care for trauma patients during the ICU phase. The TCF may define who is a qualified critical care nurse based on education and competency standards. For trauma patients, the patient-to-nurse ratio in the ICU must not exceed two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	II
to provide care for trauma patients during the ICU phase. The TCF may define who is a qualified critical care nurse based on education and competency standards. For trauma patients, the patient-to-nurse ratio in the ICU must not exceed two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	II
define who is a qualified critical care nurse based on education and competency standards. For trauma patients, the patient-to-nurse ratio in the ICU must not exceed two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	I
competency standards. For trauma patients, the patient-to-nurse ratio in the ICU must not exceed two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	I
For trauma patients, the patient-to-nurse ratio in the ICU must not exceed two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	I
two to one. The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	I
The TCF must have the necessary equipment for the ICU to monitor and resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	I
resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	I
resuscitate patients. Each TCF shall determine the equipment necessary based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	
based on the types of patients admitted and treated. If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	
If a TCF has neurosurgical coverage and admits neuro-trauma patients, intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	
intracranial pressure (ICP) monitoring equipment must be available. Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	
Trauma patients, as defined by the Wisconsin trauma registry inclusion criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	II
criteria, must not be admitted or transferred by a primary care physician without the knowledge and consent of the trauma service. The TCF's trauma	11
without the knowledge and consent of the trauma service. The TCF's trauma	
9 ,	
· · · · · · · · · · · · · · · · · · ·	
	T
A	I
	I
,	-
· · · · · · · · · · · · · · · · · · ·	
	I
	T
	1
cens and resurrozen plasma available within 15 minutes.	
TCFs must have a massive transfusion protocol that is developed	I
collaboratively with the trauma service and blood bank.	
The TCF must have coagulation studies, blood gas analysis and	I
microbiology studies available 24 hours per day.	
Advanced practice providers (APPs) who participate in the initial evaluation	II
of trauma patients must be current in ATLS, except if the advanced practice	
	II
	11
annual review by the Tivid.	
D 1 177 /	
	collaboratively with the trauma service and blood bank. The TCF must have coagulation studies, blood gas analysis and microbiology studies available 24 hours per day.

III	Physical therapy services must be provided in the TCF.	I
III	Social services must be provided in the TCF.	II
	Guidelines for the Operation of Burn Centers	
III, IV	A TCF must have written guidelines for the care of burn patients. TCFs that	II
	refer burn patients to a designated burn center must have a written transfer	
	agreement with the designated burn center.	
	Tr. D. '.	
***	Trauma Registry	
III, IV	A TCF must collect and analyze trauma registry data and must submit this	II
111 137	data to the department per s. DHS 118.09 (3) (a) & (b).	TT
III, IV	The TCF must submit the required data elements, defined by the Wisconsin	II
	Trauma Data Dictionary to the Wisconsin trauma registry.	
	Note: The Wisconsin Trauma Data Dictionary is prepared, maintained and	
	updated by the Wisconsin Department of Health Services and is published on the Department's Trauma webpage:	
	https://www.dhs.wisconsin.gov/publications/p01117.pdf	
III, IV	A TCF must use trauma registry data to support their trauma PIPS program.	II
III, IV	A TCF must use trauma registry data to identify injury prevention priorities	II
111, 1 V	that are appropriate for local implementation.	11
III, IV	A TCF's trauma registry must be concurrent. At a minimum, the TCF must	II
111, 1 ,	enter 80% of cases within 60 days of patient discharge.	
III	The trauma registrar must either have previously attended the following two	II
	courses or attend the following two courses within 12 months of being	
	hired:	
	(1) The American Trauma Society's two-day, in person trauma registry	
	course or equivalent provided by a state trauma program.	
	(2) The Association of the Advancement of Automotive Medicine's	
	Abbreviated Injury Scale (AIS) and Injury Scoring: Uses and	
	Techniques course.	
	This requirement will take effect on July 1, 2020.	
	Nata Manainformation in I. Proposition in C. C. C. T. J.	
	Note: More information, including registration information, regarding the	
	American Trauma Society's trauma registry course can be found on the	
	American Trauma Society's webpage:	
	https://www.amtrauma.org/page/TRC.	
	More information, including registration information, regarding the	
	Association of Advancement of Automotive Medicine's Abbreviated Injury	
	Scale (AIS) and Injury Scoring: Uses and Techniques course can be found	
	on the Association of Advancement of Automotive Medicine's webpage:	
	https://www.aaam.org/abbreviated-injury-scale-ais/training-courses/.	
III, IV	The TCF must ensure that appropriate measures are in place to meet the	II
, · ·	confidentiality requirements of the trauma registry data. The TCF must	**
	protect against threats, hazards and unauthorized uses or disclosures of	
	trauma program data as required by the Health Insurance Portability and	
	Accountability Act (HIPAA) and other state and federal laws. Protocols to	
	protect confidentiality, including providing information only to staff	
	protect confidentiality, including providing information only to staff	

	members who have a demonstrated need to know, must be integrated in the	
	administration of the TCF's trauma program.	
III, IV	The TCF must demonstrate that appropriate staff resources are dedicated to	II
	the trauma registry. If the TCF is admitting 500 or more trauma patients	
	annually, the TCF must dedicate one full-time equivalent employee to	
	process the data capturing for the trauma registry. The TCF must add a full-	
	time equivalent employee for each additional set of 500 admitted trauma	
	patients.	
III, IV	The TCF must have a strategy for monitoring the validity of the data entered	II
	into the trauma registry.	
III, IV	The TCF must demonstrate that all trauma patients can be identified for	II
	review.	
III, IV	The TCF's trauma PIPS program must be supported by a reliable method of	II
	data collection that consistently obtains the information necessary to identify	
	opportunities for improvement.	
	Performance Improvement and Patient Safety	
III, IV	The TCF must have a trauma PIPS program that includes a comprehensive	II
	written plan outlining the configuration and identifying both adequate	
	personnel to implement that plan and an operational data management	
	system.	
III, IV	The TCF's problem resolution, outcome improvements and assurance of	II
	safety ("loop closure") must be readily identifiable through methods of	
	monitoring, re-evaluation, benchmarking and documentation.	
III, IV	The TCF's trauma PIPS program must integrate with the facility quality and	II
	patient safety efforts and have a clearly defined reporting structure and	
	method for the integration of feedback.	
III, IV	The TCF must use clinical practice guidelines, protocols and algorithms	II
	derived from evidence-based validated resources to help reduce unnecessary	
	variation in the care they provide.	
III, IV	The TCF must document, in the trauma PIPS program written plan, all	II
	process and outcome measures. At least annually, the TCF must review and	
	update all process and outcome measures.	
III, IV	The TCF must systematically review all trauma-related mortalities from	II
	point of injury to death and identify mortalities with opportunities for	
	improvement for the multidisciplinary trauma peer review committee.	
III, IV	The TCF must have sufficient mechanisms available to identify events for	II
	review by the trauma PIPS program. Once an event is identified, the trauma	
	PIPS program must be able to verify and validate that event.	
III, IV	The TCF must have a process to address trauma program operational events	II
	including system process related events and, when appropriate, the analysis	
	and proposed corrective action. The TCF must have documentation that	
	reflects the review of operational events, and when appropriate, the analysis	
	and proposed corrective action.	
III, IV	When the TCF identifies an opportunity for improvement, appropriate	II
	corrective actions to mitigate or prevent similar future adverse events must	
	be developed, implemented and clearly documented by the trauma PIPS	
	program.	

III required, IV if the TCF has general surgery capability	When a general surgeon cannot attend the trauma multidisciplinary peer review meeting, the TMD must ensure that the general surgeon receives and acknowledges receipt of critical information generated at the meeting.	II
	Outreach and Education	
III, IV	The TCF must engage in public and professional education, including participation in prehospital education.	II
III, IV	The TCF must provide trauma-related education for nurses involved in trauma care.	II
	Prevention	
III, IV	The TCF must have an organized and effective approach to injury prevention and must prioritize these efforts based on local trauma registry and epidemiologic data.	II
III, IV	The TCF must have someone in a leadership position that has injury prevention as part of his or her job description.	II
III, IV	Universal screening for alcohol use must be performed and documented for all injured patients over 12 years of age. This screening must be done on patients admitted or discharged from the emergency department, but not those transferred to a higher level of care.	II
	Disaster Planning and Management	
III, IV	The TCF must meet the disaster-related requirements of the Joint Commission or other accrediting bodies.	II
III	A liaison from the trauma program must be a member of the TCF's disaster committee.	II
III, IV	The TCF must participate in regional disaster management plans and exercises.	II

SECTION 11. EFFECTIVE DATE. This rule shall take effect on the first day of the month following publication in the Wisconsin administrative register, as provided in s. 227.22 (2) (intro.), Stats.