

## CUSTOMER -FORMULA MEDICATED LABEL ATTACHMENT

FOR INVOICE

16565

DATED 1/1/2017



# CALF GROWER CATTLE FEED MEDICATED

TYPE C FEED CONTAINING RUMENSIN<sup>TM</sup>(MONENSIN)

FORMULA #: JSCG 11-16

## STATEMENT OF PURPOSE

For the prevention and control of coccidiosis due to Eimeria bovis and E. zuernii in calves (excluding veal calves).

## **ACTIVE DRUG INGREDIENT**

Monensin (as monensin sodium)

125.00 grams/ton

62.50 mg/pound

## **USE DIRECTIONS**

Hand feed this ration continuously to calves to provide 0.14 to 1.00 mg monensin per pound of body weight per day, depending upon severity of challenge, up to a maximum of 200 mg monensin per head per day as indicated in the feeding chart below.

Calf Weight	Minimum lbs	Maximum lbs.	
(pounds)	feed/head/day	feed/head/day	
100	0.22	1.60	
150	0.34	2.40	
200	0.45	3.20	
250	0.56	3.20	

	Calf Weight	Minimum Ibs	Maximum lbs.
	(pounds)	feed/head/day	feed/head/day
	300	0.67	3.20
	350	0.78	3.20
	400	0.90	3.20
•			

### PRECAUTIONARY STATEMENTS

Caution: Do not allow horses or other equines access to feed containing monensin. Ingestion of monensin by horses has been fatal. Monensin medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Do not exceed the levels of monensin recommended in the feeding directions, as reduced average daily gains may result. If feed refusals containing monensin are fed to other groups of cattle, the concentration of monensin in the refusals and amount of refusals fed should be taken into consideration to prevent monensin overdosing.

**Warning:** A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.

## MANUFACTURED BY:

BLUE BIRD FEED MILL, ANY CITY, ANY STATE 55555

Expiration date if monensin ≤ 30 g/ton: 10/27/2019

Net Weight on Bag and/or Invoice

RUMENSIN<sup>™</sup> is a trademark of Eli Lilly and Company revision 12/20/2016



## CUSTOMER -FORMULA MEDICATED LABEL ATTACHMENT

FOR INVOICE 16

16565

DATED 1/1/2017



# CALF GROWER CATTLE FEED MEDICATED

TYPE C FEED CONTAINING RUMENSIN<sup>TM</sup>(MONENSIN)

FORMULA #: JSCG 11-16

## STATEMENT OF PURPOSE

For the prevention and control of coccidiosis due to Eimeria bovis and E. zuernii in calves (excluding yeal calves).

## **ACTIVE DRUG INGREDIENT**

Monensin (as monensin sodium)

125.00 grams/ton

62.50 mg/pound

## **USE DIRECTIONS**

Hand feed this ration continuously to calves to provide 0.14 to 1.00 mg monensin per pound of body weight per day, depending upon severity of challenge, up to a maximum of 200 mg monensin per head per day as indicated in the feeding chart below.

Calf Weight	Minimum Ibs	Maximum lbs.
(pounds)	feed/head/day	feed/head/day
100	0.22	1.60
150	0.34	2.40
200	0.45	3.20
250	0.56	3.20

Calf Weight	Minimum lbs	Maximum lbs.
(pounds)	feed/head/day	feed/head/day
300	0.67	3.20
350	0.78	3.20
400	0.90	3.20

### PRECAUTIONARY STATEMENTS

Caution: Do not allow horses or other equines access to feed containing monensin. Ingestion of monensin by horses has been fatal. Monensin medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Do not exceed the levels of monensin recommended in the feeding directions, as reduced average daily gains may result. If feed refusals containing monensin are fed to other groups of cattle, the concentration of monensin in the refusals and amount of refusals fed should be taken into consideration to prevent monensin overdosing.

**Warning:** A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.

## MANUFACTURED BY:

BLUE BIRD FEED MILL, ANY CITY, ANY STATE 55555

Expiration date if monensin ≤ 30 g/ton: 10/27/2019

Net Weight on Bag and/or Invoice

RUMENSIN<sup>™</sup> is a trademark of Eli Lilly and Company

revision 12/20/2016