

	CUSTOMER -FORMULA MEDICATED LABEL ATTACHMENT FOR INVOICE 16565 DATED 01/01/17	
Steer CATTLE FEED MEDICATED COMPLETE FEED CONTAINING RUMENSIN™(MONENSIN) FORMULA # JD Steer 11-2016		
STATEMENT OF PURPOSE		
For improved feed efficiency in cattle fed in confinement for slaughter.		
ACTIVE DRUG INGREDIENT		
Monensin (as monensin sodium)	25.00 grams/ton	
	12.50 milligrams/pound	
USE DIRECTIONS		
Feed so that cattle will be consuming between 4.00 and 38.4 pounds per head per day which will provide 50 to 480 milligrams of monensin as monensin sodium per head per day. Feed continuously.		
No additional improvement in feed efficiency has been shown from feeding monensin at levels greater than 30 grams per ton (360 milligrams per head per day).		
(To be fed continuously as complete feed (5 to 40 grams/ton monensin) to provide 5 to 480 milligrams of monensin as monensin sodium per head per day.)		
PRECAUTIONARY STATEMENTS		
Caution: Do not allow horses or other equines access to feed containing monensin. Ingestion of monensin by horses has been fatal. Monensin medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Do not exceed the levels of monensin recommended in the feeding directions, as reduced average daily gains may result. If feed refusals containing monensin are fed to other groups of cattle, the concentration of monensin in the refusals and amount of refusals fed should be taken into consideration to prevent monensin overdosing.		
Warning: A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.		
MANUFACTURED BY: BLUE BIRD FEED MILL, ANY CITY, ANY STATE 55555 Expiration date 10/27/19 (30 days after manufacture if 30/g/ton or less) Net Weight on Bag and/or Invoice		
RUMENSIN™ is a trademark of Eli Lilly and Company		
revision 12/20/16		

	CUSTOMER -FORMULA MEDICATED LABEL ATTACHMENT FOR INVOICE 16565 DATED 01/01/17	
Steer CATTLE FEED MEDICATED COMPLETE FEED CONTAINING RUMENSIN™(MONENSIN) FORMULA # JD Steer 11-2016		
STATEMENT OF PURPOSE		
For improved feed efficiency in cattle fed in confinement for slaughter.		
ACTIVE DRUG INGREDIENT		
Monensin (as monensin sodium)	25.00 grams/ton	
	12.50 milligrams/pound	
USE DIRECTIONS		
Feed so that cattle will be consuming between 4.00 and 38.4 pounds per head per day which will provide 50 to 480 milligrams of monensin as monensin sodium per head per day. Feed continuously.		
No additional improvement in feed efficiency has been shown from feeding monensin at levels greater than 30 grams per ton (360 milligrams per head per day).		
(To be fed continuously as complete feed (5 to 40 grams/ton monensin) to provide 5 to 480 milligrams of monensin as monensin sodium per head per day.)		
PRECAUTIONARY STATEMENTS		
Caution: Do not allow horses or other equines access to feed containing monensin. Ingestion of monensin by horses has been fatal. Monensin medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Do not exceed the levels of monensin recommended in the feeding directions, as reduced average daily gains may result. If feed refusals containing monensin are fed to other groups of cattle, the concentration of monensin in the refusals and amount of refusals fed should be taken into consideration to prevent monensin overdosing.		
Warning: A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.		
MANUFACTURED BY: BLUE BIRD FEED MILL, ANY CITY, ANY STATE 55555 Expiration date 10/27/19 (30 days after manufacture if 30/g/ton or less) Net Weight on Bag and/or Invoice		
RUMENSIN™ is a trademark of Eli Lilly and Company		
revision 12/20/16		