

**Chapter DHS 163
APPENDIX F**

Random Selection Table for Lead Inspections and Lead-Free Inspections Only

Number of Units to be Tested When Random Selection Is Allowed

Total number of units	Number of units to be tested if any unit was built before 1960 or if age is unknown	Number of units to be tested if all units were known to be built from 1960 through 1977
1-9	all units	all units
10-13	all units	10
14	all units	11
15	all units	12
16-17	all units	13
18	all units	14
19	all units	15
20	all units	16
21-26	20	16
27	21	17
28	22	18
29	23	18
30	23	19
31	24	19
32	25	19
33-34	26	19
35	27	19
36	28	19
37	29	19
38-39	30	20
40-48	31	21
49-50	31	22
51	32	22
52-53	33	22
54	34	22
55-56	35	22
57-58	36	22
59	37	23
60-69	38	23
70-73	38	24
74-75	39	24
76-77	40	24

Total number of units	Number of units to be tested if any unit was built before 1960 or if age is unknown	Number of units to be tested if all units were known to be built from 1960 through 1977
78-79	41	24
80-95	42	24
96-97	43	25
98-99	44	25
100-117	45	25
118-119	46	26
120-138	47	26
139-157	48	26
158-159	49	26
160-177	49	27
178-197	50	27
198-218	51	27
219-258	52	27
259-279	53	27
280-299	53	28
300-379	54	28
380-499	55	28
500-776	56	28
777-939	57	28
940-1000	57	29
1,000 or more units	5.8% of units, rounded to nearest unit	2.9% of units, rounded to nearest unit