

Chapter DHS 157

APPENDIX I

Quantities for Use with Decommissioning under Section DHS 157.15

NOTE: To convert μCi to kBq, multiply the μCi value by 37.

Material	Microcurie
Americium-241.....	0.01
Antimony-122.....	100
Antimony-124.....	10
Antimony-125.....	10
Arsenic-73.....	100
Arsenic-74.....	10
Arsenic-76.....	10
Arsenic-77.....	100
Barium-131.....	10
Barium-133.....	10
Barium-140.....	10
Bismuth-210.....	1
Bromine-82.....	10
Cadmium-109.....	10
Cadmium-115m.....	10
Cadmium-115.....	100
Calcium-45.....	10
Calcium-47.....	10
Carbon-14.....	100
Cerium-141.....	100
Cerium-143.....	100
Cerium-144.....	1
Cesium-131.....	1,000
Cesium-134m.....	100
Cesium-134.....	1
Cesium-135.....	10
Cesium-136.....	10
Cesium-137.....	10
Chlorine-36.....	10
Chlorine-38.....	10
Chromium-51.....	1,000
Cobalt-57.....	100
Cobalt-58m.....	10
Cobalt-58.....	10
Cobalt-60.....	1
Copper-64.....	100
Dysprosium-165.....	10
Dysprosium-166.....	100
Erbium-169.....	100
Erbium-171.....	100
Europium-152 (9.2 h).....	100
Europium-152 (13 yr).....	1
Europium-154.....	1
Europium-155.....	10
Fluorine-18.....	1,000
Gadolinium-153.....	10

DHS 157 Appendix I

WISCONSIN ADMINISTRATIVE CODE

2

Gadolinium-159.....	100
Gallium-72.....	10
Germanium-68.....	10
Germanium-71.....	100
Gold-195.....	10
Gold-198.....	100
Gold-199.....	100
Hafnium-181.....	10
Holmium-166.....	100
Hydrogen-3.....	1,000
Indium-113m.....	100
Indium-114m.....	10
Indium-115m.....	100
Indium-115.....	10
Iodine-125.....	1
Iodine-126.....	1
Iodine-129.....	0.1
Iodine-131.....	1
Iodine-132.....	10
Iodine-133.....	1
Iodine-134.....	10
Iodine-135.....	10
Iridium-192.....	10
Iridium-194.....	100
Iron-55.....	100
Iron-59.....	10
Krypton-85.....	100
Krypton-87.....	10
Lanthanum-140.....	10
Lutetium-177.....	100
Manganese-52.....	10
Manganese-54.....	10
Manganese-56.....	10
Mercury-197m.....	100
Mercury-197.....	100
Mercury-203.....	10
Molybdenum-99.....	100
Neodymium-147.....	100
Neodymium-149.....	100
Nickel-59.....	100
Nickel-63.....	10
Nickel-65.....	100
Niobium-93m.....	10
Niobium-95.....	10
Niobium-97.....	10
Osmium-185.....	10
Osmium-191m.....	100
Osmium-191.....	100
Osmium-193.....	100
Palladium-103.....	100
Palladium-109.....	100
Phosphorus-32.....	10
Platinum-191.....	100
Platinum-193m.....	100
Platinum-193.....	100

Platinum-197m	100
Platinum-197	100
Plutonium-239	0.01
Polonium-210	0.1
Potassium-42	10
Praseodymium-142	100
Praseodymium-143	100
Promethium-147	10
Promethium-149	10
Radium-226	0.01
Rhenium-186	100
Rhenium-188	100
Rhodium-103m	100
Rhodium-105	100
Rubidium-86	10
Rubidium-87	10
Ruthenium-97	100
Ruthenium-103	10
Ruthenium-105	10
Ruthenium-106	1
Samarium-151	10
Samarium-153	100
Scandium-46	10
Scandium-47	100
Scandium-48	10
Selenium-75	10
Silicon-31	100
Silver-105	10
Silver-110m	1
Silver-111	100
Sodium-22	10
Sodium-24	10
Strontium-85	10
Strontium-89	1
Strontium-90	0.1
Strontium-91	10
Strontium-92	10
Sulfur -35	100
Tantalum-182	10
Technetium-96	10
Technetium-97m	100
Technetium-97	100
Technetium-99m	100
Technetium-99	10
Tellurium-125m	10
Tellurium-127m	10
Tellurium-127	100
Tellurium-129m	10
Tellurium-129	100
Tellurium-131m	10
Tellurium-132	10
Terbium-160	10
Thallium-200	100
Thallium-201	100
Thallium-202	100

Thallium-204.....	10
Thorium (natural)c/.....	100
Thulium-170.....	10
Thulium-171.....	10
Tin-113.....	10
Tin-125.....	10
Tungsten-181.....	10
Tungsten-185.....	10
Tungsten-187.....	100
Uranium (natural)d/.....	100
Uranium-233.....	0.01
Uranium-234.....	0.01
Uranium-235.....	0.01
Vanadium-48.....	10
Xenon-131m.....	1,000
Xenon-133.....	100
Xenon-135.....	100
Ytterbium-175.....	100
Yttrium-90.....	10
Yttrium-91.....	10
Yttrium-92.....	100
Yttrium-93.....	100
Zinc-65.....	10
Zinc- 69m.....	100
Zinc-69.....	1,000
Zirconium-93.....	10
Zirconium-95.....	10
Zirconium-97.....	10
Any alpha emitting radionuclide not listed above or mixtures of alpha emitters of unknown composition.....	0.01
Any radionuclide other than alpha emitting radionuclides, not listed above or mixtures of beta emitters of unknown composition.....	0.1

c/ Based on alpha disintegration rate of Th-232, Th-230 and their daughter products.

d/ Based on alpha disintegration rate of U-238, U-234, and U-235

Note: Where there is involved a combination of isotopes in known amounts, the limit for the combination should be derived as follows: Determine, for each isotope in the combination, the ratio between the quantity present in the combination and the limit otherwise established for the specific isotope when not in combination. The sum of the ratios for all the isotopes in the combination may not exceed “1” — that is, unity.