

Chapter SPS 335

INFECTIOUS AGENTS

SPS 335.001 Purpose.
SPS 335.01 Definitions.

SPS 335.02 Infectious agents.

Note: Chapter ILHR 35 was renumbered Chapter Comm 35 under s. 13.93 (2m) (b) 1., Stats., and corrections made under s. 13.93 (2m) (b) 6. and 7., Stats., Register, March, 1999, No. 519. Chapter Comm 35 was renumbered chapter SPS 335 under s. 13.92 (4) (b) 1., Stats., Register December 2011 No. 672.

SPS 335.001 Purpose. The purpose of this chapter is to identify, by administrative rules, those infectious agents relevant to the Employees' Right to Know Law, ss. 101.58 to 101.599, Stats.

History: Cr. Register, September, 1983, No. 333, eff. 10-1-83.

SPS 335.01 Definitions. In this chapter:

(1) "Department" means the department of safety and professional services.

(2) "Infectious agents" has the meaning set forth in s. 101.58 (2) (f), Stats.

Note: The statutory definition for infectious agents reads: "Infectious agent" means a bacterial, mycoplasmal, fungal, parasitic or viral agent identified by the department by rule as causing illness in humans or human fetuses or both, which is introduced by an employer to be used, studied or produced in the workplace. "Infectious agent" does not include such an agent in or on the body of a person who is present in the workplace for diagnosis or treatment.

History: Cr. Register, September, 1983, No. 333, eff. 10-1-83; correction in (1) made under s. 13.92 (4) (b) 6., Stats., Register December 2011 No. 672.

SPS 335.02 Infectious agents. Pursuant to ss. 101.58 (2) (f) and 101.598 (1), Stats., the bacterial, mycoplasmal, fungal, parasitic and viral agents and arboviruses specified in Tables 335.02-1, 335.02-2, 335.02-3, 335.02-4, 335.02-5, respectively, are designated as infectious agents.

TABLE 335.02-1

BACTERIAL AND MYCOPLASMAL AGENTS

Bacillus anthracis
Brucella abortus^a
Brucella canis
Brucella melitensis^a
Brucella suis^a
Campylobacter fetus subspecies jejuni
Chlamydia psittaci^a
Chlamydia trachomatis
Clostridium botulinum
Clostridium tetani
Corynebacterium diphtheriae
Francisella tularensis
Legionella pneumophila
Legionella-like organisms
Leptospira interrogans—all serovars^a
Mycobacterium africanum
Mycobacterium asiaticum
Mycobacterium avium complex
Mycobacterium bovis^a
Mycobacterium chelonae
Mycobacterium fortuitum
Mycobacterium kansasii
Mycobacterium leprae^a
Mycobacterium malmoense

Mycobacterium marinum
Mycobacterium scrofulaceum
Mycobacterium simiae
Mycobacterium szulgai
Mycobacterium tuberculosis^a
Mycobacterium ulcerans
Mycobacterium xenopi
Neisseria gonorrhoeae
Neisseria meningitidis
Salmonella enteritidis (all serotypes)
Salmonella typhi
Shigella spp.^a
Treponema pallidum
Vibrio cholerae
Vibrio parahaemolyticus
Yersinia pestis

^aAgents of high virulence or contagion requiring special handling procedures.

TABLE 335.02-2

FUNGAL AGENTS

Blastomyces dermatitidis^a
Coccidioides immitis^a
Cryptococcus neoformans
Epidermophyton spp.
Histoplasma capsulatum^a
Microsporum spp.
Sporothrix schenckii
Trichophyton spp.

^aAgents of high virulence or contagion requiring special handling procedures

TABLE 335.02-3

PARASITIC AGENTS

Ancylostoma spp. — hookworm
Ascaris spp.
Coccidia spp.
Cysticercus cellulosae
Echinococcus granulosus
Entamoeba spp.
Enterobius spp.
Fasciola spp.
Giardia spp.
Hymenolepis nana
Leishmania spp.
Necator spp. — hookworm
Naegleria fowleri
Plasmodium spp.
Sarcocystis spp.
Schistosoma spp.
Strongyloides spp.
Taenia solium

TABLE 335.02-3 (Continued)

Toxoplasma spp. ^b
Trypanosomaspp.

^bSpecial risk for pregnant females.

TABLE 335.02-4

VIRAL AND RICKETTSIAL AGENTS

Hepatitis Viruses; A, B, NonA-NonB^a
 Herpes virus group =
 Herpes virus hominis
 Cytomegalo virus^b
 Epstein-Barr virus
 Herpes virus simiae^a
 Varicella virus
 Human immunodeficiency viruses^c

 Influenza viruses
 Polio virus
 Pox viruses
 Cowpox virus
 Molluscum contagiosum virus
 Monkeypox virus
 Orf virus
 Paravaccinia virus
 Tanapox virus

Vaccinia virus
 Variola major virus^a
 Variola minor virus^a
 Whitepox virus
 Yaboapox virus

 Rabies Virus^a
 Rubella virus^b
 Spongiform Encephalopathy Viruses
 Creutzfeld-Jacob agent
 Kuru agent
 Rickettsial Agents
 Coxiella burnetii
 Rickettsia akari
 Rickettsia canada
 Rickettsia conori
 Rickettsia montana
 Rickettsia mooseri
 Rickettsia prowazeki^a
 Rickettsia rickettsii^a
 Rickettsia sennetsu
 Rickettsia tsutsugamushi
 Rochalimae quintana
 Rochalimae vinsonii

Vesicular Stomatitis Virus

^aAgents of high virulence or contagion requiring special handling procedures.

^bSpecial risk for pregnant females.

^cIncludes the virus HTLV-III, the virus which causes AIDS, Acquired Immuno-Deficiency Syndrome.

TABLE 335.02-5

ARBOVIRUSES

Absettarov	Bahig
Abu Hammad	Bakau
Acado	Baku
Acara	Bandia
African Horsesickness	Bangoran
African Swine Fever	Bangui
Aguacate	Banui
Aino	Banzi
Akabane	Barmah Forest
Alenquer	Batai
Alfuy	Batama
Almpiwar	Batken
Amapari	Bauline
Ananindeua	Bebaru
Anhanga	Belem
Anhemi	Belmont
Anopheles A	Benevides
Anopheles B	Benfica
Apeu	Bertioga
Apoi	Bhanja
Araguari	Bimbo
Aride	Bimiti
Arkonam	Birao
Aruac	Bluetongue-Indigenous
Arumowot	Bluetongue-Exotic
Aura	Bobaya
Avalon	Bobia
Bagaza	Bocas

Boraceia	Getah
Botambi	Gomoka
Boteke	Gordil
Bouboui	Gossas
Bovine Ephemeral Fever	Grand Arbaud
Bujaru	Gray Lodge
Bunyamwera	Great Island
Burg el Arab	Guajara
Bushbush	Guama
Bussuquara	Guaratuba
Buttonwillow	Guaroa
Bwamba	Gumbo Limbo
Cabassou	Hanzalova
Cacao	Hart Park
Cache Valley	Hazara
Caimito	Huacho
California Encephalitis ^c	Hughes
Calovo	Hypir
Candiru	Ibaraki
Cape Wrath	Icoaraci
Capim	Ieri
Caraparu	Ilesha
Catu	Ilheus
Chaco	Ingwavuma
Chagres	Inhangapi
Chandipura	Inini
Changuinola	Inkoo
Charleville	Ippy
Chenuda	Irituia
Chikungunya	Isfahan
Chilibre	Israel Turkey Meningitis
Chim	Issyk-Kul
Chobar Gorge	Itaituba
Clo Mor	Itaporanga
Cocal	Itaqui
Colorado Tick Fever ^c	Jamestown Canyon ^c
Congo-Crimean Hemorrhagic Fever	Japanese Encephalitis
Corriparta	Japunaut
Cotia	Jerry Slough
D'Aguilar	Johnston Atoll
Dakar Bat	Joinjakaka
Dengue-2	Juan Diaz
Dengue-3	Jugra
Dengue-4	Junin
Dera Ghazi Khan	Jurona
Dhori	Jutiapa
Dugbe	Kadam
Ebola	Kaeng Khoi
Edge Hill	Kaikalur
Entebbe Bat	Kairi
Ep. Hem. Dis.	Kaisodi
Eubenangee	Kamese
Everglades	Kammavanpettai
Eyach	Kannamangalam
Flanders	Kao Shuan
Fort Morgan	Karimabad
Frijoles	Karshi
Gamboa	Kasba
Gan Gan	Kemerovo
Garba	Kern Canyon
Germiston	Ketapang

SPS 335.02

WISCONSIN ADMINISTRATIVE CODE

4

Keterah	Moriche
Keuraliba	Mosqueiro
Keystone	Mossuril
Khasan	Mount Elgon Bat
Klamath	M’Poko
Kokobera	Mucambo
Kolongo	Murray Valley Encephalitis
Koongol	Murutucu
Korean Hemorrhagic Fever	Nariva
Koutango	Navarro
Kowanyama	Ndumu
Kumlinge	Negishi
Kunjin	Nepuyo
Kununurra	New Minto
Kwatta	Ngaingan
Kyasanur Forest Disease	Nique
Kyzylagach	Nkolbisson
La Crosse	Nodamura
Lagos Bat	Nola
LaJoya	Northway
Landjia	Ntaya
Langat	Nugget
Lanjan	Nyamanini
Lassa	Nyando
Latino	Okhotskiy
Lebombo	Okola
Le Dantec	Olifantsvlei
Lipovnik	Omsk Hemorrhagic Fever
Llano Seco	O’Nyong Nyong
Lokern	Oriboca
Lone Star	Oropouche
Louping Ill	Orungo
Lukuni	Ossa
Machupo	Ouango
Madrid	Oubangui
Maguari	Pacora
Mahogany Hammock	Pacui
Main Drain	Pahayokee
Malakal	Palyam
Manawa	Paramushir
Manzanilla	Parana
Mapputta	Paroo River
Maprik	Pata
Marburg	Pathum Thani
Marco	Patois
Marituba	Phnon-Penh Bat
Matariya	Pichinde
Matruh	Picola
Matucare	Piry
Mayaro	Pixuna
Melao	Pongola
Mermet	Ponteves
Middleburg	Powassan
Minatitlan	Pretoria
Minnal	Puchong
Mirim	Punta Salinas
Mitchell River	Punta Toro
Modoc	Qalyub
Moju	Quaranfil
Mono Lake	Razdan
Montana Myotis Leukemia	Restan

Rift Valley Fever
 Rio Bravo
 Rio Grande
 Rochambeau
 Rocio
 Ross River
 Royal Farm
 Russian Spring-Summer Encephalitis
 Sabo Saboya
 Sagiyama
 Sakhalin
 Sakpa
 Salanga
 Salehabad
 Sandfly F. (Naples)
 Sandfly F. (Sicilian)
 Sandjimba
 Sango
 Santa Rosa
 Sathuperi
 Saumarez Reef
 Sawgrass
 Sebokele
 Seletar
 Sembalam
 Semliki Forest
 Sepik
 Serra Do Navio
 Shamonda
 Shark River
 Shuni
 Silverwater
 Simbu
 Simian Hem. Fev.
 Sindbis
 Sixgun City
 Slovakia
 Snowshoe Hare
 Sokoluk
 Soldado
 Sororoca
 Spondweni
 St. Louis Encephalitis
 Stratford
 Sunday Canyon
 Tacaiuma
 Tacaribe
 Taggert
 Tahyna
 Tamdy
 Tamiami
 Tanga
 Tanjong Rabok
 Tataguine
 Telok Forest
 Tembe
 Tembusu
 Tensaw
 Termeil
 Tete
 Tettnang

Thimiri
 Thogoto
 Thottapalayam
 Tilligerry
 Timbo
 Timboteua
 Tlacotalpan
 Tonate
 Toure
 Tribec
 Triniti
 Trivittatus^c
 Trubanaman
 Tsuruse
 Turlock
 Tyuleny
 Uganda S
 Umatilla
 Umbre
 Una
 Upolu
 Urucuri
 Usutu
 Utinga
 Uukuniemi
 VEE (TC83)
 Vellore
 Venezuelan Equine Encephalitis
 Venkatapuram
 VS-Alagoas
 Wad-Medani
 Wallal
 Wanowrie
 Warrego
 Wesselsbron
 Western Equine Encephalitis
 West Nile
 Whataroa
 Witwatersrand
 Wongal
 Wongorr
 Wyeomyia
 Yacaaba
 Yaquina Head
 Yata
 Yellow Fever
 Yellow Fever (17D)
 Yogue
 Zaliv Terpeniya
 Zegla
 Zika
 Zinga
 Zingilamo
 Zirqa

^c Agents with a higher probability of possible contact within the state.

Note: All communicable diseases as designated by ch. DHS 145 are to be reported in accordance with the rules of ch. DHS 145.

History: Cr. Register, September, 1983, No. 333, eff. 10-1-83; am. table 35.02-4, Register, November, 1986, No. 371, eff. 12-1-86; correction made under s. 13.92 (4) (b) 7., Stats., Register December 2011 No. 672.