HEALTH AND SOCIAL SERVICES

HSS 195

- (7) Drinking water. All hotels, motels and tourist rooming houses which do not provide drinking water in the guest rooms shall be equipped with at least one drinking fountain or water cooler of an approved type so placed that it is available at all times to the guests. If drinking cups are used, they shall be single-service items and shall be dispensed by means of an approved dispenser which protects the interior and lip contact surfaces from dust and handling.
- (8) Garbage and refuse. (a) All garbage not disposed of through a garbage disposal unit connected to the sewerage system shall be kept in separate, leakproof, nonabsorbent containers equipped with tightfitting covers, unless otherwise protected from rodents, flies and insects. The contents shall be disposed of as often as necessary to prevent decomposition or overflow.
- (b) Soiled containers shall be cleaned at a frequency to prevent insect and rodent attraction. Each container shall be thoroughly cleaned on the inside and outside in a way that does not contaminate food, equipment, utensils, or food preparation areas.
 - (c) The use of wooden or paper containers for garbage is prohibited.
- (d) Separate fly-tight containers with covers shall be provided for cans, bottles and other rubbish.

History: Cr. Register, June, 1985, No. 354, eff. 7-1-85.

- HSS 195.06 Furnishings, equipment and utensils. (2) DESIGN. All equipment, utensils and furnishings shall be designed, made of a kind of material and constructed to be easily cleanable and to be durable.
- (2) Installation. All furnishings and equipment shall be installed in a way that facilitates the cleaning of the furnishings and equipment and all adjacent areas.
- (3) UTENSIL SANITATION. (a) Whenever multi-use glasses, ice buckets or other utensils are provided for a guest, the items shall be washed, rinsed and sanitized in an approved manner before being provided for use by a different guest. Utensils, when furnished, shall be free of cracks or chips. The food-content surfaces shall be smooth, nontoxic, corrosion-resistant, nonabsorbent and easily accessible for cleaning.
 - (b) The reuse of single-service utensils is prohibited.
- (4) STORAGE. (a) After cleaning and until use, all glasses and other utensils shall be stored and handled in a manner that protects them from contamination.
- (b) Glasses in guest rooms shall be stored in single-service containers or dispensed by means of a dispenser approved by the department.
- (5) CLEANLINESS OF LINENS. Pillowslips, sheets, towels and wash-cloths shall be washed as frequently as they are assigned to a different guest and at least once a week. Blankets, spreads, mattresses and pillows shall be kept clean and free of insect infestation. The use of quilts and comforters which are not machine washable is not permitted. Sheets shall be of sufficient size to cover the bed and have a fold-back over the blanket of at lease 12 inches (30.5 cm). Soiled linen shall be kept in washable containers used for this purpose exclusively. All mattresses shall be

emerg. am: 2/10/89 HSS 195

WISCONSIN ADMINISTRATIVE CODE

covered with a nonabsorbent pad or other protection and be maintained clean and in good repair.

(6) CLEANLINESS AND REPAIR OF EQUIPMENT AND FURNISHINGS. All equipment and furnishings shall be kept clean, free from odor and in good repair.

History: Cr. Register, June, 1985, No. 354, eff. 7-1-85.

HSS 195.07 Food. (1) PERMIT. Any hotel, motel or tourist rooming house operator who prepares, sells or serves lunches or meals shall meet the requirements of ch. HSS 196 and obtain a restaurant permit.

(2) ICE. All ice used in a hotel, motel or tourist rooming house for cooling drinks or food by direct contact shall be made from a public water supply or an approved private water supply. All ice-making machines shall have tight-fitting doors which are kept closed between service. New or replacement ice-making machines or bins shall be of the mechanical dispensing type unless ice is dispensed by an employe. Ice tongs or ice scoops shall be used in handling ice used for cooling beverages or food and shall be properly protected against contamination when stored. All ice shall be stored and served in a smooth-surfaced, easily cleanable container. Packaged ice shall be stored in a clean area and protected against contamination.

History: Cr. Register, June, 1985, No. 354, eff. 7-1-85.

HSS 195.08 Employe health. Persons who have a communicable disease shall refrain from working in a hotel, motel or tourist rooming house. No operator may employ any person suspected of having a communicable disease.

History: Cr. Register, June, 1985, No. 354, eff. 7-1-85.

HSS 195.09 Building structure and safety. (1) STATE BUILDING CODE. All hotels, motels and tourist rooming houses shall comply with the state building code, chs. ILHR 50 to 64. The department shall enforce the rules of ch. ILHR 57 relating to fire safety, including but not limited to rules on isolation of fire hazards, fire escapes, fire exits, fire extinguishers, fire alarm systems, smoke detectors, exit lights, space heaters, ventilation and directions of escape.

- (2) ADDITIONAL REQUIREMENTS. (a) Ventilation with gas space heaters. Any room where a gas space heater is located shall have access to a constant supply of fresh air through a permanent opening which shall not be closed. The size of the opening shall be minimum of 10 square inches (65 square cm) and at least one square inch for each 1,000 BTU per hour of the rated heating capacity of the heater, or be so constructed that the air used in the combustion of the fuel is taken directly from the outside.
- (b) Size of sleeping rooms. Every sleeping room shall be of sufficient size to afford at least 400 cubic feet (12 cu m) of air space for each occupant over 12 years of age and 200 cubic feet (6 cu m) for each occupant 12 years and under. Every sleeping room shall have a minimum ceiling height of 7 feet (2.13 m). No greater number of sleeping occupants than the number established by application of these standards is permitted in any sleeping room.