

Chapter HSS 110

LICENSING OF AMBULANCE SERVICE PROVIDERS AND  
EMERGENCY MEDICAL TECHNICIANS-BASIC

HSS 110.01	Authority and purpose	HSS 110.06	EMT-basic training permits
HSS 110.02	Applicability	HSS 110.07	EMT-basic training
HSS 110.03	Definitions	HSS 110.08	Denials and sanctions
HSS 110.04	Licensing of ambulance service providers	HSS 110.09	Waivers
HSS 110.05	Licensing of EMTs-basic	HSS 110.10	Defibrillation by emergency medical technicians-basic

Note: Chapter H20 was repealed and recreated as HSS 110.01 to 110.09 by emergency rule effective July 1, 1990. Chapter H20 as it existed on January 31, 1991 was repealed and HSS 110.01 to 110.09 was created effective February 1, 1991.

**HSS 110.01 Authority and purpose.** This chapter is promulgated under the authority of ss. 140.05 (3) and 146.50 (5) (b) and (d) 1, (6) 2 and (c) (intro.) and (13), Stats., to protect members of the public who require emergency medical care in prehospital settings by establishing standards for licensing ambulance service providers, including standards for the operation of ambulance services, standards for licensing emergency medical technicians-basic (EMTs-basic) and standards for certifying EMTs-basic to do defibrillation.

History: Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.02 Applicability.** This chapter applies to all applicants for and holders of an ambulance service provider license, an EMT-basic license or an EMT-basic training permit and to all EMTs-basic who apply for certification to do defibrillation or who are certified to do defibrillation.

History: Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.03 Definitions.** In this chapter:

(1) "Ambulance" has the meaning specified in s. 146.50 (1) (a), Stats., namely, an emergency vehicle, including any motor vehicle, boat or aircraft, whether privately or publicly owned, which is designed, constructed or equipped to transport sick, disabled or injured individuals.

(2) "Ambulance service" has the meaning specified in s. 146.55 (1) (a), Stats., namely, the business of transporting sick, disabled or injured individuals by ambulance to or from facilities or institutions providing health services.

(3) "Ambulance service provider" has the meaning specified in s. 146.50 (1) (c), Stats., namely, a person engaged in the business of transporting sick, disabled or injured individuals by ambulance to or from facilities or institutions providing health services.

(4) "Basic life support" means emergency medical care that is rendered to a sick, disabled or injured individual, based on signs, symptoms or complaints, prior to the individual's hospitalization or while transporting the individual between health care facilities and that is limited to use of the knowledge, skills and techniques received from training required under s. 146.50, Stats., and this chapter as a condition for being issued an EMT-basic license.

(5) "Biennial licensing period" means the 2-year period beginning July 1 of even-numbered years.

(6) "Certified training center" means any organization, including a medical or educational institution, approved by the department under s. HSS 110.07(1) to conduct EMT-basic training.

(7) "Defibrillation" means the administration of an electrical impulse to an individual's heart for the purpose of stopping ventricular fibrillation.

(8) "Department" means the Wisconsin department of health and social services.

(9) "EMT" means an emergency medical technician.

(10) "EMT-basic" or "emergency medical technician-basic" means an individual who is licensed under this chapter to administer basic life support and to properly handle and transport sick, disabled or injured individuals.

(11) "EMT-basic refresher training" means training required for EMTs-basic under s. HSS 110.05(4) as a condition for license renewal.

(12) "EMT-basic training" means a department-approved training course consisting of classroom and in-hospital instruction which will qualify the student for examination and an EMT-basic license.

(13) "EMT-intermediate" means an emergency medical technician licensed under ch. HSS 111.

(14) "EMT-paramedic" means an emergency medical technician licensed under ch. HSS 112.

(15) "Individual" means a natural person, and does not include a firm, corporation, association, partnership, institution, public agency, joint stock association or any other group of individuals.

(16) "National registry of EMTs" means the non-profit, independent, non-governmental agency headquartered in Columbus, Ohio, which serves as the national certifying agency attesting to the proficiency of ambulance personnel through provision of a standardized written examination for individuals who have had state-approved EMT training or documentation of EMT certification and 6 months of EMT experience.

(17) "National standard curriculum for training EMTs-basic" means the *Emergency Medical Technician — Ambulance: National Standard Curriculum*, March 1984, published by the national highway traffic safety administration of the U.S. department of transportation.

Note: The U.S. Department of Transportation National Highway Traffic Safety Administration's national standard curriculum for training EMTs-ambulance [s-basic] may be consulted at the offices of the Department's Bureau of Environmental Health or at the Secretary of State's Office or the Revisor of Statutes Bureau. The curriculum may be purchased from the Superintendent of Documents, Government Printing Office, Washington, D.C. 20402-9325.

(18) "Person" has the meaning specified in s. 146.50 (1) (L), Stats.

(19) "Physician" means a person licensed to practice medicine or osteopathy under ch. 448, Stats.

(20) "Physician's assistant" means a person certified under ch. 448, Stats., to perform as a physician's assistant.

(21) "Registered nurse" means a person who is licensed as a registered nurse under ch. 441, Stats.

(22) "VTAE college" means a Wisconsin vocational, technical and adult education college.

History: Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.04 Licensing of ambulance service providers. (1) APPLICATION.** A person requesting an initial license or the renewal of a license to act or advertise as an ambulance service provider shall:

(a) Apply on a form provided by the department;

(b) Provide written documentation sufficient to establish that:

1. The applicant employs sufficient licensed EMTs to operate the proposed ambulance service in conformance to the requirements of s. 146.50, Stats., and this chapter;

2. All ambulances to be operated under the license have been inspected by the Wisconsin department of transportation within the preceding 12 months and meet the requirements of ch. Trans 309; and

3. Insurance coverage required by s. 146.50 (6) (c) (intro.), Stats., is in force;

(c) Agree in writing to comply with the operational requirements under sub. (3);

(d) If applying for renewal of a license, submit the information required under sub. (4) (a) 3; and

(e) Provide any additional information requested by the department during its review of the application.

(2) **DEPARTMENT RESPONSIBILITY.** (a) Prior to issuing an initial ambulance service provider license or renewing an ambulance service provider license, the department shall determine that the applicant meets the standards set forth in s. 146.50, Stats., and this chapter and, as applicable, s. 146.55, Stats., and chs. HSS 111 and 112.

(b) Within 90 days after receiving a complete application for an ambulance service provider license, the department shall either approve the application and issue the license or deny the application. If the application for a license is denied, the department shall give the applicant reasons, in writing, for the denial. In this paragraph, "complete application" means a completed application form and the documentation necessary to establish that the requirements of sub. (1) (b) to (e) are met.

(3) **OPERATIONAL REQUIREMENTS.** An ambulance service provider shall meet each of the following operational requirements:

(a) When a patient is being transported, the ambulance service provider shall:

1. Ensure that the ambulance is staffed with a minimum of:

a. Two licensed EMTs-basic;

b. A licensed EMT-basic and an individual with an EMT-basic training permit; or

c. Either a licensed EMT-basic or an individual with an EMT-basic training permit and a registered nurse, physician's assistant or physician who has a minimum of 6 months experience in prehospital or hospital emergency medical care; and

2. Ensure that an individual with an EMT-basic license or a registered nurse, physician's assistant or physician with a minimum of 6 months experience in prehospital or hospital emergency medical care is in the patient compartment with the patient at all times during the transportation of the patient;

(b) The ambulance service provider shall require the completion of a written report on a form prescribed or approved by the department at the completion of each ambulance run. The report shall include patient identifying information, response time, identification of ambulance staff, medical problem, mental state, symptoms, treatment and destination;

(c) When installing communications equipment in ambulances, the ambulance service provider shall comply with the specifications and standards of the Wisconsin statewide emergency medical services communications system. All ambulances shall have direct radio contact with a hospital emergency department on the designated ambulance-to-hospital frequency. Adequate EMT-paramedic communications, as required in s. HSS 112.07 (2) (o), meets this requirement for direct radio contact with a hospital emergency department;

*Note:* The referenced specifications and standards are found in the *Wisconsin Emergency Medical Services Communication/Telemetry Standards and Guidelines*, a copy of which may be obtained without charge from the EMS Section, Division of Health, P.O. Box 309, Madison WI 53701-0309.

(d) The ambulance service provider shall ensure that 24-hour-per-day, 7-day-per-week emergency ambulance response is available to the service area covered by the ambulance service; and

(e) If required by s. 146.50 (6) (c) (intro.), Stats., the ambulance service provider shall provide and maintain insurance coverage sufficient to protect EMTs in the performance of their duties.

(4) LICENSE RENEWAL. (a) 1. An ambulance service provider license shall remain in effect until the beginning of the next biennial licensing period, unless suspended or revoked.

2. The department shall send an application for biennial renewal of an ambulance service provider license to the last address shown for the licensee in the department's records. Failure to receive notification does not relieve the licensee of the responsibility to maintain a current license.

3. For renewal of a license, an ambulance service provider shall submit to the department, in addition to the information specified in sub. (1), the following:

a. A financial report, on a form provided by the department, of all expenditures made in the 2 previous fiscal years from all funds provided to the ambulance service provider under s. 146.55 (4), Stats.;

b. Certification, on a form provided by the department, signed by a representative of the ambulance service provider and the clerk of each

county, city, town or village served by the ambulance service provider, of the population and boundaries of the ambulance service provider's primary service area in that county, city, town or village; and

c. An updated roster of individuals holding EMT-basic licenses and training permits affiliated with the ambulance service provider.

(b) The department shall, from the information provided on the certification form submitted under par. (a) 3 b, establish in each ambulance service provider's biennial license file the primary service or contract area of the ambulance service provider.

Note: Copies of the form required to apply for issuance or renewal of an ambulance service provider license, the form for reporting on an ambulance run, the financial report form and the form for certifying the ambulance service provider's service area population and boundaries are available without charge from the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

History: Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.05 Licensing of EMTs-basic.** (1) APPLICATION. An individual requesting a license to act as an EMT-basic shall:

- (a) Apply on a form provided by the department;
- (b) Be at least 18 years of age;
- (c) Subject to ss. 111.321, 111.322 and 111.335, Stats., not have an arrest or conviction record;
- (d) Present documentation of successful completion of EMT-basic training taken within 24 months prior to application or proof of current national registry of EMTs registration;
- (e) Present documentation of successful completion of a department-approved written and practical skills examination; and
- (f) Provide any additional information requested by the department during its review of the application.

(2) ACTION BY THE DEPARTMENT. Within 90 days after receiving a complete application for an EMT-basic license under sub.(1), the department shall either approve the application and issue the license or deny the application. If the application for a license is denied, the department shall give the applicant reasons, in writing, for the denial. In this section, "complete application" means a completed application form and documentation that the requirements of sub. (1) (b) to (f) are met.

(3) EXAMINATION. (a) An examination for an EMT-basic license shall consist of written and practical skills portions.

(b) An individual who fails to pass the written examination after 3 attempts may not participate in another examination until having presented to the department satisfactory documentation of successful completion of at least EMT-basic refresher training following the third failure.

(4) RENEWAL OF A LICENSE. (a) *Notice of renewal.* The department shall send an application for biennial renewal of a license to the last address shown for the licensee in the department's records. Failure to receive notification does not relieve the licensee of the responsibility to maintain a current license.

(b) *Requirements for renewal.* To renew an EMT-basic license, a licensee shall, by June 30 of the even-numbered year following initial licensing and every 2 years thereafter, file with the department:

1. An application for renewal on a form prescribed by the department;
2. Documentation of current certification at the American heart association basic cardiac life support course C level or the American red cross cardiopulmonary resuscitation for the professional rescuer level;
3. Documentation that the licensee has, during the biennial period immediately preceding application, successfully completed EMT-basic refresher training. If an EMT-basic is required to be licensed in 2 states in order to function as an EMT-basic, refresher training received to meet the requirements of the other state may be accepted by the department if the training meets at least the minimum requirements for license renewal under this chapter; and
4. Documentation that the licensee meets any additional eligibility requirements for being licensed specified in s. 146.50, Stats., or this chapter.

(c) *Failure to submit materials by license expiration date.* A licensee who fails to submit the materials described in sub. (1) and par. (b) by the renewal date may not represent himself or herself as, function as or perform the duties of a licensed EMT-basic after the date of license expiration.

(d) *Late renewal.* 1. During the first year following license expiration, a license shall be renewed if the licensee files with the department:

- a. An application for renewal on a form prescribed by the department;
- b. An affidavit signed by the licensee that the licensee has not acted as an EMT-basic during the period in which the license was expired. If the licensee claims with a Wisconsin licensed ambulance service provider, the affiliation also include the provider's signature;
- c. Documentation of current certification at the American heart association basic cardiac life support course C level or the American red cross cardiopulmonary resuscitation for the professional rescuer level;
- d. Documentation that the licensee has, within the 24 months immediately preceding application, successfully completed EMT-basic refresher training; and
- e. Documentation that the licensee meets any additional eligibility requirements for being licensed specified in s. 146.50, Stats., or this chapter.

2. Granting of late renewal under this paragraph does not exempt the licensee from the responsibility to complete EMT-basic refresher training within the biennial period for which the renewal license is issued in order to qualify for renewal on the next renewal date.

(e) *Reinstatement of lapsed license.* 1. A license which has been expired for more than one year but less than 4 years shall be reinstated if the applicant files with the department:

- a. A reinstatement application on a form prescribed by the department;

b. An affidavit signed by the applicant that the applicant has not acted as an EMT-basic during the period in which the license was expired. If the applicant claims an affiliation with a Wisconsin licensed ambulance service provider, the affidavit shall also include the provider's signature.

c. Documentation of current certification at the American heart association basic cardiac life support course C level or the American red cross cardiopulmonary resuscitation for the professional rescuer level;

d. Documentation that the applicant has, within the 24 months immediately preceding application, successfully completed EMT-basic refresher training;

e. Documentation that the applicant has successfully completed a written and practical skills examination approved by the department following successful completion of the EMT-basic refresher training required under subpar. d; and

f. Documentation that the applicant meets any additional eligibility requirements for a license specified in s. 146.50, Stats., or this chapter.

2. Being granted reinstatement of a license under this paragraph does not exempt the licensee from the responsibility to complete EMT-basic refresher training within the biennial licensing period for which the reinstated license is issued in order to qualify for renewal on the next renewal date.

3. A license which has been expired for more than 4 years may be reinstated only if the applicant has successfully completed the training and examination requirements for the initial EMT-basic license within the 24 months immediately preceding application for reinstatement.

(f) *EMT-basic refresher training approval.* EMT-basic refresher training shall be approved by the department under s. HSS 110.07(2). To be approved by the department, EMT-basic refresher training shall meet the following criteria:

1. The course shall be offered by a certified training center;

2. The course shall include the knowledge and skills objectives contained in the U.S. department of transportation/national highway traffic safety administration's national standard curriculum for refresher training of EMTs-ambulance [EMTs-basic], September 1988, as approved by the department;

3. Each session of the course shall be directly supervised by an EMT-basic course instructor-coordinator certified by the department under s. HSS 110.07 (1) (d) 5;

4. The course shall be medically directed by a physician;

5. The course shall contain at least 30 hours of classroom instruction, excluding the time required for certification or recertification in cardiopulmonary resuscitation;

6. Successful completion of the course shall require successful completion of a comprehensive final written and practical skills examination approved by the department and administered by the certified instructor-coordinator as part of the course; and

7. The certified training center shall meet any procedural requirements for approval of the course that the department may impose.

**Note:** The U.S. Department of Transportation National Highway Traffic Safety Administration's national standard curriculum for refresher training of EMTs-ambulance [EMTs-basic] may be consulted at the offices of the Department's Bureau of Environmental Health or at the Secretary of State's Office or the Revisor of Statutes Bureau. The curriculum may be purchased from the Superintendent of Documents, Government Printing Office, Washington, D.C. 20402-9325.

(g) *Special consideration for licensees receiving initial licenses less than 12 months prior to an expiration date.* A licensee who received his or her initial license to act as an EMT-basic less than 12 months prior to the license expiration date shall be issued a single renewal license on that date without completing EMT-basic refresher training, provided the licensee is otherwise qualified for license renewal.

(h) *Completion of emergency medical technician training.* A licensee who submits evidence of successful completion, within the 24 months immediately preceding application, of an EMT-basic, EMT-intermediate or EMT-paramedic training course, including the knowledge and skills objectives of the national standard curriculum for training EMTs-basic, the national standard curriculum for training EMTs-intermediate, as defined in s. HSS 111.03 (14), or the national standard curriculum for training EMTs-paramedic, as defined in s. HSS 112.03(16), as approved by the department, shall be considered to have met the requirement of par. (b) 3.

**Note:** Copies of the form required to apply for issuance or renewal of an EMT-basic license are available without charge from the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

**History:** Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.06 EMT-basic training permits.** (1) **APPLICATION.** An individual requesting an EMT-basic training permit or renewal of an EMT-basic training permit shall:

- (a) Apply on a form provided by the department;
- (b) Be at least 18 years of age;
- (c) Subject to ss. 111.321, 111.322 and 111.335, Stats., not have an arrest or conviction record;
- (d) Present documentation of previous emergency care training as required in sub. (2);
- (e) Present documentation of employment by a licensed ambulance service provider, consisting of the signature of the responsible party for the licensed ambulance service provider on the training permit application form; and
- (f) Provide any additional information requested by the department during its review of the application.

(2) **REQUIRED TRAINING.** An applicant for an EMT-basic training permit shall provide documentation of current certification at the American heart association basic cardiac life support course C level or the American red cross cardiopulmonary resuscitation for the professional rescuer level, and one of the following:

Register, January, 1991, No. 421



(a) Current certification in standard first aid by the American red cross or an equivalent first aid training program acceptable to the department;

(b) Written evidence of the successful completion of the first 10 lessons of a department-approved EMT-basic training course; or

(c) Written evidence of a current EMT license issued by another state.

(3) **ACTION BY THE DEPARTMENT.** Within 60 days after receiving a complete application for an EMT-basic training permit under sub. (1), the department shall either approve the application and issue the permit or deny the application. If the application for a permit is denied, the department shall give the applicant reasons, in writing, for the denial. In this subsection, "complete application" means a completed application form and documentation that the requirements of sub. (1) (b) to (f) are met.

(4) **RESTRICTIONS.** (a) An individual holding an EMT-basic training permit may work only with a licensed EMT-basic.

(b) An individual holding an EMT-basic training permit is not considered a licensed individual under s. HSS 110.04 (3) (a).

(c) An individual holding an EMT-basic training permit may perform any of the actions authorized for an EMT-basic for which he or she has been trained, except defibrillation, but only if a licensed EMT-basic directly supervises the permit holder.

(5) **DURATION OF PERMIT.** (a) An EMT-basic training permit shall be issued for the duration of the biennial licensing period. The EMT-basic training permit may be renewed only if the holder has held the permit for less than 24 months and continues to meet all requirements set forth in this section, and makes application for renewal on a form provided by the department.

(b) An EMT-basic training permit shall expire after 24 months in force and may not be further extended or renewed.

Note: Copies of the form required to apply for issuance or renewal of an EMT-basic license are available without charge from the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

History: Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.07 EMT-basic training (1) TRAINING CENTER APPROVAL.** (a) EMT-basic training and EMT-basic refresher training under s. HSS 110.05 (4) (f) shall be provided by training centers certified by the department under this subsection.

(b) Any Wisconsin vocational, technical and adult education college, other public or private school or college, hospital or other organization may apply to the department for certification to provide EMT-basic courses.

(c) An application from a VTAE college for training center certification shall be jointly reviewed by the department and the Wisconsin board of vocational, technical and adult education.

(d) Application for certification shall be made by letter addressed to the department which shall include or have attached the following:

1. Documentation of the need for training center certification;

2. A description of the capabilities of the training center to do training of EMTs in the provision of emergency medical care in prehospital settings. The training shall include training in the following areas:

- a. Introduction to emergency care;
- b. Patient assessment skills;
- c. Anatomy and physiology;
- d. Cardiopulmonary resuscitation for the basic life support provider;
- e. Bleeding and shock;
- f. Use of pneumatic antishock garment;
- g. Soft tissue injuries;
- h. Fractures and dislocations;
- i. Medical emergencies;
- j. Emergency childbirth;
- k. Burns and hazardous materials;
- l. Environmental emergencies;
- m. Psychological aspects of emergency care;
- n. Lifting and movement of patients;
- o. Principles of extrication;
- p. Ambulance service operations; and
- q. In-house clinical observation and practice;

3. A signed commitment to provide EMT-basic training in accordance with the national standard curriculum for training EMTs-basic, and to comply with relevant requirements of s. 146.50 and this chapter;

4. Identification and qualifications of the Wisconsin licensed physician who will function as medical director of the training center with responsibility for overall medical quality of the EMT-basic training program. The medical director shall have emergency medical experience and shall assist instructors in recruiting physician lecturers, settle questions of medical protocol and serve as a liaison between the training center and the medical community. Materials shall include:

- a. Endorsement of the training center medical director by the training center and, if different, by the program medical director;
- b. A signed commitment by the training center medical director to accept the responsibilities of serving as medical director; and
- c. A copy of the training center medical director's resume; and

5. Identification and qualifications of the person who will function as instructor-coordinator of the EMT-basic training with specification of that person's responsibilities. The instructor-coordinator shall:

- a. Be currently certified as a basic level EMT by the national registry of emergency medical technicians;

b. Be currently certified as a cardiopulmonary resuscitation (CPR) instructor by the American heart association or the American red cross;

c. Successfully complete an EMS instructor-coordinator orientation workshop conducted by the department and the Wisconsin board of vocational, technical and adult education; and

d. Have overall responsibility for day-to-day coordination and administration of all aspects of the training course.

Note: An application for certification of an EMT-basic training center should be sent to the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

(e) Within 90 days after receiving a complete application for certification of an EMT-basic training center, the department shall either approve the application and issue the certification or deny the application. If the application is denied, the department shall give the applicant reasons, in writing, for the denial.

(f) Approval of the proposed training center by the department shall be a prerequisite to the initiation of EMT-basic training and EMT-basic refresher training.

(2) TRAINING COURSE APPROVAL. (a) Each EMT-basic training course and each EMT-basic refresher training course offered by a training center certified under sub. (1) shall be approved by the department under this subsection.

(b) A proposed course offered by a VTAE college which is certified under sub. (1) shall be jointly reviewed by the department and the Wisconsin board of vocational, technical and adult education under this subsection.

(c) Application for course approval shall be made by submitting to the department either a copy of the course curriculum or a statement that the national standard curriculum for training EMTs-basic will be used and identification of the number of hours devoted to classroom training, clinical training and supervised in-hospital clinical experience. If a copy of the course curriculum is submitted it shall include:

1. A statement of course goals and objectives;
2. A statement of the specific knowledge and behavioral objectives to be utilized in instruction and evaluation in each lesson;
3. Description of the course schedule and lesson scope, subject matter content and time allocations to be utilized by the training center;
4. Description of the instructional methods and materials, equipment and instructor personnel to be used in each lesson;
5. Description of the in-hospital clinical observation and training to be provided to the student;
6. Identification of the normal class size to be taught and student selection procedures to be used;
7. Identification of the student text, workbooks, handouts and evaluation instruments to be used; and

8. Identification and description of the methods to be used to evaluate student performance and establish successful completion of the course.

Note: The materials that comprise an application for EMT-basic training course approval or EMT-basic refresher training course approval should be sent to the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

(d) Within 90 days after receiving a complete application for approval of an EMT-basic or EMT-refresher training course, the department shall either approve the application and issue the certification or deny the application. If the application is denied, the department shall give the applicant reasons, in writing, for the denial.

(e) Approval of the proposed course by the department shall be a prerequisite to the initiation of EMT-basic or EMT-refresher training. Approval of the training course shall include approval of curriculum, procedures, administrative details and guidelines necessary to ensure a standardized program.

(3) TRAINING COURSE CONTENT AND HOURS. (a) The national standard curriculum for training EMTs-basic shall be used for a training course. Any deviation from the curriculum shall be submitted separately and approved by the department prior to its use in the course.

(b) An EMT-basic training course shall have a minimum of 110 hours of instruction and may not exceed 120 hours of mandatory attendance. The required hours shall include a minimum of 10 hours of in-hospital observation and practice.

(c) Handouts and checklists used shall be consistent with knowledge and skills standards of the national standard curriculum and the *Wisconsin Standards and Procedures of Practical Skills Manual*.

Note: Training centers may obtain copies of the *Wisconsin Standards and Procedures of Practical Skills Manual* from the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

History: Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.08 Denials and sanctions.** (1) LICENSE, PERMIT OR CERTIFICATION DENIAL, NONRENEWAL, SUSPENSION OR REVOCATION, OR REPRIMAND OF LICENSEE, PERMIT HOLDER OR CERTIFIED TRAINING CENTER. The department may deny, refuse to renew, suspend or revoke an ambulance service provider or EMT-basic license, an EMT-basic training permit or a training center certification or reprimand a licensee, permit holder or certified center after providing the applicant, ambulance service provider, EMT-basic licensee, EMT training permit holder or certified center with prior written notice of the proposed action and written notice of opportunity for a hearing if the department finds that:

(a) The applicant, licensee, permit holder or certified center does not meet the eligibility requirements established in s. 146.50, Stats., or this chapter;

(b) The license, permit or certification was obtained through error or fraud;

(c) The licensee or permit holder violated any provision of s. 146.50, Stats., or this chapter;

(d) The licensee or permit holder has permitted, aided or abetted the commission of any unlawful act;

Register, January, 1991, No. 421

(e) The licensee or permit holder has engaged in conduct dangerous or detrimental to the health or safety of a patient or to members of the general public while operating or performing under the scope of the license or permit;

(f) As an EMT-basic licensee or permit holder, the individual has failed to maintain certification at the American heart association basic cardiac life support course C level or the American red cross cardiopulmonary resuscitation for the professional rescuer level, and acted as an EMT;

(g) As an ambulance service provider, the licensee has failed to provide or maintain, when required, insurance coverage sufficient to protect EMTs in the performance of their duties for the ambulance service provider; or

(h) As a certified training center, the center has failed to adhere to the requirements under ss. HSS 110.05 (3) (f) and 110.07.

(2) EMERGENCY SUSPENSION OF LICENSE OR PERMIT. (a) The department may summarily suspend an ambulance service provider license, EMT-basic license, EMT-basic training permit or training center certification when the department has probable cause to believe that the licensee, permit holder or training center has violated the provisions of s. 146.50, Stats., or this chapter and that it is necessary to suspend the license or permit immediately without advance written notice, to protect the public health, safety or welfare.

(b) Written notice of the suspension and of the right to request a hearing shall be sent to the licensee, permit holder or certified center within 48 hours after the suspension takes place. If the licensee, permit holder or certified center desires a hearing, a request for hearing shall be submitted in writing to and received by the department's office of administrative hearings within 30 days after the date of the notice of suspension. The office of administrative hearings shall schedule the hearing no later than 15 days after receiving the request for hearing unless both parties agree to a later date and shall provide at least 10 days prior notification of the date, time and place for the hearing. The hearing examiner shall issue a proposed or final decision within 10 days after the hearing. The suspension of the license or permit shall remain in effect until a final decision is rendered.

Note: The mailing address of the Office of Administrative Hearings is P.O. Box 7875, Madison, WI 53707.

(3) COMPLAINTS. The department may, upon receipt of a complaint or on its own volition, investigate alleged violations of s. 146.50, Stats., or this chapter.

(4) APPEAL. In the event that the department denies, refuses to renew, suspends under sub.(1) or revokes an ambulance service provider license, an EMT-basic license or training permit or a training center certification, or reprimands a licensee, permit holder or certified center, the applicant, licensee, permit holder or certified center may request a hearing under s. 227.42, Stats. The request for a hearing shall be submitted in writing to and received by the department's office of administrative hearings within 30 days after the date of the notice required under sub. (1).

## HSS 110

Note: The mailing address of the Office of Administrative Hearings is P.O. Box 7875, Madison, WI 53707.

History: Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.09 Waivers.** The department may waive any nonstatutory requirement under this chapter, upon written request, if the department finds that it is demonstrated that strict enforcement of the requirement will create an unreasonable hardship in meeting the emergency medical service needs of an area and that waiver of the requirement will not adversely affect the health, safety or welfare of patients or the general public.

History: Cr. Register, January, 1991, No. 421, eff. 2-1-91

**HSS 110.10 Defibrillation by emergency medical technicians-basic.** (1) **PURPOSE.** This section establishes standards for certification by the department of licensed emergency medical technicians-basic to administer defibrillation, under medical control, in a prehospital setting. It also establishes standards for department approval of plans for the delivery of emergency medical technician-basic defibrillation services by licensed ambulance service providers and establishes requirements to assure standardization and quality assurance in training and use of emergency medical technician-basic defibrillation personnel statewide.

(2) **AUTHORITY.** This section is promulgated under the authority of s. 146.50 (13), Stats.

(3) **APPLICABILITY.** This section applies to any person involved in emergency medical services supervision, training or provision who seeks to provide training for, provide medical control for, be trained in or engage in defibrillation by emergency medical technicians-basic.

(4) **DEFINITIONS.** In this section:

(a) "Advanced life support" or "ALS" means use, by appropriately trained and licensed personnel, in prehospital and interhospital emergency care and transportation of patients, of the medical knowledge, skills and techniques included in the department-approved training required for licensure of emergency medical technicians-intermediate under ch. HSS 111 or emergency medical technicians-paramedic under ch. HSS 112 and which are not included in basic life support.

(b) "Ambulance service provider" or "provider" means a person who is licensed as an ambulance service provider under s. 146.50, Stats., and ss. HSS 110.01 to 110.09, and who is engaged in the business of transporting sick, disabled or injured persons to or from facilities or institutions providing health services.

(c) "Automatic defibrillator" means a monitor and defibrillator which is capable of recognizing the presence or absence of ventricular fibrillation and determining, without operator intervention, whether defibrillation should be administered. An automatic defibrillator may be referred to as "fully automatic" if, in use, it will charge and deliver an electrical impulse to an individual's heart without operator intervention when ventricular fibrillation is detected or "semiautomatic" if it delivers the electrical impulse only at the command of the operator after ventricular fibrillation is detected.

Register, January, 1991, No. 421

(d) "Basic life support" or "BLS" means emergency medical care that is rendered to a sick, disabled or injured individual based on signs, symptoms or complaints, prior to the individual's hospitalization or while transporting the individual between health care facilities and that is limited to use of the knowledge, skills and techniques included in department-approved training required for licensure of emergency medical technicians-basic.

(e) "Defibrillation" means the administration of an electrical impulse to an individual's heart for the purpose of stopping ventricular fibrillation.

(f) "Department" means the department of health and social services.

(g) "Emergency medical technician-basic" means a person licensed under s. 146.50, Stats., and ss. HSS 110.01 to 110.09 who is responsible for the administration of emergency medical care procedures and for proper handling and transportation of sick, disabled or injured persons.

(h) "Emergency medical technician-basic-DA" means an emergency medical technician-basic who is certified by the department to use an automatic defibrillator to administer defibrillation in a prehospital setting to a person experiencing cardiac arrest due to ventricular fibrillation.

(i) "Emergency medical technician-basic-DM" means an emergency medical technician-basic who is certified by the department to use a manual defibrillator to administer defibrillation in a prehospital setting to a person experiencing cardiac arrest due to ventricular fibrillation.

(j) "Emergency medical technician-basic defibrillation personnel" means emergency medical technicians-basic-DA or emergency medical technicians-basic-DM certified under this section.

(k) "EMT" means emergency medical technician.

(l) "EMT-basic defibrillation plan" or "plan" means a plan submitted by or for one or more hospitals providing emergency medical services, one or more licensed physicians and one or more ambulance service providers intending to implement an emergency medical technician-basic defibrillation program and which details the training and utilization of emergency medical technicians-basic to administer defibrillation, as well as the quality assurance mechanisms to be used in the program.

(m) "EMT-basic defibrillation training course" means a department-approved course of instruction which will qualify a student for examination and certification as an emergency medical technician-basic-DA or an emergency medical technician-basic-DM.

(n) "Manual defibrillator" means a monitor and defibrillator which requires the operator to analyze and recognize a cardiac rhythm and will charge and deliver an electrical impulse to an individual's heart only at the command of the operator.

(o) "Medical control" means direction, through oral orders or a protocol, supervision and quality control by the medical director or a physician-designee of the medical director of the activities of an emergency medical technician-basic administering defibrillation in the prehospital emergency care of a patient.

(p) "Medical control hospital" means a hospital providing emergency services which accepts responsibility to serve as a base for the system of communication, medical control and direction for emergency medical technician-basic defibrillation personnel.

(q) "Monitor and defibrillator" means a device which is capable of monitoring the rhythm of an individual's heart, creating a continuous integrated recording of the electrocardiogram and voice communication occurring simultaneously during operations by emergency medical technician-basic defibrillation personnel, and delivering a regulated electrical impulse to the individual's heart.

(r) "On-line medical control physician" means a physician licensed under ch. 448, Stats., who is designated by the program medical director to provide voice communication of medical direction to emergency medical technician-basic defibrillation personnel and to assume responsibility for the care provided by emergency medical technician-basic defibrillation personnel in response to that direction.

(s) "Prehospital setting" means a location at which emergency medical care is administered to a patient prior to the patient's arrival at a hospital.

(t) "Program coordinator" means the person designated by the program medical director to be responsible for day-to-day operation and recordkeeping for the emergency medical technician-basic defibrillation program described in the plan.

(u) "Program medical director" means the physician licensed under ch. 448, Stats., who is designated in an EMT-basic defibrillation plan to be responsible for the medical control, direction and supervision of all phases of the emergency medical technician-basic defibrillation program operated under the plan and of emergency medical technicians-basic performing defibrillation under the plan, the establishment of standard operating procedures for these personnel, the coordination and supervision of evaluation activities carried out under the plan, and, if they are to be used in implementing the emergency medical technician-basic defibrillation program, the designation of on-line medical control physicians.

(v) "Protocol" means a written statement developed and distributed by the department and signed by the program medical director which lists and describes the steps an emergency medical technician-basic is to follow in assessing and treating a patient suffering cardiac arrest from ventricular fibrillation.

(w) "Quality assurance program" means a department-approved program operating under the direction of a physician licensed under ch. 448, Stats., on a regional or statewide basis, which collects and analyzes case records submitted by 2 or more ambulance service providers using emergency medical technician-basic defibrillation personnel and provides data summaries of emergency medical technician-basic defibrillation activity and performance improvement recommendations to those service providers and personnel.

(x) "Service medical director" means a physician licensed under ch. 448, Stats., who accepts responsibility for the medical aspects of the program and for medical supervision of emergency medical technician-basic defibrillation services for a specific ambulance service provider.



(y) "Training center" means a medical or educational institution which sponsors a department-approved EMT-basic defibrillation training course.

(z) "Training course instructor-coordinator" means a physician licensed under ch. 448, Stats., a physician's assistant certified under ch. 448, Stats., a registered nurse licensed under ch. 441, Stats., or an emergency medical technician-paramedic licensed under s. 146.35, Stats., designated by the training course medical director and training center to coordinate and administer an emergency medical technician-basic defibrillation training course.

(za) "Training course medical director" means a physician licensed under ch. 448, Stats., who accepts responsibility for the medical aspects of the EMT-basic defibrillation training course offered by a training center.

(zb) "Ventricular fibrillation" means a disturbance in the normal rhythm of the heart which is characterized by rapid, irregular and ineffective twitching of the lower chambers, or ventricles, of the heart.

(5) GENERAL PROVISIONS. (a) No ambulance service provider may permit an emergency medical technician-basic to perform defibrillation on any individual unless the EMT-basic is certified by the department to perform defibrillation.

(b) No person licensed only as an emergency medical technician-basic may perform defibrillation unless the person is certified by the department as an emergency medical technician-basic-DA or an emergency medical technician-basic-DM and is a participant in a department-approved emergency medical technician-basic defibrillation program.

(c) No emergency medical technician-basic-DA or emergency medical technician-basic-DM may administer drugs or perform other advanced life support procedures except defibrillation under an EMT-basic defibrillation plan.

(d) No person may function as an emergency medical technician-basic-DA or emergency medical technician-basic-DM unless certified by the department.

(e) No emergency medical technician-basic-DA or emergency medical technician-basic-DM may function as an emergency medical technician-paramedic as defined in s.146.50 (1) (h), Stats., in the provision of ambulance service nor may any ambulance service provider operating under an emergency medical technician-paramedic plan approved by the department under s. 146.55 (2) (a), Stats., substitute an emergency medical technician-basic trained in administering defibrillation for an emergency medical technician-paramedic required by the emergency medical technician-paramedic plan.

(6) PLAN FOR DEFIBRILLATION BY EMERGENCY MEDICAL TECHNICIANS-BASIC. (a) *Plan submission.* One or more hospitals providing emergency services, one or more licensed physicians and one or more ambulance service providers may submit an EMT-basic defibrillation plan to the department. The plan shall contain all the information required under par.(b).

(b) *Required elements.* No person may begin training or use of emergency medical technicians-basic to provide prehospital defibrillation services until an EMT-basic defibrillation plan has been submitted to and approved by the department. At a minimum, the plan shall:

1. Identify the hospital or hospitals providing emergency services, licensed physician or physicians, and licensed ambulance service provider or providers by or for whom the plan is being submitted;

2. Identify and describe the roles, responsibilities and qualifications of the program medical director, the medical control hospital or hospitals, the on-line medical control physicians, if they are to be used, the program coordinator, the training course medical director, the training course instructor-coordinator and the service medical director or directors in the proposed program;

3. Identify and describe the roles, responsibilities and qualifications of the training center to be used and its relationship to the medical control hospital or hospitals;

4. Describe the licensed ambulance service provider or providers planning to use emergency medical technician-basic defibrillation personnel under the plan;

5. Include statistical information which identifies the number of pulseless, non-breathing patients encountered in the year previous to plan submission by each ambulance service provider included in the plan, the outcome of prehospital treatment of each patient and the response times from dispatch to arrival at the scene of patient treatment for each of the cases;

6. Describe the efforts which have been made or are continuing in the geographic area covered by the plan to minimize ambulance service response times and to provide community education to improve access to emergency medical services and public knowledge of emergency cardiac care;

7. Describe the EMT-basic defibrillation training course, including content, objectives for individual lessons, clock hours, competency testing standards and procedures, and training methods;

8. Describe the manner in which each ambulance service provider operating under the plan will use emergency medical technician-basic defibrillation personnel, including the number of emergency medical technicians-basic to be trained and the service area to be covered;

9. List the equipment to be used by emergency medical technician-basic defibrillation personnel to administer defibrillation, including the brand name, capabilities and technical specifications of each piece of equipment and specify the type of defibrillator to be used by each ambulance service provider included in the plan. Each ambulance service provider shall designate either an automatic or manual defibrillator, but not both, as the type to be used exclusively in its service;

10. Include a copy of the operating policies and procedures to be used in medical control, implementation and evaluation of the emergency medical technician-basic defibrillation program;

11. Include a copy of the department-provided protocol or protocols required under sub. (7) (e), signed by the program medical director, to

be followed by emergency medical technician-basic defibrillation personnel in determining the need for defibrillation, administering defibrillation and providing additional emergency care to a pulseless, non-breathing patient;

12. If on-line medical control physicians are to be used in the provision of emergency medical technician-basic defibrillation services under the plan, describe the communications system to be used for the medical control and direction of emergency medical technician-basic defibrillation personnel in the geographic area covered by the plan;

13. Describe the methods by which continuing education and case review will be provided to emergency medical technician-basic defibrillation personnel and continuing competency of those personnel will be assured;

14. Describe the relationship of the proposed emergency medical technician-basic defibrillation program to other emergency and public safety services in the geographic area covered by the plan, including how the program will be coordinated with and will secure assistance from any advanced life support services existing in the geographical area covered by the plan;

15. Include a copy of agreements or letters of commitment from the hospitals, physicians, ambulance service providers, training center, training course instructor-coordinator, program coordinator and local governments participating in the emergency medical technician-basic defibrillation program indicating their willingness to participate in the program, to fulfill their responsibilities as described in the plan and to adhere to the requirements of this section;

16. Include a copy of a letter of agreement from or a contract involving the program medical director, ambulance service provider or providers and the service medical director or directors included in the plan, and a quality assurance program. The letter of agreement or contract shall specify that the written record and voice and electrocardiogram recording of each ambulance run in which emergency medical technician-basic defibrillation personnel render treatment to a pulseless, non-breathing patient will be reviewed and evaluated by the quality assurance program;

17. Document insurance coverage which will be in force as of the date proposed for the beginning of the first EMT-basic defibrillation training course offered under the plan covering all hospitals, physicians, ambulance service providers and emergency medical technician-basic defibrillation personnel included in the emergency medical technician-basic defibrillation program for any liability they incur in the performance of their responsibilities in implementing the program; and

18. Provide evidence of commitment to and endorsement of the proposed program by local and regional medical, governmental and emergency medical services agencies and authorities.

Note: Plans should be sent to the EMS Section, Division of Health, P.O. Box 309, Madison, Wisconsin 53701-0309. A guide to assist in developing an EMT-basic defibrillation plan is available free of charge from the EMS Section.

(c) *Deadline for submission.* The plan shall be submitted to the department in complete form at least 90 days prior to the date proposed for beginning the EMT-basic defibrillation training course. The plan is not

in complete form until all information and materials noted in par. (b) have been received by the department.

(d) *Review and decision.* 1. The department shall, within 75 days following receipt of a plan in complete form, approve or disapprove the plan and notify the applicant accordingly, in writing.

2. In reaching an approval or disapproval decision on any plan, the department shall consult with an advisory committee of physicians and other persons experienced in emergency medical services and familiar with emergency medical technician-basic defibrillation programs regarding the quality and feasibility of the plan. Members of the committee shall be selected by the department secretary. Recommendations of the committee are not binding on the department.

3. Approval or disapproval of a plan shall be based on the requirements in this section, consideration of the recommendation of the committee described in subd. 2 and the findings of a site visit by a department representative to the hospital or hospitals, ambulance service or services and training center involved in the plan.

(e) *Implementation.* 1. Following department approval of an EMT-basic defibrillation plan, all persons named in the plan may implement the program.

2. No change may be made in the emergency medical technician-basic defibrillation program which alters the hospital or hospitals, medical director or directors or ambulance service provider or providers involved, or the training program or emergency medical technician-basic defibrillation program operations included in an approved plan, unless the change is approved by the department.

3. The hospital or hospitals, program medical director and ambulance service provider or providers named in the plan shall biennially review the plan and update it as necessary and submit the updated plan to the department. The department shall notify the parties to the plan before the review and update is due and provide a format to be followed for reviewing and updating the plan. Department approval of the review and update shall be required for continuation of plan approval and for continuation of emergency medical technician-basic defibrillation operations.

(7) **MEDICAL CONTROL AND DEFIBRILLATION PROTOCOL REQUIREMENTS.**

(a) *Program medical director.* An emergency medical technician-basic defibrillation program shall be under the medical supervision of a program medical director identified in the plan. The program medical director shall be responsible for the medical aspects of implementation of the emergency medical technician-basic defibrillation training and operations carried out under the plan and shall:

1. Select, approve or designate the personnel who will train and medically supervise emergency medical technician-basic defibrillation personnel, including the training course medical director, the service medical directors, the program coordinator, the training course instructor-coordinator and, if they are to be used in the program, the on-line medical control physicians;

2. Sign the protocol or protocols which will be used by emergency medical technician-basic defibrillation personnel in providing defibrillation services under the plan;

3. Ensure that all aspects of the emergency medical technician-basic defibrillation training and operational program are under constant medical supervision and direction;

4. Establish, in consultation with the other physicians involved in the plan, medical control and evaluation policies and procedures for the program;

5. Ensure that evaluation and continuing education activities are consistently carried out and participated in by the hospital or hospitals, physicians, training center, ambulance service providers and emergency medical technicians-basic in the emergency medical technician-basic defibrillation program;

6. Ensure that the findings and recommendations of the quality assurance program are implemented; and

7. Ensure that the emergency medical technician-basic defibrillation program operates in conformance with the approved plan, this section and standards of professional practice.

(b) *Other roles filled by the program medical director.* The program medical director may also serve as training course medical director or service medical director, or both.

(c) *On-line medical control physicians.* If an EMT-basic defibrillation plan includes the use of on-line medical control physicians, each on-line medical control physician shall be designated in writing by the program medical director, shall agree to provide medical control instructions consistent with the approved protocol, and shall be:

1. Familiar with the design and operation of the emergency medical technician-basic defibrillation program under the plan;

2. Experienced in medical control and supervision of prehospital emergency care of the acutely ill or injured;

3. Willing to participate in medical control and evaluation activities in the emergency medical technician-basic defibrillation program; and

4. Familiar with the protocol to be used for the provision of medical control and capable of providing medical control consistent with the protocol by means of the telecommunication devices used in the program.

(d) *Medical control hospital.* The medical control hospital or hospitals designated in the EMT-basic defibrillation plan shall agree to:

1. Support the provision of medical control, if on-line medical control physicians are to be used in the emergency medical technician-basic defibrillation program, by permitting designated on-line medical control physicians to use its telecommunications resources for medical control of emergency medical technician-basic defibrillation personnel;

2. Cooperate with the program and service medical directors in implementing the training, continuing education, case review and evaluation activities required in the plan;

3. Ensure that any medical control provided to emergency medical technician-basic defibrillation personnel by on-line medical control physicians at the hospital or hospitals is consistent with the approved protocol and the medical control policies and procedures established by the program medical director; and

4. Receive patients who have been monitored or defibrillated by emergency medical technician-basic defibrillation personnel and make available to the program and service medical directors and the quality assurance program the patient data necessary to carry out the quality assurance activities required under the plan.

(e) *Emergency medical technician-basic defibrillation protocol.* 1. Each EMT-basic defibrillation plan shall include a protocol or protocols signed by the program medical director under which emergency medical technician-basic defibrillation personnel will provide emergency care and transportation to the cardiac arrest victim. Voice contact with an on-line medical control physician is not required for emergency medical technician-basic defibrillation personnel to implement the protocol.

2. The protocol shall be specific to the type of defibrillator used in the plan. If individual ambulance service providers included in the plan have selected different types of monitor and defibrillator equipment for use, a protocol shall be included for each type selected.

3. The protocol used shall be a standard protocol developed and distributed by the department, based on the recommendations of the panel established under sub. (6) (d) 2. The protocol shall specify, at a minimum:

a. The sequence of interventions to be performed during a resuscitation attempt;

b. Guidelines for speed of delivery of defibrillation and total time spent with the patient prior to beginning transport;

c. The method of cardiac monitoring and defibrillation to be used;

d. The steps to be taken if the cardiac rhythm encountered is not ventricular fibrillation;

e. Defibrillation safety at the scene and during transport;

f. The maximum number of defibrillations which emergency medical technician-basic defibrillation personnel may administer to a single patient;

g. The assessment and management of a patient who converts from ventricular fibrillation to a different cardiac rhythm while in transit to a hospital;

h. The management of a patient who, after defibrillation, returns to ventricular fibrillation from a different cardiac rhythm while in transit to a hospital;

i. Criteria including patient age, weight or medical condition which will affect the performance of defibrillation; and

j. If use of an on-line medical control physician is included in the plan, guidelines for contact with the on-line medical control physician during a resuscitation attempt.

(8) EMERGENCY MEDICAL TECHNICIANS-BASIC DEFIBRILLATION TRAINING. (a) *Direction and supervision.* The EMT-basic defibrillation training course shall be under the direction and supervision of a training course medical director who shall:

1. Screen and accept students for admission to the training course;
2. Review the qualifications of and approve the training course instructor-coordinator and the instructors who will teach the training course;
3. Review and approve the evaluation processes and standards used to determine successful completion of the training course;
4. Ensure that the training course complies with the requirements of this section and standards of professional practice; and
5. Provide overall medical supervision, coordination and quality assurance of the training course.

(b) *Instructor-coordinator.* Each training course shall have a training course instructor-coordinator who shall:

1. Be a licensed physician, certified physician's assistant, registered nurse or emergency medical technician-paramedic;
2. Be certified in advanced cardiac life support by the American heart association or have equivalent cardiac care training and experience acceptable to the training course medical director;
3. Be approved by the training course medical director;
4. Be certified in cardiopulmonary resuscitation by the American heart association or the American red cross;
5. Have a minimum of one year of teaching experience including lecturing, skills instruction and evaluation of student competence in an educational program for prehospital emergency medical care personnel or an equivalent background acceptable to the training course medical director; and
6. Display competence in operating the specific type of monitor and defibrillator used in the training course to the satisfaction of the training course medical director.

(c) *Prerequisites for admission.* To be eligible for admission to an emergency medical technician-basic-DA or emergency medical technician-basic-DM training course, an emergency medical technician-basic shall:

1. Be currently licensed as an emergency medical technician-basic by the department;
2. Be currently certified in cardiopulmonary resuscitation by the American heart association or the American red cross;
3. Have a minimum of 6 months of experience in emergency care and transportation as a licensed emergency medical technician-basic;
4. Be affiliated with a licensed ambulance service provider included in an approved EMT-basic defibrillation plan; and

5. Be accepted for admission to the training course by the service medical director and training course medical director.

(d) *Automatic defibrillator training.* 1. An emergency medical technician-basic-DA training course shall include theory and practice in at least the following content areas:

- a. Introduction to emergency medical technician-basic defibrillation;
- b. Patient assessment and evaluation;
- c. Cardiac anatomy and physiology;
- d. Use and maintenance of the automatic defibrillator;
- e. Cardiac defibrillation and the automatic defibrillation protocol;
- f. Cardiopulmonary resuscitation as it relates to defibrillation;
- g. Skills practice;
- h. Final written and practical skills examination approved by the department; and
- i. Post-course debriefing.

2. Each content area under subd. 1 shall be designed to meet objectives for individual lessons developed and distributed by the department.

3. The training course content and objectives for individual lessons shall be the same for all emergency medical technician-basic defibrillation-DA training courses implemented under an approved plan.

4. The training course shall include a minimum of 5 hours of classroom instruction, skills practice and competency testing.

(e) *Manual defibrillator training.* 1. An emergency medical technician-basic-DM training course shall include theory and practice in at least the following content areas:

- a. Introduction to emergency medical technician-basic defibrillation;
- b. Patient assessment and evaluation;
- c. Cardiac anatomy and physiology;
- d. Cardiac rhythm interpretation;
- e. Use and maintenance of the manual defibrillator;
- f. Cardiac defibrillation and the manual defibrillation protocol;
- g. Cardiopulmonary resuscitation as it relates to defibrillation;
- h. Skills practice;
- i. Final written and practical skills examination approved by the department; and
- j. Post-course debriefing.

2. Each content area under subd. 1 shall be designed to meet objectives for individual lessons developed and distributed by the department.



3. The training course content and objectives for individual lessons shall be the same for all emergency medical technician-basic defibrillation-DM training courses implemented under an approved plan.

4. The training course shall include a minimum of 20 hours of classroom instruction, skills practice and competency testing.

(f) *Department approval.* Department approval of a proposed training course shall be a prerequisite to the initiation of emergency medical technician-basic defibrillation training. Approval of a training course shall include approval of a curriculum, procedures, administrative details and guidelines necessary to ensure a standardized program.

(g) *Record of student performance.* The training course medical director shall, upon completion of each EMT-basic defibrillation training course, submit to the department a record of student performance for each emergency medical technician-basic who participated in the course and a list of the emergency medical technicians-basic who successfully completed the course.

Note: Records of student performance and lists of EMTs-basic who successfully completed the course should be sent to the EMS Section, Division of Health, P.O. Box 309, Madison, Wisconsin 53701-0309.

(9) **MONITOR AND DEFIBRILLATOR EQUIPMENT.** (a) *Required defibrillator components.* Monitors and defibrillators used in an emergency medical technician-basic defibrillation program shall meet the following specifications:

1. A manual defibrillator shall have, at a minimum, an electrocardiographic display, self-adhering monitoring electrodes or pads for placement on a patient's chest, a paper strip recorder for production of a permanent record of the electrical activity of the heart, an integrated audio and electrocardiogram recorder with a microphone for recording the emergency medical technician-basic's voice activity during a resuscitation attempt, and a manually triggered defibrillator for delivery of defibrillation;

2. A fully automatic defibrillator shall have, at a minimum, self-adhering monitoring and defibrillator electrodes or pads for placement on a patient's chest, an integrated audio and electrocardiogram recorder with a microphone for recording the emergency medical technician's-basic voice activity during a resuscitation attempt, and an automatically triggered defibrillator for delivery of defibrillation; and

3. A semiautomatic defibrillator shall have, at a minimum, self-adhering monitoring and defibrillator electrodes or pads for placement on a patient's chest, an integrated audio and electrocardiogram recorder with a microphone for recording the voice activity of the emergency medical technician-basic during a resuscitation attempt, and a manually triggered defibrillator for delivery of defibrillation.

(b) *Attachment of electrodes and recording required.* During any prehospital emergency care effort in which the monitor and defibrillator is used, monitoring electrodes or pads shall be attached to the patient and the integrated audio and electrocardiogram recorder shall be in operation. Recording shall begin upon the arrival of the emergency medical technician-basic defibrillation personnel at the patient's side and may not be terminated until patient care by the emergency medical technician-basic defibrillation personnel is complete.

(c) *Inspection.* All components of the monitor and defibrillator and the integrated audio and electrocardiogram recorder shall be inspected by a qualified service technician at least 2 times each calendar year to ensure that the equipment is maintained to the manufacturer's specifications. In this paragraph, "qualified service technician" means a person who has successfully completed training in the maintenance and repair of monitor and defibrillator equipment and possesses current knowledge of the technical troubleshooting and maintenance of monitor and defibrillator equipment with integrated electrocardiogram and voice recording capability. A qualified service technician is not required to be employed by or affiliated with a monitor and defibrillator manufacturer, provided the technician meets the training and knowledge requirements of this paragraph.

(d) *Modification.* No modification may be made to monitor and defibrillator equipment which results in a deviation from the manufacturer's standard specifications unless prior approval is received from the department. Prior to deciding on approval or disapproval of a request for equipment modification, the department shall ask the committee described in sub. (6) (d) 2 for a recommendation. The recommendation of the committee is not binding on the department. A written request for approval of a modification shall include, at a minimum:

1. Documentation of the manufacturer's standard specifications for the equipment;
2. Description of the modification requested;
3. Rationale for the modification and description of its effect on the emergency medical technician-basic defibrillation program; and
4. Documentation that the requested modification, if made, will not expose patients on whom the equipment is used to an increased risk of harm.

(e) *Monitoring with self-adhering electrodes or pads.* Emergency medical technician-basic defibrillation personnel may use only self-adhering electrodes or pads for monitoring the electrical activity of the heart. Quick look technique may not be used. In this paragraph, "quick look technique" means monitoring the electrical activity of the heart by means of defibrillator paddles or other devices which are not self-adhering to a patient's chest.

(f) *Battery systems.* Battery systems for the monitor and defibrillator and the integrated audio and electrocardiogram recorder shall be maintained and replaced in accordance with the manufacturer's standard specifications.

(g) *Records.* Ambulance service providers included in an EMT-basic defibrillation plan shall maintain written records of the maintenance, repair and inspection of all monitor and defibrillator equipment used by emergency medical technician-basic defibrillation personnel. These records shall be available for review by the department on request.

(10) **AMBULANCE SERVICE PROVIDER REQUIREMENTS.** An ambulance service provider using emergency medical technician-basic defibrillation personnel shall:

(a) Submit, as part of the emergency medical technician-basic defibrillation plan, a written plan of action describing the methods the provider is using or will use to minimize response times. A provider is exempt from submitting this plan of action if documentation is submitted which establishes that a minimum of 2/3 of the provider's ambulance runs involving a pulseless, non-breathing patient in the year immediately preceding the filing of the EMT-basic defibrillation plan had a dispatch-to-arrival at the scene of patient treatment response time of 5 minutes or less;

(b) Have a service medical director who is approved by the program medical director and who accepts the responsibility to ensure that:

1. Performance of defibrillation by emergency medical technician-basic is carried out under medical control;

2. Emergency medical technician-basic defibrillation personnel receive continuing education and performance evaluations with sufficient frequency to maintain safe and effective delivery of defibrillation;

3. The defibrillation protocol developed and distributed by the department is used; and

4. Emergency medical technician-basic defibrillation personnel who fail to demonstrate acceptable competency in implementation of the defibrillation protocol are not permitted to engage in the provision of defibrillation services until they have been reevaluated and have demonstrated competency in performance of the protocol to his or her satisfaction;

(c) Provide the service medical director with sufficient access to emergency medical technician-basic defibrillation personnel to enable the service medical director to carry out the responsibilities specified in par. (b);

(d) Ensure that any monitor and defibrillator used by emergency medical technician-basic defibrillation personnel affiliated with the provider is of the type specified for the provider in the plan and meets the requirements of this section;

(e) Ensure that, when a patient is being cared for or transported using a monitor and defibrillator, the ambulance is staffed by at least one licensed emergency medical technician-basic who is certified to operate the type of defibrillator used by the ambulance service and one additional licensed emergency medical technician-basic. A certified emergency medical technician-basic-DA or emergency medical technician-basic-DM shall be with the patient during the period of emergency care and transportation. A licensed physician, registered nurse, certified physician's assistant or emergency medical technician-paramedic designated by the program or service medical director may be substituted for the emergency medical technician-basic-DA or emergency medical technician-basic-DM required by this paragraph;

(f) Ensure that emergency medical technician-basic defibrillation service is available on a 24-hour-a-day, 7-day-a-week basis to its service area as described in the plan; and

(g) Ensure that all written records, monitor and defibrillator recordings and voice and electrocardiogram recordings of each ambulance run in which emergency medical technician-basic defibrillation personnel rendered treatment to a pulseless, non-breathing patient are delivered to

the program or service medical director for review within 72 hours after the ambulance run and are made available to the quality assurance program described in the plan in a manner which conforms to the applicable requirements of ss. 146.50(12), 146.81, 146.82 and 146.83, Stats.

(11) CONTINUING EDUCATION. (a) An EMT-basic defibrillation plan shall include requirements for continuing education to be completed by emergency medical technician-basic defibrillation personnel. Completion of the continuing education required in the plan shall be a prerequisite to maintaining approval by the program medical director to provide emergency medical technician-basic defibrillation services. Continuing education shall include, at minimum:

1. For an emergency medical technician-basic-DA:
  - a. Participation in case review and continuing education sessions as required by the program or service medical director;
  - b. Annual recertification in cardiopulmonary resuscitation by the American heart association or American red cross; and
  - c. Demonstration of competent performance of the protocol in a simulated cardiac arrest situation to the satisfaction of the service or training course medical director or the training course instructor-coordinator once a month for the first 3 months following initial certification by the department and once every 6 months thereafter. The demonstration shall be witnessed by the service medical director at least once annually for each emergency medical technician-basic-DA for whom the medical director has responsibility; and
2. For an emergency medical technician-basic-DM:
  - a. Participation in case review and continuing education sessions as required by the program or service medical director;
  - b. Annual recertification in cardiopulmonary resuscitation by the American heart association or American red cross; and
  - c. Demonstration of competent performance of the protocol in a simulated cardiac arrest situation to the satisfaction of the service or training course medical director or the training course instructor-coordinator once a month for the first 3 months following initial certification by the department and once every 3 months thereafter. The demonstration shall be witnessed by the service medical director at least once annually for each emergency medical technician-basic-DM for whom the medical director has responsibility.

(b) The program or service medical director may require additional continuing education of emergency medical technician-basic defibrillation personnel functioning under the plan. Any additional requirements set by the program or service medical director shall be described in the plan.

(c) An emergency medical technician-basic-DA or emergency medical technician-basic-DM who fails to satisfy the continuing education requirements set forth in the plan or who fails to demonstrate competent performance in a required cardiac arrest simulation shall be removed from providing emergency medical technician-basic defibrillation services until the program or service medical director has reviewed the individual's performance and approves the individual to return to service.

The program or service medical director shall immediately inform the department in writing of the removal of the individual from service and shall inform the department of the date the individual is returned to service.

(d) Each ambulance service provider shall retain documentation establishing that each emergency medical technician-basic-DA or emergency medical technician-basic-DM affiliated with the service has satisfied the continuing education requirements. The ambulance service provider shall make the documentation available to the department for review upon request.

(12) EVALUATION. Each EMT-basic defibrillation plan shall contain an evaluation process which includes, at a minimum:

(a) Maintenance for at least 5 years of documentation by emergency medical technician-basic defibrillation personnel of each case in which treatment was rendered to a pulseless, non-breathing patient by the personnel. Documentation shall consist of a written report, on a form approved by the department, for each case and a voice and electrocardiogram recording for each case in which cardiopulmonary resuscitation, monitoring or defibrillation was performed. In making the voice recording:

1. The emergency medical technician-basic-DM shall:
  - a. Identify the ambulance service provider and emergency medical technicians-basic involved;
  - b. Describe briefly the clinical situation;
  - c. Report each step while proceeding through the protocol;
  - d. State whether the rhythm is interpreted as ventricular fibrillation;
  - e. State whether or not defibrillation is delivered;
  - f. Describe any post-defibrillation cardiac rhythms; and
  - g. Provide explanatory comments on actions taken in preparation for and during transportation.
2. The emergency medical technician-basic-DA shall:
  - a. Identify the ambulance service provider and emergency medical technicians-basic involved;
  - b. Describe briefly the clinical situation;
  - c. Report each step while proceeding through the protocol;
  - d. State whether or not defibrillation is delivered;
  - e. Describe the observed results of defibrillation and the subsequent pulse check; and
  - f. Provide explanatory comments on actions taken in preparation for and during transportation;

Note: Copies of the form for the written report are available without charge from the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

(b) A requirement for delivery of the written records and voice and electrocardiogram recording of each case to the program or service medical director within 72 hours after the ambulance run involved;

(c) Prompt review and critique of all cardiac arrest runs by the service medical director based on the documentation provided in par. (b), with feedback provided to the ambulance service provider and emergency medical technician-basic defibrillation personnel as soon as possible but no later than 30 days after the run involved. The review shall be documented on a standard form provided by the department, a copy of which is forwarded to the quality assurance program with the case records, and shall include documentation of whether:

1. The audio and electrocardiogram recorder was activated properly;
2. Personnel quickly and effectively set up the necessary equipment;
3. The patient's pulse was checked appropriately throughout the emergency response;
4. Defibrillation was performed as rapidly as possible for the patient in ventricular fibrillation;
5. The amount of time spent at the scene was appropriate;
6. Adequate basic life support was delivered and maintained;
7. Personnel using a manual defibrillator obtained a clear reading of the electrocardiographic rhythm immediately prior to each defibrillation attempt;
8. The assessment of the need to deliver or not deliver defibrillation was correct;
9. Following each attempted defibrillation, the patient was assessed accurately and treated appropriately;
10. The portable defibrillator was operated safely and correctly; and
11. Care was provided to comply with the protocol.

(d) Annual review by the hospital or hospitals, physicians, and ambulance service provider or providers involved in the emergency medical technician-basic defibrillation program of the implementation and impact of the program including determination of whether:

1. The general public is responding appropriately to a person who may be in cardiac arrest;
2. The frequency of cases in which cardiopulmonary resuscitation is initiated by persons on the scene prior to the arrival of emergency medical technician-basic defibrillation personnel is maximized;
3. The time between dispatch and the arrival of emergency medical technician-basic defibrillation personnel is as short as possible;
4. Performance factors, such as minimum elapsed time from arrival at scene to first defibrillation attempt, are optimized;
5. Backup of emergency medical technician-basic defibrillation personnel by advanced life support services is provided as rapidly as possible;

6. Patient transport is accomplished as expeditiously as possible;

7. Data necessary to evaluate the implementation of the plan are being accurately gathered and periodically reviewed; and

8. Appropriate modification is made in any aspect of the plan which is shown to need modification to optimize patient outcomes.

(e) Participation, under a contract or letter of agreement, in a quality assurance program to which copies of the documentation of each cardiac arrest response as required in par. (a) shall be sent by the program or service medical director at least once each calendar quarter. The quality assurance program shall meet the requirements set forth in sub. (13) and shall be approved by the department.

(13) QUALITY ASSURANCE PROGRAM. (a) To qualify for approval under this section, a quality assurance program shall:

1. Apply to the department on a form prescribed by the department;

2. Be under the direction of a physician licensed under ch. 448, Stats., who is certified in advanced cardiac life support by the American heart association, is highly skilled in cardiac rhythm interpretation, possesses a working knowledge of prehospital emergency medical services systems and emergency medical technician-basic defibrillation programs, and is able to make a sufficient time commitment to actively participate in the review of individual case records and formulation of required periodic reports;

3. Have sufficient staff to ensure that case records will be reviewed in a timely and competent manner, data will be logged accurately and promptly, statistical analyses and summaries will be performed competently and efficiently, critical errors occurring in any emergency medical technician-basic defibrillation program will be identified and responded to competently and quickly and recommendations for improvements and modifications in emergency medical technician-basic defibrillation programs will be made in a timely and appropriate manner;

4. Have sufficient data gathering and analysis resources to maintain a computerized database of all case records reviewed and produce summary and analytical reports on a service, region and aggregate basis in a timely fashion; and

5. Have experience in and an effective system established for handling medical care records with appropriate safeguards for confidentiality.

Note: Copies of the form to apply for approval of a quality assurance program are available without charge from the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

(b) A quality assurance program shall, at a minimum, provide the following services to an emergency medical technician-basic defibrillation program:

1. Review and evaluation of written reports and voice and electrocardiogram recordings from emergency medical technician-basic defibrillation cases within 60 days of receipt;

2. Computerized database of emergency medical technician-basic defibrillation runs for analysis and reporting as requested by the program medical director;

3. Summary reports and recommendations for improvement of the emergency medical technician-basic defibrillation program made to the program or service medical director on at least a quarterly basis;

4. Advice to the program and service medical director on improvements which could be made in the evaluation activities carried out in the emergency medical technician-basic defibrillation program;

5. Notification of serious emergency medical technician-basic defibrillation personnel performance errors as soon as noted and recommendations for action to correct the noted errors; and

6. An annual summary report of the data collected for the service or program including, at a minimum:

a. Patient data, including age, sex, whether cardiac arrest was witnessed or unwitnessed, distance from the location of the ambulance when dispatched to the scene of cardiac arrest and initial cardiac rhythm;

b. Emergency medical services system data, including time of cardiac arrest, time of receipt of call for ambulance, time from collapse to initiation of cardiopulmonary resuscitation, time of initial defibrillation attempt, chronology of subsequent defibrillation attempts and their effects, and time of arrival at the hospital;

c. Emergency medical technician-basic defibrillation personnel performance data, including accuracy of rhythm interpretations, time from arrival to initial defibrillation, time between defibrillation attempts, appropriateness of management for each rhythm encountered and adherence to protocol; and

d. Patient outcome data, including the rhythm after each shock, whether there was a return of pulse in the field, whether a patient was admitted to a hospital, whether a patient was discharged from the hospital and health status on discharge.

(c) The quality assurance program shall notify the program and service medical directors immediately when it notes a performance error it considers serious during the review of case records provided by that emergency medical technician-basic defibrillation program. The notification shall be accompanied by a recommendation for action to address the error. The program or service medical director shall advise the quality assurance program within 90 days after receiving notification of any action taken regarding the identified error. The quality assurance program shall advise the department of the resolution of the error immediately following the expiration of the 90 day period.

(d) The quality assurance program shall report annually to the department on its activities. The report shall include an annual summary of all data collected from emergency medical technician-basic defibrillation programs to be used in development of a statewide statistical report. The annual report and data summary shall be on a form prescribed by the department.

Note: Copies of the form for the annual report are available without charge from the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

(14) CERTIFICATION. (a) A person requesting certification as an emergency medical technician-basic-DA or emergency medical technician-basic-DM shall:



1. Apply for certification on forms provided by the department;
2. Be at least 18 years of age;
3. Hold a currently valid emergency medical technician-basic license issued by the department;
4. Be affiliated with an ambulance service provider identified in an approved EMT-basic defibrillation plan;
5. Present evidence of successful completion of an approved emergency medical technician-basic-DA or emergency medical technician-basic-DM training course;

6. Present documentation signed by the program medical director and acceptable to the department of competence in the performance of defibrillation according to the protocol for the certification category involved; and

7. Have successfully passed the written and practical skills examination required under sub. (8) (d) or (e) no more than 6 months prior to the date of application. A person who fails to achieve a passing grade on the required examination may request reexamination and may be reexamined once within a 60 day period. A person who fails to achieve a passing grade on reexamination shall be admitted for further examination only after presenting evidence of successful completion of further emergency medical technician-basic defibrillation training acceptable to the department. A person who does not apply for certification within 6 months after successfully passing the required examination shall be required to complete a new EMT-basic defibrillation training course and examination to be eligible for certification.

(b) Within 60 days after receiving a complete application for emergency medical technician-basic-DA or emergency medical technician-basic-DM certification, the department shall either approve the application and certify the applicant or deny the application. If the application for certification is denied, the department shall give the applicant reasons, in writing, for the denial and shall give the applicant an opportunity to appeal the denial in accordance with sub. (16) (e).

(c) Certification shall be evidenced by an endorsement to the emergency medical technician-basic license of the qualified applicant and shall indicate whether the person is certified as an emergency medical technician-basic-DA or emergency medical technician-basic-DM, or both.

(d) A person certified as an emergency medical technician-basic-DA may perform defibrillation using only an automatic defibrillator and following the fully automatic or semiautomatic defibrillator protocol included in the plan for the provider for which he or she is authorized to function as an emergency medical technician-basic-DA.

(e) A person certified as an emergency medical technician-basic-DM may perform defibrillation using only a manual defibrillator and following the manual defibrillator protocol included in the plan for the provider for which he or she is authorized to function as an emergency medical technician-basic-DM.

(15) RENEWAL OF CERTIFICATION. (a) Application for renewal of an emergency medical technician-basic-DA or emergency medical techni-

cian-basic-DM certification shall be made biennially concurrent with application for renewal of the emergency medical technician-basic license. Application for renewal shall be made by the person certified on forms provided by the department and shall be signed by the program medical director responsible for the emergency medical technician-basic defibrillation program involved. Each emergency medical technician-basic-DA and emergency medical technician-basic-DM certificate shall expire on June 30 of even-numbered years.

(b) A person whose emergency medical technician-basic-DA or emergency medical technician-basic-DM certification has been expired for more than 60 days shall be required to complete a new emergency medical technician-basic defibrillation training program and meet the other qualifications for initial certification prior to being issued certification.

Note: Copies of application forms for certification and renewal of certification are available without charge from the EMS Section, Division of Health, P.O. Box 309, Madison, WI 53701-0309.

(16) DENIAL OR REMOVAL OF CERTIFICATION. (a) *Certification denial, nonrenewal, revocation or suspension.* The department may deny, refuse to renew, suspend or revoke an emergency medical technician-basic-DA or emergency medical technician-basic-DM certification after providing the applicant, emergency medical technician-basic-DA or emergency medical technician-basic-DM with prior written notice of the proposed action and of the opportunity for a hearing under par. (e) if the department finds that:

1. The applicant or person certified does not meet the eligibility requirements established in this section;
2. Certification was obtained through error or fraud;
3. Any provision of this section is violated; or
4. The person certified has engaged in conduct detrimental to the health or safety of a patient or to members of the general public during a period of emergency care or transportation.

(b) *Emergency suspension of certificate.* 1. The department may summarily suspend an emergency medical technician-basic-DA or emergency medical technician-basic-DM certificate when the department is informed by the project medical director that the certificate holder has been removed from the emergency medical technician-basic defibrillation program for cause or the department has probable cause to believe that the holder of the certificate has violated the provisions of this section and that it is necessary to suspend the certification immediately to protect the public health, safety or welfare.

2. Written notice of the suspension, the department's proposed additional action or actions and a written notice of the right to request a hearing shall be sent to the emergency medical technician-basic-DA or emergency medical technician-basic-DM. That person may request a hearing on the decision. A request for a hearing shall be submitted in writing to and received by the department's office of administrative hearings within 30 days after the date of the notice of suspension. The office of administrative hearings shall schedule the hearing no later than 15 days after receiving the request for hearing unless both parties agree to a later date and shall provide at least 10 days' prior notification of the date, time and place for the hearing. The hearing examiner shall issue a proposed or

final decision within 10 days after the hearing. The suspension of the emergency medical technician-basic-DA or emergency medical technician-basic-DM certificate shall remain in effect until a final decision is rendered.

(c) *Effect on the license of an emergency medical technician-basic when there is an action taken on the certificate.* Denial, refusal to renew, expiration, suspension or revocation of an emergency medical technician-basic-DA or emergency medical technician-basic-DM certification shall not affect licensure as an emergency medical technician-basic unless action is also taken under s. HSS 110.08 against the ambulance attendant license.

(d) *Effect on the certificate when there is an action taken on the license of an emergency medical technician-basic.* Denial, refusal to renew, expiration, suspension or revocation of an emergency medical technician-basic license under HSS 110.08, shall have an identical effect on any emergency medical technician-basic-DA or emergency medical technician-basic-DM certification attached to the license.

(e) *Appeal.* In the event that under par. (a) the department denies issuance of or renewal of or suspends or revokes an emergency medical technician-basic-DA or emergency medical technician-basic-DM certification, the applicant or emergency medical technician-basic-DA or emergency medical technician-basic-DM may request a hearing under s. 227.42, Stats. The request for a hearing shall be submitted in writing to the department's office of administrative hearings and received by that office within 30 days after the date of the notice required under par. (a).

Note: The mailing address of the Office of Administrative Hearings is P.O. Box 7875, Madison, WI 53707.

(17) CANCELLATION OF APPROVAL. (a) *Plan approval.* The department may, at any time, cancel its approval of an EMT-basic defibrillation plan if parties to the plan fail to adhere to the plan, if parties to the plan violate the provisions of this section or if there is evidence that the emergency medical technician-basic defibrillation program operated under the plan presents a danger to the health and safety of patients or the general public. All persons involved in the implementation of the plan shall cease the provision of emergency medical technician-basic defibrillation services upon written notice mailed to the program medical director, except that emergency medical technician-basic defibrillation services may continue pending appeal under par. (d).

(b) *Provider approval.* The department may, at any time, cancel its approval of the participation by a specific ambulance service provider or providers in an EMT-basic defibrillation plan if the provider or providers fail to adhere to the approved plan, violate the provisions of this section or engage in activities in the emergency medical technician-basic defibrillation program that present a danger to the health and safety of patients or the general public. The ambulance service provider or providers shall cease the provision of emergency medical technician-basic defibrillation services upon written notice mailed to the owner or operator for each ambulance service provider involved, except that emergency medical technician-basic defibrillation services may continue pending appeal under par. (d).

(c) *Emergency cancellation.* 1. The department may summarily suspend approval of an EMT-basic defibrillation plan or the participation of an ambulance service provider or providers in an EMT-basic defibril-

lation plan when the department has probable cause to believe that implementation of the plan or operation of the ambulance service provider or providers under the plan fails to adhere to the plan or violates the provisions of this section and that it is necessary to suspend approval of the plan or the participation of the ambulance service provider or providers in the plan immediately to protect the public health, safety or welfare.

2. Written notice of the suspension, the department's proposed additional action or actions and written notice of the right to request a hearing shall be sent to the program medical director, in the case of cancellation of plan approval, or the owner or operator of each ambulance service provider involved, in the case of cancellation of provider participation. A request for a hearing shall be submitted in writing to the department's office of administrative hearings and received by that office within 30 days after the date of the notice of suspension. The office of administrative hearings shall schedule the hearing no later than 15 days after receiving the request for hearing unless both parties agree to a later date and shall provide at least 10 days' prior notification of the date, time and place for the hearing. The hearing examiner shall issue a proposed or final decision within 10 days after the hearing. The suspension of plan approval or provider participation shall remain in effect until a final decision is rendered.

(d) *Appeal.* In the event that, under par. (a) or (b), the department cancels an EMT-basic defibrillation plan or participation by an ambulance service provider or providers in the plan, the program medical director, in the case of cancellation of plan approval, or the owner or operator for each ambulance service provider involved, in the case of cancellation of provider participation, may request a hearing under s. 227.42, Stats. The request for a hearing shall be submitted in writing to the department's office of administrative hearings. Review is not available if the request is received in the office of administrative hearings more than 30 days after the date of the notice required under par. (a) or (b).

Note: The mailing address of the Office of the Administration Hearings is P.O. Box 7875, Madison, WI 53707.

(18) **TRANSITION FROM DEMONSTRATION PROJECTS.** (a) Any ambulance service provider who was participating in an approved emergency medical technician-basic defibrillation demonstration project on June 30, 1988 and who, wanting to continue to provide emergency medical technician-basic defibrillation service beyond 6 months following July 1, 1988, became part of an approved EMT-basic defibrillation plan using manual defibrillators prior to the expiration of the 6 month period, may retain and use the manual defibrillator or defibrillators used in the emergency medical technician-basic defibrillation demonstration project for the remainder of the useful life of the manual defibrillator or defibrillators. Replacement monitors and defibrillators purchased for use by the provider shall meet the requirements of sub. (9).

(b) Any emergency medical technician-basic who, on June 30, 1988, was authorized to provide defibrillation services as part of an approved emergency medical technician-basic defibrillation demonstration project and who is employed by an ambulance service provider which becomes included in an approved ambulance attendant defibrillation plan using manual defibrillators shall be eligible for certification as an emergency medical technician-basic-DM upon presentation to the department of a

written recommendation for certification from the program medical director.

(c) Any ambulance service provider who was a participant in an approved emergency medical technician-basic defibrillation demonstration project that used manual defibrillators and who becomes a part of an approved emergency medical technician-basic defibrillation plan using automatic defibrillators shall submit to the department a proposed method of converting its service from manual to automatic defibrillation and training its emergency medical technicians-basic for certification as emergency medical technicians-basic-DA. The proposal shall be accompanied by written endorsement of the program medical director. Upon approval of the proposal by the department, the provider shall be permitted to use both manual and automatic defibrillators for a period not to exceed one year while the transition from manual to automatic defibrillators is completed. At the expiration of the one year period, the provider shall have completed the conversion and shall use only automatic defibrillators and emergency medical technicians-basic-DA in the emergency medical technician-basic defibrillation program.

History: Cr. Register, January, 1985, No. 349, eff. 2-1-85; emerg. am. (4) (c) 4., eff. 6-29-87; am. (4) (c) 4., Register, October, 1987, No. 382, eff. 11-1-87; r. and recr. Register, June, 1988, No. 390, eff. 7-1-88; reprinted to correct error in (11) (a) 2.c., Register, August, 1988, No. 392; r. and recr. Register, January, 1991, No. 421, eff. 2-1-91.