(2) An automobile or boat haulaway exceeding 66 feet in length may operate on designated highways and 5-mile access routes provided the trailer or semitrailer portion of the combination does not exceed 48 feet plus authorized rear overhang.

(3) A stinger-steered automobile or boat haulaway exceeding 66 feet in length may operate on the national network and 5-mile access routes providing its overall length does not exceed 75 feet plus overhangs of not more than 3 feet to the front and 4 feet to the rear.

History: Cr. Register, December, 1984, No. 348, eff. 1-1-85; am. Register, January, 1993, No. 445, eff. 2-1-93.

Trans 276.06 Permits for vehicles operating in saddlemount combination or motor buses. For enforcement purposes, no permit is required for vehicles operating in double or triple saddlemount combination provided the overall length of the combination is 75 feet or less, or for the operation of any motor bus provided the overall length of the motor bus is 45 feet or less. This section applies to the national network and 5-mile access routes.

Note: The provision of Wisconsin law requiring a permit for these combinations (s. 348.27 (13), Stats., was preempted by the federal rule (23 CFR 658.13 (d) (1) iii.) when these vehicles operate on the designated system and access routes.

Note: The provision of Wisconsin law requiring a permit for the operation of motor buses in excess of 40 feet in length (s. 348.07 (1), Stats.) was preempted by federal law (49 USC Appx. § 2311 (a) as amended by s. 4006 (b) of the Intermodal Surface Transportation Efficiency Act of 1991) when these vehicles operate on the federally designated system and access routes.

History: Cr. Register, December, 1984, No. 348, eff. 1-1-85; am. Register, July, 1992, No. 439, eff. 8-1-92; am. Register, January, 1993, No. 445, eff. 2-1-93.

Trans 276.07 Designated highways. The following highways are designated for purposes of the operation of the specified vehicles and combinations with lengths as stated in s. 348.07 (4), Stats.:

	Route	From	То
(1)	USH 2	MN Line at Superior	MI Line at Hurley
	USH 2	MI Line W. of Florence	MI Line E. of Florence
(2)	USH 8	MN Line at St. Croix Falls	MI Line at Norway, MI
(3)	USH 10	MN Line at Prescott	IH 43 N. of Manitowoc
	STH 11	USH 61-151 E. of Du- buque, Iowa	USH 51 in Janesville
	STH 11	IH 90 E. of Janesville	USH 14-STH 89, 5 miles
			W. of Delavan
	STH 11	IH 43 E. of Elkhorn	STH 31 in Racine
	USH 12	STH 79 N.W. of Me- nomonie	STH 25 in Menomonie
	USH 12	IH 94-CTH "EE" W. of	USH 10 at Fairchild
		Eau Claire	
	USH 12	IH 90-94 at Lake Delton	IL Line at Genoa City
	STH 13	STH 82 S. of Adams	Bayfield
	USH 14	MN Line at LaCrosse	IL Line
(4)	STH 16	CTH "J" N. of Rockland	IH 90 E. of Sparta
	STH 16	STH 78 at Portage	IH 94 N. of Waukesha
	STH 17	USH 8 in Rhinelander	Phelps
	USH 18	IA Line at Prairie du Chien	STH 134 N. of Cam-
			bridge
			Register, May, 1993, No. 449

WISCONSIN ADMINISTRATIVE CODE

	Route	From	То
	USH 18 STH 19	STH 164 E. of Waukesha Waunakee	IH 94 E. of Waukesha STH 16 E. of
(5)	STH 20 STH 21 STH 22 STH 22 STH 22 STH 23 STH 23 STH 23	IH 94 W. of Racine STH 27 in Sparta USH 51 at North Leeds STH 76 W. of Bear Creek STH 29 E. of Shawano STH 11 E. of Shullsburg USH 51 in Endeavor	Watertown STH 31 in Racine USH 41 at Oshkosh STH 54 S. of Manawa USH 45 in Clintonville USH 41 in Oconto STH 33 E. of Reedsburg Taylor Drive in Scheware
(6)	STH 25 STH 26	Minnesota Line IH 90 at Janesville	Sheboygan USH 8 in Barron USH 151 S.E. of Waynun
	STH 26	USH 151 N.E. of Waupun	Waupun USH 41 S.W. of Oshkosh
	STH 27 STH 27 STH 28 STH 28 STH 29 STH 29	USH 18 in Prairie du Chien USH 14 S.E. of Viroqua STH 33 in Horicon STH 144 S. of Boltonville USH 10 in Prescott IH 94 W. of Elk Mound	STH 171 at Mt. Sterling USH 8 in Ladysmith USH 45 in Kewaskum STH 57 at Waldo STH 35 in River Falls USH 53 at Chippewa Falls
	STH 29	STH 124 S. of Chippewa Falls	USH 41 in Green Bay
(7)	STH 29 STH 30 STH 31 STH 32 STH 32	USH 141 at Bellevue USH 151 in Madison Illinois Line IH 43 in River Hills IH 43 N. of Port Washing-	STH 42 in Kewaunee IH 90-94 E. of Madison STH 20 in Racine IH 43 E. of Grafton STH 57 in De Pere
	STH 32 STH 32 STH 32	ton USH 41 N. of De Pere USH 8 in Laona USH 45 in Three Lakes	STH 22 in Gillett STH 55 in Crandon MI Line in Land O'Lakes
	STH 33	STH 80 in Union Center	STH 32 in Port Wash- ington
	STH 34	STH 13 in Wisconsin Rapids	USH 51 N.E. of Knowlton
(8)	STH 35 STH 35	STH 11 N.E. of E. Du- buque STH 93 at Centerville	USH 14 at West Avenue in La Crosse USH 63 at Hager City
	STH 35 STH 35 STH 35 STH 35 STH 35	USH 10 in Prescott USH 8 in St. Croix Falls STH 64 at Houlton STH 70 N. of Siren	IH 94 E. of Hudson STH 48 in Frederic STH 64 in Somerset IH 535 in Superior
(8m (9)	STH 36 STH 37 STH 39) STH 37 STH 40 USH 41	STH 10 at Burlington USH 10 at Mondovi USH 151 in Mineral Point STH 88 S. of Mondovi IH 94 N.W. of Elk Mound IL Line S. of Pleasant Prai- rie	USH 45 in Franklin USH 12 in Eau Claire STH 69 in Monticello USH 10 in Mondovi STH 64 N. of Bloomer IH 94 S.W. of Oak Creek
	USH 41	National Avenue in Milwaukee	Garfield Avenue in Milwaukee

444 Trans 276

Register, May, 1993, No. 449

Register, May, 1993, No. 449

	DEPARTMENT OF TRANSPORTATION 44			
			Trans 276	
	Route	From	То	
	USH 41 STH 42	107th St. in Milwaukee IH 43 N.W. of Sheboygan	MI Line at Marinette STH 32 at Howards	
	STH 42	IH 43 at Manitowoc	Grove STH 57 S.W. of Stur- geon Bay	
	IH 43 STH 44	IH 90 at Beloit STH 73 at Manchester	USH 41 in Howard USH 41 S.W. of Oshkosh	
(10)	USH 45 USH 45 USH 45	IL Line S. of Bristol CTH "B" E. of Eden STH 76 at Greenville	STH 28 in Kewaskum CTH "B" in Eden MI Line at Land O'Lakes	
	STH 47 STH 47	USH 10 in Appleton USH 45 N. of Aniwa	STH 29 in Shawano USH 8 W. of Rhine- lander	
	STH 48	STH 70 in Grantsburg	STH 87 S. of Grant- sburg	
(11)	STH 49 STH 50 USH 51	USH 41 E. of Brownsville USH 12 W. of Lake Geneva S. Corp. Limits of Janes- ville	USH 10 at Weyauwega 45th Ave. in Kenosha USH 14 at Janesville	
(11n (12)	USH 51 USH 51 STH 52 USH 53 USH 53 STH 54 STH 54 n) USH 51 STH 57	H 90 E. of Stoughton STH 78 N. of Portage USH 45 N. of Aniwa USH 14-61 in La Crosse IH 94 S.E. of Eau Claire STH 71 at Melrose STH 73 in Port Edwards IL Line at Beloit IH 43 N. of Saukville	STH 16 S.E. of Portage USH 2 N. of Hurley USH 45 in Antigo USH 10 in Osseo IH 535 in Superior STH 80 at Dexterville USH 41 at Green Bay Broad St. in Beloit STH 172 S. of Green	
	STH 57 STH 59 STH 59	IH 43 in Green Bay STH 11 in Monroe USH 12 in Whitewater	Bay Sturgeon Bay USH 14 in Union USH 164 E. of Wauke- sha	
(13)	STH 60 USH 61	STH 113 in Lodi IA Line at Dubuque, IA	IH 43 E. of Grafton STH 129 S.E. of Lancaster	
	USH 61 USH 63	STH 129 N.E. of Lancaster MN Line at Red Wing, MN	MN Line at La Crosse USH 2 W. of Ashland	
(14)	STH 64 STH 64 STH 65	MN Line USH 45 in Antigo USH 10 in Ellsworth	STH 13 in Medford USH 41 in Marinette STH 64 at New Richmond	
	STH 66 STH 67	USH 51 at Stevens Point IH 94 S. of Oconomowoc	Rosholt STH 109 S. of Iron Ridge	
	STH 67	CTH "VV" W. of Iron Ridge	STH 28 in Mayville	
(15)	STH 67 STH 68 STH 69 STH 70 STH 71	CTH "B" S. of St. Cloud STH 33 at Fox Lake IL Line STH 48 in Grantsburg STH 54 at Melrose	USH 151 N. of Kiel STH 49 at Waupun CTH "PB" at Paoli USH 53-63 in Spooner STH 80 in Elroy	

Douto	From	То
Route	From	
STH 73 STH 73	IH 90 N. of Edgerton USH 151 S.W. of Columbus	
STH 73 (15m) STH 70 (16) STH 76	STH 95 S. of Neillsville MN Line	Rapids STH 64 S. of Gilman STH 48 in Grantsburg USH 45 at Greenville
STH 78 STH 79	USH 10 W. of Appleton IH 90-94 S. of Portage USH 12 N.W. of Me- nomonie	USH 51 N. of Portage STH 170 at Boyceville
(17) STH 80	STH 11 S. of Cuba City	USH 14 at Richland Center
STH 80 STH 81 STH 81 STH 82 STH 83 STH 85	STH 33 in Union Center STH 35 N.E. of Beetown STH 11 N. of Monroe STH 80 N. of Elroy STH 167 S. of Hartford USH 10 in Durand	STH 13 at Pittsville STH 23 S. of Darlington STH 11 S. of Brodhead USH 51 W. of Montello STH 60 in Hartford STH 37 S.W. of Eau
STH 87	USH 8 in St. Croix Falls	Claire STH 48 S. of
STH 89 STH 89 (17m) STH 81 (18) IH 90 STH 92	USH 14 N. of Darien IH 94 at Lake Mills STH 11 S. of Brodhead MN Line at La Crosse STH 69 W. of Belleville	Grantsburg USH 12 in Whitewater STH 73 in Columbus STH 213 in Beloit IL Line at Beloit STH 69 in Belleville
STH 93 IH 94	USH 53 in Galesville MN Line at Hudson	USH 53 in Eau Claire IL Line S. of Pleasant Prairie
STH 95 STH 97 STH 98 (19) STH 100 STH 103 STH 109	USH 53 at Blair STH 13 in Marshfield STH 73 W. of Loyal IH 94 in Oak Creek STH 49 S. of Brandon CTH "VV" S. of Iron Ridge	STH 73 S. of Neillsville STH 153 in Stratford STH 13 in Spencer IH 43 in Milwaukee Co. USH 151 at LaMartine STH 67 S. of Iron Ridge
(20) STH 110 STH 117 STH 119 (21) STH 121	USH 41 at Oshkosh STH 29-47 in Bonduel IH 94 in Milwaukee STH 93 in Independence	USH 10 E. of Fremont STH 22 in Cecil STH 38 in Milwaukee USH 53 in Pigeon Falls
STH 124 STH 128	USH 53 N. of Eau Claire STH 29 in Spring Valley	STH 64 E. of Bloomer STH 170 in Glenwood City
STH 129	USH 61 S.E. of Lancaster	USH 61 N.E. of Lancaster
(22) STH 131 STH 131 STH 133	USH 14-61 at Readstown STH 71 in Wilton USH 61 in Boscobel	STH 56 at Viola IH 90 S. of Tomah USH 14 N. of Lone Rock
STH 139 (23) USH 141 USH 141 STH 144	USH 8 N. of Cavour IH 43 at Bellevue USH 41 at Abrams USH 45 at West Bend	Long Lake STH 29 at Bellevue USH 8 S.E. of Niagara STH 57 at Random
STH 145	Broadway in Milwaukee	Lake USH 41-45 in Milwaukee
	27 110	

Trans 276

Route

From

Teonte	11011
(24) STH 150 USH 151	STH 110 at Winchester IA Line at Dubuque, IA
USH 151	IH 90-94 in Madison
USH 151	STH 23 in Fond du Lac
USH 158	IH 94 W. of Kenosha
STH 164	STH 43 N. of Big Bend
STH 164	IH 94 N. of Waukesha
STH 165	IH 94 W. of Kenosha
STH 170	STH 128 in Glenwood City
STH 172	USH 41 in Ashwaubenon
STH 173	STH 21 W. of Wyeville
STH 178	CTH "S" N. of Chippewa
	Falls
(25) STH 186	STH 13-73 S. of Vesper
STH 190	STH 16 at Pewaukee
STH 194	STH 27 W. of Sheldon
(26) STH 213	STH 11 in Orfordville
STH 310	USH 10 N.W. of Manito-
	woe
IH 535	5th St. in Superior
IH 794	IH 43-94 in Milwaukee

IH 894 IH 94 W. of Milwaukee (26m) STH 213 Broad St. in Beloit

- (27) CALUMET COUNTY: CTH "PP"STH 57 S. of Hilbert
- (28) CHIPPEWA COUNTY: CTH "S" STH 124 N. of Chippewa Falls CTH "S" Jim Falls
- CTH "Y" STH 124 W. of Jim Falls (29) COLUMBIA COUNTY:
- CTH "AW" STH 73 N. of Randolph
- (30) DANE COUNTY: CTH "N" USH 51 in Stoughton CTH "PB"STH 69 at Paoli

(31) DODGE COUNTY: CTH "A" STH 26 S. of Juneau CTH "A" STH 33 W. of Fox Lake CTH "AW" West County Line CTH "C" CTH "A" E. of Fox Lake CTH "P" STH 60 S. of Rubicon CTH "VV" STH 109 S. of Iron Ridge

(31m) EAU CLAIRE COUNTY: CTH "R" S. County Line
(31r) MANITOWOC COUNTY: CTH "W" USH 151 W. of Valders
(32) FOND DU LAC COUNTY: CTH "AW" West County Line CTH "B" USH 41 S. of Fond du Lac Trans 276 To

USH 41 at Neenah S. Park St. in Madison USH 41 in Fond du Lac USH 10 at Manitowoc STH 31 in Kenosha USH 18 E. of Waukesha STH 74 in Sussex STH 31 in Kenosha STH 79 in Boyceville IH 43 S.E. of Green Bay STH 80 at Babcock Jim Falls

USH 10 in Auburndale STH 100 in Wauwatosa CTH "G" in Sheldon USH 14 in Evansville STH 42 in Two Rivers

MN Line at Superior Car Ferry Dr. in Milwaukee IH 94 S. of Milwaukee STH 81 in Beloit

USH 10 in Brillion

STH 178 N. of Chippewa Falls STH 27 E. of Jim Falls Jim Falls

East County Line

IH 90 N. of Stoughton USH 18-151 E. of Verona

STH 68 at Fox Lake North County Line STH 49 W. of Waupun USH 151 W. of Atwater STH 33 N. of Rubicon STH 67 W. of Iron Ridge

USH 12 W. of Augusta

USH 10 at Reedsville

STH 49 W. of Waupun USH 45 in Eden

Register, May, 1993, No. 449

Route	From	То
CTH "KK CTH "M"	USH 45 E. of Eden STH 67 S. of St. Cloud West County Line STH 23 W. of Rosendale O" CTH "VVV" W. of Fond	STH 67 S. of St. Cloud St. Cloud STH 44-49 S. of Ripon North County Line Main St. in Fond du Lac
	V" STH 23 W. of Fond du	CTH "OOO" W. of Fond du Lac
(33) GREEN I CTH "A"	LAKE COUNTY: South County Line	CTH "K" S. of Green Lake
CTH "K"	" STH 73 S. of Manchester CTH "A" S. of Green Lake	East County Line East County Line
	CTH "W" in Wilmot	USH 45 S. of Bristol
(35) MILWAU CTH "BB CTH "E" CTH "PP'	KEE COUNTY: "STH 100 in Franklin West County Line "USH 41	STH 38 in Oak Creek 73rd St. in Milwaukee Port Washington Rd.
(36) ROCK CC CTH "A" CTH "J" CTH "O"	DUNTY: USH 14 E. of Janesville CTH "O" E. of Janesville USH 51 in Janesville	East County Line STH 11 CTH "J" E. of Janesville
(37) RUSK CO CTH "G" CTH "I"	UNTY: STH 194 in Sheldon STH 27 S. of Ladysmith	USH 8 in Ladysmith CTH "G" at Conrath
CTH "PP" CTH "RR	GAN COUNTY: 'STH 67 S. of Plymouth " STH 57 at Random Lake	STH 57 IH 43 at Cedar Grove
CTH "R"	PEALEAU COUNTY: USH 10 E. of Osseo	N. County Line
CTH "A"	RTH COUNTY: West County Line	USH 12 N. of Elkhorn
	"STH 83 at North Lake	East County Line
CTH "M"	AGO COUNTY: South County Line	STH 44 at Pickett
	STH 213 in Beloit	USH 51 in Beloit
Pioneer Rd Scott St.	FOND DU LAC: I. Johnson Street Pioneer Road	Scott Street Main Street
Delavan D		East Corporate Limit
	MILWAUKEE: 73rd Street	East Corporate Limit
(44m) CITY 0		
Register, May, 1993	3, No. 449	

448

Trans 276

DEPARTMENT OF TRANSPORTATION

448-1 Trans 276

Route

To

Douglas St.	E. Fond du Lac St.	Oshkosh St.
Oshkosh St.	W. Fond du Lac St.	Douglas St.
(45) CITY OF SUN Main St.	PRAIRIE: USH 151	STH 19

Note: The county trunk highways and other local roads or streets designated by s. Trans 276.07 (27) through (45) may be subject to weight restrictions imposed by local authorities and not known to the department. Seasonal weight restrictions may be imposed by local authorities under s. 349.16, Stats., but must be posted. Under s. 349.15, Stats., county trunk highways may be designated as Class "B" highways by the county highway committee. Similarly, other local authorities may designate highways they maintain as Class "B". Wheel, axle, group and gross weights are limited on Class "B" highways as provided by s. 348.16, Stats., Neither posting of Class "B" designations nor notification to the department is required. Therefore, the department recommends that motor carriers avoid overweight violations by verifying the applicable weight limits on these highways with the local authorities, before use.

Note: See s. Trans 276.09 (1) regarding applicability of s. Trans 276.07 (11m), (17m), (26m) and (40m).

History: Cr. Register, December, 1984, No. 348, eff. 1-1-85; emerg. am. eff. 6-6-86; am. Register, December, 1986, No. 372, eff. 1-1-87; am. (3) to (8), (12), (15), (17), (18), (21) to (24), (28) and (39), cr. (31m) and (38m), r. (42), Register, February, 1988, No. 386, eff. 3-1-88; am. (3) (4), (9), (12), (14), (15), (17) and (36), cr. (387), Register, May, 1989, No. 386, eff. 3-1-89; cr. (11m), (17m), (26m) and (40m), Register, July, 1990, No. 415, eff. 8-1-90; am. (4), (6), (7), (13), (14), (15), (17), and (36), cr. (387), Register, May, 1989, No. 401, eff. 6-1-89; cr. (11m), (17m), (26m) and (40m), Register, October, 1990, No. 418, eff. 11-1-90; am. (11), (13), (14) and (15), cr. (44m), Register, April, 1991, No. 425, eff. 6-1-91; am. (11), (13), (14) and (15), cr. (44m), Register, April, 1991, No. 425, eff. 6-1-91; am. (12), Register, September, 1991, No. 429, eff. 10-1-91; emerg. am. (8), eff. 10-11-91; am. (3), (6), (9), (13), (15), (16), (13), and (24), Register, November, 1991, No. 432, eff. 1-1-92; am. (8), (11), (17), (20) and (24), Register, March, 1992, No. 435, eff. 4-1-92; am. (11) to (8), (9) to (14), (17), (18), (21) to (24), (26) and (39), r. (8m), (17s) and (26s), cr. (15m), Register, July, 1992, No. 439, eff. 8-1-92; am. (6) and (13), Register, May, 1993, No. 449, eff. 6-1-93.

Trans 276.075 Designated access routes. The following highway is designated for the purpose of the operation of the specified vehicles and combinations with lengths as provided in s. 348.07 (4), Stats., to gain access to locations within the 5 mile limit as provided in s. 348.07 (4), Stats:

Route	From	То
USH 12	STH 128 E. of Hersey	STH 79 N.V
		Menomonie

History: Cr. Register, July, 1992, No. 439, eff. 8-1-92.

Trans 276.08 Detours, bypasses and alternate routes. When a highway designated in s. Trans 276.07 or s. 276.075 is closed and detoured as authorized by s. 84.02 (10) (b), Stats., vehicles being operated under ss. 348.07 (2) (f), (fm), (gm), (gr), (4) and 348.08 (1) (e), Stats., may be operated on the detour until the regular route of the highway is reopened to traffic. When a bypass or alternate route is recommended by the department for a highway designated in s. Trans 276.07 or 276.075 in order to reduce congestion, improve access or improve public safety, vehicles being operated under ss. 348.07 (2) (f), (fm), (gm), (gr), (4) and 348.08 (1) (e), Stats., may be operated on the recommended bypass or alternate route. Notice of a recommended bypass or alternate route may be given by signs or other appropriate methods.

History: Cr. Register, December, 1991, No. 432, eff. 1-1-92; emerg. am. eff. 11-24-93; am. Register, April, 1994, No. 460, eff. 5-1-94.

.W. of

448-2 WISCONSIN ADMINISTRATIVE CODE

Trans 276.09 Applicability. (1) The treatment of s. Trans 276.07 (11m), (17m), (26m) and (40m) applies beginning January 1, 1992, and ending when any one of the following occur:

(a) The department determines, by rule, that the state of Illinois has designated Illinois state trunk highway 26 from the Wisconsin border to U.S. highway 20, north of Freeport, Illinois, as a designated highway for the operation of vehicles and combinations of vehicles the overall length of which cannot be limited.

(b) The department, as a result of the Rock County Transportation Study authorized by 1989 Wis. Act 31, Section 3053 (7e), determines and designates a more feasible alternative route than the route provided under s. Trans 276.07 (11m), (17m), (26m) and (40m).

(c) On January 1, 1996.

(2) The treatment of s. Trans 276.07 (15m) applies when the state of Minnesota has designated Minnesota state trunk highway 70/county trunk highway 110 from the Wisconsin border to interstate highway 35.

Note: Sections Trans 276.07 $(11m),\,(17m),\,(26m)$ and (40m) and 276.09 (1) shall expire on December 31, 1995.

History: Cr. Register, July, 1990, No. 415, eff. 8-1-90; 276.09 renum. to (1), cr. (2), Register, May, 1991, No. 425, eff. 6-1-91; r. and recr. (2), Register, July, 1992, No. 439, eff. 8-1-92.

Trans 276.10 Tire load carrying capacity in excess of 13,000 pounds. (1) Subject to the restrictions and limitations in sub. (2), the weight on the steering axle of a truck tractor may exceed 13,000 pounds if the sum of the maximum load carrying capacities of the tires used on that axle, as certified by the tire manufacturer, allows a greater steering axle load.

(2)(a) The actual weight on the steering axle of a truck tractor may not exceed the sum of the maximum load carrying capacities of the tires used on that axle and in any event may not exceed 20,000 pounds.

(b) The extra weight privilege allowed by this chapter is available only when the tires used on the steering axle of a truck tractor have the manufacturer's certified load carrying capacity embossed thereon in compliance with applicable federal regulations. If the tires on a steering axle have no certified load carrying capacity embossed on them, the steering axle is restricted to the 13,000 pound load limit prescribed in s. 348.15 (3) (b), Stats.

(c) This chapter does not authorize the operator of a truck tractor to exceed the gross axle weight rating (G.A.W.R.) established by the manufacturer of the steering axle being used.

(d) The tires on the steering axle of a truck tractor exceeding the statutory 13,000 pound weight limit shall have equal load carrying capacity and shall be properly inflated.

History: Emerg. cr. eff. 3-9-78; cr. Register, June, 1978, No. 270, eff. 7-1-78; renum. from Hy 36.02, Register, July, 1991, No. 427, eff. 8-1-91.