INDUSTRY, LABOR & HUMAN RELATIONS

APPENDIX

23

Appendix

AMUSEMENT RIDES AND ATTRACTIONS

The material contained in this Appendix is for clarification purposes only. The notes, illustrations, diagrams and similar material are numbered to correspond to the number of the rule as it appears in the text of the code.

A 34.04 (2) INFORMATION REQUIRED. The following forms (SBD-5292 and SBD-7620) are referred to in s.

ILHR 34.04 (2) (d) Note. Copies of these forms are available from the Bureau of Safety Services, Division of Safety and Buildings, P.O. Box 7969, Madison, Wisconsin, 53707, telephone 608/266-2780.

WISCONSIN ADMINISTRATIVE CODE

APPENDIX

AMUSEMENT RIDE REGISTRATION

Bureau of Safety Services P.O. Box 7969

1994

Madison, WI 53707 Telephone (608) 266-2780

Sections ILHR 34.04 (1) and ILHR 2.20 of the Wisconsin Administrative Code require that amusement rides be registered with the Department of Industry, Labor and Human Relations each calendar year. Please provide all information requested below.

Ride Operation Business Name & Address	Owner Name (if different than business name)	
	Owner Street Address	
	City, State, Zip Code	
	Owner/Business Telephone Number Owner Business	

Rides at \$20.00/Ride = \$

Rides at \$40.00/Ride = \$____

___ Rides at \$75.00/Ride = \$___

The following must be provided to process your registration:

- 1. Fee calculation and remittance
- 2. Proof of insurance
- 3. Amusement Ride Registration Listing (Form SBD-7620)
- 4. Complete Play Date/Itinerary (page 3 of this registration)

1. Fee Calculation and Remittance

- A. Registration
 - 1. Coin Operated/Push Button/Video Rides
 - 2. All Other Rides

B. Inspection (inspection fees are not required to be paid at time of registration)

1. Class 1 Rides

2. Class 2 Rides _____ Rides at \$140.00/Ride = \$_____

3. Class 3 Rides _____ Rides at \$200.00/Ride = \$_____

- 4. Amusement Ride Tramways _____ Rides at \$250.00/Ride = \$____
- 5. Bungee Site (rate set per tower or site) _____ Rides at \$500.00/ea. = \$____

2. Proof of Insurance (Name of Insurance Company and Telephone Number)

Worker's Comp.	Telephone
Liability	Telephone

Evidence of Liability Insurance and Worker's Compensation must be provided. Please attach a photocopy of your policy. Proof of ability to pay damages will be accepted in lieu of liability insurance.

AMUSEMENT RIDE REGISTRATION MAY BE RE 1. Unabated Safety Related Orders By DILHR	FUSED BY THE DEPT. FOR THE FOLLOWING REASONS2. Outstanding Registration and Inspection Fees
3. Incomplete Registration Form or Inadequate I	ees4. Inadequate Proof of Insurance

SBD-5292 R. 12/93 LIST PLAY DATE OR ITINERARY ON ATTACHED PAGE 3

Register, January, 1994, No. 457

AMUSEMENT RIDE REGISTRATION LISTING

1994

Bureau of Safety Services Safety Inspection Section P.O. Box 7969

Madison, WI 53707 Telephone (608) 266-2780

NOTE: Do not place any entries in the last column at the right. The department will enter that number.

RIDE NAME	SERIAL NO.	OWNER NAME	LAST NON-DESTRUCT TEST DATE (where required) and TESTING AGENCY NAME (Do Not List DILHR)	REGISTR# (ASSIGNED BY DILHR)
1.				
2.				
3.				
4.				
5.		AR I		
6.		al n		
7.		447/2		
8.				
9.		Part and a second se	ST	
10.				
11.				
12.				
13.		*		
14.				
15.				
16.				
17.				

Register, January, 1994, No. 457

INDUSTRY, LABOR & HUMAN RELATIONS

APPENDIX 25

WISCONSIN ADMINISTRATIVE CODE

APPENDIX

A 34.11 PETITION FOR VARIANCE. The following form form are available from the Division of Safety and (SBD-8) is referred to in s. ILHR 34.11. Copies of this Buildings, P.O. Box 7969, Madison, Wisconsin 53707.

Wisconsin Department of Industry, Labor and Human Relations

Please type or print.

PETITION FOR VARIANCE APPLICATION

Safety and Buildings Division P.O. Box 7969 Madison, Wisconsin 53707 (608) 266-1542

OFFICE USE ONLY	aid Receipt Number	Petition No. E-Number
Owner/Petitioner's Name	Building Or Project	Agent, Architect or Engineering Firm
Company	Tenant's Name, If Any	Street Address
Street Address	Location - Street Address	City, State, Zip Code
City, State, Zip Code	City, County	Telephone Number
Telephone Number	Plan Number, If Known	() Contact Person's Name
The rule being petitioned rea	ds as follows (cite specific rule number and l	anguage; one rule per application):
·		
	<u> </u>	
The rule being petitioned can	not be entirely satisfied because:	
	2000	
	a little	
		te de la companya de
·····		
	·	· · · · · · · · · · · · · · · · · · ·
····		······
	· · · · · · · · · · · · · · · · · · ·	
ote: Please attach any pictures,	plans, sketches or required position stateme	ents.
ERIFICATION BY OWNER - PETIT	ION IS VALID ONLY IF NOTARIZED WITH AF See Section ILHR 2.52 for complete fee i	FIXED SEAL AND ACCOMPANIED BY REVIEW FEE
		nts, designers, contractors, attorneys, etc., shall
Petitioner's Name (type or print	, being duly sworn, I state as pet	itioner that I have read the foregoing
	that I have significant ownership rights to th	he subject building or project.
titioner's Signature:	Subscribed And Sworn To Notary Put	
	Before Me This Date:	On:
D-8 (R. 09/92)	l	· · · · · · · · · · · · · · · · · · ·

Register, January, 1994, No. 457


A 34.17 (1) BALANCED LOAD TEST. The anthropometric data presented in reference 1 indicates correlation between hip width and body weight. Assuming that the hip width determines the number of persons that can occupy an amusement ride passenger space, the total weight can be estimated from hip width vs. body weight data if the dimensions of the space are known.

Figure 1 represents a conservative estimate of hip width vs. body weight for the American public. This data should be used to determine the weight to be placed in each passenger space when an amusement ride is load tested in accordance with s. ILHR 34.17.

Example of the use of this data:

Rated capacity of space	3 adults
Hip space	46 inches
Hip space per person	$\frac{46}{3} = 15.33$ inches
Corresponding body weight	187 pounds (see Figure 1)
Total load weight = 3×187	x 1.75 = 981.75

Reference 1: "Personnel Guardrails for the Prevention of Occupational Accidents," Document No. NBSIR 76-1132, Center for Building Technology, Institute of Applied Technology, National Bureau of Standards, Washington, D.C. 20234, July 1976, Final Report.



A 34.39 WELDING. The following is a reprint of s. ILHR 53.53 from the Wisconsin Administrative Building and Heating, Ventilating and Air Conditioning Code:

ILHR 53.53 Structural welding of steel. The requirements of this section shall apply to all welds on or between materials within the scope of ss. ILHR 53.50, 53.51 and 53.52.

(1) BASE METALS. Steels to be welded under this code are listed in AWS D 1.1, sections 8.2 and 10.2 or AWS D 1.3, section 1.2.1.

(2) FILLER METALS. Filler metal requirements that are acceptable under this code are listed in AWS D 1.1, section 4.1 or AWS D 1.3, section 5.

(3) WELDING PROCESSES. (a) Manual shielded metal arc, submerged arc, gas metal arc and flux cored arc welding processes conforming with the procedures established in AWS D 1.1, sections 2, 3 or 4 shall be considered as prequalified and are approved for use without performing procedure qualification tests.

(b) Electroslag and electrogas welding processes will not be considered as prequalified. They may be used provided a procedure is developed and provided it conforms to the applicable provisions of AWS D 1.1, sections 2, 3 or 4.

(4) WELDING PROCEDURES. (a) Procedure specification. All welding procedures shall be prepared as a written procedure specification. This written procedure specification shall be prepared by the manufacturer, fabricator or contractor and shall be made available to the department or its designated testing agent prior to commencing a weld test.

(b) Procedure qualification. All joint welding procedures shall be previously qualified by tests as prescribed in AWS D 1.1, section 5.6, except for the prequalified procedures exempted in sub. (3) (a). The test shall be conducted by the department or its designated testing agent. The test results of a test conducted by a designated testing agent shall be submitted by the agent to the department for approval.

(5) DESIGN OF WELDED CONNECTIONS AND JOINTS. The details of all joints shall comply with the requirements of AWS D 1.1, section 2 and section 10, parts C and D. All joint forms, except those specified in AWS D 1.1, section 2 Register, January, 1994, No. 457

APPENDIX

APPENDIX

and section 10, parts C and D, may not be used unless qualified to the satisfaction of the department.

(a) Stud welding. Stud welding shall be done by a procedure qualified in accordance with the requirements of AWS D 1.1, section 4, part F.

(6) OPERATOR QUALIFICATIONS. All structural welding work shall be done by certified [as defined in sub. (7)] welders. The required qualification test shall be conducted by the department or its designated testing agent. The weld test report of a test conducted by a designated testing agent shall be submitted by the agent to the department for evaluation. Test specimens shall be submitted when requested by the department.

(a) The manual welders shall be tested and qualified in accordance with AWS D 1.1, section 5, part C or AWS D 1.3, section 6.

(b) The manual tackers shall be tested and qualified in accordance with AWS D 1.1, section 5, part E.

(c) The welding machine operator shall be tested and qualified in accordance with AWS D 1.1, section 5, part D.

(7) OPERATOR CERTIFICATION. The department will issue to the welder or welding machine operator who has successfully passed the prescribed qualification tests, a certificate bearing his name, social security number, identifying mark, the process, the procedure specification number and other pertinent information from his qualification test. This certificate will remain in effect for 3 years provided the operator is continuously engaged in welding operations without an interruption of more than 3 consecutive months. If the interruption exceeds 3 consecutive months, the certificate shall automatically become void.

(a) Each manual welder and tacker or welding machine operator shall be retested every 3 years in accordance with sub. (6).

(b) Each manual welder and tacker or welding machine operator certificate which has become void due to welding operation interruption exceeding 3 consecutive months or having exceeded the 3-year certificate time limit can be renewed only by retesting at an approved testing laboratory.

(8) WELD IDENTIFICATION. Each structually significant member shall have its welding identified by a distinguishing mark stamped on the member by the certified welders involved.

(9) CRITERION OF FINAL ACCEPTANCE. All structural welding is subject to examination by approved inspectors and such inspection shall be the final criterion for conformance and acceptability for the intended use.

(10) STRUCTURAL WELDING DONE OUTSIDE THIS STATE. All welding shall conform with the requirements of this section, except the requirements of sub. (7). In lieu of operator certification, manufacturers and suppliers of structural steel shall, prior to commencing any welded construction, submit evidence of procedure qualification, if not prequalified, and welder certification that has been approved by an independent testing laboratory which is acceptable to the department. Manufacturers and suppliers are required to keep the welder certification current.

Note: The welder certification requirement may be submitted and kept current by having the approved testing laboratory submit a list of certified welders to the department. The submittal may be a part of the materials approval information submitted for s. ILHR 50.19 or may be submitted separately for the manufacturers not having a materials approval.

A 34.41 ACCIDENT REPORTING. The following form (SBD-211) is referred to in s. ILHR 34.41 Note. Copies of this form are available from the Division of Safety and Buildings, Bureau of Safety Services, P.O. Box 7969, Madison, Wisconsin 53707, telephone 608/266-2780.

APPENDIX

AMUSEMENT RIDE ACCIDENT REPORT

Safety & Buildings Division Bureau of Safety Inspection P.O. Box 7969 Madison, WI 53707 (608) 266-2780

The owner/operator of the amusement ride shall notify the Department of Industry, labor and Human Relations of every accident involving personal injury which requires medical or first aid attention. (Section ILHR 34.41 Wisconsin Administrative Code)

THIS FORM MUST BE SUBMITTED WITHIN 2 DAYS AFTER ACCIDENT OR INJURY. FATALITIES SHALL BE REPORTED WITHIN 24 HOURS. PENALTIES FOR FAILURE TO REPORT ARE PROVIDED IN SECTION 101.02 WISCONSIN STATUTES.

Report Date	Accident Date	Carnival or Business Name			
Ride Serial Number	Ride Name	e Name			
Ride Manufacturer	<u>, 1 </u>	Ride Location at Accident Time	·	····	
Responsible Ride Operator Nar	ponsible Ride Operator Name		Responsible Ride Operator Address		
Liability Insurance Company N	ame		Number of Pe	ople Injured	
Injured Person(s) Name and Ad	Idress	•	l		
	······································			······································	
	=			······································	
		Chin		· · · · · · · · · · · · · · · · · · ·	
		<u>Els</u>			
Injured Person(s) or Representa	ative Signature (if possible)				
Extent of Injuries:			Was Injured Person(s) Your Emloyee?	
🗍 FATAL			T YES		
			5 .		
Describe Accident	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	
<u> </u>			· · · · · · · · · · · · · · · · · · ·	<u></u>	
·····		· · · · · · · · · · · · · · · · · · ·	·		
14.4 		·	a mente me		
		e	-		
·····	· · ·	· · · · · · · · · · · · · · · · · · ·			
Accident Reporters Signature	· · · · · · · · · · · · · · · · · · ·	Position		Date signed	

SBD-211 (R 06/92)

Register, January, 1994, No. 457