Chapter NR 493

AIR POLLUTION EPISODE LEVELS AND EPISODE EMISSION CONTROL ACTION PROGRAMS

NR 493.01	Applicability; purpose	NR 493.04	Emission control action programs
NR 493.02	Definitions	NR 493.05	Episode orders
NR 493.03	Episode levels		

NR 493.01 Applicability; purpose. (1) APPLICABILITY. This chapter applies to all air contaminant sources and to their owners and operators.

(2) PURPOSE. This chapter is adopted under ss. 144.31 and 144.424, Stats., to establish emergency episode level criteria and to establish programs and procedures for the abatement of such conditions.

History: Cr. Register, September, 1986, No. 369, eff. 10-1-86; am. (1), Register, May, 1992, No. 437, eff. 6-1-92.

NR 493.02 Definitions. The definitions contained in ch. NR 400 apply to the terms used in this chapter. In addition, the following definitions apply to the terms used in this chapter:

- (1) "Air pollution episode levels" means levels of air quality which are so degraded as to pose imminent danger to public health:
- (a) "Alert": The alert level is that concentration of one or more air contaminants at which the first stage control actions begin.
- (b) "Warning": The warning level indicates air quality is continuing to degrade and that additional control actions are necessary.
- (c) "Emergency": The emergency level indicates that the air quality is continuing to degrade to a level which should

never be reached and that the most stringent control actions are necessary.

History: Cr. (intro.) and (2), (1) renum. from NR 154.01 (10), Register, September, 1986, No. 369, eff. 10-1-86; am. (intro.), r. (2), Register, December, 1995, No. 480, eff. 1-1-96.

NR 493.03 Episode levels. (1) AIR EPISODE ADVISORY. The department may issue an Air Pollution Episode advisory to the general public if any air contaminant or combination of air contaminants reaches the respective level of concentration specified in Table 1 at any monitoring site.

(2) AIR EPISODE LEVELS. The department shall declare an Air Pollution Episode Level at the "Alert", "Warning" or "Emergency" stage if any air contaminant or combination of air contaminants reaches the respective level of concentration specified in Table 1 at any monitoring site and if meteorological conditions are such that the concentrations of the air contaminant can be expected to remain at or above that level for 12 or more hours, or in the case of ozone, to recur the following day at the same or a higher level, unless control actions are taken.

History: Cr. Register, July, 1985, No. 355, eff. 8-1-85; renum. from NR 493.01, Register, September, 1986, No. 369, eff. 10-1-86.

Table 1
Episode Stage Criteria For Air Contaminants

· ·					
Air Contaminants	Sampling Period	Averaging Period	Alert	Warning	Emergency
Particulate Matter	24-hours	Block average	375 μg/m ³	625 μg/m ³	875 μg/m³
Sulfur Dioxide	1-hour 24-hours	Any hour Continuous running average	1870 μg/m ³ (0.70 ppm) 800 μg/m ³ (0.30 ppm)	3730 μg/m ³ (1.40 ppm) 1600 μg/m ³ (0.60 ppm)	4990 μg/m ³ (1.90 ppm) 2100 μg/m ³ (0.80 ppm)
Product of Particulate Matter and Sulfur Dioxide	24-hours	Block average	65,000 (μg/m³)²	261,000 (μg/m³)²	393,000 (μg/m ³) ²
Carbon Monoxide	8-hours	Continuous running average	17 mg/m ³ (15 ppm)	34 mg/m ³ (30 ppm)	46 mg/m ³ (40 ppm)
Ozone (for volatile organic compounds)	1-hour	Any hour	0.20 ppm (400 μg/m ³)	0.40 ppm (800 μg/m³)	0.50 ppm (1000 μg/m ³)
Nitrogen Dioxide	1-hour	Any hour	1130 µg/m ³ (0.60 ppm)	2260 μg/m ³ (1.20 ppm)	3000 μg/m ³ (1.60 ppm)

NR 493.04 Emission control action programs. (1) Any person responsible for the operation of a direct source which emits 0.25 tons or more per day of any air contaminant for which air standards have been adopted shall prepare emission control action programs, consistent with good industrial practice and safe operating procedures, for reducing the emission of the air contaminants into the outdoor atmosphere during periods of an AIR POLLUTION ALERT, AIR POLLUTION WARNING, or AIR POLLUTION EMERGENCY declared under s. NR 493.03 (2). Emission control action programs shall be designed to reduce or eliminate emissions of air contaminants into the outdoor atmosphere in accordance with the requirements set forth in Tables 2 to 6.

- (2) Emission control action programs as required under sub. (1) shall be in writing and show the source of air contamination, the approximate amount of reduction of contaminants, the approximate time required to affect the program, a brief description of the manner in which the reduction will be achieved during each stage of an air pollution episode declared under s. NR 493.03 (2), and such other information as the department deems pertinent.
- (3) The emission control action programs as required by sub. (1) shall be made available at all times on the premises of the operation to any person authorized to enforce the provisions of the department's episode procedure. A brief written description of the overall emission control action program, and the details of the program which affect specific functions of the overall operation, shall be posted at the locations where the functions are carried out.
- (4) The emission control action programs as required by sub. (1) shall be submitted to the department upon request within 60 days of the receipt of the request; the emission control action programs shall be subject to review and approval by the department. If, in the opinion of the department, an emission control action program does not effectively carry out the requirements set forth in Tables 2 to 6, the department may disapprove the emission control action program, state its reason for disapproval, and order the preparation of an amended emission control action program within the time period specified in the order. If the person responsible fails within the time period specified in the order to submit an amended emission control action program which, in the opinion of the department, meets the requirements of this chapter, the department may revise the emission control action program. The revised program will thereafter be the emission control action program which the person responsible shall put into effect upon declaration of an air pollution episode by the secretary.

History: Renum from NR 154.20 (2) and am Register, July, 1985, No. 355, eff. 8-1-85; renum from NR 493.02, Register, September, 1986, No. 369, eff. 10-1-86; am. (2) and (3), Register, December, 1995, No. 480, eff. 1-1-96; correction in (1) and (4) made under s. 13.93 (2m) (b) 7., Stats., Register, December, 1995, No. 480.

NR 493.05 Episode orders. The following are orders which may be appropriate for use by the secretary under s. 144.424, Stats., upon declaration under s. NR 493.03 (2) that an air pollution episode exists for any air contaminant for which an air standard has been adopted or for any combination of air contaminants:

- (1) AIR POLLUTION ALERT (a) Any air contaminant or combination of air contaminants. Any person responsible for the operation of a source of air contamination as set forth in s. NR 493.04 (1) shall take all AIR POLLUTION ALERT actions as required for such source of air contamination, and shall particularly put into effect the emission control action program for an AIR POLLUTION ALERT declared under s. NR 493.03 (2).
- (b) Particulate matter. 1. No person may open burn any tree wastes, vegetation, refuse, or debris in any form.
- 2. The use of incinerators for the disposal of any form of solid waste shall be limited to the hours between 12:00 noon and 4:00 p.m.
- 3. Persons operating fuel-burning equipment which requires intermittent boiler lancing or soot blowing shall perform such operations, to the maximum extent possible, between the hours of 12:00 noon and 4:00 p.m.
- (c) Nitrogen oxides. 1. No person may open burn any tree waste, vegetation, refuse, or debris in any form.
- 2. The use of incinerators for the disposal of any form of solid waste shall be limited to the hours between 12:00 noon and 4:00 p.m.
- (2) AIR POLLUTION WARNING. (a) Any air contaminant or combination of air contaminants. Any person responsible for the operation of a source of air contamination as set forth in s. NR 493.04 (1) shall take all AIR POLLUTION WARNING actions as required for such source of air contamination, and shall particularly put into effect the emission control action program for an AIR POLLUTION WARNING declared under s. NR 493.03 (2).
- (b) Particulate matter. 1. No person may open burn any tree waste, vegetation, refuse, or debris in any form.
- No person may use incinerators for the disposal of any form of solid waste or liquid waste.
- 3. Persons operating fuel-burning equipment which requires intermittent boiler lancing or soot blowing shall perform such operations, to the maximum extent possible, between the hours of 12:00 noon and 4:00 p.m.
- (c) Nitrogen oxides. 1. No person may open burn any tree waste, vegetation, refuse, or debris in any form.
- 2. No person may use incinerators for the disposal of any form of solid waste or liquid waste.
- (3) AIR POLLUTION EMERGENCY. (a) Any air contaminant or combination of air contaminants. 1. Any person responsible for the operation of a source of air contamination set forth in s. NR 493.04 (1) shall take all AIR POLLUTION EMERGENCY actions as required for such source of air contamination, and shall particularly put into effect the emission control action program for an AIR POLLUTION EMERGENCY declared under s. NR 493.03 (2).
- 2. All manufacturing establishments, including those too small to be included under s. NR 493.04 (1), shall institute such action as will result in maximum reduction of air contaminants from their operations by ceasing, curtailing, or postponing operations which emit air contaminants to the extent possible without causing injury to persons or damage to equipment.

Register, December, 1995, No. 480

- 3. All places of employment described in this subdivision shall immediately cease operations except for those operations necessary to provide emergency services or products or to prevent personal injury or property loss or damage:
 - a. Mining and quarrying of nonmetallic minerals.
 - b. All contract construction work.
- c. Wholesale trade establishments which are primarily engaged in selling merchandise to retailers, to industrial, commercial, institutional or professional users, or to other wholesalers, or acting as agents in buying merchandise for or selling merchandise to such persons or companies.
- d. All offices of local, county, and state government and any other public body, except for those offices providing emergency services such as fire or police protection, medical services, or protection of public health and the environment, and those offices that must continue to operate in order to enforce the requirements of this order.
- e. All retail trade establishments, except pharmacies and stores primarily engaged in the sale of food.
- f. Banks, credit agencies, securities and commodities brokers, dealers, exchanges and services, offices of insurance carriers, agents and brokers, and real estate offices.
- g. Wholesale and retail dry cleaners, photographic studios, beauty shops, barber shops, shoe repair shops and other establishments providing personal services.
- h. Business services such as advertising offices, consumer credit reporting agencies, copying, duplicating,

- mailing, stenographic services, equipment rental services and commercial testing laboratories.
 - i. Auto body shops, vehicle paint shops and car washes.
- j. Establishments rendering amusement and recreation services, including motion picture theaters.
- k. Elementary and secondary schools, colleges, universities, professional schools, junior colleges, vocational schools, and public and private libraries.
- 4. No person may open burn any tree waste, vegetation, refuse or debris in any form.
- 5. No person may use incinerators for the disposal of any form of solid or liquid waste.
- 6. No person may use a motor vehicle except as necessary to provide or obtain emergency services or products or to prevent personal injury or property loss or damage.
- (4) EPISODE ACTION. When the secretary determines that an air pollution episode condition exists at one or more monitoring sites solely because of emissions from a limited number of sources, the secretary may order such source or sources to put into effect the emission control action programs which are applicable for each episode stage.

History: Renum from NR 154.20 (3) and am Register, July, 1985, No. 355, eff. 8-1-85; renum from NR 493.03, Register, September, 1986, No. 369, eff. 10-1-86; am. (3) (a) 2. and 3. intro., b., d., g. and h., 6. and Table 5, r. and recr. (3) (a) 3. i., Register, May, 1992, No. 437, eff. 6-1-92.

WISCONSIN ADMINISTRATIVE CODE

Table 2
Emission Reduction Requirements For Particulate Matter

Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
Coal or oil-fired electric power generating facilities.	 a. Substantial reduction of particu- lates by utilization of fuels having lowest available ash content. 	a. Maximum reduction of particu- lates by utilization of fuels having lowest available ash content.	Maximum reduction of particulates by utilization of fuels having lowest available ash content.
	b. Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmos- pheric turbulence for boiler lancing and soot blowing	b. Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmos- pheric turbulence for boiler lancing and soot blowing.	b. Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.
	c. Substantial reduction of particu- lates by diverting electric power generation to facilities outside of Alert Area.	 Maximum reduction of particu- lates by diverting electric power generation to facilities outside of Warning Area. 	 Maximum reduction of particulates be diverting electric power generation to facilities outside of Emergency Area.
2. Coal or oil-fired process steam generating facilities.	a. Substantial reduction of particu- lates by utilization of fuels having lowest available ash content.	a Maximum reduction of particu- lates by utilization of fuels having lowest available ash content.	a. Maximum reduction of particulates by reducing heat and steam demands to absolute necessities consistent with preventing equipment damage.
	b. Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmos- pheric turbulence for boiler lancing and soot blowing.	b. Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmos- pheric turbulence for boiler lancing and soot blowing	b. Maximum utilization of midday (12:00 Noon to 4:00 p.m.) atmospheric turbulence for boiler lancing and soot blowing.
 See See See See See See See See See See	 Reduction of steam load demands consistent with continuing plant op- erations. 	c. Reduction of steam load demands consistent with continuing plant op- erations	c. Taking the action called for in the emergency portion of the emission con- trol action program.
		 d. Making ready for use a plan of action to be taken if an emergency develops. 	
Manufacturing, processing, and mining industries. OR Other persons required by the department to prepare emission control action programs.	a. Substantial reduction of particulates from manufacturing operations by curtailing, postponing, or deferring production and allied operations.	a. Maximum reduction of particulates from manufacturing operations by, if necessary, assuming reasonable economic hardship by postponing production and allied operations.	a Elimination of particulates from man ufacturing operations by ceasing, cur- tailing, postponing or deferring produc- tion and allied operations to the extent possible without causing injury to per- sons or damage to equipment.
	b. Maximum reduction of particu- lates by deferring trade waste dispo- sal operations which emit particles, gases, vapors or malodorous sub- stances.	b. Maximum reduction of particu- lates by deferring trade waste dispo- sal operations which emit particles, gases, vapors or malodorous sub- stances.	b. Elimination of particulates from trade waste disposal processes which emit particles, gases, vapors or malodor ous substances.
•	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Maximum reduction of heat load demands for processing.
Refuse disposal operations.	a Maximum reduction of particulates by prevention of open burning.	a Maximum reduction of particulates by eliminating open burning.	a Maximum reduction of particulates by eliminating open burning
	b. Substantial reduction of particulates by limiting burning of refuse in incinerators to the hours between 12:00 Noon and 4:00 p.m.	b. Complete elimination of the use of incinerators	b. Complete elimination of the use of incinerators.

Table 3
Emission Reduction Requirements For Sulfur Oxides

Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
Coal or oil-fired electric power generating facilities.	Substantial reduction of sulfur di- oxide by utilization of fuels having lowest available sulfur content.	a. Maximum reduction of sulfur di- oxide by utilization of fuels having lowest available sulfur content.	Maximum reduction of sulfur dioxide by utilization of fuels having lowest available sulfur content.
	 Substantial reduction of sulfur di- oxide by diverting electric power generation to facilities outside of Alert Area. 	 Maximum reduction of sulfur di- oxide by diverting electric power generation to facilities outside of Warning Area. 	b. Maximum reduction of sulfur dioxide by diverting electric power generation t facilities outside of Emergency Area.
Coal or oil-fired process steam generating facilities.	Substantial reduction of sulfur di- oxide by utilization of fuels having lowest available sulfur content.	a. Maximum reduction of sulfur di- oxide by utilization of fuels having the lowest available sulfur content.	Maximum reduction of sulfur dioxide by reducing heat and steam demands to absolute necessities consistent with preventing equipment damage.
	b. Reduction of steam load demands consistent with continuing plant op- erations.	b. Reduction of steam load demands consistent with continuing plant op- erations.	b. Taking the action called for in the emergency portion of the emission con- trol action programs.
·		c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	
3 Manufacturing and processing industries OR Other persons required by the department to prepare emission control action programs	a. Substantial reduction of sulfur di- oxide from manufacturing opera- tions by curtailing, postponing, or deferring production and allied op- erations.	a. Maximum reduction of sulfur di- oxide from manufacturing opera- tions by, if necessary, assuming rea- sonable economic hardship by post- poning production and allied operations.	a. Elimination of sulfur dioxide from manufacturing operations by ceasing, curtailing, postponing or deferring pro- duction and allied operations to the ex- tent possible without causing injury to persons or damage to equipment.
	b. Maximum reduction of sulfur di- oxide by deferring trade waste dis- posal operations which emit parti- cles, gases, vapors or malodorous substances.	b. Maximum reduction of sulfur di- oxide by deferring trade waste dis- posal operations which emit parti- cles, gases, vapors or malodorous substances.	b. Elimination of sulfur dioxide from trade waste disposal processes which emit particles, gases, vapors or malodor ous substances.
n de di la la seconda de la companione de l La companione de la compa	c Reduction of heat load demands for processing consistent with con- tinuing plant operations	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Maximum reduction of heat load demands for processing.

WISCONSIN ADMINISTRATIVE CODE

Table 4
Emission Reduction Requirements For Nitrogen Oxides

Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
Steam-electric power generating facilities	a. Substantial reduction of nitrogen oxides by utilization of fuel which results in the formation of less air contaminant.	a Maximum reduction of nitrogen oxides by utilization of fuel which results in the formation of the least amount of air contaminant	a. Maximum reduction of nitrogen oxides by diverting electric power generation to facilities outside of Emergency Area.
	 Substantial reduction of nitrogen oxides by diverting electric power generation to facilities outside of Alert Area 	 Maximum reduction of nitrogen oxides by diverting electric power generation to facilities outside of Warning Area 	
2. Process steam generating facilities.	a Substantial reduction of nitrogen oxides by utilization of fuel which results in the formation of less air contaminant.	a. Maximum reduction of nitrogen oxides by utilization of fuel which results in the formation of less air contaminant	a. Maximum reduction of nitrogen ox- ides by reducing heat and steam de- mands to absolute necessities consisten with preventing equipment damage.
	b. Reduction of steam load demands consistent with continuing plant operations.	b. Reduction of steam load demands consistent with continuing plant op- erations	
		c. Making ready for use a plan of action to be taken if an emergency develops.	
3. Manufacturing and processing industries. OR Other persons required by the department to prepare emission control action programs.	a. Substantial reduction of nitrogen oxides from manufacturing opera- tions by curtailing, postponing, or deferring production and allied op- erations.	a. Maximum reduction of nitrogen oxides from manufacturing opera- tions by, if necessary, assuming rea- sonable economic hardship by post- poning, production and allied opera- tions.	a Elimination of nitrogen oxides from manufacturing operations by ceasing, curtailing, postponing, or deferring pro- duction and allied operations to the ex- tent possible without causing injury to persons or damage to equipment.
	b. Maximum reduction of nitrogen oxides by deferring trade waste dis- posal operations which emit parti- cles, gases, vapors or malodorous substances	b Maximum reduction of nitrogen oxides by deferring trade waste dis- posal operations which emit parti- cles, gases, vapors or malodorous substances	b Elimination of nitrogen oxides from trade waste disposal processes which emit particles, gases, vapors or malodor ous substances.
	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Reduction of heat load demands for processing consistent with con- tinuing plant operations.	c. Maximum reduction of heat load demands for processing
4. Stationary internal combustion engines.	a. Reduction of power demands for pumping consistent with continuing operations.	a Reduction of power demands for pumping consistent with continuing operations.	a. Maximum reduction of nitrogen oxides by reducing power demands to absolute necessities consistent with personnel safety and preventing equipment damage.
		b. Maximum reduction of nitrogen oxides by utilization of fuels or power source which results in the formation of less air contaminant.	b. Maximum reduction of nitrogen oxides by utilization of fuels or power source which results in the formation of less air contaminant.

Table 5
Emission Reduction Requirements For Volatile Organic Compounds For Control Of Ozone

	Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency
1	Petroleum products storage and distribution	 a. Substantial reduction of volatile organic compounds by curtailing, postponing, or deferring transfer op- erations. 	a Maximum reduction of volatile or- ganic compounds by assuming rea- sonable economic hardship by post- poning transfer operations.	a Elimination of volatile organic com- pounds by curtailing, postponing, or de- ferring transfer operations to the extent possible without causing damage to equipment.
2.	Surface coating and preparation	a Substantial reduction of volatile organic compounds by curtailing, postponing, or deferring surface preparation and coating application operations.	a Maximum reduction of volatile or- ganic compounds by assuming rea- sonable economic hardship by post- poning surface preparation and coating application operations	a Elimination of volatile organic com- pounds by curtailing, postponing, or de- ferring surface preparation and coating application operations to the extent pos- sible without causing damage to equip- ment.
3.	Manufacturing and processing industries. OR Other persons required by the department to prepare emission control action programs.	a Substantial reduction of volatile organic compounds from manufac- turing operations by curtailing, postponing, or deferring production and allied operations.	a. Maximum reduction of volatile organic compounds from manufacturing operations by, if necessary, assuming reasonable economic hardship by postponing production and allied operations.	a Elimination of volatile organic com- pounds from manufacturing operations by ceasing, curtailing, postponing, or de- ferring production and allied operations to the extent possible without causing injury to persons or damage to equip- ment.

Table 6
Emission Reduction Requirements For Carbon Monoxide

Source of Air Contamination	Air Pollution Alert	Air Pollution Warning	Air Pollution Emergency a. Elimination of carbon monoxide from manufacturing operations by ceasing, curtailing, postponing or deferring production and allied operations to the extent possible without causing injury to persons or damage to equipment.	
1. Manufacturing industries. OR Other persons required by the department to prepare emission control action programs.	a. Substantial reduction of carbon monoxide from manufacturing oper- ations by curtailing, postponing, or deferring production and allied op- erations.	a. Maximum reduction of carbon monoxide from manufacturing oper- ations by, if necessary, assuming reasonable economic hardship by postponing production and allied op- erations.		
2. Refuse disposal operations.	a. Maximum reduction of carbon monoxide by eliminating open burn- ing.	a Maximum reduction of carbon monoxide by eliminating open burn- ing	a. Maximum reduction of carbon monox ide by eliminating open burning	