

Chapter NR 675

APPENDIX VII
NATIONAL CAPACITY LDR VARIANCES FOR UIC WASTES

| [Comprehensive List] | | | | | |
|----------------------|--|----------------|------------------------------|----------------------------|----------------|
| Waste code | Waste Category | Effective date | Waste code | Waste Category | Effective date |
| F001-F005 | All spent F001-F005 solvent containing less than 1 percent total F001-F005 solvent constituents | Aug 8, 1990. | D002 ^b | All | May 8, 1992. |
| | | | D003 (cyanides) | All | May 8, 1992. |
| | | | D003 (sulfides) | All | May 8, 1992. |
| | | | D003 (explosives, reactives) | All | May 8, 1992. |
| California List | Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing free cyanides at concentrations greater than or equal to 1,000 mg/l, or containing certain metals or compounds of these metals greater than or equal to the prohibition levels | Aug 8, 1990. | D007 | All | May 8, 1992. |
| | | | D009 | High Mercury Nonwastewater | May 8, 1992. |
| | | | D009 | Low Mercury Nonwastewater | May 8, 1992. |
| | | | F011 | All | June 8, 1991. |
| | | | F039 | Wastewater | May 8, 1992. |
| | | | K009 | Wastewater | June 8, 1991. |
| | | | K011 | Nonwastewater | June 8, 1991. |
| | | | K011 | Wastewater | May 8, 1992. |
| | | | K013 | Nonwastewater | June 8, 1991. |
| | | | K013 | Wastewater | May 8, 1992. |
| | | | K014 | All | May 8, 1992. |
| California List | Liquid hazardous waste having a pH less than or equal to 2 | Aug 8, 1990. | K016 (dilute) | All | June 8, 1991. |
| | | | K048 | All | Aug 8, 1990. |
| | | | K049 | All | Aug 8, 1990. |
| California List | Hazardous wastes containing HOCs in total concentrations less than 10,000 mg/l but greater than or equal to 1,000 mg/l | Aug 8, 1990. | K050 | All | Aug 8, 1990. |
| | | | K051 | All | Aug 8, 1990. |
| | | | K052 | All | Aug 8, 1990. |
| | | | K062 | All | Aug 8, 1990. |
| | | | K071 | All | Aug 8, 1990. |
| | | | K104 | All | Aug 8, 1990. |

FOOTNOTE: ^aWastes that are deep well disposed on-site receive a six-month variance, with restrictions effective in November 1990.

FOOTNOTE: ^bDeep well injected D002 liquids with a pH less than 2 must meet the California List treatment standards on August 8, 1990.

Note: 1. Appendix VII is provided for the convenience of the reader.

2. Contaminated Soil and Debris Rule will be promulgated in the future.