Chapter NR 407

OPERATION PERMITS

NR 407 01	Applicability; purpose	NR 407.09	Permit content.
NR 407.02	Definitions.	NR 407.10	General permits.
NR 407.025	Permit flexibility	NR 407.11	Administrative permit revisions
NR 407.03	Exemptions from operation permit requirements	NR 407.12	Minor revisions.
NR 407.04	Application filing dates.	NR 407.13	Significant revisions.
NR 407 05	Applications and forms	NR 407.14	Permit revision by the department.
NR 407.06	Complete applications.	NR 407 15	Air pollution control operation permit suspension and revocation.
NR 407.07	Action on applications.	NR 407.16	Revision procedures for non-part 70 source permits and state-only
NR 407.08	Dates by which permits are required		requirements for part 70 sources.

Note: Corrections to ch. NR 407 made under s. 13.93 (2m) (b) 7., Stats., Register, December, 1996, No. 492.

NR 407.01 Applicability; purpose. (1) APPLICABILITY This chapter applies to all direct stationary sources which are required under s. 285.60, Stats., to obtain an operation permit. In accordance with s. 285.60 (6), Stats., sources of certain sizes and types are exempt under s. NR 407.03 from the requirement to obtain an operation permit.

Note: Operation permit application requirements for indirect sources are contained in ch. NR 411.

(2) PURPOSE. This chapter is adopted under ss. 285.11 (1), (5), (6) and (16), 285.17, 285.60, 285.62, 285.65 (13) and 285.67, Stats., to establish a schedule of dates for the submission of operation permit applications and a schedule of dates for requiring operation permits for various categories of direct stationary sources and to specify the content of operation permit applications and operation permits. This chapter also sets forth procedures for revising, suspending and revoking operation permits.

History: Cr. Register, December, 1984, No. 348, eff 1–1–85; am. (1), Register, May, 1992, No. 437, eff. 6–1–92; am. Register, December, 1993, No. 456, eff. 1–1–94; am. (1), Register, June, 1995, No. 474, eff. 7–1–95; am. (2), Register, December, 1997, No. 504, eff. 1–1–98.

NR 407.02 Definitions. The definitions contained in chs. NR 400 and 406 apply to the terms used in this chapter. In addition, the following definitions apply to the terms used in this chapter:

(1) "Affected state" means either of the following:

(a) Any state that is within 50 miles of the stationary source obtaining an operation permit or undergoing revision or renewal of its operation permit.

(b) Michigan, Illinois, Iowa or Minnesota if that state's air quality may be affected by the stationary source obtaining an operation permit or undergoing revision or renewal of its operation permit.

(2) "Emissions allowable under the permit" means an enforceable permit term or condition required by an applicable requirement that establishes an emission limit, including a work practice standard, or a federally enforceable emissions cap that the source has assumed to avoid an applicable requirement to which the source would otherwise be subject.

(3) "General operation permit" means an operation permit that may be made applicable to numerous similar stationary sources.

(4) "Major source" means any stationary source, or any group of stationary sources, that is located on one or more contiguous or adjacent properties, is under common control of the same person or persons under common control, belongs to a single major industrial grouping and that is described in par. (a), (b) or (c). For the purposes of defining "major source", a stationary source or group of stationary sources shall be considered part of a single major industrial grouping if all of the pollutant emitting activities at the source or group of sources have the same 2-digit code as described in the Standard Industrial Classification Manual, 1987, incorporated by reference in s. NR 484.05.

(a) A stationary source that, for pollutants other than radionuclides, emits or has the potential to emit, in the aggregate, 10 tons per year (tpy) or more of any hazardous air pollutant which has been listed pursuant to section 112 (b) of the act (42 USC 7412 (b)), 25. tpy or more of any combination of those hazardous air pollutants, or a lesser quantity as the administrator may establish by rule. Notwithstanding the preceding sentence, emissions from any oil or gas exploration or production well, with its associated equipment, and emissions from any pipeline compressor or pump station may not be aggregated with emissions from other similar units, whether or not the units are in a contiguous area or under common control, to determine whether the units or stations are major sources.

(b) A stationary source that directly emits, or has the potential to emit, 100 tpy or more of any air contaminant other than particulate matter emissions. For particulate matter emissions, a stationary source is a major source if it has, or has the potential to emit, 100 tpy of PM_{10} emissions. The fugitive emissions of a stationary source may not be considered in determining whether it is a major source for the purposes of this definition, unless the source belongs to one of the following categories of stationary sources:

- 1. Coal cleaning plants with thermal dryers.
- 2. Kraft pulp mills.
- 3. Portland cement plants
- 4. Primary zinc smelters.
- 5. Iron and steel mills.
- 6. Primary aluminum ore reduction plants.
- 7. Primary copper smelters.

8. Municipal incinerators capable of charging more than 250 tons of refuse per day.

- 9 Hydrofluoric, sulfuric or nitric acid plants.
- 10. Petroleum refineries
- 11. Lime plants.
- 12. Phosphate rock processing plants.
- 13. Coke oven batteries.
- 14. Sulfur recovery plants.
- 15. Carbon black plants, furnace process.
- 16 Primary lead smelters.
- 17. Fuel conversion plants
- 18. Sintering plants.
- 19 Secondary metal production plants.
- 20. Chemical process plants.

21. Fossil-fuel boilers, or combination thereof, totaling more than 250 million British thermal units per hour heat input.

22. Petroleum storage and transfer units with a total storage capacity exceeding 300,000 barrels.

23. Taconite ore processing plants.

24. Glass fiber processing plants.

25. Charcoal production plants.

26. Fossil-fuel-fired steam electric plants of more than 250 million British thermal units per hour heat input

27. All other stationary source categories regulated by a standard promulgated under section 111 or 112 of the act (42 USC 7411 or 7412), but fugitive emissions shall be considered only for those air contaminants that have been regulated for that category.

(c) A major stationary source as defined in part D of title I of the act (42 USC 7501 to 7515), which is defined as:

1. For ozone nonattainment areas, sources with the potential to emit 100 tpy or more of volatile organic compounds or oxides of nitrogen in areas classified as "rural transport", "marginal" or "moderate", 50 tpy or more in areas classified as "serious", 25 tpy or more in areas classified as "severe", and 10 tpy or more in areas classified as "extreme"; except that the references in this paragraph to 100, 50, 25 and 10 tpy of nitrogen oxides do not apply with respect to any source for which the administrator has made a finding, under section 182 (f) (1) or (2) of the act (42 USC 7511a (f) (1) or (2)), that requirements under section 182 (f) of the act (42 USC 7511a (f)) do not apply.

2. For ozone transport regions established pursuant to section 184 of the act (42 USC 7511c), sources with the potential to emit 50 tpy or more of volatile organic compounds.

3. For carbon monoxide nonattainment areas that are classified as "serious", and in which stationary sources contribute significantly to carbon monoxide levels as determined under rules issued by the administrator, sources with the potential to emit 50 tpy or more of carbon monoxide.

4. For particulate matter (PM_{10}) nonattainment areas classified as "serious", sources with the potential to emit 70 tpy or more of PM_{10}

(5) "Non-part 70 source" means any stationary source required to obtain an operation permit that is not a part 70 source.

(6) (a) "Part 70 source" means any of the following stationary sources, except as provided in par. (b):

1. Any major source.

2. Any source subject to a standard, limitation or other requirement under section 111 of the act (42 USC 7411).

3. Any source subject to a standard or other requirement under section 112 of the act (42 USC 7412), except for a source subject solely to regulations or requirements under section 112 (r)of the act (42 USC 7412 (r)).

4. Any affected source.

(b) Notwithstanding par. (a), all sources listed in par. (a) 2. or 3. are not part 70 sources unless they are one of the following:

1. Major sources.

2. Affected sources.

3. Solid waste incineration units required to obtain permits pursuant to section 129 (e) of the act (42 USC 7429 (e)).

4. Perchloroethylene dry cleaning area sources under s. NR 468.20 (2) (am).

5. In-line cleaning machines, as defined in s. NR 469.02 (26), that use any halogenated HAP solvent, as a cleaning or drying agent.

6. Batch vapor cleaning machines, as defined in s. NR 469.02 (3) and (44), that use any halogenated HAP solvent, as a cleaning or drying agent.

7. Chromium electroplating and chromium anodizing area sources as defined in s. NR 460.02 (5).

(7) "Renewal" means the process by which an operation permit is reissued at the end of its term.

(8) "State-only requirement" means a requirement designated under s. NR 407.09 (3) (b) as not being federally enforce-able.

(9) "Synthetic minor source" means any stationary source that has its potential to emit limited by federally-enforceable permit conditions so that it is not a major source.

Conditions so that it is not a major source. History: Cr. Register, December, 1984, No. 348, eff 1–1–85; renum. (1) to be (intro.), cr. (1), Register, September, 1986, No 369, eff. 10–1–86; r. and recr. Register, December, 1993, No. 456, eff. 1–1–94; am. (17) (intro.), Register, February, 1995, No. 470, eff. 3–1–95; renum. (1), (2), (4) to be NR 400 02 (1), (1c), (1v), and (5) to (12), (14), (15), (18), (19), (21), (23) to (30), (33), (34) to be NR 409.02 (10), (11), (15), (19), (22), (26), (28), (29), (37), (38), (47), (48), (50), (55), (56), (64), (66), (69) to (72), (78), (79) and am. (72), (78), (79), Register, April, 1995, No 472, eff. 5–1–95; am. (22) (b), Register, June, 1995, No. 474, eff. 7–1–95; renum. (3), (13), (16), (17), (20), (22), (31), (32), (35) to be (1) to (9) and am. (4) (c) 1. and (6) (b) (intro.), Register, December, 1996, No 492, eff. 1–1–97; cr. (6) (b) 5. and 6, Register, March, 1997, No. 495, eff. 4–1–97; cr. (6) (b) 7, Register, September, 1997, No. 501, eff. 10–1–97; **am. (4) (b) (intro.), Register, December, 1997, No. 504, eff. 1–1–98**.

NR 407.025 Permit flexibility. (1) (a) The owner or operator of a stationary source that has an operation permit, or for which a timely and complete application has been submitted, may make a change to the stationary source that contravenes an express term of an operation permit without first obtaining a permit revision if all the following apply:

1. The change does not violate applicable requirements or contravene permit terms and conditions that are monitoring, including use of specified test methods, recordkeeping, reporting or compliance certification requirements.

2. The change is not a modification as defined in s. 285.01 (26), Stats., and rules promulgated thereunder.

3. The change does not cause the stationary source to exceed the emissions allowable under the permit, whether expressed in the permit as an emissions rate or in terms of total emissions.

4. Notice is given and the department does not inform the owner or operator of the stationary source that the change is not authorized, as provided in par. (b).

(b) 1. For each change allowed under par. (a), the owner or operator of the stationary source shall provide the department and, for part 70 sources, the administrator, with written notification of the proposed change a minimum of 21 days in advance of the date on which the proposed change is to occur. The written notification shall include a brief description of the change within the stationary source, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.

2. The owner or operator of the stationary source may not make the proposed change if the department informs the person before the end of the 21- day period provided in subd. 1. that the proposed change is not one authorized under this subsection.

(c) The owner or operator of the stationary source, the department and the EPA, if applicable, shall attach each notification of a change made under this subsection to their copy of the relevant operation permit.

(d) The permit shield described in s. 285.62 (9) (b), Stats., may not apply to any change made pursuant to this subsection.

(2) (a) The department shall, if an owner or operator of a stationary source requests it, issue an operation permit that contains terms and conditions, including all terms required under s. NR 407.09 (1), (2) and (4), allowing for the trading of emissions increases and decreases at the stationary source solely for the purpose of complying with a federally-enforceable emissions cap that is established in the operation permit independent of otherwise applicable requirements. The permit applicant shall include in the application proposed replicable procedures and permit terms that ensure the emissions trades are quantifiable and enforceable. The department may not include in the emissions trading provisions any emissions units for which emissions are not quantifiable or for which there are no replicable procedures to enforce the emissions trades. Any operation permit issued pursuant to this subsection shall require compliance with all applicable requirements.

(b) For any trade allowed in an operation permit pursuant to par. (a), the owner or operator of the stationary source shall pro-

vide the department and, for part 70 sources, the administrator, with written notification a minimum of 7 days in advance of the date on which the proposed trade is to occur. The written notification shall state when the change is proposed to occur and shall describe the changes in emissions that will result and how these changes in emissions will comply with the terms and conditions of the permit.

(c) The permit shield described in s. 285.62(9) (b), Stats., may extend to terms and conditions that allow the increases and decreases in emissions allowed under this subsection.

History: Cr. Register, December, 1993, No. 456, eff. 1–1–94; am. (1) (a) (intro.), 3., (b) 1., 2., (c), (2) (a) and (b), Register, December, 1997, No. 504, eff. 1–1–98.

NR 407.03 Exemptions from operation permit requirements. (1) SPECIFIC CATEGORIES OF EXEMPT SOURCES Any direct stationary source which is not an affected source and consists solely of one of the following categories of stationary sources is exempt from the requirement to obtain an operation permit provided the requirements of sub. (4) are met:

(a) External combustion furnaces which do not burn any hazardous waste identified under ch. NR 605, or which have been issued a license under ch. NR 680, and which are designed at combined total capacity to burn the following fuels at the maximum rates indicated:

1. Coal, coke or other solid fuels, except wood, at a heat input rate of not more than 1.0 million Btu per hour.

2. Wood alone or wood in combination with gaseous or liquid fuels at a heat input rate of not more than 5.0 million Btu per hour.

3. Residual or crude oil at a heat input rate of not more than 5.0 million Btu per hour.

4. Distillate oil at a heat input rate of not more than 10 million Btu per hour.

5. Gaseous fuel at a heat input rate of not more than 25 million Btu per hour.

(b) Equipment designed to incinerate solid wastes, which are not pathological wastes, infectious wastes, municipal wastes or hazardous wastes under ch. NR 605, at a rate of not more than 500 pounds per hour.

(c) Equipment which is designed to dry grain at a rate of not more than 1,500 bushels per hour at 5% moisture extraction and which is not subject to s. NR 440.47.

(ce) Grain storage facilities with an average tonnage of grain received of less than 5500 tons per month, which are not subject to s. NR 440.47, and which are not part 70 sources. The average monthly tonnage of grain received shall be calculated by dividing the cumulative tonnage of grain received since January 1 of each year by 12. The average monthly tonnage of grain received does not include product that the facility sells, acting as a broker, which is never actually received at the grain storage facility.

(cm) Grain processing facilities with an average tonnage of grain received of less than 4500 tons per month, which are not subject to s. NR 440.47, and which are not part 70 sources. The average monthly tonnage of grain received shall be calculated by dividing the cumulative tonnage of grain received since January 1 of each year by 12. The average monthly tonnage of grain received since shall be calculated by average does not include product that the facility receives that is packaged when received and remains packaged.

(d) Portland concrete batch plants which produce less than 20,000 cubic yards of concrete per month averaged over any 12 consecutive month period.

(e) Storage tanks containing organic compounds with a true vapor pressure in pounds per square inch absolute at 70° F of less than 1.52 with a combined total tankage capacity of not more than 40,000 gallons.

(f) VOC storage tanks with a combined total tankage capacity of not more than 10,000 gallons of volatile organic compounds.

(g) Painting or coating operations, including associated quality assurance laboratories and cleaning operations, which emit or will emit not more than 1,666 pounds of volatile organic compounds per month, which are measured prior to entering any emission control devices, unless the emissions of any single hazardous air pollutant as listed under section 112 (b) of the act (42 USC 7412 (b)) equal or exceed 10 tons per year or the cumulative emissions of hazardous air pollutants listed under section 112 (b) of the act equal or exceed 25 tons per year.

(h) Graphic arts operations, including associated quality assurance laboratories and cleaning operations, which emit or will emit not more than 1,666 pounds of volatile organic compounds per month, which are measured prior to entering any emission control devices, unless the emissions of any single hazardous air pollutant as listed under section 112 (b) of the act equal or exceed 10 tons per year or the cumulative emissions of hazardous air pollutants listed under section 112 (b) of the act equal or exceed 25 tons per year.

(i) Cold cleaning equipment which meets both of the following requirements:

1. The equipment has a total air to solvent interface of 1.0 square meters or less during operation.

2. The equipment does not use any halogenated HAP solvent as a cleaning or drying agent.

(j) Open top vapor degreasing equipment which meets both of the following requirements:

1. The equipment has a total air to vapor interface of 1.0 square meters or less during operation.

2. The equipment does not use any halogenated HAP solvent as a cleaning or drying agent.

(k) Coin-operated dry cleaning machines.

(km) Chromium electroplating and chromium anodizing operations which are not major sources or located at major sources and which are any of the following:

1. Any decorative chromium electroplating operation or chromium anodizing operation that uses fume suppressants as an emission reduction technology.

2. Any decorative chromium electroplating operation that uses a trivalent chromium bath that incorporates a wetting agent as a bath ingredient.

(L) Private alcohol fuel production systems as defined in s. 289.44 (1) (c), Stats.

(m) Crematories.

(n) Indirect malt dryers which are designed to burn fuels specified in par. (a) at a heat input rate less than the rates specified in par. (a).

(o) A laboratory which emits volatile organic compounds, sulfur dioxide, carbon monoxide, nitrogen oxides or particulate matter or a combination thereof at a rate of less than 5.7 pounds per hour unless the emissions of any single hazardous air pollutant as listed under section 112 (b) of the act (42 USC 7412 (b)) equal or exceed 10 tons per year or the cumulative emissions of all such hazardous air pollutants listed under section 112 (b) of the act equal or exceed 25 tons per year. Hourly emissions shall be determined, based on the quantitative estimate of air contaminants before they enter any emission control devices, by dividing the total uncontrolled emissions which would have occurred during a calendar month by the total hours of operation of the laboratory during that calendar month. A laboratory is in operation if laboratory apparatus or equipment is in use.

(p) Equipment the primary purpose of which is to transport or sort paper.

(q) Facilities for chlorination of municipal drinking water, the intake of once through industrial process or cooling water, or water for swimming pools, spas or other recreational establishments.

(r) Gasoline dispensing facilities which dispense gasoline or other petroleum products.

(s) Bulk gasoline plants which distribute gasoline or other petroleum products and which have an average daily gasoline throughput of less than 15,000 liters (4,000 gallons), based on a 30-day rolling average.

(sm) The following procedures for the remediation or disposal of soil or water contaminated with organic compounds, provided the potential to emit, considering emission control devices, for any hazardous air contaminant listed in Table 1 to Table 5 of s. NR 445.04 is not greater than the emission rate listed in Table 1 to Table 5 of s. NR 445.04 for the air contaminant at the respective stack height, the procedure is not a major source and the procedure is not subject to any standard or regulation under section 111 or 112 of the act (42 USC 7411 or 7412):

1. Landspreading of contaminated soil, including the agricultural landspreading of soil contaminated with pesticide or fertilizer.

2. Negative pressure venting of contaminated soil or bioremediation, provided the remediation is completed within 18 months or the potential to emit organic compounds from the remediation site is at a rate of not more than 5.7 pounds per hour, considering emission control devices.

3. Pilot testing of a negative pressure venting system provided the testing is limited to a total withdrawal of not more than 150,000 standard cubic feet (scf) of air.

Note: The total withdrawal may be determined by the equation: Total withdrawal (scf) = hours of operation of pilot test (hr) \times average flow rate in cubic feet per minute at standard conditions (scfm) \times 60 min/hr. An example is: 10 hours of operation \times 250 scfm \times 60 min/hr = 150,000 scf. When testing at multiple flow rates, determine the withdrawal for each flow rate and sum the withdrawals for a total withdrawal.

4. Landfilling of contaminated soil.

5. Installation and use of devices which remove organic compounds from a private or municipal potable water supply.

6. Installation and use of crop irrigation systems or dewatering wells to remediate contaminated water.

7. Installation and use of air strippers for treatment of contaminated water, provided the remediation is completed within 18 months or the potential to emit organic compounds from the remediation site is at a rate of not more than 5.7 pounds per hour, considering emission control devices.

8. Installation and use of any devices or techniques not listed in this paragraph which are used to remediate soil or water contaminated with organic compounds, if the device or technique is not portable and is not a thermal evaporation unit, and the remediation is completed within 18 months.

9. Installation and use of any technique or device to remediate soil or water contaminated with organic compounds as part of actions taken by EPA under the authority of the comprehensive environmental response compensation and liability act of 1980 (42 USC 9601 to 9675), by the department under the authority of s. 292.11 or 292.31, Stats., or by a responsible party in compliance with the requirements of an administrative order, consent decree or contract issued pursuant to the comprehensive environmental response compensation and liability act of 1980 or s. 292.11 or 292.31, Stats.

Note: Even though these sources are exempt from permit requirements, they are still subject to the notification requirements under s. NR 419.07 (2).

(sq) Renovation or demolition operations involving friable asbestos containing material.

(t) A combination of emission units which consists of not more than one each of the following specific categories of sources unless the combination of units is a major source:

1. Fuel burning equipment otherwise exempt under par. (a) or (u).

2. Equipment designed to incinerate solid wastes otherwise exempt under par. (b).

3. Storage tanks of organic compounds with a combined total tankage capacity of not more than 40,000 gallons if not more than 10,000 gallons of the storage tanks' capacity is used for storage of volatile organic compounds.

4. Grain storage facilities otherwise exempt under par. (ce).

5. Grain processing facilities otherwise exempt under par. (cm).

6. Only one of the other specific category exemptions listed in pars. (c), (d), (g) to (s) and (v) to (z).

(u) Emergency electric generators powered by internal combustion engines which are fueled by gaseous fuels, gasoline or distillate fuel oil with an electric output of less than 3,000 kilowatts.

(v) Any quarry, mine or other facility where nonmetallic minerals are extracted that is not a ledge rock quarry or industrial sand mine.

(w) Ledge rock quarries with actual production of less than 25,000 tons per month on a rolling 12 month average, or with actual operation of less than 365 days per 5 year period.

(x) Industrial sand mines with actual production of less than 2,000 tons per month on a rolling 12 month average.

(y) Fixed sand and gravel plants and fixed crushed stone plants with capacities of 25 tons per hour or less.

(z) Portable sand and gravel plants and portable crushed stone plants with capacities of 150 tons per hour or less.

(2) GENERAL CATEGORY OF EXEMPT SOURCES. In addition to the specific categories of exempt sources identified in sub. (1), no operation permit is required for a direct source if the source is not a part 70 source or an affected source and:

(a) The maximum theoretical emissions from the source for sulfur dioxide or carbon monoxide do not exceed 9.0 pounds per hour for each air contaminant.

(b) The maximum theoretical emissions from the source for particulate matter, nitrogen oxides or volatile organic compounds do not exceed 5.7 pounds per hour for each air contaminant.

(bm) The maximum theoretical emissions from the source for lead do not exceed 0.13 pounds per hour.

(c) The source will not emit any of the air contaminants listed in s. NR 405.02 (27) (a) at a rate greater than the applicable emission rate listed in s. NR 405.02 (27) (a).

(d) The maximum theoretical emissions from the source for any hazardous air contaminant listed in Table 1, 2, 3, 4 or 5 of s. NR 445.04 do not exceed the emission rate listed in the table for the hazardous air contaminant for the respective stack height.

(e) The source will not have maximum theoretical emissions of any single hazardous air pollutant as defined by section 112 (b) of the act (42 USC 7412 (b)) that equal or exceed 10 tons per year or cumulative maximum theoretical emissions of all the hazardous air pollutants defined by section 112 (b) of the act (42 USC 7412 (b)) that equal or exceed 25 tons per year.

(f) The source is not subject to any standard or regulation under section 111 of the act (42 USC 7411).

(g) The source is not subject to any standard or regulation under section 112 of the act (42 USC 7412).

(3) EXEMPT EQUIPMENT Equipment installed under s. NR 406.04 (1) (i) or (zg) is exempt from needing an operation permit under this chapter.

(4) CONDITIONS FOR SPECIFIC EXEMPTIONS In order to be eligible for a specific exemption under sub (1)(ce), (cm), (d), (g), (h), (o), (s), (w) or (x), the owner or operator of a direct stationary source shall keep and maintain the records required under pars. (a) to (f), as applicable. The records shall be kept in a manner that allows the source to accurately calculate the required information on a monthly basis. The owner or operator of a direct stationary source shall begin keeping the records required under pars. (b) to (f) no later than January 1, 1994, and the records required under par. (a) no later than January 1, 1998, or the date that the source

commences operation, whichever is later, and maintain them for a minimum of 5 years. After January 1, 1994, any direct stationary source that ever exceeds any level listed in sub. (1)(d), (g), (h), (o), (s), (sm), (w) or (x) is not eligible for the exemption under that subsection. After January 1, 1998, any direct stationary source that ever exceeds any level listed in sub. (1)(ce) or (cm) is not eligible for the exemption under that subsection. The records required are as follows:

(a) To be exempt under sub. (1) (ce) or (cm), records of the tons of grain received at the grain storage or processing facility per month.

(b) To be exempt under sub. (1) (d), records of the cubic yards of concrete produced by the Portland concrete batch plant per month.

(c) To be exempt under sub. (1) (g) or (h), records of the amounts used and VOC content of all VOC containing materials used at the facility per month.

(d) To be exempt under sub. (1) (o), records of the number of hours that the laboratory operates, the amounts, VOC content and hazardous air contaminant content of all materials used and the amount, type and sulfur content of all fuels used per month.

(e) To be exempt under sub. (1) (s), records of the daily gasoline throughput for the bulk plant.

(f) To be exempt under sub. (1) (w) or (x), records of the tons of material produced at a ledge rock quarry or sand mine per month, or for ledge rock quarries exempt for operating less than 365 days in a 5-year period, records indicating each day that the quarry operates.

Note: Between January 1, 1994 and January 1, 1998, s NR 407.03 (4) contained recordkeeping requirements which were less specific than those set forth in pars. (b) to (f). Compliance with the recordkeeping requirements in this subsection will be assessed based on the administrative rule in effect at the time.

The second based on the administrative rule in effect at the time. His based on the administrative rule in effect at the time. History: Cr. Register, December, 1984, No. 348, eff. 1–1–85; cr. (2) (bm), r. and recr. (2) (d), am. (2) (c), Register, September, 1988, No. 393; eff. 10–1-88; am. (1) (a) (intro.), 1. to 3, (b), (g), (b), (b), (b), (b), (b), (c). (1. and 5., (d) and (e), Register, F. May, 1992, No. 437, eff. 6–1–92; am. (1) (intro.), (a) (intro.) and 5., (b) to (e), (2) (intro.), (a) to (c), cr. (1) (sm), (sq) and (u), (2) (f), (g), (3) to (5), r. (2) (c) I. to 5., r. and recr. (2) (e), Register, December, 1993, No. 456, eff. 1–1–94; er. (1) (v) to (z), Register, June, 1994, No. 462, eff. 7–1–94; am. (1) (sm) (intro.), 1. to 3, r. 5., renum. 6. to 10. to be 5. to 9. and am. 7. and 9., Register, September, 1994, No. 465, eff. 10–1–94; am. (2) (d), Register, December, 1994, No. 468, eff. 7–1–95; am. (1) (intro.), (2) (intro.), Register, April, 1995, No. 472, eff. 5–1–95; am. (1) (a) 5., r. and recr. (1) (k), r. (3) and (5), Register, June, 1995, No. 474, eff. 7–1–95; am. (1) (sm) (intro.), Register, Lyue, 1995, No. 476, eff. 9–1–95; am. (1) (g), (h), (o), (2) (b) and (4), Register, December, 1994, No. 468, eff. 1–1–95; am. (1) (sm) (intro.), Register, Lyue, 1995, No. 476, eff. 9–1–95; am. (1) (a) 5., r. and recr. (1) (k), r. (3) and (5), Register, June, 1995, No. 474, eff. 7–1–95; am. (1) (sm) (intro.), Register, Lyue, 1995, No. 470, eff. 1–1–95; am. (1) (g), (h), (o), (2) (b) and (4), Register, December, 1995, No. 470, eff. 1–1–95; am. (1) (g), (m) -, Register, L) (b) and (4), Register, December, 1997, No. 480, eff. 1–1–95; am. (1) (g), (m) (m), Register, March, 1997, No. 495, eff. 4–1–97; cr. (1) (km), Register, September, 1997, No. 501, eff. 10–1–97; cr. (1) (ce), (cm), (t) 4., 5., (3), (4) (a to (f); am. (1) (g), (sm) (intro.), 1. and (4), renum. (1) (t) 4. to be (1) (t) 6. and am., Register, December, 1997, No. 504, eff. 1–1–98.

NR 407.04 Application filing dates. (1) INITIAL FILING DATES. The owner or operator of an air contaminant source which is not exempt under s. 285.60 (5), Stats., or s. NR 407.03 shall submit an operation permit application on application forms available from the department by the following dates, except as provided under subs. (3) to (6):

Note: Application forms may be obtained from the regional and area offices of the department or from the Wisconsin Department of Natural Resources, Bureau of Air Management, PO Box 7921, Madison WI 53707–7921, Attention: operation permits

(a) Existing sources, initial application. For initial applications for all existing sources, the date in the appropriate column of Table 1 for part 70 and non-part 70 sources corresponding to the county in which the source is located. Where the location of a source is in 2 or more counties, the date an application is due shall be the latest date listed for any of the counties in which the source is located. Any existing air contaminant source for which an application is submitted requesting that it be made a synthetic minor source is a part 70 source until a permit making that source a synthetic minor source is issued and, except as allowed in sub. (3), is subject to the filing dates listed for part 70 sources. If a source submits an application on or before the date specified in Table 1 and the department determines that the application is incomplete, the source shall have 30 days from the date that the department notifies the source of the incompleteness determination to complete the application.

(b) New and modified sources 1. In accordance with s. 285.62 (11) (b) 2., Stats, for new or modified sources for which a construction permit is required and which apply for a construction permit after November 15, 1992, the date that the application for the construction permit is filed.

2. For new or modified sources for which a construction permit is required and which applied for a construction permit before November 15, 1992, a date at least 120 days prior to the expiration date of the construction permit.

3. For new or modified sources for which no construction permit is required, the application for an operation permit shall be filed before the source commences construction or modification.

(2) PERMIT RENEWAL. Pursuant to s. 285.66 (3), Stats., a permittee shall apply for renewal of an operation permit at least 12 months, but not more than 18 months, before the permit expires. No permittee may continue operation of a source after the operation permit expires, unless the permittee submits a timely and complete application for renewal of the permit.

(3) EXTENSIONS AND DEFERRALS (a) *Extensions for cause*. An existing source may request and the department may grant an extension of not more than 60 days beyond the applicable date specified in sub. (1) (a) if all of the following conditions are met:

1. a. The extension is requested in writing at least 30 but no more than 90 days before the application is due.

b. The department may waive the 30 day requirement in subd. 1. a. if an emergency occurs that makes it impossible for the source to meet that deadline.

2. The applicant demonstrates that the reason that they cannot meet the date specified in sub. (1) (a) is beyond their reasonable control.

3. The extension does not extend the date that a complete application is due for a part 70 source beyond November 15, 1995.

(b) Deferral for sources proposing to become synthetic minor sources. 1. If an existing source proposes to be permitted as a synthetic minor source in order to avoid being classified as a part 70 source, the owner or operator shall:

a. Submit a complete application for an operation permit for a non- part 70 source in accordance with s. NR 407.05 (4) and (8) by the date that a part 70 source permit application would be due for that source under the schedule in Table 1.

b. Submit information to show that the actual emissions of each air contaminant emitted by the source for the 2 most recent years prior to the submittal of the application for an operation permit were less than the corresponding thresholds for being classified a major source under s. NR 407.02 (4). If available, actual emissions, as reported to the department pursuant to ch. NR 438, shall be submitted.

c. Submit information to show that the source is a part 70 source solely due to its classification as a major source.

2. The department shall review the application and determine whether the source may be permitted as a non-part 70 source and whether the source has demonstrated that the requirements of subd. 1. have been met. If the department determines that the source may be permitted as a non-part 70 source and the requirements of subd. 1. have been met, it shall process the application in accordance with s. 285.62, Stats., and ss. NR 407.07 and 407.09. If the department determines that the source may not be permitted as a non-part 70 source, the department shall notify the source of that determination. The owner or operator of the source shall then submit to the department a complete application for a part 70 source in accordance with s. NR 407.05 (4) by October 30, 1995.

(4) PERCHLOROETHYLENE DRY CLEANING FACILITIES. Notwithstanding sub. (1), the owner or operator of any perchloroethylene dry cleaning facility that is not a major source or located at a major

Register, December, 1997, No. 504

source as defined in s. NR 468.20 (2) (L), is not required to obtain a construction permit under ch. NR 406 and on which construction commenced prior to July 1, 1995, shall submit an operation permit application, on application forms available from the department, by July 1, 1996.

(5) HALOGENATED SOLVENT CLEANING. Notwithstanding sub. (1) and except as provided in sub. (4), the owner or operator of any batch vapor or in-line cleaning machine as defined in s. NR

469.02 (3), (26) and (44) that uses any halogenated HAP solvent as a cleaning or drying agent and that is not a major source or located at a major source and on which construction commenced prior to April 1, 1997 shall submit an operation permit application for a part 70 source, on application forms available from the department, by the date that an operation permit application for a non-part 70 source would be due for that source under the schedule in Table 1.

	Table 1
Application	Filing Dates For Air Pollution Operation Permits For Existing Sources

County of Location	Application Filing Date for Part 70 Sources	Application Filing Date for Non-part 70 Sources
Adams	June 1, 1994	August 1, 1997
Ashland	June 1, 1994	August 1, 1997
Barron	March 1, 1995	May 1, 1998
Bayfield	June 1, 1995	August 1, 1998
Brown	May 1, 1995	July 1, 1998
Buffalo	October 1, 1994	December 1, 1997
Surnett	December 1, 1994	February 1, 1998
Calumet	May 1, 1994	July 1, 1997
Chippewa	June 1, 1995	August 1, 1998
llark	March 1, 1995	May 1, 1998
Columbia	May 1, 1994	July 1, 1997
Crawford	May 1, 1994	July 1, 1997
Dane	September 1, 1995	November 1, 1998
odge	May 1, 1995	July 1, 1998
001	September 1, 1994	November 1, 1997
ouglas	May 1, 1994	August 1, 1998
unn	August 1, 1994	October 1, 1997
u Claire	December 1, 1994	February 1, 1998
orence	August 1, 1994	October 1, 1997
ond du Lac	September 1, 1994	November 1, 1997
prest	June 1, 1994	August 1, 1997
ant second s	August 1, 1994	October 1, 1997
een Lake	May 1, 1995	July 1, 1998
een	February 1, 1995	April 1, 1998
wa	January 1, 1995	March 1, 1998
)n	December 1, 1994	February 1, 1998
ckson	March 1, 1995	May 1, 1998
fferson	November 1, 1994	January 1, 1998
neau	June 1, 1994	August 1, 1997
nosha	January 1, 1995	March 1, 1998
waunee	September 1, 1994	November 1, 1997
Crosse	September 1, 1995	November 1, 1998
fayette	January 1, 1995	March 1, 1998
nglade	June 1, 1994	August 1, 1997
ncoln	August 1, 1994	October 1, 1997
initowoc	February 1, 1995	April 1, 1998
urathon	May 1, 1995	July 1, 1998
rinette	August 1, 1994	October 1, 1997
arquette	May 1, 1995	July 1, 1998
enominee	July 1, 1994	September 1, 1997
lwaukee, south of Wisconsin Avenue	July 1, 1995	June 1, 1998
ilwaukee, north of Wisconsin Avenue	April 1, 1995	September 1, 1998

County of Location	Application Filing Date for Part 70 Sources	Application Filing Date for Non-part 70 Sources
Monroe	March 1, 1995	May 1, 1998
Oconto	July 1, 1994	September 1, 1997
Oneida	May 1, 1994	July 1, 1997
Outagamie	November 1, 1994	January 1, 1998
Ozaukee	July 1, 1994	September 1, 1997
Pepin	December 1, 1994	February 1, 1998
Pierce	June 1, 1994	August 1, 1997
Polk	March 1, 1995	May 1, 1998
Portage	November 1, 1994	January 1, 1998
Price	June 1, 1995	July 1, 1997
Racine	January 1, 1995	March 1, 1998
Richland	August 1, 1994	October 1, 1997
Rock	February 1, 1995	April 1, 1998
Rusk	December 1, 1994	February 1, 1998
Sauk	June 1, 1994	August 1, 1997
Sawyer	December 1, 1994	February 1, 1998
Shawano	June 1, 1994	August 1, 1997
Sheboygan	October 1, 1994	December 1, 1997
St Croix	August 1, 1994	October 1, 1997
Taylor	December 1, 1994	February 1, 1998
Trempealeau	October 1, 1994	December 1, 1997
Vernon	December 1, 1994	February 1, 1998
Vilas	May 1, 1994	July 1, 1997
Walworth	May 1, 1994	July 1, 1997
Washburn	December 1, 1994	February 1, 1998
Washington	June 1, 1994	August 1, 1997
Waukesha	October 1, 1995	December 1, 1998
Waupaca	September 1, 1994	November 1, 1997
Waushara	September 1, 1994	November 1, 1997
Winnebago	August 1, 1995	October 1, 1998
na oligi energi ana suan posta 2017 energi energ Wood energi tata energi energ	February 1, 1995	April 1, 1998
Portable sources located anywhere in Wisconsin	October 1, 1995	December 1, 1998

Table 1 (continued)
 Application Filing Dates For Air Pollution Operation Permits For Existing Sources

(6) CHROMIUM ELECTROPLATING AND CHROMIUM ANODIZING OPERATIONS. Notwithstanding sub. (1), the owner or operator of any facility which does hard or decorative chromium electroplating as defined in s. NR 463.02 (18) and (10) or chromium anodizing as defined in s. NR 463.02 (7) that is not a major source or located at a major source, is not required to obtain a construction permit under ch. NR 406, and on which construction commenced prior to October 1, 1997, shall submit an operation permit application for a part 70 source, on application forms available from the department, by the date that an operation permit application for a non-part 70 source would be due for that source under the schedule in Table 1.

History: Cr. Register, December, 1984, No. 348, eff. 1–1–85; renum. (1) to be (1) (a), cr. (1) (b), Register, September, 1988, No. 393, eff. 10–1–88; am. (1) (a), renum. Table, Register, May, 1992, No. 437, eff. 6–1–92; am. (1) (a), Register, June, 1993, No. 450, eff. 7–1–93; r. and recr. Register, December, 1993, No. 456, eff. 1–1–94; am. (1) (intro.), cr. (4), Register, June, 1995, No. 474, eff. 7–1–95; am. (3) (b) 1. b, Register, December, 1996, No. 492, eff. 1–1–97; am. (1) (intro) and (4) and cr. (5), Register, March, 1997, No. 495, eff. 4–1–97; am. (1) (intro) and cr. (6), Register, September, 1997, No. 501, eff. 10–1–97. **NR 407.05 Applications and forms. (1)** Applications for operation permits and renewals of operation permits shall be made on forms supplied by the department for these purposes and supplemented with other materials as required by the forms. The forms may be supplied by the department in an electronic format, such as on a computer disk, if so requested by the applicant.

Note: Application forms may be obtained from the regional and area offices of the department or from the Wisconsin Department of Natural Resources, Bureau of Air Management, PO Box 7921, Madison WI 53707–7921, Attention: operation permits.

(2) Application materials may be submitted on paper or in an electronic format. The applicant shall file 2 copies of all forms and other materials required by the application which are submitted on paper. The applicant shall file one copy of all forms and other materials which are submitted in an electronic format. These materials shall be submitted to the Wisconsin Department of Natural Resources, Bureau of Air Management, PO Box 7921, Madison WI 53707-7921, Attention: Operation permits.

(3) The application forms shall be signed by a responsible official of the stationary source designated by the source for this purpose. In the case of an electronic format application, a form supplied with the electronic format shall be signed in accordance with this subsection and returned to the department with the electronic format application.

(4) The application shall contain all of the information required for the issuance of an operation permit. Except as provided in subs. (5) and (8), it shall include the following elements:

(a) Identifying information, including company name and address, and plant name and address if different from the company name or address, owner's name and agent, and operator if different from the owner, and names and telephone numbers of the plant manager and contact person.

(b) A description of the source's processes and products, by standard industrial classification code as described in the Standard Industrial Classification Manual, 1987, incorporated by reference in s. NR 484.05, including any processes and products associated with each alternate operating scenario identified by the source.

(c) The following emissions-related information:

1. The maximum theoretical emissions of all air contaminants from all emissions units, operations and activities except for those exempted under subd. 9. or 10. Fugitive emissions from emissions units, operations and activities shall be included in the permit application in the same manner as stack emissions, regardless of whether the source category in question is included in the list of sources contained in the definition of major source. Maximum theoretical fugitive emissions shall be calculated using average operating conditions and average weather conditions. Only sources which manufacture or process pesticides, rodenticides, insecticides, herbicides or fungicides shall include emissions of air contaminants identified as pesticides, rodenticides, insecticides, herbicides and fungicides in Table 2 in their permit applications. When preparing its application, the owner or operator of a facility may rely on information in an approved material safety data sheet. Trace contaminants need not be reported if they constitute less than 1% of the material, or 0.1% of the material if the air contaminant is listed in Table 3 of s. NR 445.04.

2. Identification and description of all emissions points in sufficient detail to determine the applicable requirements to be included in an operation permit.

3. Emission rates in tons per year and in terms necessary to demonstrate compliance with emission limitations consistent with the applicable reference test method.

4. The following information to the extent that it is needed to determine or regulate emissions: types and amounts of fuels used, types and amounts of raw materials used, production rates and operating schedules.

5. Identification and description of air pollution control equipment and compliance monitoring devices or activities.

6. Limitations on source operations and any applicable work practice standards which affect emissions of any air contaminants.

7. Other information necessary to determine any applicable requirement

8. The calculations on which the information contained in subds. 1. to 7. is based.

9. The emissions units, operations and activities in subd. 9. a. to o. shall be listed in the application but are exempt from being further included in any application required under this chapter:

a. Any emissions unit, operation or activity that has, for each air contaminant, maximum theoretical emissions which are less than the levels in Table 2. Multiple emissions units, operations and activities that perform identical or similar functions shall be combined in determining the applicability of the exemption under this subd. 9. a.

b. If the maximum theoretical emissions of any air contaminants listed in Table 2 from all emission units, operations or activities at a facility are less than 5 times the level specified in Table 2 for those air contaminants, any emissions unit, operation or activity that emits only those air contaminants.

c. Maintenance of grounds, equipment and buildings, including lawn care, pest control, grinding, cutting, welding, painting, woodworking, general repairs and cleaning, but not including use of organic compounds as clean-up solvents.

d. Boiler, turbine, generator, heating and air conditioning maintenance.

e. Pollution control equipment maintenance.

f. Internal combustion engines used for warehousing and material transport, forklifts and courier vehicles, front end loaders, graders and trucks, carts and maintenance trucks.

g. Fire control equipment.

h. Janitorial activities.

i. Office activities

j. Convenience water heating.

k. Convenience space heating units with heat input capacity of less than 5 million Btu per hour that burn gaseous fuels, liquid fuels or wood.

L. Fuel oil storage tanks with a capacity of 10,000 gallons or less.

m. Stockpiled contaminated soils.

n. Demineralization and oxygen scavenging of water for boilers.

o. Purging of natural gas lines.

10. For any emissions unit, operation or activity that is included in the application, the applicant does not need to include information on any air contaminant if the maximum theoretical emissions of the air contaminant are less than the level for that air contaminant listed in Table 2 or if the maximum theoretical emissions of any air contaminant listed in Table 2 from all emission units, operations or activities at a facility are less than 5 times the level specified in Table 2 for that air contaminant. Multiple emissions units, operations and activities that perform identical or similar functions shall be combined in determining the applicability of this exemption.

Air Contaminant Name	Sources of Regulation (See Footnotes Below)	Chemical Abstract Service Number ⁷	Inclusion Level (lbs/yr)
Acetaldehyde	2, 3	75-07-0	2,000
Acetamide	2	60-35-5	2,000.0
Acetic acid	3	64-19-7	1,825
Acetic anhydride	3	108-24-7	887
Acetonitrile	2, 3	75-05-8	2,000.0
Acetophenone	2	98-86-2	2,000.0
2–Acetylaminofluorene	2	53-96-3	2,000.0
Acrolein	2, 3	107-02-8	18.3
Acrylamide	2, 3	79061	21.0
Acrylic acid	2, 3	79–10–7	2,000.0
Acrylonitrile	2, 3	107-13-1	2,000.0
Adriamycin	3	23214-92-8	Group B Pharmaceutical
Aflatoxins	3	1402-68-2	Croup D T narmaceutean 2.5
		309-00-2	2.3 18.3
Aldrin Allri sloskol	3, 6		365.8
Allyl alcohol	3	107-18-6	365.8 218.6
Allyl chloride	2, 3	107-05-1	
Aluminum alkyls	3	7429-90-5*	145.1
Aluminum pyro powders	3	7429-90-5*	365.8
Aluminum soluble salts	3	7429–90–5*	145.1
2-Aminoanthraquinone	3	117-79-3	25.0
I-Aminobiphenyl	2, 3	92-67-1	2.5
Amitrole	3, 6	61-82-5	14.5
Ammonia	3	7664–41–7	1,314
Aniline	2, 3	62–53–3	729.5
Anisidine	2, 3	29191-52-4	25
Anisidine and o-anisidine hydrochloride	2, 3	90040*	25.0
Antimony & compounds, as Sb	2, 3	7440360*	35.7
ANTU	3, 6	86-88-4	21.0
Arsenic and inorganic compounds, as As	2, 3	7440-38-2*	2.5
Arsine	2, 3	7784-42-1	14.5
Asbestos, all forms	2, 3	1332214*	2.5
Atrazine	3, 6	1912-24-9	365.8
Azathioprine	3	446866	Group A Pharmaceutical
Azinphos-methyl	3, 6	86-50-0	14.5
Barium, soluble compounds, as Ba	3	7440-39-3*	35.7
Benomyl	3, 6	17804-35-2	729.5
Benz(a)anthracene	3	56553	Polycyclic Organic Matter
Benzene	2, 3	71-43-2	30.0
Benzidine	2, 3	92-87-5	0.2
Benzo(b)fluoranthene	2, 3	205-99-2	Polycyclic Organic Matter
Benzo(a)pyrene	3	50-32-8	Polycyclic Organic Matter
Benzotrichloride	2, 3	98077	25.0
Benzoyl peroxide	3	94360	365.8
Benzyl chloride	2, 3	100-44-7	365.8
Beryllium and beryllium compounds, as Be	2, 3	7440-41-7*	2.5
Biphenyl	2, 3	92–52–4	109.3
NN-Bis(2-chloroethyl)-2-naphthylamine (Chlorona- phazine)	3	494-03-1	Group A Pharmaceutical
Bischloroethyl nitrosourea	3	154-93-8	Group B Pharmaceutical
Bis (chloromethyl) ether (BCME) and technical grade	2, 3	542-88-1	0.01
Borates, tetra, sodium salts, decahydrate	3	1303–96–4*	365.8
Borates, tetra, sodium salts, pentahydrate	3	1303–96–4*	73.6
Boron tribromide	3	10294-33-4	444

Register, December, 1997, No. 504

42

Boron trilluoride 3 7637-07-2 11 Bromanie 3, 6 314-40-9 72 Bromine 3 7726-95-6 5 Bromine pentafluoride 3 7726-95-6 5 Bromine pentafluoride 3 7726-95-6 5 Bromotorn 2 75-25-2 2.00 1.4-Battacido dimethanesulphonate (Myleran) 3 55-98-1 Group A Pharmaceur 2-Butoxyethanol (EGBE) 3 111-76-2 2.00 n-Butyl alcohol 3 71-36-3 2.00 n-Butyl alcohol 3 109-73-9 666 De-abutyl plycidyl ether (BGE) 3 2426-08-6 2.00 n-Butyl alcohol 3 98-51-1 2.00 c-sec-Butylphenol 3 98-51-2 2.00 c-admium and cadmium compounds, as Cd 2,3 136-62-7 3 Calcium hydroxide 3 1305-62-0 36 Calcium hydroxide 3 1305-62-0 36 Calcium oxide 3 <t< th=""><th>Air Contaminant Name</th><th></th><th></th><th>Sources of egulation (See otnotes Below</th><th></th><th>e Inclusion Level (lbs/yr)</th></t<>	Air Contaminant Name			Sources of egulation (See otnotes Below		e Inclusion Level (lbs/yr)
Bromine 3 7726-05-6 3 Bromine pentalluoide 3 7789-30-2 3 Bromoform 2 75-25-2 200 1,3-Butadiene 2,3 106-99-0 200 1,4-Butancidi dimethanesulphonate (Myleran) 3 55-88-1 Group A Pharmaceut 2-Butoxyethanol (EGBE) 3 111-76-2 200 n-Butyl alcohol 3 171-36-3 200 n-Butyl alcohol 3 171-36-3 200 n-Butyl alcohol 3 188-85-1 0 n-Butyl algoridyl ether (BGE) 3 138-22-7 1.82 o-sec-Butylphenol 3 98-51-1 2.00 p-tert-Butyl foluce 2,3 156-62-7 3 Calcium nydroxide 3 1305-78-8 14 Calcium royanamide 2,3 156-62-7 3 Calcium royanamide 3 1305-78-8 14 Calcium royanamide 3 1305-62-0 36 Calcium royanamide 3 1305-62-1 <td>Boron trifluoride</td> <td>·····</td> <td></td> <td>3</td> <td>7637072</td> <td>132.5</td>	Boron trifluoride	·····		3	7637072	132.5
Bromine 3 7726-05-6 5 Bromine pentilburide 3 7789-30-2 5 Bromine pentilburide 2,3 106-69-0 200 1.4-Butanéline 2,3 106-69-0 200 1.4-Butanéline 3 111-76-2 200 n-Butyl acholo 3 111-76-2 200 n-Butyl acholo 3 171-36-3 2000 n-Butyl alcohol 3 179-36-3 2000 n-Butyl alcohol 3 171-36-3 2000 n-Butyl alcohol 3 180-72-5 2000 n-Butyl glycidyl ether (BGE) 3 242-08-6 2,00 n-Butyl glycidyl ether (BGE) 3 136-62-7 13.8 o-sec-Butylphenol 3 130-62-0 36 Calcium hydroxide 3 1305-62-1 36 Calcium noxide 3 1305-62-1 36 Calcium vapor 3 165-66-2 45 Carbot diau (Stateschi) 3 133-86-4 25	Bromacil			3, 6	314-40-9	729.5
Bromine pentalluoride 3 7789-30-2 5 Bromoform 2 75-25-2 2,00 1.4-Butanctiol dimethanesulphonate (Myleran) 3 55-98-1 Group A Pharmaceut 2-Butoxythanol (EGBE) 3 111-76-2 2,00 n-Butyl acrolate 3 141-32-2 2,00 n-Butyl acrolate 3 141-32-2 2,00 n-Butyl acrolate 3 109-73-9 666 etr-Butyl chronate, as Cr 2,3 1189-85-1 0 n-Butyl glovinate, as Cr 2,3 138-22-7 1,82 o-sec-Butylphenol 3 98-51-1 2,00 c-atchun ylactate 3 1305-62-1 3 Calcium compounds, as Cd 2,3 740-43-9* 3 Calcium oranide 3 1305-78-8 14 Calcium vanide 3 1305-62-2 1,45 Calcium oxide 3 1305-60-2 1,45 Calcium vanide 2,3,6 133-06-2 1,45 Calcium vanide 3	Bromine			3	7726-95-6	50.5
Bromoform 2 75-25-2 200 1.3-Buradiene 2.3 106-99-0 200 1.4-Burancéloi dimethanesulphonate (Myleran) 3 55-98-1 Group A Pharmaceut 2-Buroxyethanol (EGBE) 3 111-76-2 200 n-Buryl alcohol 3 71-36-3 2000 n-Buryl alcohol 3 173-36-3 2000 n-Buryl glycidyl ether (BGE) 3 2426-08-6 2000 n-Buryl glycidyl ether (BGE) 3 2426-08-6 2000 n-Buryl glycidyl ether (BGE) 3 89-72-5 2000 p-etr-Buryl hotene 3 98-51-1 2000 c-ace-Burylphenol 3 1305-62-0 36 Calcium waramide 2,3 156-62-7 3 Calcium varamide 3 1305-78-8 14 Cambro valor 3 166-02 1,45 Calcium varamide 3 165-60-2 -2,45 Carbo valor 3,6 163-25-2 36 Calcium varamide 3,6	Bromine pentafluoride			3		50.5
1.3-Bundene 2,3 106-09-0 2,00 1.4-Butanediol dimethanesulphonate (Myleran) 3 55-98-1 Group A Pharmaceut 2-Butoxythanol (EGBE) 3 111-76-2 2,00 n-Butyl acylate 3 141-32-2 2,00 n-Butyl acylate 3 141-32-2 2,00 n-Butyl acylate 3 109-73-9 666 n-Butyl acylate 3 138-22-7 1,82 n-Butyl alcylate 3 138-22-7 1,82 o-sce-Butylphenol 3 89-72-5 2,00 n-Butyl alcylate 3 1305-62-7 3 Calcium cyananide 2,3 156-62-7 3 Calcium cyananide 3 1305-62-0 36 Calcium supanide 3 105-60-2 1,45 Captol (synthetic) 3 165-60-2 1,45 Captaful 3,6 133-06-2 36 Captaful 3,6 133-06-2 36 Calcium vanor 3,6 133-06-2 36 Calcium noxide 2,3,5 56-23-5 57	Bromoform			2		2,000.0
14-Butanckiol dimethanesulphonate (Myleran) 3 55-98-1 Group A Pharmaccut 2-Butoxyethanol (EGBE) 3 111-76-2 2.00 n-Butyl alcohol 3 171-36-3 2.00 n-Butyl alcohol 3 171-36-3 2.00 n-Butyl alcohol 3 171-36-3 2.00 n-Butyl alcohol 3 1189-85-1 0 n-Butyl gly cityl ether (BGE) 3 2426-08-6 2.00 n-Butyl gly cityl ether (BGE) 3 2426-08-6 2.00 n-Butyl altate 3 138-22-7 1.82 -sec-Butylphenol 3 89-71-1 2.00 Cadmium and cadmium compounds, as Cd 2,3 7440-43-9* 2.00 Cadium wananide 2,3 1305-62-0 36 Calcium vananide 3 1305-62-0 36 Calcium vananide 3 105-60-2 1.45 Caphan 2,3,6 133-06-2 36 Calcium vanor 3 1563-66-2 2.00 Carbon vanonide 1 630-08-2.0 2.00 Carbon vanonide 3	1,3-Butadiene					2,000.0
2-Butoxychanol (EGBE) 3 111-76-2 2,00 n-Butyl acrylate 3 141-32-2 2,00 n-Butyl acrylate 3 141-32-2 2,00 n-Butyl alcohol 3 71-36-3 2,00 n-Butyl alcohol 3 71-36-3 2,00 n-Butyl glycidyl ether (BGE) 3 109-73-9 666 tert-Butyl charate, ac Cr 2, 3 1189-85-1 0 n-Butyl glycidyl ether (BGE) 3 2426-08-6 2,00 n-Butyl glycidyl ether (BGE) 3 2426-08-6 2,00 n-Butyl glycidyl ether (BGE) 3 138-22-7 1,82 sec-Butyl gloctal acticum cyanamide 2,3 7440-43-9* Cadmium and cadmium compounds, as Cd 2,3 7440-43-9* Cadicium cyanamide 2,3 156-62-7 3 Calcium vanamide 2,3 156-62-7 3 Calcium vanamide 3 1305-78-8 144 Camphor (synthetic) 3 76-22-2 87 Captalcatam vapor 3 105-60-2 1,45 Captan 2,3,6 63-25-2 366 Carbaryl 2,3,6 75-15-0 2,000 Carbon terabronide 3 558-13-4 100 Carbon terabronide 3 353-50-4 2,000 Carbon terabronide 3 353-50-4 3,66 Carbaryl 100ride 3 353-50-4 3,66 Carbaryl 100ride 3 353-50-4 3,66 Carbaryl 100ride 3 353-50-4 3,66 Carbon functified 2,3,5 56-23-5 3 Carbonyl fluoride 3 353-50-4 3,66 Carbon functified 2 2 463-58-1 2,000 Carbon terabronide 3 558-13-4 100 Carbon terabronide 3 558-13-4 100 Carbon terabronide 3 558-13-4 100 Carbon terabronide 3 558-13-4 100 Carbon terabronide 3 558-13-4 2,000 Chorometer 2,3,6 57-74-9 14 Noranber 2,3,6 57-74-9 14 Noranber 2,3,6 57-74-9 33 Notinated divins and furans (total equivalents) 4 * 0,000 Norombucil 3 10049-04-4 121 Noranber 2,3 1049-09-1 17 Noranber 2,3 1049-09-1 17 Noranber 2,3 1049-07-2 107 Noranber 2,3 1049-07-2 107 Noranber 2,3 1049-07-2 107 Noranber 2,3 1049-07-2 100 Norodenziate 2 510-15-6 2,000 Chorometriate 2 510-15-6 2,000 Chorometriate 2 510-15-6 2,000 Chorometriate 2 510-15-6 2,000 Norodenziate 2 510-15-6 2,000	1,4-Butanediol dimethanesulph	onate (Myleran)				
n=Butyl acrylate 3 $141-32-2$ 2,00 n=Butyl alcohol 3 $71-36-3$ 2,00 n=Butyl alcohol 3 $179-73-9$ 666 hert-Butyl chromate, as Cr 2,3 $1189-85-1$ 0 n=Butyl alcohol 3 $2426-08-6$ 2,00 n=Butyl alcohol 3 $89-72-5$ 2,000 >-sec-Butylphenol 3 $89-72-5$ 2,000 -sec-Butylphenol 3 $98-51-1$ 2,000 Cadmium and cadmium compounds, as Cd 2,3 $7440-43-9^{s}$ 2 Calcium hydroxide 3 $1305-78-8$ 144 Calcium vanamide 3 $1305-78-8$ 144 Cambon cynthetic) 3 $76-22 163$ Captafol 3,6 $1232-06-2$ 163 Captafol 3,6 $1333-86-4$ 253 Carbon black 3 $1333-86-4$ 253 Carbon black 3 $353-50-4$ 366 Carbon black 3 $353-50-4$ 366 Carbon black 3 $3235-30-4$ <						2,000.0
$\begin{array}{c c c c c c c c c c c c c c c c c c c $						2,000.0
n=Butylamine 3 $109-73-9$ 666 err-Butyl glvorate, as Cr 2,3 $1189-85-1$ 0 n=Butyl glvorate, as Cr 2,3 $1189-85-1$ 0 n=Butyl glvorate 3 $82-72-5$ 2,00 n=Butyl glvorate 3 $89-72-5$ 2,00 n=Butyl glvorate 3 $89-72-5$ 2,00 Cadmin and cadmium compounds, as Cd 2,3 $7440-43-9^*$ 2,00 Cadmium and cadmium compounds, as Cd 2,3 $7440-43-9^*$ 2,00 Cadmium and cadmium compounds, as Cd 2,3 $7440-43-9^*$ 2,00 Cadmium synamide 3 $105-62-0$ 36 Calcium oxide 3 $105-60-2$ $14,53$ Calcium oxide 3 $105-60-2$ $14,53$ Captain 2,3,6 $63-25-2$ 366 Carbon black 3 $133-06-2$ 368 Carbon black 3 $133-36-4$ 2500 Carbon black 3 $353-50-4$ 366 Carbon black 3 $353-50-4$ 366 Carbon blach						2,000.0
tert-Butyl chromate, as Cr 2, 3 1189-85-1 0 n-Butyl glycidyl ether (BGE) 3 2426-08-6 2,00 n-Butyl lactate 3 138-22-7 1,82 n-sec-Butylphenol 3 89-72-5 2,00 n-tert-Butylioluene 3 98-51-1 2,00 Zalcium cyanamide 2, 3 7440-43-9* 3 Zalcium oxide 3 1305-62-0 36 Zalcium oxide 3 105-60-2 1,45 Zaprolactam vapor 3 105-60-2 1,45 Zaptol 3,6 2425-06-1 20 Zaptan 2,3,6 133-06-2 36 Zarbaryl 2,3,6 133-38-64 25.5 Zarbon black 3 1333-86-4 25.5 Zarbon tertakromide 1 630-08-0 2,000 Sarbon disulfide 2, 3, 5 56-23-5 2 2 Zarbon tran 3 353-50-4 36 36 Sarbon disulfide 2 3,5						666.46
n-Butyl glycidyl ether (BGE) 3 $2426-08-6$ $2,00$ -Butyl lactate 3 $138-22-7$ $1,82$ >-sec-Butylphenol 3 $98-71-5$ $2,00$ >-tert-Butyltoluene 3 $98-51-1$ $2,00$ Cadmium and cadmium compounds, as Cd 2, 3 $156-62-7$ 3 Zalcium cyanamide 2, 3 $1305-62-0$ 36 Zalcium nydroxide 3 $1035-78-8$ 14 Zamphor (synthetic) 3 $76-22-2$ 87 Zaptafol 3, 6 $2425-06-1$ 456 Zaptafol 3, 6 $1563-66-2$ 366 Zarbanyl 2, 3, 6 $63-25-2$ 366 Zarbanyl 2, 3, 6 $63-25-2$ 366 Zarbon isulfide 2, 3 $75-15-0$ $2,000$ Zarbon isulfide 2, 3, 5 $56-23-5$ 27 Zarbon isulfide 3 $333-50-4$ 366 Zarbon isulfide 3 $32151-79-1$ 100 Zarbon isulfide 3 $2135-79-1$ 100 Zarbon isulfide						0.01
n-Butyl lactate3 $138-22-7$ $1,82$ -sec-Butylphenol3 $89-72-5$ $2,00$ -sec-Butylphenol3 $89-72-5$ $2,00$ Cadmium and cadmium compounds, as Cd $2,3$ $7440-43-9*$ 2alcium lyxino compounds, as Cd $2,3$ $7440-43-9*$ 2alcium lyxino compounds, as Cd $2,3$ $7440-43-9*$ 2alcium lyxino compounds, as Cd $2,3$ $746-62-0$ 2alcium lyxino compounds, as Cd 3 $105-62-2$ 2alcium lyxino compounds, as Cd 3 $105-62-2$ 2alcium lyxino compounds, as Cd 3 $105-60-2$ 2alcium lyxino compounds, as Cd 3 $105-60-2$ 2aptalation $3,6$ $2425-06-1$ 2aptafol $3,6$ $133-66-2$ 2aptafol $3,6$ $1563-66-2$ 2arbon dislifide $2,3,7-15-0$ $2,000$ 2arbon black 3 $1333-86-4$ 255 2arbon black 3 $353-50-4$ 366 2arbon dislifide $2,3,5$ $56-23-5$ $256-23-5$ 2arbon dislifide $2,3,5$ $56-23-5$ $256-23-5$ 2arbon dislifide $2,3,6$ $307-3-3$ Group A Pharmaceutic2arbon dislifide 3 $305-63-3$ Group A Pharmaceutic2arbon dislifide 3 $306-63-3$ Group A Pharmaceutic2arbon dislifide 3 $306-63-3$ Group A Pharmaceutic2horing and guardiant distribution 3 $306-63-3$ Group A Pharmaceutic2horing and guardiant distribution 3 $306-63-3$						
>-sec-Butylphenol 3 89-72-5 2,00 -tert-Butyltoluene 3 98-51-1 2,00 Zahrium and cadmium compounds, as Cd 2, 3 7440-43-9* 2 Calcium cyanamide 2, 3 156-62-7 3 Calcium dydroxide 3 1305-78-8 14 Camphor (synthetic) 3 76-22-2 87 Captalactam vapor 3 105-60-2 1,45 Captafol 3,6 133-06-2 36 Captafol 3,6 133-06-2 36 Carbon black 3 133-86-4 25 Carbon black 3 133-86-4 25 Carbon black 3 133-86-4 25 Carbon black 3 133-86-4 26 Carbon black 3 353-50-4 2,000 Carbon trabromide 2,3,5 56-23-5 37 Carbon trabromide 2 33-353-64 36 Carbon trabromide 2 33-90-4 2,000 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
b_{-} tert-Butyltoluene 3 $98-51-1$ $2,00$ Cadmium and cadmium compounds, as Cd 2, 3 $7440-43-9*$ 7420-43-9* Calcium quamide 2, 3 $1365-62-0$ 36 Calcium oxide 3 $1305-78-8$ 14 Camphor (synthetic) 3 $76-22-2$ 87 Caprolactam vapor 3 $105-60-2$ 1,45 Captan 2,3,6 $133-06-2$ 36 Carbaryl 2,3,6 $133-06-2$ 36 Carbaryl 2,3,6 $133-06-2$ 36 Carbon black 3 $1333-86-4$ 25 Carbon black 3 $1333-86-4$ 25 Carbon black 3 $1333-86-4$ 26 Carbon trachornide 1 $630-08-0$ 2,000 Carbon trachornide 2,3,5 $56-23-5$ 27 Carbon trachorinide 3 $3035-$						
Cadmium and cadmium compounds, as Cd2, 3 $7440-43-9^*$ Calcium cyanamide2, 3 $156-62-7$ 3Calcium vanamide3 $1305-62-0$ 36Calcium oxide3 $1305-78-8$ 14Camphor (synthetic)3 $76-22-2$ 87Caprolactam vapor3 $105-60-2$ 145Captafol3, 6 $2425-06-1$ 2Carbaryl2, 3, 6 $63-25-2$ 36Carbaryl2, 3, 6 $63-25-2$ 36Carbaryl2, 3, 6 $63-25-2$ 36Carbornan3, 6 $1563-66-2$ 2Carbon black3 $1333-86-4$ 25Carbon disulfide2, 3 $75-15-0$ 2,000Carbon disulfide2, 3, 5 $56-23-5$ 3Carbon moxide1 $630-08-0$ 2,000Carbon tertabromide3 $353-50-4$ 366 Carbon tertabromide3 $353-50-4$ 366 Carbon tertabromide3 $21351-79-1$ 1Carbon yl sulfide2 $463-58-1$ $2,000$ Carbonyl sulfide3 $21351-79-1$ 1Carbonyl sulfide3 $305-03-3$ Group A PharmaceuticIhoramben2, 3, 6 $8001-35-2$ 32 Notinated diphenyl oxide3 $55720-99-5$ 32 Ihorinated camphene2, 3, 6 $800-3-3$ Group A PharmaceuticIhorinated camphene2, 3 $7782-50-5$ 216 Ihorinated diphenyl oxide3 $10049-04-4$ 21						
Calcium cyanamide2, 3 $156-62-7$ 3Calcium hydroxide3 $1305-62-0$ 36Calcium oxide3 $1305-78-8$ 14Camphor (synthetic)3 $76-22-2$ 87 Captolactam vapor3 $105-60-2$ $1,45$ Captafol3, 6 $2425-06-1$ $1000000000000000000000000000000000000$		undo os Cd				
Calcium hydroxide3 $1305-62-0$ 36Calcium oxide3 $1305-78-8$ 14Camphor (synthetic)3 $76-22-2$ 87 Caprolactam vapor3 $105-60-2$ $1,45$ Captan2, 3, 6 $2425-06-1$ 56 Captan2, 3, 6 $63-25-2$ 366 Carbon Jack3 $1333-86-4$ 255 Carbon black3 $1333-86-4$ 255 Carbon black3 $1333-86-4$ 255 Carbon black3 $353-60-2$ 2000 Carbon black3 $558-13-4$ 100 Carbon function2, 3, 5 $56-23-5$ 256 Carbonyl sulfide2 $463-58-1$ 20000 Carbonyl sulfide3 $353-50-4$ 366 Carbonyl sulfide2 $12351-79-1$ 1Choraben2 $133-90-4$ 20000 Carbonyl sulfide3 $305-03-3$ Group A PharmaceuticChoraben2, 3, 6 $57720-99-5$ 326 Choraben2, 3, 6 $5720-99-5$ 326 Ihorinated diphenyl oxide3 $5720-99-5$ 326 Ihorine dixide3 $10049-04-4$ 217 Ihorine dixide3		unus, as Cu				2.5
Calcium oxide3 $1305-78-8$ 14Campior (synthetic)3 $76-22-2$ 87 Caprolactam vapor3 $105-60-2$ $1,457$ Captafal3, 6 $2425-06-1$ 23 Captan2, 3, 6 $6133-06-2$ 366 Carban3, 6 $1563-66-2$ 366 Carbon black3 $1333-86-4$ 255 Carbon black3 $1333-86-4$ 255 Carbon black3 $358-13-4$ 100 Carbon thrake2, 3, 5 $56-23-5$ 266 Carbon thrake2, 3, 5 $56-23-5$ 266 Carbon tetrachloride2, 3, 5 $56-23-5$ 266 Carbon tetrachloride2, 3, 5 $56-23-5$ 266 Carbon tetrachloride2, 3, 5 $36-23-5$ 266 Carbon tetrachloride2, 3, 5 $36-23-5$ 266 Carbon tetrachloride2, 3, 6 $37-90-9$ 146 Carbon tetrachloride3 $305-03-3$ Group A PharmaceuticCarbon tetrachloride2, 3, 6 $57-74-9$ 326 Carbon tetrachloride3 $305-03-3$ Group A PharmaceuticChorambucil3 $305-03-3$ Group A PharmaceuticChorambucil3 $305-05-5$ 216 Chorambucil3 $304-04-4$ 212 Ihorinated diphenyl oxide3 $1004-04-4$ 212 Ihorine dixide3 $304-04-4$ 212 Ihorine dixide3 $304-04-4$ 212 Ihorine dixide3 <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>35.7</td>	-					35.7
Camphor (synthetic) 3 76-22-2 87 Caprolactam vapor 3 105-60-2 1,45 Captafol 3, 6 2425-06-1 24 Captan 2, 3, 6 133-06-2 36 Carbaryl 2, 3, 6 63-25-2 36 Carbon black 3 133-86-4 25 Carbon disulfide 2, 3 75-15-0 2,000 Carbon monoxide 1 630-08-0 2,000 Carbon tetrabromide 3 353-50-4 36 Carbon flyindife 2 463-58-1 2,000 Carbonyl sulfide 3 313-90-4 2,000 Carbonyl sulfide 3 312-15-79-1 14 Carbonyl sulfide 2 463-58-1 2,000 Carbonyl sulfide 3 2135-79-1 14 Carbonyl sulfide 3 305-03-3 Group A Pharmaceutic Carbonyl sulfide 3 305-03-3 Group A Pharmaceutic Chorambucil 3 305-03-3 Group A Phar						365.8
Caprolactam vapor3 $105-60-2$ $1,45$ Captan3, 6 $2425-06-1$ Captan2, 3, 6 $613-06-2$ Carbaryl2, 3, 6 $63-25-2$ Carbofuran3, 6 $1563-66-2$ Carbon disulfide2, 3 $75-15-0$ Carbon disulfide2, 3 $75-15-0$ Carbon disulfide2, 3 $75-15-0$ Carbon tetrabromide1 $630-08-0$ Carbon tetrabromide3 $558-13-4$ Carbon tetrabromide3 $353-50-4$ Carbon tetrabloride2, 3, 5 $56-23-5$ Carbonyl fluoride3 $353-50-4$ Carbonyl fluoride3 $3120-80-9$ Carbonyl fluoride3 $3133-60-4$ Carbonyl fluoride3 $305-03-3$ Group A PharmaceuticCarbonyl sulfide2 $133-90-4$ Carbonyl carbon2, 3, 6 $572-79-9$ Carbonyl carbon2, 3, 6 $572-79-9$ Carbonyl carbon2, 3, 6 $572-9-9-5$ Carbonyl carbon2, 3, 6 $572-9-9-5$ Carbonyl carbon2, 3 $7782-50-5$ Carbonyl carbon3 $10049-04-4$ Carbonyl carbon2 $79-11-8$ Carbonyl carbon2 $79-11-8$ Carbonyl carbon2 $79-11-8$ Carbon carbon2<						145.1
Captafol3, 6 $2425-06-1$ Captan2, 3, 6133-06-236.Carbaryl2, 3, 6133-06-236.Carbor3, 61563-66-23.Carbon black31333-86-425.Carbon monoxide1630-08-02.000Carbon monoxide1630-08-02.000Carbon monoxide2, 3, 556-23-53.Carbon ttrachloride2, 3, 556-23-53.Carbon ttrachloride2, 3, 556-23-53.Carbon strachloride2463-58-12.000Carbon ttrachloride2, 3120-80-91.4Carbon ttrachloride2, 3120-80-91.4Carbon ttrachloride2133-90-42.000Carbon ttrachloride321351-79-11Choramben2133-90-42.000Choramben2, 3, 657-74-932Chorambucil3305-03-3Group A PharmaceuticChorinated diphenyl oxide355720-99-533Chorine2, 3, 6577-74-932Chorine trifluoride310049-04-421Ihorine trifluoride37790-91-217Ihorine trifluoride3323-27-42.000Coloroacetophenone2532-27-42.000Coloroacetophenone2532-27-42.000Coloroacetophenone2532-27-42.000Coloroacetophenone2532-27-42.000Coloro						874.6
Captan2, 3, 6 $133-06-2$ 36 Carborluran3, 6 $1563-66-2$ 366 Carborluran3, 6 $1563-66-2$ 256 Carborluran3 $1333-86-4$ 257 Carbon disulfide2, 3 $75-15-0$ 2000 Carbon monoxide1 $630-08-0$ 2000 Carbon tetrabromide3 $558-13-4$ 100 Carbon tetrabromide3 $558-13-4$ 100 Carbon tetrachloride3 $353-50-4$ 366 Carbonyl fluoride3 $353-50-4$ 366 Carbonyl fluoride2 $463-58-1$ 2000 Carbonyl fluoride3 $21351-79-1$ 1Horamben2 $133-90-4$ 2000 Altorambueil3 $305-03-3$ Group A Pharmaceutichlorinated camphene2, 3, 6 $57-74-9$ 35 hlorinated dixins and furans (total equivalents)4 $*$ 0000 hlorinated dixins and furans (total equivalents)4 $*$ 0000 hlorine triflooride3 $10049-04-4$ 21 hlorine dixide3 $10049-04-4$ 21 hlorine dixide3 $10049-04-4$ 21 hlorine dixide2 $510-15-6$ 2000 hlorine dixide2 $510-15$						1,459.1
Carbaryl2, 3, 6 $63-25-2$ 366 Carbon Mack3 $1333-86-4$ 255 Carbon black3 $1333-86-4$ 256 Carbon monoxide1 $630-08-0$ $2,000$ Carbon tetrabromide3 $558-13-4$ 100 Carbon tetrabromide3 $558-13-4$ 100 Carbon tetrabromide3 $353-50-4$ 366 Carbon tetrabromide2 $463-58-1$ $2,000$ Carbon y liftide2 $463-58-1$ $2,000$ Carbony sulfide2 $463-58-1$ $2,000$ Carbony sulfide3 $21351-79-1$ 11 Carbony sulfide3 $305-03-3$ Group A PharmaceuticCarbony sulfide3 $305-03-3$ Group A PharmaceuticCarbony sulfide3 $305-03-3$ Group A PharmaceuticCarbon work2, 3, 6 $57-74-9$ 352 Altorame2, 3, 6 $5720-99-5$ 352 Altorane2, 3 $7782-50-5$ 218 Altorinated dixins and furans (total equivalents)4*Altorine dioxide3 $10049-04-4$ 212 Altorine trifluoride3 $7790-91-2$ 172 Altorome2 $532-27-4$ $2,000$ Choroacetophenone2 $532-27-4$ $2,000$ Choroacetophenone2 $510-15-6$ $2,000$ Choroacetophenone2 $510-15-6$ $2,000$ Choroacetophenone2 $510-15-6$ $2,000$ Choroacetophenone2						7.4
Carbofuran3, 6 $1563-66-2$ Carbon black3 $1333-86-4$ 253 Carbon disulfide2, 3 $75-15-0$ $2,000$ Carbon monoxide1 $630-08-0$ $2,000$ Carbon tetrabromide3 $558-13-4$ 100 Carbon tetrabromide2, 3, 5 $56-23-5$ 325 Carbon tetrachloride2, 3, 5 $56-23-5$ 325 Carbon tetrachloride2 $463-58-1$ $2,000$ Carbon yl sulfide2 $463-58-1$ $2,000$ Carbon yl sulfide2 $463-58-1$ $2,000$ Carbon yl sulfide3 $21351-79-1$ 14 Carbon yl sulfide3 $3133-90-4$ $2,000$ Carbon yl sulfide3 $305-03-3$ Group A PharmaceuticCarbon yl sulfide3 $305-03-3$ Group A PharmaceuticChlorambucil3 $305-03-3$ Group A PharmaceuticChlorane2, 3, 6 $57-74-9$ 32 Chlorane2, 3 $7782-50-5$ 218 Chlorinated diphenyl oxide3 $55720-99-5$ 33 Horine dioxide3 $10049-04-4$ 217 Horine trifluoride3 $7790-91-2$ 17 Horine trifluoride3 $7790-91-2$ 17 Horine trifluoride2 $532-27-4$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chlorobenzene (Monochlorobenzene)2,3 $108-90-7$ $2,000$ Horobenzilate2 $510-15-6$ $2,000$ CO	-		a. 4		133-06-2	365.8
Carbon black31333-86-425-Carbon disulfide2, 3 $75-15-0$ 2,000Carbon monoxide1 $630-08-0$ 2,000Carbon monoxide3 $558-13-4$ 100Carbon tetrabromide3 $558-13-4$ 100Carbon tetrabromide3 $353-50-4$ 360Carbon yl fluoride3 $333-50-4$ 360Carbon yl fluoride3 $333-50-4$ 360Carbon yl sulfide2 $463-58-1$ 2,000Carbonyl sulfide2 $133-90-4$ 2,000Carbonyl sulfide3 $21351-79-1$ 1Liotamben2 $133-90-4$ 2,000Chorambucil3 $305-03-3$ Group A PharmaceuticIhorinated camphene2, 3, 6 $57-74-9$ 35Ihorinated diphenyl oxide3 $55720-99-5$ 35Ihorinated diphenyl oxide3 $57720-99-5$ 35Ihorine dioxide3 $10049-04-4$ 21Ihorine dioxide3 $10049-04-4$ 21Ihorine dioxide3 $10049-04-4$ 21Ihorine trifluoride2 $532-27-4$ $2,000$ Choroacetophenone2 $532-27-4$ $2,000$ Choroacetophenone2 $510-15-6$ $2,000$ Ihorobenzilate2 $510-15-6$ $2,000$ Ihorobenzilate2 $510-15-6$ $2,000$ Ihorobenzilate2 $510-15-6$ $2,000$ Ihorobenzilate2 $510-15-6$ $2,000$ Ihorob	· · ·				63-25-2	365.8
Carbon disulfide2, 3 $75-15-0$ 2,000Carbon monoxide1 $630-08-0$ 2,000Carbon tetrabromide3 $558-13-4$ 100Carbon tetrachloride2, 3, 5 $56-23-5$ 36Carbony fluoride3 $353-50-4$ 360Carbony sulfide2 $463-58-1$ 2,000Carbony sulfide2 $463-58-1$ 2,000Carbony sulfide3 $21351-79-1$ 1Carbony sulfide3 $21351-79-1$ 1Carbony sulfide3 $305-03-3$ Group A PharmaceuticCarbony sulfide3 $305-03-3$ Group A PharmaceuticChoramben2, 3, 6 $57-74-9$ 35Choramben2, 3, 6 $57-74-9$ 35Chorande diaxins and furans (total equivalents)4 $*$ 0.000Chorinated diphenyl oxide3 $55720-99-5$ 35Norine dioxide3 $10049-04-4$ 21Inlorine dioxide3 $10049-04-4$ 21Inlorine dioxide3 $10049-04-4$ 21Inlorine dioxide2 $532-27-4$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $510-15-6$ $2,000$ Chloroacetophenone2 $510-15-6$ $2,000$ Chlorocacetophenone2 $510-15-6$ $2,000$ Chlorocacetophenone2 $510-15-6$ $2,000$ Chlorocacetophenone2 $57-07-8$ $2,000$ Chlorofluorocarbon-11 (CFC-11, R-	the second se				1563-66-2	7.4
Arbon monoxide1630-08-02,000Carbon tetrabromide3 $558-13-4$ 100Carbon tetrachloride2, 3, 5 $56-23-5$ 100Carbonyl fluoride3 $353-50-4$ 366 Carbonyl sulfide2 $463-58-1$ 2,000Carbonyl sulfide2 $463-58-1$ 2,000Carbonyl sulfide3 $21351-79-1$ 1Carbonyl sulfide3 $21351-79-1$ 1Carbonyl sulfide3 $305-03-3$ Group A PharmaceuticChloramben2 $133-90-4$ 2,000Chloramben2, 3, 6 $57-74-9$ 352 Chlorane2, 3, 6 $57-74-9$ 352 Altorinated camphene2, 3, 6 $8001-35-2$ 352 Altorinated diphenyl oxide3 $55720-99-5$ 352 Iborine dioxide3 $10049-04-4$ 212 Ihorine dioxide2 $532-27-4$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $512-15-6$ $2,000$ Chloroacetophenone3 $13010-47-4$ Group B Pharmaceutic(CCNU)Chlorofluorocarbon-11 (CFC-11, R-11) 5 $75-69-4$ $2,000$					1333-86-4	254.4
Carbon tetrabromide3 $538-13-4$ 100Carbon tetrachloride2, 3, 5 $56-23-5$ 36Carbonyl fluoride3 $353-50-4$ 366 Carbonyl sulfide2 $463-58-1$ $2,000$ Carbonyl sulfide2 $463-58-1$ $2,000$ Carbonyl sulfide3 $21351-79-1$ 1Carbonyl sulfide3 $21351-79-1$ 1Carbonyl sulfide3 $305-03-3$ Group A PharmaceuticChlorambucil3 $305-03-3$ Group A PharmaceuticChlorinated camphene2, 3, 6 $57-74-9$ 35 Chlorinated divins and furans (total equivalents)4* 0.000 Chlorinated diphenyl oxide3 $55720-99-5$ 35 Chlorinated diphenyl oxide3 $10049-04-4$ 21 Chlorinate dioxide3 $10049-04-4$ 21 Chlorinate dioxide3 $790-91-2$ 17 Chlorinate dioxide2 $532-27-4$ $2,000$ Chloroacetophenone2 $57-69-4$	Carbon disulfide			2, 3	75150	2,000.0
Carbon tetrachloride2, 3, 5 $56-23-5$ 2Carbonyl fluoride3 $353-50-4$ 366 Carbonyl sulfide2 $463-58-1$ $2,000$ Carbonyl sulfide2, 3 $120-80-9$ $1,4$ Carbonyl sulfide3 $21351-79-1$ 1 Carbonyl sulfide3 $21351-79-1$ 1 Carbonyl sulfide3 $21351-79-1$ 1 Carbonyl sulfide3 $305-03-3$ Group A PharmaceuticChloramben2, 3, 6 $57-74-9$ 356 Chlorane2, 3, 6 $8001-35-2$ 356 Chlorane2, 3, 6 $8001-35-2$ 356 Chlorinated dixins and furans (total equivalents)4* 0.000 Chlorine2, 3 $7782-50-5$ 218 Horine dixide3 $10049-04-4$ 21 Horine dixide3 $10049-04-4$ 21 Horine trifluoride3 $7790-91-2$ 17 Horoacetic acid2 $79-11-8$ $2,000$ C-Chloroacetophenone2 $532-27-4$ $2,000$ Horobenzene (Monochlorobenzene)2, 3 $108-90-7$ $2,000$ Horofluorocarbon-11 (CFC-11, R-11)5 $75-69-4$ $2,000$ Horofluorocarbon-12 (CFC-12, R-12)5 $75-71-8$ $2,000$	Carbon monoxide				630080	2 ,000.0
Carbonyl fluoride3 $353-50-4$ 366 Carbonyl sulfide2 $463-58-1$ $2,000$ Catechol (Pyrocatechol)2, 3 $120-80-9$ $1,4$ Catechol (Pyrocatechol)2, 3 $21351-79-1$ 1 Chloramben2 $133-90-4$ $2,000$ Chlorambucil3 $305-03-3$ Group A PharmaceuticChlorambucil3 $305-03-3$ Group A PharmaceuticChlorinated camphene2, 3, 6 $57-74-9$ 352 Chlorinated dioxins and furans (total equivalents)4* 0.000 Chlorine2, 3 $7782-50-5$ 218 Chlorine dioxide3 $10049-04-4$ 21 Chlorine trifluoride3 $7790-91-2$ 172 Chloroacetic acid2 $79-11-8$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $510-15-6$ $2,000$ Chloroacetophenone2 $510-15-6$ $2,000$ Chloroacetoric acid2 $510-15-6$ $2,000$ Chloroacetonethyl) -3-cyclohexyl-1-nitrosourea3 $13010-47-4$ Group B PharmaceuticChlorofluorocarbon-11 (CFC-11, R-11)5 $75-69-4$ $2,000$ Norofluorocarbon-12 (CFC-12, R-12)5 $75-71-8$ $2,000$	Carbon tetrabromide			3	558-13-4	103.0
Carbonyl sulfide2 $463-58-1$ $2,000$ Catechol (Pyrocatechol)2, 3 $120-80-9$ $1,4$ Catechol (Pyrocatechol)3 $21351-79-1$ 1 Chloramben2 $133-90-4$ $2,000$ Chlorambucil3 $305-03-3$ Group A PharmaceuticChlorinated camphene2, 3, 6 $57-74-9$ 35 Chlorinated dioxins and furans (total equivalents)4* 0.000 Chlorinated diphenyl oxide3 $55720-99-5$ 35 Chlorine2, 3 $7782-50-5$ 218 Chlorine dioxide3 $10049-04-4$ 21 Chlorine trifluoride3 $790-91-2$ 17 Chloroacetophenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $510-15-6$ $2,000$ Chloroacetophenone2 $510-15-6$ $2,000$ Chlorofluorocarbon-11 (CFC-11, R-11)5 $75-69-4$ $2,000$ Chlorofluorocarbon-12 (CFC-12, R-12)5 $75-71-8$ $2,000$	Carbon tetrachloride			2, 3, 5	56-23-5	2.5
Catechol (Pyrocatechol)2, 3 $120-80-9$ $1,4$ Catechol (Pyrocatechol)3 $21351-79-1$ 1Chloramben2 $133-90-4$ $2,000$ Chlorambucil3 $305-03-3$ Group A PharmaceuticChlorane2, 3, 6 $57-74-9$ 35 Chlorinated camphene2, 3, 6 $8001-35-2$ 35 Chlorinated dioxins and furans (total equivalents)4* 0.000 Chlorinated diphenyl oxide3 $55720-99-5$ 35 Chlorine2, 3 $7782-50-5$ 218 Chlorine dioxide3 $10049-04-4$ 21 Chlorine trifluoride3 $7790-91-2$ 17 Chloroacetio phenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chloroacetophenone2 $510-15-6$ $2,000$ Chloroacetophenone2 $510-15-6$ $2,000$ Coltoroactophenone2 $510-15-6$ $2,000$ Coltoroactophenone3 $13010-47-4$ Group B Pharmaceutic(CCNU) $670-91-11$ 5 $75-69-4$ $2,000$ Norofluorocarbon-11 (CFC-11, R-11) 5 $75-69-4$ $2,000$ Norofluorocarbon-12 (CFC-12, R-12) 5 $75-71-8$ $2,000$	Carbonyl fluoride			.3	353-50-4	365.8
Lesium hydroxide3 $21351-79-1$ 1Chloramben2 $133-90-4$ $2,000$ Chlorambucil3 $305-03-3$ Group A PharmaceuticChlorambucil3 $305-03-3$ Group A PharmaceuticChlorane2, 3, 6 $57-74-9$ 352 Chlorinated camphene2, 3, 6 $8001-35-2$ 352 Chlorinated diphenyl oxide3 $55720-99-5$ 352 Chlorinated diphenyl oxide3 $55720-99-5$ 352 Chlorine2, 3 $7782-50-5$ 2182 Chlorine dioxide3 $10049-04-4$ 221 Chlorine trifluoride3 $7790-91-2$ 172 Chloroacetic acid2 $79-11-8$ $2,0000$ -Chloroacetophenone2 $532-27-4$ $2,0000$ Norobenzilate2 $510-15-6$ $2,0000$ -(2-Chloroethyl) -3-cyclohexyl-1-nitrosourea3 $13010-47-4$ Group B Pharmaceutic(CCNU)5 $75-69-4$ $2,0000$ Norofluorocarbon-11 (CFC-11, R-11) 5 $75-69-4$ $2,0000$ Norofluorocarbon-12 (CFC-12, R-12) 5 $75-71-8$ $2,0000$	Carbonyl sulfide			2	463-58-1	2,000.0
Chloramben2 $133-90-4$ $2,000$ Chlorambucil3 $305-03-3$ Group A PharmaceuticChlorambucil2,3,6 $57-74-9$ 335 Chlorinated camphene2,3,6 $8001-35-2$ 355 Chlorinated dioxins and furans (total equivalents)4* 0.0000 Chlorinated diphenyl oxide3 $55720-99-5$ 335 Chlorinated diphenyl oxide3 $55720-99-5$ 335 Chlorine2,3 $7782-50-5$ 218 Chlorine dioxide3 $10049-04-4$ 217 Chlorine trifluoride3 $7790-91-2$ 177 Chloroacetic acid2 $79-11-8$ $2,0000$ -Chloroacetophenone2 $532-27-4$ $2,0000$ -Chloroacetophenone2 $532-27-4$ $2,0000$ hlorobenzilate2 $510-15-6$ $2,0000$ -(2-Chloroethyl) -3-cyclohexyl-1-nitrosourea3 $13010-47-4$ Group B Pharmaceutic(CCNU) $57-69-4$ $2,0000$ hlorofluorocarbon-11 (CFC-11, R-11) 5 $75-69-4$ $2,0000$ hlorofluorocarbon-12 (CFC-12, R-12) 5 $75-71-8$ $2,0000$	Catechol (Pyrocatechol)			2, 3	120-80-9	1,459
Chloramben2 $133-90-4$ $2,000$ Chlorambucil3 $305-03-3$ Group A PharmaceuticChlorambucil2, 3, 6 $57-74-9$ 35 Chlorinated camphene2, 3, 6 $8001-35-2$ 35 Chlorinated diphenyl oxide3 $55720-99-5$ 35 Chlorinated diphenyl oxide3 $55720-99-5$ 35 Chlorinated diphenyl oxide3 $10049-04-4$ 21 Chlorine2, 3 $7782-50-5$ 218 Chlorine dioxide3 $10049-04-4$ 21 Chlorine trifluoride3 $7790-91-2$ 17 Chloroacetic acid2 $79-11-8$ $2,000$ -Chloroacetophenone2 $532-27-4$ $2,000$ Chlorobenzene (Monochlorobenzene)2, 3 $108-90-7$ $2,000$ CCNU)-(2-Chloroethyl) -3-cyclohexyl-1-nitrosourea3 $13010-47-4$ Group B PharmaceuticCCNU $2,000$ - $2,000$ Chlorofluorocarbon-11 (CFC-11, R-11)5 $75-69-4$ $2,000$ Chlorofluorocarbon-12 (CFC-12, R-12)5 $75-71-8$ $2,000$	Cesium hydroxide			3	21351-79-1	145
Chlorambucil3 $305-03-3$ Group A PharmaceuticChlorane2, 3, 6 $57-74-9$ 355 Chlorinated camphene2, 3, 6 $8001-35-2$ 355 Chlorinated dioxins and furans (total equivalents)4* 0.000 Chlorinated diphenyl oxide3 $55720-99-5$ 355 Chlorinated diphenyl oxide3 $55720-99-5$ 355 Chlorine2, 3 $7782-50-5$ 218 Chlorine dioxide3 $10049-04-4$ 216 Chlorine trifluoride3 $7790-91-2$ 176 Chloroacetic acid2 $79-11-8$ $2,000$ Chloroacetophenone2 $532-27-4$ $2,000$ Chlorobenzene (Monochlorobenzene)2, 3 $108-90-7$ $2,000$ C-Chloroethyl) -3-cyclohexyl-1-nitrosourea3 $13010-47-4$ Group B PharmaceuticCCNU $2-50-4$ $2,000$ Nhorofluorocarbon-11 (CFC-11, R-11)5 $75-69-4$ $2,000$ Norofluorocarbon-12 (CFC-12, R-12)5 $75-71-8$ $2,000$	Chloramben			2		2,000.0
Chlordane2, 3, 6 $57-74-9$ 35Chlorinated camphene2, 3, 6 $8001-35-2$ 35Chlorinated dioxins and furans (total equivalents)4* 0.000 Alorinated diphenyl oxide3 $55720-99-5$ 35Alorinated diphenyl oxide3 $55720-99-5$ 35Alorine2, 3 $7782-50-5$ 218Alorine dioxide3 $10049-04-4$ 21Alorine trifluoride3 $7790-91-2$ 17Aloroacetic acid2 $79-11-8$ 2,000-Chloroacetophenone2 $532-27-4$ 2,000-Chloroacetophenone2 $532-27-4$ 2,000-(2-Chloroethyl) -3-cyclohexyl-1-nitrosourea3 $13010-47-4$ Group B Pharmaceutic(CCNU)5 $75-69-4$ 2,000Alorofluorocarbon-11 (CFC-11, R-11)5 $75-69-4$ 2,000Alorofluorocarbon-12 (CFC-12, R-12)5 $75-71-8$ 2,000	hlorambucil			3		
Chlorinated camphene2, 3, 6 $8001-35-2$ 35Chlorinated dioxins and furans (total equivalents)4* 0.000 Chlorinated diphenyl oxide3 $55720-99-5$ 35Chlorine2, 3 $7782-50-5$ 218Chlorine dioxide3 $10049-04-4$ 21Chlorine dioxide3 $10049-04-4$ 21Chlorine trifluoride3 $7790-91-2$ 17Chloroacetic acid2 $79-11-8$ 2,000-Chloroacetophenone2 $532-27-4$ 2,000Chlorobenzene (Monochlorobenzene)2, 3 $108-90-7$ 2,000CCNU)2 $510-15-6$ 2,000Horofluorocarbon-11 (CFC-11, R-11)5 $75-69-4$ 2,000Horofluorocarbon-12 (CFC-12, R-12)5 $75-71-8$ 2,000	Chlordane					35.7
thlorinated dioxins and furans (total equivalents)4* 0.000 hlorinated diphenyl oxide355720-99-535hlorine2, 37782-50-5218hlorine dioxide310049-04-421hlorine trifluoride37790-91-217hloroacetic acid279-11-82,000-Chloroacetophenone2532-27-42,000hlorobenzene (Monochlorobenzene)2, 3108-90-72,000hlorobenzilate2510-15-62,000- (2-Chloroethyl) -3-cyclohexyl-1-nitrosourea313010-47-4Group B Pharmaceutic(CCNU)575-69-42,000hlorofluorocarbon-11 (CFC-11, R-11)575-69-42,000hlorofluorocarbon-12 (CFC-12, R-12)575-71-82,000	hlorinated camphene	* 				35.7
Inlorinated diphenyl oxide3 $55720-99-5$ $355720-99-4$ $355720-99-4$ 3557		total equivalents)			*	
hlorine2, 3 $7782-50-5$ 218hlorine dioxide3 $10049-04-4$ 21hlorine trifluoride3 $7790-91-2$ 17hloroacetic acid2 $79-11-8$ 2,000-Chloroacetophenone2 $532-27-4$ 2,000hlorobenzene (Monochlorobenzene)2, 3 $108-90-7$ 2,000hlorobenzilate2 $510-15-6$ 2,000- (2-Chloroethyl) -3-cyclohexyl-1-nitrosourea3 $13010-47-4$ Group B Pharmaceutic(CCNU)5 $75-69-4$ 2,000hlorofluorocarbon-11 (CFC-11, R-11)5 $75-69-4$ 2,000hlorofluorocarbon-12 (CFC-12, R-12)5 $75-71-8$ 2,000		······································			55720-99-5	35.7
hlorine dioxide 3 10049-04-4 21 hlorine trifluoride 3 7790-91-2 17 hloroacetic acid 2 79-11-8 2,000 -Chloroacetophenone 2 532-27-4 2,000 hlorobenzene (Monochlorobenzene) 2,3 108-90-7 2,000 hlorobenzilate 2 510-15-6 2,000 - (2-Chloroethyl) -3-cyclohexyl-1-nitrosourea 3 13010-47-4 Group B Pharmaceutic (CCNU) 5 75-69-4 2,000 hlorofluorocarbon-11 (CFC-11, R-11) 5 75-69-4 2,000 5 75-71-8 2,000 2,000	. – .					218.6
hlorine trifluoride 3 7790-91-2 17 hloroacetic acid 2 79-11-8 2,000 -Chloroacetophenone 2 532-27-4 2,000 hlorobenzene (Monochlorobenzene) 2, 3 108-90-7 2,000 hlorobenzilate 2 510-15-6 2,000 -(2-Chloroethyl) -3-cyclohexyl-1-nitrosourea 3 13010-47-4 Group B Pharmaceutic (CCNU) 5 75-69-4 2,000 hlorofluorocarbon-11 (CFC-11, R-11) 5 75-69-4 2,000 5 75-71-8 2,000 2,000						210.0
hloroacetic acid 2 79–11–8 2,000 -Chloroacetophenone 2 532–27–4 2,000 hlorobenzene (Monochlorobenzene) 2,3 108–90–7 2,000 hlorobenzilate 2 510–15–6 2,000 - (2–Chloroethyl) –3–cyclohexyl–1–nitrosourea 3 13010–47–4 Group B Pharmaceutic hlorofluorocarbon–11 (CFC–11, R–11) 5 75–69–4 2,000 hlorofluorocarbon–12 (CFC–12, R–12) 5 75–71–8 2,000			· · · ·			17.7
-Chloroacetophenone 2 532–27–4 2,000 hlorobenzene (Monochlorobenzene) 2, 3 108–90–7 2,000 hlorobenzilate 2 510–15–6 2,000 - (2–Chloroethyl) –3–cyclohexyl–1–nitrosourea 3 13010–47–4 Group B Pharmaceutic hlorofluorocarbon–11 (CFC–11, R–11) 5 75–69–4 2,000 hlorofluorocarbon–12 (CFC–12, R–12) 5 75–71–8 2,000						
hlorobenzene (Monochlorobenzene) 2, 3 108-90-7 2,000 hlorobenzilate 2 510-15-6 2,000 - (2-Chloroethyl) -3-cyclohexyl-1-nitrosourea 3 13010-47-4 Group B Pharmaceutic (CCNU) - 5 75-69-4 2,000 hlorofluorocarbon-11 (CFC-11, R-11) 5 75-69-4 2,000 2 5 75-71-8 2,000						
hlorobenzilate 2 510–15–6 2,000 - (2-Chloroethyl) -3-cyclohexyl-1-nitrosourea 3 13010–47–4 Group B Pharmaceutic (CCNU) - 5 75–69–4 2,000 hlorofluorocarbon-11 (CFC-11, R-11) 5 75–69–4 2,000 - (2-Chloroethyl) -3-cyclohexyl-1-nitrosourea 5 75–69–4 2,000 - (2-Chloroethyl) -3-cyclohexyl-1-nitrosourea 5 75–69–4 2,000		zene)				
- (2-Chloroethyl) -3-cyclohexyl-1-nitrosourea 3 13010-47-4 Group B Pharmaceutic (CCNU) hlorofluorocarbon-11 (CFC-11, R-11) 5 75-69-4 2,000 hlorofluorocarbon-12 (CFC-12, R-12) 5 75-71-8 2,000		201107				
hlorofluorocarbon-11 (CFC-11, R-11) 5 75-69-4 2,000 hlorofluorocarbon-12 (CFC-12, R-12) 5 75-71-8 2,000	- (2-Chloroethyl) -3-cyclohex	yl–1–nitrosourea				2,000.0 Group B Pharmaceutical
hlorofluorocarbon–12 (CFC–12, R–12) 5 75–71–8 2,000		, R –11)		5	75694	2,000.0
hlorofluorocarbon–13 (CFC–13, R–13) 5 75–72–9 2,000	hlorofluorocarbon-13 (CFC-13			5		2,000.0

25.0

2,000.0

Air Contaminant Name	Reg	ources of gulation (See notes Below)	Chemical Abstract Servic Number ⁷	ce Inclusion Level (lbs/yr)
Chlorofluorocarbon-111 (CFC-111)		5	954-56-3	2,000.0
Chlorofluorocarbon-112 (CFC-112)		5	76-12-0	2,000.0
Chlorofluorocarbon-113 (CFC-113)		5	76-13-1	2,000.0
Chlorofluorocarbon-114 (CFC-114, R-114)		5	76–14–2	2,000.0
Chlorofluorocarbon-115 (CFC-115, R-115)		5	76-15-3	2,000.0
Chlorofluorocarbon-211 (CFC-211, R-211)		5	422-78-6	2,000.0
Chlorofluorocarbon–212 (CFC–212, R–212)		5	3182-26-1	2,000.0
Chlorofluorocarbon–213 (CFC–213, R–213)		5	2354-06-5	2,000.0
Chlorofluorocarbon–214 (CFC–214, R–214)		5	29255-31-0	2,000.0
Chlorofluorocarbon–215 (CFC–215, R–215)		5	4259-43-2	2,000.0
Chlorofluorocarbon–216 (CFC–216, R–216)		5	661-97-2	2,000.0
Chlorofluorocarbon–217 (CFC–217, R–217)		5	422866	2,000.0
Chloroform		2,3	67-66-3	25.0
Chloromethyl methyl ether (CMME)		2, 3	107-30-2	0.01
1–Chloro–1–nitropropane		3,6	600-25-9	729.5
Chloropicrin (Trichloronitromethane)		3,6	76062	50.5
β-Chloroprene		2, 3	126-99-8	2,000.0
o-Chlorostyrene		2, 3 3	2039-87-4	2,000.0
o-Chlorotoluene		3	2039-87-4 95-49-8	2,000.0
Chlorpyrifos			2921-88-2	2,000.0
Chromium (II) compounds, as Cr		3, 6 2, 3	2921-88-2 7440-47-3*	35.7
		2, 3	7440-473*	35.7
Chromium (III) compounds, as Cr			7440-47-3*	3.6
Chromium (VI) compounds, as Cr, water soluble		2,3	7440-47-3*	0.2
Chromium (VI) compounds, as Cr, water insoluble		2,3	7440-47-3	35.7
Chromium (metal)		2,3		0.01
Chromyl chloride, as Cr		2,3	14977-61-8	
Cobalt, as Co, metal, dust		2,3	7440-48-4	3.6
Coke oven emissions		2,3	7440 50 9	2.5
Copper, dust & mists, as Cu		3	7440-50-8	73.6 25.0
p-Cresidine		3	120-71-8	
Cresol, all isomers		2, 3	1319-77-3	1,604
m-Cresol		2	108-39-4	2,000.0
o-Cresol		2	95-48-7	2,000.0
p-Cresol		2	106-44-5	2,000.0
Crotonaldehyde		3	123-73-9*	588.7
Crufomate		3,6	299865	365.8
Cumene		2, 3	98-82-8	2,000.0
Cyanamide		3	420-04-2	145.1
Cyanides, (inorganics), as CN		2, 3	143-33-9*	365.8
Cyanogen		3	460-19-5	1,459 1
Cyanogen chloride		3	506774	27.3
Cyclohexanol		3	108–93–0	2,000.0
Cyclohexanone		3	108-94-1	2,000.0
Cyclohexylamine		3	108-91-8	2,000.0
Cyclopentadiene		3	542-92-7	2,000.0
Cyclophosphamide		3	50-18-0	Group A Pharmaceutical
Cyhexatin		3, 6	13121-70-5	365.8
2,4–D, salts and esters		2	94-75-7	2,000.0
DDE		.2	72–55–9	2,000.0
Dacarbazine		3	4342-03-4	Group B Pharmaceutical
Demeton		3, 6	8065-48-3	7.4
Discontante alegabra		2	102 40 0	2 000 0

 Table 2 (continued)

 Levels Of Air Contaminants For Determining Need For Inclusion In Permit Applications

Sources of

Chemical

Diacetone alcohol

2,4-Diaminoanisole sulfate

123-42-2

39156-41-7

3

3

Air Contaminant Name			Sources egulation otnotes B	(See	Chemical Abstract Service Number ⁷	Inclusion Leve (lbs/yr)
2,4–Diaminotoluene		10	2, 3		95-80-7*	
Diazinon			2, 3 3, 6		333-41-5	25.0
Diazomethane			2, 3		334-88-3	7.4
Dibenz(a,h)acridine			2, 3 2, 3		226-36-8	29.4 Dolucuolio Oreanio Mattu
Dibenz(a,j)acridine			2, 3			Polycyclic Organic Matter
Dibenz(a,h)anthracene			2, 3 2, 3		224-42-0 53-70-3	Polycyclic Organic Matter
7H-Dibenzo(c,g)carbazole						Polycyclic Organic Matter
Dibenzofurans	· .		2, 3		194–59–2	Polycyclic Organic Matter
Dibenzo(a,h)pyrene			2		132-64-9	2,000.0
Dibenzo(a,i)pyrene			2,3		189-64-0	Polycyclic Organic Matter
Diborane			2, 3		189-55-9	Polycyclic Organic Matter
			3		19287-45-7	7.4
1,2-Dibromo-3-chloropropane (DB	CP)		2,3		96-12-8	25.0
1,2–Dibromoethane (EDB)			2,3		106-93-4	25.0
2-N-Dibutylaminoethanol			3		102-81-8	1,022
Dibutyl phthalate			2, 3, 6		84-74-2	365.8
o–Dichlorobenzene			3		95-50-1	2,000.0
p-Dichlorobenzene		9	2, 3		106-46-7	2,000
3,3–Dichlorobenzidine			2, 3		91-94-1	25.0
1,3-Dichloro-5,5-dimethyl hydantoi	n		3		118-52-5	14.5
1,1–Dichloroethane			2, 3		75-34-3	2,000.0
1,2-Dichloroethane (EDC)			2, 3		107-06-2	2.5
1,2–Dichloroethylene			3		540-59-0	2,000.0
Dichloroethyl ether			2, 3		111-444	2,000.0
1,1-Dichloro-1-nitroethane			3		594-72-9	729.5
Dichloropropene			2, 3, 6		542756	365.8
2,2–Dichloropropionic acid			3,6		7599-0	437.3
Dichlorvos			2, 3, 6		62-73-7	73.6
Dicrotophos			3, 6		141-66-2	18.3
Dicyclopentadiene			3		77-73-6	2,000.0
Dieldrin		1.1	3, 6		60-57-1	18.3
Diethanolamine			2, 3		111-422	1,095
Diethylamine			3		109-89-7	2,000.0
2–Diethylaminoethanol	de la companya		3		100-37-8	2,000.0
Diethylene triamine			3		111-40-0	292.2
Di(2-ethylhexyl)phthalate (DEHP)			2, 3		117-81-7	25.0
Diethyl phthalate			3		84662	365.8
Diethyl sulfate			2, 3		64675	2.5
Diethylstilbestrol (DES)			3		56-53-1	Group A Pharmaceutical
Diglycidyl ether (DGE)			3		2238-07-5	35.7
Diisobutyl ketone			3		108-83-8	2,000.0
Diisopropylamine			3		108-18-9	1,459
,3-Dimethoxybenzidine (o-Dianisid	ine)		2, 3		119904	25.0
Dimethyl acetamide			3		127-19-5	2,000.0
Dimethylamine			3		127-19-5	1,314
–Dimethylaminoazobenzene		1.	2, 3		60-11-7	1,514
Dimethylaniline (N,N-Dimethylanilin	ല		2, 3		121-69-7	
,3–Dimethylbenzidine (o–Tolidine)	~,		2, 3 2, 3		121-69-7 119-93-7	1,825
imethyl carbamoyl chloride		1.	2, 3 2, 3			25.0 25.0
,N-Dimethylformamide					79-44-7	25.0
1–Dimethylhydrazine			2,3		68-12-2	- 2,000.0
			2,3		57-14-7	25.0
bimethylphthalate		1 a.	2,3		131–11–3	365.8
bimethyl sulfate	an ta san ta	*	2,3		77–78–1	2.5
initrobenzene, all isomers			. 3		528-29-0*	73.6

 Table 2 (continued)

Air Contaminant Name	Sources of Regulation (See Footnotes Below)	Chemical Abstract Service Number ⁷	Inclusion Leve (lbs/yr
Dinitro-o-cresol	2, 3, 6	534-52-1	14
2,4–Dinitrophenol	2	51-28-5	2,000.
Dinitrotoluene	2, 3	25321-14-6*	109.
1,4–Dioxane	2, 3	123-91-1	25.
Dioxathion	3, 6	78-34-2	14.
Diquat	3, 6	85-00-7*	35.
Disulfoton	3, 6	298-04-4	7.
Divinyl benzene	3	1321-74-0*	2,000
Endosulfan	3, 6	115-29-7	2,000.
Endrin	3, 6	72–20–8	7.
Epichlorohydrin	2, 3	106-89-8	30.1
EPN	3,6	2104-64-5	35.
,2-Epoxybutane (1,2-Butylene oxide)	2	106-88-7	2,000.
Ethanolamine	3	141-43-5	584
Sthion	3, 6	563-12-2	29 .
E-Ethoxyethanol (EGEE)	3	110-80-5	655
E-Ethoxyethyl acetate (EGEEA)	3	111–15–9	1,969.
Ethyl acrylate	2, 3	140885	1,459.
Ethylamine (Ethanamine)	3	75-04-7	1,314
Ethyl amyl ketone	3	541-85-5	2,000.
Sthyl benzene	2, 3	100-41-4	2,000
thyl butyl ketone	3	106-35-4	2,000.
Sthyl chloride (Chloroethane)	2	75-00-3	2,000.
thylene chlorohydrin	3	107-07-3	132
Ethylenediamine	3	107-15-3	1,824
thylene glycol vapor	2, 3	107-21-1	2,000
thylene oxide	2, 3	75-21-8	2
thylene thiourea	2, 3	96-45-7	25.0
thylenimine	2, 3	151-56-4	73.0
thylidene norbornene	3	16219-75-3	1,110
I–Ethylmorpholine	3	100-74-3	1,677.2
thyl silicate	3	78-10-4	2,000.0
ensulfothion	3, 6	115-90-2	7.4
enthion	3, 6	55-38-9	14.
ine mineral fibers (includes mineral fiberemissions	2	*	2,000.0
from facilities manufacturing or processing glass, rock or slag fibers, or other mineral derived fibers, of average diameter 1 micrometer or less)			
luorides, (inorganics), as F	3	*	182.9
luorine	3	7782-41-4	145.1
onofos	3, 6	944-22-9	7.4
ormaldehyde	2, 3	50-00-0	25.0
urfural	3	98-01-1	584.5
urfuryl alcohol	3	98-00-0	2,000.0
ermanium tetrahydride	3	7782-65-2	-,000
lycidol	3	556-52-5	2,000 (
lycol ethers ⁸	2	*	2,000 (
roup A Pharmaceuticals (a total of all air contaminants listed as Group A Pharmaceuticals)		*	2,000.0
roup B Pharmaceuticals (a total of all air contaminants listed as Group B Pharmaceuticals)	3	*	25**
alon-1211	5	353-59-3	2,000.0
alon-1301	5	75-63-8	2,000.0
alon-2402	5	124-73-2	2,000.0

Levels Of Air Contaminants For Dete			pheauons
Air Contaminant Name	Sources of Regulation (See Footnotes Below		Inclusion Level (lbs/yr)
Heptachlor	2, 3, 6	76-44-8	35.7
Hexachlorobenzene (HCB)	2, 3, 0	118-74-1	2.5
Hexachlorobutadiene			
	2, 3, 6	87-68-3	9.2
Hexachlorocyclopentadiene	2, 3, 6	77-47-4	7.4
Hexachloroethane	2	67-72-1	2,000.0
Hexachloronaphthalene	3	1335871	14.5
Hexamethylene-1,6-diisocyanate	2	822060	2,000.0
Hexamethyl phosphoramide	2, 3	680-31-9	25.0
n-Hexane	2, 3	110543	2,000.0
sec-Hexyl acetate	3	108-84-9	2,000.0
Hexylene glycol	3	107-41-5	2,000.0
Hydrazine and hydrazine sulfate	2, 3	302-01-2*	25.0
Hydrazobenzene	2, 3	122-66-7	25.0
Hydrochlorofluorocarbon-21 (HCFC-21)	5	75-43-4	2,000.0
Hydrochlorofluorocarbon-22 (HCFC-22, R-22)	5	75-45-6	2,000.0
Hydrochlorofluorocarbon-31 (HCFC-31)	5	593-70-4	2,000.0
Hydrochlorofluorocarbon-121 (HCFC-121)	5	*	2,000.0
Hydrochlorofluorocarbon-122 (HCFC-122)	5	*	2,000.0
Hydrochlorofluorocarbon–123 (HCFC–123, R–123)	5	306-83-2*	2,000.0
Hydrochlorofluorocarbon–124 (HCFC–124, R–124)	5	63938-10-3*	2,000.0
Hydrochlorofluorocarbon–131 (HCFC–131)	5	*	2,000.0
Hydrochlorofluorocarbon–132b (HCFC–132b)	5	1649-08-7	2,000.0
Hydrochlorofluorocarbon–1325 (HCFC–1326) Hydrochlorofluorocarbon–133a (HCFC–133a)	5	75-88-7	
	5		2,000.0
Hydrochlorofluorocarbon–141b (HCFC–141b, R–141b)		1717-00-6	2,000.0
Hydrochlorofluorocarbon–142b (HCFC–142b, R–142b)	5	75-68-3	2,000.0
Hydrochlorofluorocarbon–221 (HCFC–221)	5	* .	2,000.0
Hydrochlorofluorocarbon–222 (HCFC–222)	5	*	2,000.0
Hydrochlorofluorocarbon-223 (HCFC-223)	5	*	2,000.0
Hydrochlorofluorocarbon-224 (HCFC-224)	5	*	2,000.0
Hydrochlorofluorocarbon-225ca (HCFC-225ca)	5	422-56-0	2,000.0
Hydrochlorofluorocarbon-225cb (HCFC-225cb)	5	507-55-1	2,000.0
Hydrochlorofluorocarbon-226 (HCFC-226)	5	*	2,000.0
Hydrochlorofluorocarbon-231 (HCFC-231)	5	*	2,000.0
Hydrochlorofluorocarbon-232 (HCFC-232)	5	*	2,000.0
Hydrochlorofluorocarbon-233 (HCFC-233)	5	*	2,000.0
Hydrochlorofluorocarbon-234 (HCFC-234)	5	*	2,000.0
Hydrochlorofluorocarbon-235 (HCFC-235)	5	*	2,000.0
Hydrochlorofluorocarbon-241 (HCFC-241)	5	*	2,000.0
Hydrochlorofluorocarbon-242 (HCFC-242)	5	*	2,000.0
Hydrochlorofluorocarbon-243 (HCFC-243)	5	*	2,000.0
Hydrochlorofluorocarbon-244 (HCFC-244)	5	*	2,000.0
Hydrochlorofluorocarbon–251 (HCFC–251)	5	*	2,000.0
Hydrochlorofluorocarbon–252 (HCFC–252)	5	*	2,000.0
Hydrochlorofluorocarbon–253 (HCFC–253)	5	*	2,000.0
Hydrochlorofluorocarbon–261 (HCFC–261)	5	*	2,000.0
Hydrochlorofluorocarbon–262 (HCFC–262)	5	*	
Hydrochlorofluorocarbon–202 (HCFC–202)		*	2,000.0
	5		2,000.0
Hydrogenated terphenyls	3	61788-32-7	365.8
Hydrogen bromide	3	10035-10-6	443.6
Hydrogen chloride	2, 3, 4	7647-01-0	311.2
Hydrogen cyanide	2, 3	74-90-8	443.6
Hydrogen fluoride Hydrogen peroxide	2, 3 3	7664393 7722841	111.4 109.3

 Table 2 (continued)

			Sources of Regulation (S		Chemical Abstract Service	Inclusion Lev
Air Contaminant Name		F	ootnotes Bel	ow)	Number ⁷	(lbs/y
Hydrogen sulfide			3		7783064	1,021
Hydroquinone			2, 3		123-31-9	145
2–Hydroxypropyl acrylate			3		999611	218
Indeno(1,2,3-cd)pyrene			2, 3		193-39-5	Polycyclic Organic Mat
Indium			3		7440-74-6	
lodine			3		7553-56-2	44
ron dextran complex			3		9004-66-4	Group B Pharmaceutic
ron salts, soluble, as Fe	(1 + 2 + 2) + (1 + 2) + (1 + 2)		3		*	73
sobutyl alcohol			3		78-83-1	2,000
sooctyl alcohol			. 3		26952-21-6	2,000
sophorone			2, 3		78-59-1	1,110
sophorone diisocyanate			3		4098-71-9	6
sopropoxyethanol			3		109591	2,000
sopropylamine			3		75-31-0	874
N–Isopropylaniline			3		768–52–5	729
sopropyl glycidyl ether		,	3		4016-14-2	2,000
Ketene			3		463-51-4	65
ead compounds			2		7439–92–1*	2,000
indane and other hexachloro	ocyclohexane isomers		2,3		58-89-9*	2,000
Aaleic anhydride	50) 01011011ano 100111010		2, 3		108-31-6	73
Janganese, as Mn, dust and	compounds		2, 3		7439-96-5*	222
felphalan	compounds		3		148-82-3	Group A Pharmaceutic
fercury alkyl compounds, as	Ha		2,3		7439–97–6*	Oroup A marmaceurie
fercury, all forms except alk			2, 3		7439–97–6*	3
	· · · · ·				7439–97–6*	
fercury aryl & inorganic cor	npounds, as fig		2,3			7
Iesityl oxide			3		141-79-7	2,000
Aestranol			3		72-33-3	Group B Pharmaceutic
Aethacrylic acid			3		79-41-4	2,000
fethanol	$\sum_{i=1}^{n} (1-i) = \sum_{i=1}^{n} (1-i) = \sum_{i$		2		67561	2,000
lethomyl			3,6		16752-77-5	182
fethoxychlor			2		72-43-5	2,000
-Methoxyethanol (EGME)	e de la composición de La composición de la c		3		109-86-4	1,166
-Methoxyethyl acetate (EGN	VIEA)		3		110-49-6	1,751
-Methoxyphenol			3		150-76-5	365.
lethyl acrylate			3		96-33-3	2,000
Iethylacrylonitrile			3		126-98-7	218
lethylamine	i de la companya de l La companya de la comp		3		74-89-5	874
lethyl n-amyl ketone			3		110-43-0	2,000
-Methyl aniline			3		100-61-8	145
lethyl bromide			2, 3, 6		74839	1,459
lethyl n-butyl ketone	a di seconda di second Seconda di seconda di se		3		591-78-6	1,459
lethyl chloride			2, 3		74-87-3	2,000.
lethyl chloroform (1,1,1–Tri	chloroethane)		2		71-55-6	2,000
lethyl 2-cyanoacrylate	Sec. Constraints		3		137-05-3	584.
ethylcyclohexanol	$(1, \dots, N-k) \in \mathbb{R}^{n}$		3		25639-42-3	2,000.
-Methylcyclohexanone	$(1,1)^{-1} = (1,$		3		583-60-8	2,000
ethyl demeton			3,6		8022-00-2	35.
4-Methylene bis(2-chloroar	niline) (MOCA)		2, 3		101–14–4	25.
lethylene bis(4-cyclohexylis			3		5124-30-1	3.
lethylene bisphenyl isocyana			2, 3		101-68-8	8.
lethylene chloride	···· (······)		2, 3		75-09-2	2,000
4–Methylenedianiline (and c	tibydrochloride)		2, 3		101-77-9*	2,000.
	unyurocilloriuc)		4. 5		101-11-9**	23.

Register, December, 1997, No. 504

Air Contaminant Name		Sources of Regulation (See Footnotes Below)	Chemical Abstract Service	Inclusion Leve (lbs/yr
Methyl ethyl ketone peroxide		3	1338-23-4	(103/91 67.:
Methyl formate	1	3	107-31-3	2,000.0
Methyl hydrazine		2, 3	60-34-4	2,000.0
Methyl iodide		2, 3	74-88-4	25.0
Methyl isoamyl ketone		3	110-12-3	2,000.0
Methyl isobutyl carbinol		3	108-11-2	2,000.0
Methyl isobutyl ketone		2, 3	108-11-2	2,000 (
Methyl isocyanate		2, 3	624-83-9	2,000 (
Methyl methacrylate		2, 3	80-62-6	2,000.0
Methyl parathion		3, 6	298-00-0	2,000 (
α -Methyl styrene		3	<u>98–83–9</u>	2,000.0
Methyl tert-butyl ether		2		2,000 (
			1634-04-4	
Mevinphos (Phosdrin)	ann da	3, 6	7786-34-7	7.4
Molybdenum, as Mo, soluble comp Monocrotophos	ounds	3	7439–98–7*	365.8
-		3, 6	6923-22-4	18.3
Morpholine		3	110-91-8	2,000.0
Mustard gas		3	505-60-2	Group A Pharmaceutica
Naled		3, 6	300-76-5	218.0
Naphthalene		2, 3	91-20-3	2,000.0
2–Naphthylamine		3	91–59–8	2.5
Nickel compounds other than nickel	l subsulfide, as Ni	2, 3	7440-02-0*	25.0
Nickel subsulfide		2, 3	12035-72-2	2.
Nitric acid		3	7697–37–2	365.8
p–Nitroaniline		3	100016	218.0
Nitrobenzene		2, 3	98-95-3	365.8
4–Nitrobiphenyl		2	92-93-3	2,000.0
p-Nitrochlorobenzene		3	100-00-5	46.6
Nitroethane		3	79243	2,000.0
Nitrogen mustards (2,2'–Dichloro–I mine)	N-methyldiethyla-	3	51-75-2	Group B Pharmaceutical
Nitrogen oxides		1,4	*	· 2,000.0
Nitromethane		3	75-52-5	2,000.0
1–Nitrophenol		2	100-02-7	2,000.0
2–Nitropropane		2, 3	79-46-9	25.0
Nitrosoamines (a total of all air cont Nitrosoamines)	aminants listed as	3	*	25**
N–Nitrosodi–n–butylamine		3	924-16-3	Nitrosoamine
N-Nitrosodiethanolamine		3	1116-54-7	Nitrosoamine
N-Nitrosodiethylamine		3	55-18-5	Nitrosoamine
N-Nitrosodimethylamine		2, 3	62759	Nitrosoamine
-Nitrosodiphenylamine		3	156-10-5	Nitrosoamine
N-Nitrosodi-n-propylamine		3	621-64-7	Nitrosoamine
I-Nitroso-N-ethylurea		3	759-73-9	Nitrosoamine
I-Nitroso-N-methylurea	⊗ 1 ¹	2, 3	684-93-5	Nitrosoamine
N-Nitrosomethylvinylamine		3	4549-40-0	Nitrosoamine
N-Nitrosomorpholine		2, 3	59-89-2	Nitrosoamine
N-Nitrosonornicotine		3	16543-55-8	Nitrosoamine
I–Nitrosopiperidine		3	100-75-4	Nitrosoamine
J-Nitrosopyrrolidine		3	930-55-2	Nitrosoamine
J–Nitrososarcosine	· · ·	3	13256-22-9	Nitrosoamine
Vitrotoluene, all isomers	e at	3	99-08-1*	803.1
Detachloronaphthalene		3	2234-13-1	7.4
		3	50-28-2	Group B Pharmaceutical

Table 2 (continued) Levels Of Air Contaminants For Determining Need For Inclusion In Permit Applications

Table 2 (continued) Levels Of Air Contaminants For Determining Need For Inclusion In Permit Applications					
Air Contaminant Name		F	Sources of legulation (See potnotes Below)	Chemica Abstract Ser	l vice Inclusion Leve
Oxalic acid			3	144-62-	
Oxymetholone			3	434-07-	
Paraquat (respirable sizes)			3,6	1910-42-5	-
Parathion			2, 3, 6	56-38-	
Particulate matter			4	50-50-	* 2,000.0
					* 2,000.0
PM ₁₀			1,4	1321-64-	
Pentachloronaphthalene			3	82-68-	
Pentachloronitrobenzene (Quintol	benzene) (PCINB)		2	82-08-	-
Pentachlorophenol (PCP)			2,3		
Perchloroethylene			2, 3	127-18-	
Perchloromethyl mercaptan	· · · · · · · · · · · · · · · · · · ·		3	594-42-	
Phenazopyridine and phenazopyri	idine hydrochloride		3	136-40-3	-
Phenol			2, 3	108–95–	
Phenothiazine			3, 6	9284	
Phenylenediamine			2, 3	106–50–	
Phenyl ether vapor			3	101-84	
Phenyl glycidyl ether (PGE)	and the second second		3	122-60-	
Phenylhydrazine			3	100-63-	
Phenyl mercaptan	Maria di Karala		3	108–98–	5 145
Phenytoin and sodium salt of phen	nytoin	,	3	57-41-0	 Group B Pharmaceutica
Phorate	and subscriptions		3, 6	298-02-	2
Phosgene			2, 3	75-44-	5 29.
hosphine	and the second		2, 3	7803-51-	2
hosphoric acid			3	7664-38-	2 73.
hosphorus (yellow)			2, 3	7723-14-	0 7.
hosphorus oxychloride			3	1002587	3 44.
hosphorus pentachloride			3	10026-13-	
hosphorus pentasulfide			3	1314-80-	-
hosphorus trichloride			3	7719–12–	
hthalic anyhydride			2, 3	85-44-4	
Pindone			3,6	83–26–	
			3	7440-06-	
Platinum (metal)			3	7440064	
Platinum, soluble salts, as Pt					
Polychlorinated biphenyls (PCB) Polycyclic Organic Matter (a total nants listed as Polycyclic Organ			2, 3 2, 3	133636	* 25*:
otassium hydroxide			3	131058	3 88.
rocarbazine and procarbazine hy	drochloride		3	366701	
3-Propane sultone			2,3	1120-71-	~
ropargyl alcohol			3	107-19-	
-Propiolactone			2,3	57-57-5	
ropionaldehyde			2, 3	12338	
			2, 3, 6	114-26-	
ropoxur ropylene dichloride				78-87-	
			2,3		
ropylene oxide			2,3	75-56-9	
ropylenimine			2,3	75-55-5	
ropylthiouracil			3	51-52-	
yrethrum			3,6	8003-34-	
yridine	at the second		3	110-86-	
uinoline			2	91–22–	
Quinone			2, 3, 6	106–51–4	
eserpine			3	50-55-5	-
lesorcinol			3	108-46-3	3 2,000.0

 Table 2 (continued)

Air Contaminant Name	Sources of Regulation (See Footnotes Below)	Chemical Abstract Service Number ⁷	Inclusion Lev (lbs/y)
Rhodium (metal) ·	3	7440–16–6	73.
Rhodium, soluble compounds, as Rh	3	7440-16-6*	0.7
Rotenone (commercial)	3, 6	83-79-4	365.
Selenium and compounds, as Se	2, 3	7782-492*	14.
Silicon tetrahydride (Silane)	3	7803-62-5	510.
Sodium bisulfite	3	7631-90-5	365.
Sodium fluoroacetate	3, 6	62-74-8	3.
Sodium hydroxide	3	1310-73-2	88.
Stibine (Antimony hydride)	3, 6	7803–52–3	35.
toddard solvent (Mineral spirits)	3	8052-41-3	2,000
treptozotocin	3	18883-66-4	Group B Pharmaceutic
trychnine	3, 6	57-24-9	10.
tyrene, monomer	2, 3	100-42-5	2,000
tyrene oxide	2, 5	96-09-3	
•			2,000
ulfotep (TEDP) ulfur dioxide	3, 6	3689-24-5	14
	1,4	7446-09-5	2,000
ulfuric acid	3	7664–93–9	73
alfur monochloride	3	10025-67-9	267
ulfur tetrafluoride	3	7783-60-0	17
ılfuryl fluoride	3, 6	2699–79–8	1459
llurium and compounds, as Te	3	13494-80-9*	7
EPP	3, 6	107-49-3	3
rphenyls	3	26140-60-3	222
3,7,8–Tetrachlorodibenzo–p–dioxin	2, 3	1746-01-6	0.0000
1,2,2–Tetrachloroethane	2, 3	79-34-5	510
trachloronaphthalene	3	1335882	145
trahydrofuran	3	109-99-9	2,000
allium, soluble compounds, as Tl	3	7440280*	
ionyl chloride	. 3	7719-09-7	222
iiourea	3	62566	25.
iram	3,6	137-26-8	365.
n (metal)	3	7440-31-5	145
n organic compounds, as Sn	3	7440-31-5*	7.
n oxide & inorganic compounds, except SnH ₄ , as Sn	3	7440-31-5*	145
anium tetrachloride	2	and the second	
		7550-45-0	2,000.
luene (Toluol)	2, 3	108-88-3	2,000
luene-2,4-diisocyanate (TDI)	2,3	584-84-9	2.
-Toluidine	3	108-44-1	65
Toluidine	2, 3	95–53–4	2.
tal reduced sulfur and reduced sulfur compounds	4	*	2,000.
butyl phosphate	3	126-73-8	182.
2,4–Trichlorobenzene	2, 3	120-82-1	1,774
,2–Trichloroethane	2, 3	79005	2,000.
chloroethylene	2, 3	79–01–6	2,000
chloronaphthalene	3	1321-65-9	365.
,5–Trichlorophenol	2	95-95-4	2,000.
,6–Trichlorophenol	2	88-06-2	2,000.
,3-Trichloropropane	3	96–18–4	2,000.
ethylamine	2	121-44-8	2,000.0
fluralin	2	1582-09-8	2,000.0
mellitic anhydride	3	552-30-7	2,000.
	3		
methyl benzene, mixed isomers	5	25551-13-7	2,000.0

2

540-84-1

Table 2 (continued) Levels Of Air Contaminants For Determining Need For Inclusion In Permit Applications

2,2,4-Trimethylpentane

2,000.0

Air Contaminant Name	Sources of Regulation (See Footnotes Below)	Chemical Abstract Service Number ⁷	Inclusion Level (lbs/yr)
Triorthocresyl phosphate	3	78–30–8	7.4
Triphenyl phosphate	3	115-86-6	218.6
Tris(1-aziridinyl)phosphine sulfide	3	52-24-4	Group B Pharmaceutical
Tungsten – as W, insoluble compounds	3	7440337*	365.8
Tungsten – as W, soluble compounds	3	7440-33-7*	73.6
Uranium (natural), soluble & insoluble compounds, as U	3	7440-61-1*	14.5
Urethane (Ethyl carbamate)	2, 3	51-79-6	25.0
n-Valeraldehyde	3	110623	2,000.0
Vinyl acetate	2, 3	108054	2,000.0
Vinyl bromide	2	593-60-2	2,000.0
Vinyl chloride	2, 3	75-01-4	30.0
Vinyl cyclohexene dioxide	3	106-87-6	1,314.0
Vinylidene chloride	2,3	75-35-4	1,459.1
Vinyl toluene	3	25013-15-4	2,000.0
Volatile organic compounds (Reactive organic gases)	1	*	2,000.0
Warfarin	3, 6	81-81-2	7.4
Xylene, mixed isomers (Xylol)	2, 3	1330-20-7	2,000.0
mXylene	2, 3	108-38-3	2,000.0
o-Xylene	2, 3	95-47-6	2,000.0
p-Xylene	2, 3	106-42-3	2,000.0
m-Xylene- α, α '-diamine	3	1477-55-0	4.4
Xylidine, mixed isomers	3	1300-73-8	182
Zirconium and compounds, as Zr	3	7440-67-7*	365.8

Table 2 (continued)

² Federal hazardous air pollutant

³ State hazardous air pollutant

⁴ Federal New Source Performance Standard

⁵ Stratospheric ozone depleting substance

⁶ Pesticides, rodenticides, insecticides, herbicides and fungicides

⁷ The Chemical Abstract Service or CAS numbers refer to the unique chemical abstracts service registry number assigned to a specific chemical, isomer or mixture of chemicals or isomers and recorded in the CAS chemical registry system by the Chemical Abstracts Service, PO Box 3012, Columbus OH 42310, phone 1-800-848-5638 ext. 2308.

⁸ Glycol ethers means any compound which can be described by the following chemical formula: R(OCH₂CH₂)_n-OR'

where: n = 1, 2 or 3R = alkyl C7 or less

 $R' = H_{1}$ alkyl C7 or less or ester, sulfate, phosphate, nitrate or sulfonate (i.e. any group that will readily come off)

* Indicates contaminants for which multiple CAS numbers may apply. For contaminants listed as a metal and its compounds, the given CAS number refers to the metal

**For groups of air contaminants, the sum of the maximum theoretical emissions of all air contaminants in the group is used for comparison with the group inclusion level in Table 2. Each air contaminant in the group is listed alphabetically within the table.

(d) The following air pollution control requirements:

1. Citation and description of all applicable requirements.

2. Description of or reference to any applicable test method for determining compliance with each applicable requirement.

(e) Other specific information that may be necessary to implement and enforce other requirements of the act or to determine the applicability of the requirements.

(f) An explanation of any proposed exemptions from otherwise applicable requirements.

(g) Additional information necessary to define alternate operating scenarios pursuant to s. NR 407.09 (2) (b), or to define permit terms and conditions implementing the permit flexibility provisions of s. NR 407.025 or internal offset provisions of s. NR 425.05

(h) A compliance plan that contains all of the following:

1. A description of the compliance status of the source with respect to all applicable requirements.

2. A description as follows:

a. For applicable requirements with which the source is in compliance, a statement that the source will continue to comply with the requirements.

b. For applicable requirements that will become effective during the permit term, a statement that the source will meet the requirements on a timely basis.

c. For requirements for which a stationary source is not proposed to be in compliance at the time of permit issuance, a narrative description of how the source will achieve compliance with the requirements.

3. A compliance schedule as follows:

51

a. For applicable requirements with which the source is in compliance, a statement that the source will continue to comply with the requirements.

b. For applicable requirements that will become effective during the permit term, a statement that the source will meet the requirements on a timely basis, unless a more detailed schedule is expressly required by the applicable requirement.

c. A compliance schedule for sources which are not proposed to be in compliance with all applicable requirements at the time of permit issuance. The schedule shall include a series of remedial measures, including an enforceable sequence of actions with milestones, leading to compliance with any applicable requirements for which the source will be in noncompliance at the time of permit issuance. This compliance schedule shall resemble and be at least as stringent as that contained in any judgment, judicial consent decree or stipulation or administrative order to which the source is subject.

4. A schedule for submission of progress reports, certified pursuant to par. (j), no less frequently than every 6 months for stationary sources which are not in compliance with all applicable requirements on the date of permit issuance.

5. For affected sources, the acid rain program compliance plan elements required under section 408 of the act (42 USC 7651g) and s. NR 409.09.

(i) Requirements for compliance certification, including the following:

1. A certification of the source's compliance status with all applicable requirements by a responsible official consistent with par. (j).

2. A description of the methods used for determining compliance, including a description of monitoring, recordkeeping and reporting requirements and test methods.

3. A schedule for submission of compliance certifications during the permit term, to be submitted no less frequently than annually, or more frequently if specified by the underlying applicable requirement or by the department.

4. A statement indicating the source's compliance status with any applicable enhanced monitoring and compliance certification requirements under section 114(a)(3) of the act (42 USC 7414(a)(3)).

(j) Any application form, report or compliance certification submitted pursuant to this section shall require certification by a responsible official of the truth, accuracy and completeness of the submission. This certification and any other certification required under this chapter shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.

(5) The applicant shall use nationally-standardized forms for the portions of permit applications and compliance plans related to acid rain program requirements, as required by regulations promulgated under the acid rain program.

Note: These forms may be obtained from the regional and area offices of the department or from the Wisconsin Department of Natural Resources, Bureau of Air Management, PO Box 7921, Madison WI 53707-7921, Attention: operations permits, or U. S. EPA, Region 5, 77 W Jackson Blvd, Chicago IL 60604.

(6) The applicant shall specifically identify all information in the permit application for which confidential status is sought and shall follow procedures in s. 285.70, Stats., and s. NR 2.19 to request confidential status for that information. In addition to the copies of the complete application required under sub. (2), an applicant requesting confidentiality shall also supply to the department 3 copies of the application with all confidential material deleted for forms and other materials which are submitted on paper. The applicant shall file one copy of all forms and other materials with all confidential materials with all confidential material deleted if submitted in electronic format.

(7) Applications for general operation permits shall be submitted on forms supplied by the department and shall include all information necessary to determine qualification for and assure compliance with the general operation permit.

(8) Notwithstanding sub. (4) (intro.), the initial applications for existing, non-part 70 sources submitted pursuant to s. NR 407.04 (1) and initial applications for new or modified sources for which no construction permit is required do not need to include the information in sub. (4) (d), (f), (h) and (i).

(9) An applicant who has failed to submit relevant facts or has submitted incorrect information in a permit application shall, after becoming aware of this fact, promptly submit the supplemental or corrected information. In addition, an applicant shall provide any additional information as necessary to address any requirements that become applicable after the date he or she filed a complete application, but prior to publication of a public notice under s. 285.62 (3) (c), Stats.

(10) All material statements, representations and certifications in a permit application shall be truthful.

History: Cr. Register, December, 1984, No. 348, eff. 1-1-85; r. and recr. Register, December, 1993, No. 456, eff. 1-1-94; am. (4) (b), (c) 1., Register, February, 1995, No. 470, eff. 3-1-95; r. and recr. (4) (h) 5., Register, April, 1995, No. 472, eff. 5-1-95; am. (4) (c) 1., Register, December, 1995, No. 480, eff. 1-1-96; am. (2), (4) (h) 2. c., 3. c. and 4., cr. (9) and (10), Register, December, 1997, No. 504, eff. 1-1-98; r. and recr. (4) (h) Register, Recember, 1997, Recreating the recreating the rest of the res

NR 407.06 Complete applications. (1) An application for an operation permit shall be initially deemed complete only if it contains all of the information described in s. NR 407.05 (4) and, for each form submitted, if all portions of that form which are specifically designated as necessary for a complete application are completed. The department may require an applicant to submit data necessary to complete any incomplete application.

(2) After an application for an operation permit has been initially deemed complete, the department may require additional information, including other information than that requested on the application forms, as needed to process the application. The department shall specify, in writing, a reasonable time period, of not less than 30 days, for the applicant to submit the requested information. The applicant may request and the department may grant a reasonable extension of the time period to submit the requested information. If the applicant does not supply the information requested by the date specified, the authorization for a stationary source to operate under s. 285.62 (8), Stats., shall no longer apply to the source.

(3) Unless the department determines in writing that an application for an operation permit is not complete within 20 days from the date that the application or additional information requested under sub. (2) is submitted, the application shall be deemed complete.

History: Cr. Register, December, 1993, No. 456, eff. 1-1-94; am. (2), Register, December, 1997, No. 504, eff. 1-1-98.

NR 407.07 Action on applications. (1) The department shall follow the procedures in s. 285.62, Stats., in acting on applications for operation permits and for renewals of operation permits. The requirements in s. 285.62 (6) (a) to (c), Stats., do not apply with respect to non-part 70 sources.

(2) For applications for existing sources received by January 1, 1995, the department shall issue or deny the operation permit within 30 months after receiving a complete application

(3) For applications for new or modified sources for which a construction permit is required under s. 285.60 (1) (a), Stats., and ch. NR 406, the department shall:

(a) Conduct the review, notification and publication, public comment and public hearing processes under s. 285.62 (3) to (5), Stats., for the operation permit simultaneously with the similar processes under s. 285.61 (3) to (7), Stats., for the construction permit.

(b) Issue or deny the operation permit within 180 days after the applicant submits to the department the results of all equipment

testing and emission monitoring required under the construction permit.

(c) 1. Except as provided in subd. 3., for part 70 sources, if, when comparing the permit conditions and emissions allowed under the construction permit to the permit conditions and emissions that would be allowed under the proposed operation permit prepared pursuant to s. 285.62 (6), Stats., there will be a change that would require treatment as a significant permit revision under s. NR 407.13, the department shall repeat the review, notification and publication, and public comment and public hearing processes under s. 285.62 (3), (4) and (5), Stats., with the new proposed conditions or higher levels of emissions prior to further processing of the permit.

2. For non-part 70 sources, if, when comparing the permit conditions and emissions allowed under the construction permit to the permit conditions and emissions that would be allowed under the operation permit, there will be a change that would require treatment as a significant permit revision under s. NR 407.13, the department shall repeat the review, notification and publication, public comment and public hearing processes under s. 285.62 (3), (4) and (5), Stats., with the new proposed conditions or higher levels of emissions prior to issuing the permit.

3. Notwithstanding subd. 1., for permits issued to part 70 sources prior to EPA approval of Wisconsin's operation permit program under section 502 (d) of the act (42 USC 7661a (d)), if, when comparing the permit conditions and emissions allowed under the construction permit to the permit conditions and emissions that would be allowed under the operation permit, there will be a change that would require treatment as a significant permit revision under s. NR 407.13, the department shall repeat the review, notification and publication, public comment and public hearing processes under s. 285.62 (3), (4) and (5), Stats., with the new proposed conditions or higher levels of emissions prior to issuing the permit.

History: Cr. Register, December, 1993, No. 456, eff. 1-1-94.

NR 407.08 Dates by which permits are required. (1) EXISTING SOURCES. Except as provided in s. 285.62 (8), Stats., no stationary source which is required to obtain an operation permit under s. 285.60 (2) (a), Stats., and this chapter may operate after the date specified for that source in Table 1 of s. NR 407.04 without an operation permit issued by the department.

(2) NEW OR MODIFIED SOURCES. Except as provided in ss. 285.60 (1) (a) 2. and 285.62 (8), Stats., no new or modified source which is required to obtain an operation permit under s. 285.60 (1) (b), Stats., and this chapter may operate without an operation permit issued by the department.

History: Cr. Register, December, 1993, No. 456, eff. 1–1–94; am. (2), Register, December, 1997, No. 504, eff. 1–1–98.

NR 407.09 Permit content. (1) STANDARD PERMIT REQUIREMENTS. Each permit issued under this chapter shall include, at a minimum, the following elements:

(a) Emission limitations and standards, including those operational requirements and limitations that are applied to assure compliance with all applicable requirements at the time of permit issuance, as follows:

1. The origin of and authority for each limitation, standard or requirement shall be specified and referenced and any difference in form as compared to the applicable requirement upon which the limitation, standard or requirement is based shall be identified.

2. Where an applicable requirement of the act is more stringent than an applicable requirement of the acid rain program, both provisions shall be incorporated into the permit and shall be enforceable by the department and by EPA.

(b) The duration of the permit as follows:

1. The term of an operation permit may not exceed 5 years.

2. The term of an operation permit issued to an affected source shall be fixed at 5 years.

(c) Monitoring, related recordkeeping and reporting requirements, as follows:

1 All applicable monitoring requirements, including:

a. All emissions monitoring, analysis procedures and test methods required under the applicable requirements.

b. Where the applicable requirement does not require periodic testing or instrumental or noninstrumental monitoring, periodic monitoring or testing sufficient to yield reliable data from the relevant time period that are representative of the stationary source's compliance with the permit. Monitoring or testing requirements shall assure use of terms, test methods, units, averaging periods and other statistical conventions consistent with the applicable requirement. Monitoring may consist of recordkeeping sufficient to meet the requirements of this subd. 1 b. Permits for non-part 70 sources shall contain the requirements in this subd. 1 b. only for those air contaminants emitted from an emissions unit, operation or activity where the actual emissions used for this determination shall be those reported under ch. NR 438 for the most recent year prior to when the permit or renewal is issued.

c. As necessary, requirements concerning the use, maintenance, calibration and, where appropriate, installation of monitoring equipment or methods.

2. All applicable recordkeeping requirements in s. NR 439.04.

3. Reporting requirements consistent with all applicable requirements and including the following:

a. Submittal of reports required under s. NR 439.03 (1) (b).

b. Prompt reporting of deviations from and violations of permit terms and conditions in accordance with s. NR 439.03 (4), (5) and (6).

(d) A severability clause that states that, in the event of a successful challenge to any portion of the permit, all other portions of the permit remain valid and effective.

(e) A provision requiring the payment of fees required under ch. NR 410.

(f) Provisions stating the following:

1. The permittee has the duty to comply with all conditions of the permit. Any noncompliance with the operation permit constitutes a violation of the statutes and is grounds for enforcement action; for permit suspension, revocation or revision; or for denial of a permit renewal application.

2. It is not a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the permit

3. The permit may be revised, revoked or suspended for cause under this chapter. The filing of a request by the permittee for a permit revision or for revocation, or the filing of notification of planned changes under s. NR 407.025 or of anticipated noncompliance, does not stay any permit condition.

4. The permit does not convey any property rights of any sort, or any exclusive privilege.

5. The permittee shall furnish to the department, within a reasonable time specified by the department, any information that the department may request in writing to determine whether cause exists to revise, revoke or suspend the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the department copies of records required to be kept pursuant to the permit.

(2) SPECIAL PERMIT REQUIREMENTS. Each permit issued under this chapter shall include the following elements if they are applicable to a stationary source:

(a) For affected sources, conditions prohibiting emissions exceeding any allowances that the source lawfully holds under the

acid rain program, including allowances allocated directly to the source through the acid rain program, and allowances obtained through the emissions trading provisions of the acid rain program, subject to the following qualifications:

1. No permit revision may be required for increases in emissions that are authorized by allowances acquired pursuant to the acid rain program, provided that the increases do not require a permit revision under any other applicable requirement.

2. No limit may be placed on the number of allowances that may be held by the stationary source.

3. A stationary source may not use allowances as a defense to noncompliance with any applicable requirement other than the requirements of the acid rain program.

4. Any acid rain allowance shall be accounted for according to the procedures established in the acid rain program.

(b) For those stationary sources which identify reasonably anticipated alternate operating scenarios in their applications, terms and conditions covering reasonably anticipated alternate operating scenarios that are approved by the department. The terms and conditions shall require all of the following:

1. The permittee, contemporaneously with making a change from one operating scenario to another, shall record in a log at the permitted facility a record of the scenario under which it is operating.

2. The source shall comply with all applicable requirements for each alternate operating scenario.

(c) For sources for which an internal offset has been approved by the department under s. NR 425.05, terms and conditions, if the permit applicant requests them, for the trading of emissions increases and decreases in the permitted facility, to the extent that the applicable requirements and internal offset approval allow for such trading without a case-by-case approval of each emissions trade.

(d) For stationary sources that have previously been issued an air pollution control permit, provisions consistent with any condition in that permit if the provisions are still applicable to that stationary source. Conditions which may be considered still applicable include, but are not limited to, the following:

1. Any best available control technology or lowest achievable emission rate limitations established under ch. NR 405, 408 or 445 or pursuant to parts C or D of title I of the act (42 USC 7470 to 7492 or 7501 to 7515).

2. Any conditions that a permittee requested in order to avoid being considered a major source or major modification under ch. NR 405 or 408 or to avoid any other requirement that would otherwise be applicable to the source.

3. Any source-specific emission limits contained in a permit under any applicable requirement.

(3) FEDERALLY ENFORCEABLE REQUIREMENTS (a) Except as provided in par. (b), all terms and conditions in an operation permit for a part 70 source, including any provisions designed to limit a stationary source's potential to emit, are enforceable by the administrator under section 113 (a) of the act (42 USC 7413 (a)) and citizens under section 304 of the act (42 USC 7604).

(b) Notwithstanding par. (a), the department shall specifically designate as not federally enforceable under the act any terms and conditions included in the permit that are not required under the act, under any of the act's applicable requirements or under the state implementation plan.

(4) COMPLIANCE REQUIREMENTS. (a) All operation permits shall contain the following provisions with respect to compliance:

1. Compliance testing, monitoring, reporting and recordkeeping requirements sufficient to assure compliance with the terms and conditions of the permit. Any document required under an operation permit and submitted to the department, including reports, shall contain a certification by a responsible official that meets the requirements of s. NR 407.05 (4) (j). 2. Inspection and entry requirements in accordance with ss. 285.13 (6) and 285.19, Stats., and s. NR 439.05.

3. Requirements for certifying compliance with terms and conditions contained in the permit, including emission limitations, standards and work practices. Permits shall include each of the following:

a. The required frequency of submission of compliance certifications, which shall be not less than annually or more frequently if specified in the applicable requirement or by the department.

b. Means for assessing or monitoring the compliance of the source with its emissions limitations, standards and work practices, except that for non-part 70 sources, the means need only be included to the extent needed to comply with sub. (1) (c).

c. A requirement that the compliance certification include the information listed in s. NR 439.03 (8).

d. A requirement that all compliance certifications for part 70 sources be submitted to the administrator as well as to the department.

e. Additional provisions as may be required pursuant to sections 114 (a) (3) and 504 (b) of the act (42 USC 7414 (a) (3) and 7661c (b)).

(b) All operation permits for stationary sources which are not proposed to be in compliance with all applicable requirements at the time of permit issuance shall contain a compliance schedule as described in s. 285.64 (1) (a) 1., Stats., and a schedule for submission of progress reports, consistent with the applicable compliance schedule. The progress reports shall be submitted at least semiannually, or more frequently if specified in the applicable requirement or by the department. Progress reports shall contain the following:

1. The dates specified in the permit for achieving the activities, milestones or compliance required in the compliance schedule, and the dates when the activities, milestones or compliance were achieved.

2. An explanation of why any dates in the compliance schedule were not or will not be met, and any preventive or corrective measures adopted.

(5) PERMIT SHIELD. (a) An operation permit shall include a provision pursuant to and consistent with s. 285.62(10) (b), Stats.

(b) Neither s. 285.62 (10) (b), Stats., nor any condition in a permit may alter or affect the following:

1. The authority of the administrator under section 303 of the act (42 USC 7603).

2. The liability of an owner or operator of a stationary source for any violation of applicable requirements prior to or at the time of permit issuance.

3. The applicable requirements of the acid rain program.

4. The ability of EPA to obtain information from a source pursuant to section 114 of the act (42 USC 7414).

Stant to section 114 of the act (± 2 0.00 (± 1.2) History: Cr. Register, December, 1993, No. 456, eff. 1–1–94; correction in (4) (a) 3. c. made under s. 13.93 (2m) (b) 7., Stats., Register, April, 1995, No. 472; am (4) (a) 3. c., Register, December, 1995, No. 480, eff. 1–1–96; am. (2) (b), Register, December, 1996, No. 492, eff. 1–1–97; am. (1) (f) 1., (4) (a) 1. and (b) (intro.), Register, December, 1997, No. 504, eff. 1–1–98.

NR 407.10 General permits. (1) The department may issue general operation permits for stationary sources in accordance with s. 285.60 (3), Stats. The department may not issue a general operation permit to an affected source.

Note: A listing of sources covered by general permits may be obtained from the regional and area offices of the department or from the Wisconsin Department of Natural Resources, Bureau of Air Management, PO Box 7921, Madison WI 53707–7921, Attention: operation permits.

(2) Categories of stationary sources which may be covered by a general operation permit are those categories which the department determines are more appropriately regulated under a general operation permit than under individual operation permits and which:

(a) Perform the same or substantially similar operations.

(b) Produce the same types of air contaminants.

(c) Employ the same or substantially similar capture and control systems, if applicable.

(d) Are subject to the same emission limitations and other state and federal standards that may be applicable to the sources in the category.

(3) The department shall issue general operation permits for source categories using the procedures and criteria in ss. 285.62 to 285 69, Stats. The department may then determine that a source will be covered by the general permit if the source applies for coverage and demonstrates that the source qualifies for coverage under that general permit. A general operation permit shall require any stationary source covered by it to comply with ss. 285.61 to 285.69, Stats. Inclusion of a source under a general permit is not an appealable decision under s. 227.42, 227.52, 227.53 or 285.81, Stats.

(4) The department shall specify the term of a general operation permit in the permit. The term may not exceed 5 years from the date of issuance or renewal.

(5) General operation permits shall contain emission limits, monitoring and recordkeeping requirements, reporting requirements, general conditions and applicability criteria.

(6) Notwithstanding the existence of a general operation permit for a stationary source category to which an individual source belongs, no individual source may be covered by a general operation permit if:

(a) 1. The stationary source is located in or has a significant impact on an area which has been designated nonattainment for particulates, sulfur dioxide, nitrogen oxides, carbon monoxide or lead.

2. The stationary source has maximum theoretical emissions of the air contaminant for which the area has been designated nonattainment of more than 9.0 pounds per hour for sulfur dioxide or carbon monoxide nonattainment areas; 5.7 pounds per hour for particulate matter or nitrogen dioxide nonattainment areas; or 0.13 pounds per hour for lead nonattainment areas.

(b) The stationary source is applying for a permit to operate an emissions unit to which a general operation permit applies, and the emissions unit would be a major source or a major modification to a major source under ch. NR 405 or 408.

(c) The stationary source includes any emissions unit which is not eligible for coverage under a general operation permit.

(d) The stationary source causes or exacerbates, or may cause or exacerbate a violation of any ambient air quality standard or ambient air increment.

(e) The department determines that the stationary source is more appropriately regulated by an individual operation permit

(7) (a) The department shall withdraw a stationary source from coverage under a general operation permit and issue an individual operation permit upon written request of the permittee. The permittee shall submit a complete application for an operation permit under s. NR 407.05 at the time the request is made. The application shall be processed pursuant to ss. NR 407.06 and 407.07 and s. 285.62, Stats.

(b) When an individual operation permit is issued for a source which would otherwise be covered by a general operation permit, the applicability of the general operation permit to the source is terminated on the effective date of the individual operation permit.

(8) An owner or operator of a stationary source who holds an individual operation permit for a source which is eligible for coverage by a general operation permit may request that the department revoke the individual operation permit pursuant to s. NR 407.15 (4) and allow the source to be covered by the general operation permit. The department may grant the request if it determines that the requirements of this section are met.

(9) Notwithstanding the permit shield provision in section 504(f) of the act (42 USC 7661c(f)), a source which the depart-

ment has determined may be covered by a general permit may be prosecuted for operation without an operation permit if the source is later determined not to qualify for the conditions and terms of the general permit.

History: Cr. Register, December, 1993, No. 456, eff. 1–1–94; am. (2) (intro.), r. (2) (c), Register, December, 1996, No. 492, eff. 1–1–97; cr. (9), Register, December, 1997, No. 504, eff. 1–1–98.

NR 407.11 Administrative permit revisions. (1) ELI-GIBILITY. Upon request of a permittee, the department may revise an operation permit administratively using the procedures in this section if the revision requested is one of the following:

(a) Correction of a typographical error.

(b) A change in the name, address or telephone number of any person identified in the permit, or a similar administrative change at the stationary source, unrelated to emissions.

(c) More frequent monitoring, recordkeeping or reporting by the permittee.

(d) A change in ownership or operational control of a stationary source if the department determines that no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of permit responsibility, coverage and liability between the current and new permittee has been submitted to the department.

(2) ACID RAIN. Administrative permit revisions to the acid rain provisions of the permit shall be governed by s. NR 409.12.

(3) PROCEDURES. The department shall use the following procedures in processing administrative permit revisions:

(a) Any person holding an operation permit who seeks an administrative permit revision shall file a written request with the department. The request shall identify the permit to be administratively revised, outline the specific item for which a revision is sought, and set forth the reasons why a permit revision is sought. The request shall be signed by a responsible official and shall be provided to the bureau of air management, either by personal delivery to the office, located at 101 South Webster Street, Madison, Wisconsin, or by mailing to the following address: PO Box 7921, Madison WI 53707.

(b) The department shall act on a request for an administrative permit revision within 60 days of receipt of a complete request under this section. The department may administratively revise the operation permit, without providing notice or opportunity for comment or hearing to the public, affected states or EPA, provided that the department determines the revision is one allowed under this section.

(c) Except as provided in s. NR 407.16, the department shall submit a copy of the revised operation permit to the administrator.

(4) SCHEDULE The permittee may implement the change addressed in the request for an administrative permit revision immediately upon submittal of the request. If the department determines that the proposed change may not be made pursuant to an administrative permit revision, and the permittee has already made the change at the facility, the permittee shall be liable for violation of the permit condition it is requesting to be revised.

History: Cr. Register, December, 1993, No. 456, eff. 1–1–94; am. (2), Register, April, 1995, No. 472, eff. 5–1–95.

NR 407.12 Minor revisions. (1) ELIGIBILITY Any person holding an operation permit may submit a request to the department to revise the operation permit, to reflect a proposed change at the facility, using the minor permit revision procedures described in this section, provided the proposed change is exempt from department review under chs. NR 405, 406 and 408 and the proposed change meets all of the following criteria:

(a) Does not violate any applicable requirement.

(b) Does not involve significant changes to existing monitoring, reporting or recordkeeping requirements in the permit.

Note: An insignificant change in monitoring would be a switch from one validated reference test method for a pollutant and source category to another, where the permit does not already provide for an alternative test method.

(c) Does not require or change a source-specific determination of an emission limitation or other standard, a source-specific limitation based on ambient air impacts or a visibility or ambient air increment analysis.

(d) Does not seek to establish or change a permit term or condition for which there is no corresponding underlying applicable requirement and which the source has accepted in its permit in order to avoid an applicable requirement to which it would otherwise be subject. This type of term or condition includes, but is not limited to:

1. An emissions cap accepted by the source to avoid a previous change being classified as a modification under s. 285.01 (26), Stats., and rules promulgated thereunder.

2. An alternative emission limit approved pursuant to regulations promulgated under section 112 (i) (5) of the act (42 USC 7412 (i) (5)).

(2) ACID RAIN. No minor permit revision may be requested or made to any acid rain provision of a permit.

(3) PERMITTEE'S REQUEST. A request for a minor permit revision shall be submitted using forms provided by the department and shall include the following:

(a) A description of the change, the effect on emissions resulting from the change, and any additional applicable requirements that will apply if the change occurs.

(b) The permittee's suggested draft permit containing all applicable permit content elements under s. NR 407.09.

(c) Certification by a responsible official in accordance with s. NR 407.05 (4) (j) that the proposed revision meets the criteria in sub. (1).

(d) Completed forms for the department to use to notify EPA and the affected states of the proposed minor permit revision.

(4) SCHEDULE AND PROCEDURES. (a) Except as provided in s. NR 407.16, within 5 working days of receipt of a complete request for a minor permit revision, the department shall notify EPA, affected states, and those listed in s. 285.62 (3) (b) 2. to 5., Stats., of the request for minor permit revision. The department shall then accept comments on the proposed revision for 30 days, commencing on the date that notice is given. If an affected state has submitted comments in response to the notice and the department has not accepted those comments, the department shall notify that state and EPA in writing of its decision not to accept the comments and the reasons for that decision.

(b) The department may not act on a request for a minor permit revision until 45 days after providing notice of the requested revision to EPA or until EPA has notified the department that EPA will not object to issuance of the minor permit revision, whichever is first. Within 90 days of the department's receipt of a complete request for a minor permit revision or 15 days after the end of EPA's 45-day review period, whichever is later, the department shall do one of the following:

1. Issue the minor permit revision as proposed.

2. Deny the minor permit revision.

3. If the department determines that the revision may not be issued as proposed but could be issued if it were amended, amend the draft permit revision, transmit the amended revision to EPA, affected states, and those listed in s. 285.62 (3) (b) 2. to 5., Stats., and process the amended proposed minor permit revision under this subsection.

(c) The permittee may make the change proposed in its request for a minor permit revision immediately after it files the request. After the permittee makes the change, and until the department takes any of the actions specified in par. (b), the permittee shall comply with both the applicable requirements governing the change and the permittee's suggested draft new permit terms and conditions. During this time period, the permittee need not comply with the permit terms and conditions it is seeking to revise. However, if the permittee fails to comply with its suggested draft new permit terms and conditions during this time period, the existing permit terms and conditions it seeks to revise may be enforced against it. If the department determines that the proposed change may not be made pursuant to a minor permit revision, and the permittee has already made the change at the facility, the permittee shall be liable for any violations of the permit conditions it is requesting to be revised.

(5) PERMIT SHIELD. The permit shield under s 285.62 (10) (b), Stats., may not be extended to minor permit revisions.

History: Cr. Register, Dccember, 1993, No. 456, eff. 1–1–94; am. (4) (b), Register, December, 1996, No. 492, eff. 1–1–97.

NR 407.13 Significant revisions. This section applies to operation permit revisions requested by the permittee that cannot be accomplished under s. NR 407.11 or 407.12. A permit revision to any acid rain provisions of the permit shall be governed by s. NR 409.12. Requests for significant permit revisions shall comply with s. 285.62, Stats., and s. NR 407.05. The department shall use the procedures in s. 285.62, Stats., and ss. NR 407.07 and 407.09 when processing requests for significant revisions. The department shall process the majority of significant revisions within 9 months after receipt of a complete application.

History: Cr. Register, December, 1993, No. 456, eff. 1–1–94; am. Register, April, 1995, No. 472, eff. 5–1–95

NR 407.14 Permit revision by the department. (1) MANDATORY REVISIONS. The department shall revise an operation permit for any of the following reasons:

(a) The permit needs to be revised to assure compliance with applicable requirements.

(b) There is a change in any applicable requirement, a new applicable requirement, or an additional applicable requirement, and there are 3 or more years remaining in the permit term.

(c) There is a change in any applicable emission limitation, ambient air quality standard or ambient air quality increment that requires either a temporary or permanent reduction or elimination of the permitted emission, and there are 3 or more years remaining in the permit term.

(d) The permit contains a material mistake or inaccurate or unclear statements.

(1m) DISCRETIONARY REVISIONS. The department may revise an operation permit for any of the reasons listed in sub. (1), regardless of the years remaining in the permit term, or for any of the following reasons:

(a) There is or has been a significant or recurring violation of any condition of the permit.

(b) The permittee has misrepresented or failed to disclose fully all relevant facts when obtaining an operation permit.

(c) There was a reconstruction, replacement or modification of the stationary source that did not require a construction permit under ch. NR 405, 406 or 408.

(d) The permit contains a typographical error.

(2) ACID RAIN. Revisions to the acid rain provisions of the permit shall be governed by s. NR 409.12.

(3) PROCEDURES The department shall use the procedures in s. 285.62, Stats., and s. NR 407.09 when processing revisions under this section unless the change is one described in s. NR 407.11 (1), in which case the procedures in s. NR 407.11 (3) (b) and (c) may be used. The department shall provide a written notice of intent to revise the permit to the permittee at least 30 days prior to initiating a permit revision under this section.

(4) TIMETABLE FOR ISSUANCE. Revisions under this section shall be issued within 180 days of giving notice under sub. (3).

(a) If the revision is being made to include a new applicable requirement in a permit, the department shall issue the revision under this section no later than 18 months after promulgation of the new applicable requirement. In cases where the effective date of the applicable requirement is later than the date on which the permit is due to expire, revision under this section is not required.

(b) The department may not issue a permit revision under this section until after the 45 day period EPA has to review the proposed action under s. 285.62 (6) (b), Stats., or until EPA has notified the department that EPA will not object to issuance of the revised permit, whichever is first.

History: Cr. Register, December, 1993, No. 456, eff. 1-1-94; am. (2), Register, April, 1995, No. 472, eff. 5-1-95; am. (1) (intro.), renum. (1) (a), (b), (c), (d), (h), (f), (g) and (i) to be (1m) (a), (1) (a), (b), (c) and (d), (1m) (b), (c) and (d) and am. (1) (b) and (cr), cr. (1m) (intro.), Register, December, 1997, No. 504, eff. 1-1-98.

NR 407.15 Air pollution control operation permit suspension and revocation. After providing 21 days written notice to the permittee and to the persons listed in s. 285.62 (3) (b) 2. to 7., Stats., the department may suspend or revoke an operation permit, part of that permit or the conditions of that permit if there is or was any of the following:

(1) VIOLATION. A significant or recurring violation of any condition of the permit which causes or exacerbates a violation of any ambient air quality standard or ambient air increment or which causes air pollution.

(2) MISREPRESENTATION OR DELIBERATE FAILURE TO DISCLOSE. Any misrepresentation or deliberate failure to disclose fully all relevant, significant facts when obtaining the permit.

(3) DEPARIMENT DETERMINATION A determination by the department that the permit must be revoked to assure compliance with the applicable requirements.

(4) REQUEST. A request by the permittee to suspend or revoke the permit.

(5) FAILURE TO PAY FEES. An intentional failure by the permittee to pay in full the fees required under ch. NR 410, except the department may not suspend or revoke the permit for failure to pay fees while those fees are being disputed under s. NR 410.04 (6).

(6) FAILURE TO FILE ANNUAL EMISSION INVENTORY REPORTS. An intentional failure by the permittee to file annual air emission inventory reports required under s. NR 438.03.

(7) SOURCE SHUIDOWNS. A permanent shutdown of operations of a stationary source so that it no longer needs a permit.

History: Cr. Register, December, 1993, No. 456, eff. 1-1-94; am. (intro.), Register, December, 1996, No. 492, eff. 1-1-97.

NR 407.16 Revision procedures for non-part 70 source permits and state-only requirements for part 70 sources. Notwithstanding the requirements to give notice to affected states and EPA under ss. NR 407.11 (3) (c), 407.12 (4), 407.13, 407.14 (4) and 407.15 (1), an operation permit may be revised, suspended or revoked without giving notice to affected states or EPA if the operation permit is for a source that is a non-part 70 source, or if the condition being revised is a requirement identified as not being federally enforceable under s. NR 407.09 (3) (b).

History: Cr. Register, December, 1993, No. 456, eff. 1-1-94.