Chapter NR 102

WATER QUALITY STANDARDS FOR WISCONSIN SURFACE WATERS

Subchapter l	I — General	Subchapter I	I — Water Quality Standards For Temperature
NR 102.01	Purpose.	NR 102.20	Purpose.
NR 102.02	Applicability.	NR 102.22	Definitions.
NR 102.03	Definitions.	NR 102.23	Categories of standards applicable to temperature.
NR 102.04	Categories of surface water uses and criteria.	NR 102.24	General water quality criteria for temperature.
NR 102.05	Application of standards.	NR 102.245	Temperature criteria for limited aquatic life communities.
NR 102.06	Phosphorus.	NR 102.25	Ambient temperatures and water quality criteria for the protection of
NR 102.10	Outstanding resource waters.		fish and other aquatic life.
NR 102.11	Exceptional resource waters.	NR 102.26	Site-specific ambient temperatures.
NR 102.12	Great Lakes system.	NR 102.27	Site-specific water quality criteria.
NR 102.13	Fish and aquatic life waters.	NR 102.28	Cold shock standard.
NR 102.14	Taste and odor criteria.	NR 102.29	Rate of temperature change standard.
		NR 102.30	Variances to water quality standards for temperature.

Note: Chapter NR 102 as it existed on September 30, 1973 was repealed and a new chapter NR 102 was created, effective October 1, 1973. Corrections made under s. 13.93 (2m) (b) 7., Stats., Register, August, 1997, No. 500.

Subchapter I — General

- **NR 102.01 Purpose.** (1) The purpose of this chapter is to establish, in conjunction with chs. NR 103 to 105, water quality standards for surface waters of the state pursuant to s. 281.15, Stats. This chapter describes the designated use categories for such waters and the water quality criteria necessary to support these uses. This chapter and chs. NR 103 to 105 constitute the water quality standards for the surface waters of Wisconsin.
- (2) The long-range goal of Wisconsin water quality standards is to protect the use of water resources for all lawful purposes. Water quality standards shall protect the public interest, which includes the protection of public health and welfare and the present and prospective uses of all waters of the state for public and private water supplies, propagation of fish and other aquatic life and wild and domestic animals, domestic and recreational purposes, and agricultural, commercial, industrial, and other legitimate uses. In all cases where the potential uses are in conflict, water quality standards shall protect the general public interest
- (3) Water quality standards serve as a basis for developing and implementing control strategies to achieve legislative policies and goals. Water quality standards are the basis for deriving water quality based effluent limitations and the limitations shall be determined to attain and maintain uses and criteria, unless more stringent effluent limitations are established to protect downstream waters. Water quality standards also serve as a basis for decisions in other regulatory, permitting or funding activities that impact water quality.

History: Cr. Register, February, 1989, No. 398, eff. 3–1–89; CR 07–111: am. (1), (2) and (3) Register September 2010 No. 657, eff. 10–1–10.

NR 102.02 Applicability. The provisions of this chapter are applicable to surface waters of Wisconsin.

History: Cr. Register, February, 1989, No. 398, eff. 3-1-89.

NR 102.03 Definitions. In this chapter, the following definitions are applicable to terms used:

- (1) "Ambient temperature" means the typical existing temperature of a surface water outside the direct influence of any point source discharge, which may include daily and seasonal changes.
- (2) "Mixing zone" means a region in which a discharge of different characteristics than the receiving water is in transit and progressively diluted from the source to the receiving system.
- (3) "Natural conditions" means the normal daily and seasonal variations in climatic and atmospheric conditions, and the existing

physical and chemical characteristics of a water or the course in which it flows.

- (4) "Natural temperature" means the normal existing temperature of a surface water including daily and seasonal changes outside the zone of influence of any artificial inputs.
- **(5)** "Resource management" means the application of control techniques to enhance or preserve a surface water in accordance with statutory provisions and in the general public interest.
- **(6)** "Sanitary survey" means a thorough investigation and evaluation of a surface water including bacteriological sampling to determine the extent and cause of any bacterial contamination.
- (7) "Surface waters" means all natural and artificial named and unnamed lakes and all naturally flowing streams within the boundaries of the state, but not including cooling lakes, farm ponds and facilities constructed for the treatment of wastewaters (the term waters as used in this chapter means surface waters).
- (8) "Unauthorized concentrations of substances" means pollutants or other chemicals introduced into surface waters without prior permit or knowledge of the department, but not including accidental or unintentional spills.

History: Cr. Register, September, 1973, No. 213, eff. 10–1–73; r. (1), renum. from NR 102.01, Register, February, 1989, No. 398, eff. 3–1–89; cr. (10), Register, May, 1993, No. 449, eff. 6–1–93; CR 07–111: cr. (intro.) and (1), r. (8) to (10), renum. (1) to (7) to be (2) to (8) Register September 2010 No. 657, eff. 10–1–10.

NR 102.04 Categories of surface water uses and cri-

- **teria.** (1) GENERAL. To preserve and enhance the quality of waters, surface water uses and criteria are established to govern water management decisions. Practices attributable to municipal, industrial, commercial, domestic, agricultural, land development or other activities shall be controlled so that all surface waters including the mixing zone meet the following conditions at all times and under all flow and water level conditions:
- (a) Substances that will cause objectionable deposits on the shore or in the bed of a body of water, shall not be present in such amounts as to interfere with public rights in waters of the state.
- (b) Floating or submerged debris, oil, scum or other material shall not be present in such amounts as to interfere with public rights in waters of the state.
- (c) Materials producing color, odor, taste or unsightliness shall not be present in such amounts as to interfere with public rights in waters of the state.
- (d) Substances in concentrations or combinations which are toxic or harmful to humans shall not be present in amounts found to be of public health significance, nor shall substances be present in amounts which are acutely harmful to animal, plant or aquatic life.
- (2) REVISED USES AND CRITERIA. The following uses and criteria may be revised as new information or advancing technology

indicate that revisions are in the public interest. Water used for hydropower and commercial shipping depends mainly on quantity, depth and elevation; consequently, no specific quality criteria for these uses have been prepared.

- (3) FISH AND OTHER AQUATIC LIFE USES. All surface waters shall belong in one of the fish and other aquatic life subcategories described in this subsection. Only those use subcategories identified in pars. (a) to (c) shall be considered suitable for the protection and propagation of a balanced fish and other aquatic life community as provided in the federal water pollution control act amendments of 1972, P.L. 92–500; 33 USC 1251 et seq.
- (a) Cold water communities. This subcategory includes surface waters capable of supporting a community of cold water fish and other aquatic life, or serving as a spawning area for cold water fish species. This subcategory includes, but is not restricted to, surface waters identified as trout water by the department of natural resources (Wisconsin Trout Streams, publication 6–3600 (80)).
- (b) Warm water sport fish communities. This subcategory includes surface waters capable of supporting a community of warm water sport fish or serving as a spawning area for warm water sport fish.
- (c) Warm water forage fish communities. This subcategory includes surface waters capable of supporting an abundant diverse community of forage fish and other aquatic life.
- (d) Limited forage fish communities. (Intermediate surface waters). This subcategory includes surface waters of limited capacity and naturally poor water quality or habitat. These surface waters are capable of supporting only a limited community of forage fish and other aquatic life.
- (e) Limited aquatic life. (Marginal surface waters). This subcategory includes surface waters of severely limited capacity and naturally poor water quality or habitat. These surface waters are capable of supporting only a limited community of aquatic life.
- **(4)** Criteria for fish and aquatic life. Except for natural conditions, all waters classified for fish and aquatic life shall meet the following criteria:
- (a) *Dissolved oxygen*. Except as provided in par. (b) and s. NR 104.02 (3), the dissolved oxygen content in surface waters may not be lowered to less than 5 mg/L at any time.
- (b) Dissolved oxygen for cold waters. Water bodies classified as trout waters by the department (Wisconsin Trout Streams, publication 6–3600 (80)) or as great lakes or cold water communities may not be altered from natural background dissolved oxygen levels to such an extent that trout populations are adversely affected. Additionally, all of the following conditions shall be met:
- 1. Dissolved oxygen in classified trout streams shall not be artificially lowered to less than 6.0 mg/L at any time, nor shall the dissolved oxygen be lowered to less 7.0 mg/L during the spawning season.
- 2. The dissolved oxygen in great lakes tributaries used by stocked salmonids for spawning runs shall not be lowered below natural background during the period of habitation.
- (c) *pH*. The pH shall be within the range of 6.0 to 9.0, with no change greater than 0.5 units outside the estimated natural seasonal maximum and minimum.
- (d) Other substances. Unauthorized concentrations of substances are not permitted that alone or in combination with other materials present are toxic to fish or other aquatic life. Surface waters shall meet the acute and chronic criteria as set forth in or developed pursuant to ss. NR 105.05 and 105.06. Surface waters shall meet the criteria which correspond to the appropriate fish and aquatic life subcategory for the surface water, except as provided in s. NR 104.02 (3).
- (e) *Temperature*. Water quality criteria for temperature shall be determined and applied pursuant to subch. II. Heated effluent

- shall not cause lethality, inside or outside of the mixing zone, to animal, plant or other aquatic life.
- **(5)** RECREATIONAL USE. (a) *General*. All surface waters shall be suitable for supporting recreational use and shall meet the criteria specified in sub. (6). A sanitary survey or evaluation, or both to assure protection from fecal contamination is the chief criterion for determining the suitability of a water for recreational use.
- (b) *Exceptions*. Whenever the department determines, in accordance with the procedures specified in s. NR 210.06 (3), that wastewater disinfection is not required to protect recreational uses, the criteria specified in par. (a) and in chs. NR 103 and 104 do not apply.
- **(6)** Criteria for recreational use. As bacteriological guidelines, the membrane filter fecal coliform count may not exceed 200 colonies per 100 ml as a geometric mean and may not exceed 400 colonies per 100 ml in more than 10% of all samples during any month. Samples shall be required at least 5 times per month
- (7) PUBLIC HEALTH AND WELFARE USE. (a) General. All surface waters shall be suitable for supporting public health and welfare.
- (b) Exceptions. Whenever the department determines a discharge of heated effluent is not exposed or situated in a manner that may pose a realistic potential for scalding of humans, the criterion specified in sub. (8) (c) does not apply.
- **(8)** Criteria for public health and welfare use. (a) *General*. The criteria developed pursuant to ss. NR 105.08 and 105.09 shall be met regardless of whether the surface water is used for public drinking water supply or the applicable fish and aquatic life subcategory.
- (b) *Taste and odor criteria*. All surface waters providing public drinking water supplies or classified as cold water or warm water sport fish communities as described in sub. (3) shall meet the taste and odor criteria specified or developed pursuant to s. NR 102.14.
- (c) *Temperature criteria*. To protect humans from being scalded, the water temperature of a discharge may not exceed 120°F unless specifically authorized under provisions in subchs. V or VI of ch. NR 106.
- **(9)** WILDLIFE USE AND CRITERIA. (a) *Use*. All surface waters shall be suitable for supporting wildlife.
- (b) *Criteria*. The criteria specified in or developed pursuant to s. NR 105.07 shall be met.

History: Cr. Register, September, 1973, No. 213, eff. 10-1-73; am. (3), Register, December, 1977, No. 264, eff. 1-1-78; renum. from NR 102.02, r. (3) (d) 1. to 3., and (5), renum. (3) (intro.) to (d) (intro.) and (e) and (4) to be (4) (intro.) to (e) and (5) and am. (4) (a), (d), (e) (intro.) and (5), cr. (6) and (7), Register, February, 1989, No. 398, eff. 3-1-89; am. (3) (intro.), (6), (7), r. (3) (a), renum. (3) (b) to (f) to be (3) (a) to (e) and am. (3) (a), Register, August, 1997, No. 500, eff. 9-1-97; CR 07-111: am. (title, (1) (intro.), (2), (3) (intro.), (4) (title) and (a), r. (4) (b), (e) 1. and (5) to (7), renum. (4) (e) (intro.), 2. and 3. to be (4) (b) and am. (4) (b) (intro.), cr. (4) (e) and (5) to (9) Register September 2010 No. 657, eff. 10-1-10; correction in (8) (c) made under s. 13.92 (4) (b) 7., Stats., Register September 2010 No. 657.

- NR 102.05 Application of standards. (1) ANTIDE-GRADATION. (a) No waters of the state shall be lowered in quality unless it has been affirmatively demonstrated to the department that such a change is justified as a result of necessary economic and social development, provided that no new or increased effluent interferes with or becomes injurious to any assigned uses made of or presently possible in such waters.
- (b) Classification system. For the purposes of this subsection, all surface waters of the state, or portions thereof, shall be classified as one of the following:
 - 1. Outstanding resource waters as listed in s. NR 102.10,
 - 2. Exceptional resource waters as listed in s. NR 102.11,
 - 3. Great Lakes system waters as listed in s. NR 102.12 (1),
- Fish and aquatic life waters as described in s. NR 102.13,
- 5. Waters listed in tables 3 through 8 in ss. NR 104.05 to 104.10.

- (2) STREAMFLOW. Water quality standards will not be maintained under all natural occurrences of flow, temperature, or other water quality characteristics. The determination of water quality based effluent limitations or other management practices shall be based upon the following conditions except as provided in ch. NR 106 for toxic and organoleptic substances and whole effluent toxicity:
- (a) The average minimum 7-day low streamflow which occurs once in 10 years (7-day Q_{10}); or,
- (b) In the case of dissolved oxygen and wherever sufficient data on streamflow and temperature are available, by application of a 0.274% level of nonattainment. This is equivalent to an expected nonattainment of the dissolved oxygen criterion of one day per year.
- (3) MIXING ZONES. Water quality standards shall be met at every point outside of a mixing zone. The size of the mixing zone shall be based on such factors as effluent quality and quantity, available dilution, temperature, current, type of outfall, channel configuration and restrictions to fish movement. For toxic and organoleptic substances with water quality criteria or secondary values specified in or developed pursuant to chs. NR 102 and 105, allowable dilution shall be determined as specified in ch. NR 106 in addition to the requirements specified in this subsection. As a guide to the delineation of a mixing zone, the following shall be taken into consideration:
- (a) Limiting mixing zones to as small an area as practicable, and conforming to the time exposure responses of aquatic life.
- (b) Providing passageways for fish and other mobile aquatic organisms.
- (c) Where possible, mixing zones being no larger than 25% of the cross–sectional area or volume of flow of a flowing water body and not extending more than 50% of the width.
- (d) Final acute criteria and secondary values specified in or developed pursuant to s. NR 105.05 for the fish and aquatic life subcategory for which the receiving water is classified not being exceeded at any point in the mixing zone.
- (e) Mixing zones not exceeding 10% of an inland lake's total surface area.
- (f) Mixing zones not adversely impacting spawning or nursery areas, migratory routes, nor mouths of tributary streams.
- (g) Mixing zones not overlapping, but where they do, taking measures to prevent adverse synergistic effects.
- (h) Restricting the pH to values greater than 4.0 s.u. and to values less than 11.0 s.u. at any point in the mixing zone for the protection of indigenous fish and fish food organisms.
- **(5)** RESOURCE MANAGEMENT EXEMPTIONS. Application of chemicals for water resource management purposes in accordance with statutory provisions is not subject to the requirements of the standards except in case of water used for public water supply.
- **(6)** ANALYTICAL PROCEDURES. (a) The criteria in the Radiation Protection Code, s. DHS 157.44, shall apply to the disposal and permissible concentrations of radioactive substances.
- (b) Methods used for analysis of samples shall be as set forth in ch. NR 219 unless alternative methods are specified by the department.

History: Cr. Register, September, 1973, No. 213, eff. 10–1–73; renum. (5) and (6) to be (6) and (7), cr. (5), Register, July, 1975, No. 235, eff. 8–1–75; r. and recr. (3), Register, August, 1981, No. 308, eff. 9–1–81; correction in (7) made under s. 13.93 (2m) (b) 7., Stats., cr. (4) (h), Register, September, 1984, No. 345, eff. 10–1–84; renum. from NR 102.03, r. (1), cr. (1) (b), renum. (2) to (7) to be (1) (a) to (6) and am. (2), (3) (intro.) and (d) and (6), Register, February, 1989, No. 398, eff. 3–1–89; am. (1) (b) 3., (3) (intro.) and (d), Register, August, 1997, No. 500, eff. 9–1–97; correction in (6) (a) made under s. 13.93 (2m) (b) 7., Stats. Register July 2010 No. 655; CR 07–111: am. (3) (intro.), (b), (c), (e) and (f), r. (4) Register September 2010 No. 657. eff. 10–1–10

History: Cr. Register, July, 1975, No. 235, eff. 8–1–75; am. Register, October, 1986, No. 370, eff. 11–1–86; renum. from NR 102.04, Register, February, 1989, No. 398, eff. 3–1–89; am. Register, November, 1992, No. 443, eff. 12–1–92.

- **NR 102.06 Phosphorus.** (1) GENERAL. This section identifies the water quality criteria for total phosphorus that shall be met in surface waters.
 - **(2)** DEFINITIONS. In this section:
- (a) "Drainage lake" means a lake with an outlet stream that continually flows under average summer conditions based on the past 30 years.
- (b) "Ephemeral stream" means a channel or stream that only carries water for a few days during and after a rainfall or snowmelt event and does not exhibit a flow during other periods, and includes, but is not limited to, grassed waterways, grassed swales, and areas of channelized flow as defined in s. NR 243.03 (7).
- (c) "Mean water residence time" means the amount of time that a volume of water entering a waterbody will reside in that waterbody.
- (d) "Nearshore waters" means all waters of Lake Michigan or Lake Superior within the jurisdiction of the State of Wisconsin in the zone extending from the shore to a depth of 10 meters, based on the long-term mean elevation for Lake Superior of 183.4 meters (601.7 feet) and for Lake Michigan of 176.5 meters (579.0 feet).
- (e) "Open waters" mean all waters of Lake Michigan or Lake Superior within the jurisdiction of the State of Wisconsin with depths greater than nearshore waters.
- (f) "Reservoir" means a waterbody with a constructed outlet structure intended to impound water and raise the depth of the water by more than two times relative to the conditions prior to construction of the dam, and that has a mean water residence time of 14 days or more under summer mean flow conditions using information collected over or derived for a 30 year period.
- (fm) "Seepage lake" means a lake that does not have an outlet stream that continually flows under average summer conditions based on the past 30 years.
- (g) "Stratified lake or reservoir" means a lake or reservoir where either of the following equations results in a value of greater than 3.8:

Maximum Depth (meters) — 0.1

Log₁₀Lake Area (hectares)

Maximum Depth (feet)* 0.305 — 0.1

Log₁₀Lake Area (acres) * 0.405

- (i) "Stratified two-story fishery lake" means a stratified lake which has supported a cold water fishery in its lower depths within the last 50 years.
- (j) "Total phosphorus" means all of the phosphorus in a water sample analyzed using the methods identified under the provisions of s. NR 219.04 (1).
- (3) STREAMS AND RIVERS. To protect the fish and aquatic life uses established in s. NR 102.04 (3) on rivers and streams that generally exhibit unidirectional flow, total phosphorus criteria are established as follows:
- (a) A total phosphorus criterion of 100 ug/L is established for the following rivers or other unidirectional flowing waters:
- Apple River from the outlet of the Apple River Flowage in Amery to the St. Croix River, excluding Black Brook Flowage.
- Bad River from confluence with the Marengo River within the Bad River Indian Reservation downstream to Lake Superior.
- Baraboo River from highway 58 in La Valle to the Wisconsin River.
- Bark River from confluence with Scuppernong River near Hebron to the Rock River.
- Black River from confluence with Cunningham Creek near Neillsville to Mississippi River, excluding Lake Arbutus.
- 6. Brule River from state highway 55 in Forest County downstream to Menominee River.
- 7. Buffalo River from confluence with Harvey Creek near Mondovi to Mississippi River.

- 8. Chippewa River from Lake Chippewa in Sawyer County to Mississippi River, excluding Holcombe Flowage, Cornell Flowage, Old Abe Lake, Lake Wissota and Dells Pond.
- Crawfish River from confluence with Beaver Dam River to Rock River.
- 10. East Branch Pecatonica River from confluence with Apple Branch Creek near Argyle to Pecatonica River.
- 11. Eau Claire River from confluence with Bridge Creek near Augusta to Chippewa River, excluding Altoona Lake.
- 12. Embarrass River from confluence with Pigeon River near Clintonville to Wolf River.
- 13. Flambeau River from outlet of Turtle–Flambeau Flowage in Iron County to Chippewa River, excluding Pixley Flowage, Crowley Flowage and Dairyland Flowage.
- 14. Fox River from outlet of Lake Puckaway near Princeton to Green Bay, excluding Lake Butte des Morts and Lake Winnebago.
- 15. Fox River from confluence with Mukwonago River near Mukwonago to state line, excluding Tichigan Lake.
- 16. Grant River from confluence with Rattlesnake Creek near Beetown to Mississippi River.
- 17. Jump River from confluence with the North Fork and the South Fork of the Jump rivers in Price County to Holcombe Flowage.
- 18. Kickapoo River from confluence with Weister Creek near La Farge to Wisconsin River.
- 19. Kinnickinnic River from confluence with Wilson Park Creek in Milwaukee to Milwaukee River.
- 20. La Crosse River from confluence with Fish Creek near Bangor to Mississippi River, excluding Neshonoc Lake.
- 21. Lemonweir River from outlet of New Lisbon Lake in New Lisbon to Wisconsin River, excluding Decorah Lake.
- 22. Little Wolf River from confluence with South Branch Little Wolf River near Royalton to Wolf River.
- 23. Manitowoc River from confluence of North Branch and South Branch Manitowoc rivers to the opening at the end of the piers at Lake Michigan.
- 24. Menominee River from confluence with Brule River to the opening at the end of the piers at Green Bay.
- 25. Menomonee River from confluence with Little Menomonee River to Milwaukee River.
- 26. Milwaukee River from confluence with Cedar Creek downstream to the openings of the breakwaters at Lake Michigan.
 - 27. Mississippi River main channels and side channels.
- 28. Namekagon River from outlet of Trego Lake near Trego to St. Croix River.
- 29. Oconto River from confluence with Peshtigo Brook to the opening at the end of the piers at Green Bay.
- 30. Pecatonica River from confluence with Vinegar Branch near Darlington to state line.
- 31. Pelican River from confluence with Slaughterhouse Creek near Rhinelander to Wisconsin River.
- 32. Peshtigo River from confluence with Brandywine Creek downstream to Green Bay, excluding Cauldron Falls Flowage and High Falls Flowage.
- 33. Pine River from confluence with Popple River in Florence County to Menominee River, excluding Pine River Flowage.
- 34. Red Cedar River from confluence with Brill River to Chippewa River, excluding Rice Lake, Tainter Lake and Lake Menomin.
- 35. Rock River from outlet of Sinissippi Lake downstream to the state line, excluding Lake Koshkonong.
- 36. St. Croix River from confluence with Namekagon River downstream to Mississippi River, excluding Lake St. Croix near Hudson.

- 37. St. Louis River from state line to the opening between Minnesota Point and Wisconsin Point at Lake Superior.
- 38. Sheboygan River from outlet of Sheboygan Marsh to the opening at the end of the piers at Lake Michigan.
- 39. South Fork of Flambeau River from state highway 13 near Fifield to Flambeau River.
- 40. Sugar River from outlet of Albany Lake to state line, excluding Decatur Lake.
- 41. Tomahawk River from outlet of Willow Reservoir to Lake Nokomis.
- 42. Trempealeau River from confluence with Pigeon Creek near Whitehall to Mississippi River.
- 43. White River from outlet of White River Flowage in Ashland County to Bad River.
- 44. Wisconsin River from the Rhinelander Dam to Mississippi River, excluding Lake Alice, Lake Mohawksin, Alexander Lake, Lake Wausau, Mosinee Flowage, Lake Dubay, Wisconsin River Flowage, Biron Flowage, Petenwell Flowage, Castle Rock Flowage and Lake Wisconsin.
- 45. Wolf River from confluence with Hunting Creek in Langlade County to Lake Poygan.
 - 46. Yahara River from outlet of Lake Kegonsa to Rock River.
- (b) Except as provided in subs. (6) and (7), all other surface waters generally exhibiting unidirectional flow that are not listed in par. (a) are considered streams and shall meet a total phosphorus criterion of 75 ug/L.
- (4) RESERVOIRS AND LAKES. Except as provided in sub. (1), to protect fish and aquatic life uses established in s. NR 102.04 (3) and recreational uses established in s. NR 102.04 (5), total phosphorus criteria are established for reservoirs and lakes, as follows:
- (a) For stratified reservoirs, total phosphorus criterion is 30 ug/L. For reservoirs that are not stratified, total phosphorus criterion is 40 ug/L.
- (b) For the following lakes that do not exhibit unidirectional flow, the following total phosphorus criteria are established:
 - 1. For stratified, two-story fishery lakes, 15 ug/L.
 - 2. For lakes that are both drainage and stratified lakes, 30 ug/L.
- For lakes that are drainage lakes, but are not stratified lakes, 40 ug/L.
 - 4. For lakes that are both seepage and stratified lakes, 20 ug/L.
- For lakes that are seepage lakes, but are not stratified lakes, 40 ug/L.
- (c) Waters impounded on rivers or streams that don't meet the definition of reservoir in this section shall meet the river and stream criterion in sub. (3) that applies to the primary stream or river entering the impounded water.
- **(5)** Great lakes. To protect fish and aquatic life uses established in s. NR 102.04 (3) and recreational uses established in s. NR 102.04 (5) on the Great Lakes, total phosphorus criteria are established as follows:
- (a) For both open and nearshore waters of Lake Superior, 5 ug/
- (b) For both open and nearshore waters of Lake Michigan, excluding waters identified in par. (c), 7 ug/L.
- (c) For the portion of Green Bay from the mouth of the Fox River to a line from Long Tail Point to Point au Sable, the water clarity and other phosphorus—related conditions that are suitable for support of a diverse biological community, including a robust and sustainable area of submersed aquatic vegetation in shallow water areas.
- **(6)** EXCLUSIONS. The following waters are excluded from subs. (3) (b), (4) and (5):
 - (a) Ephemeral streams.
 - (b) Lakes and reservoirs of less than 5 acres in surface area.
 - (c) Wetlands, including bogs.

- (d) Waters identified as limited aquatic life waters in ch. NR 104. Limited aquatic life waters are those subject to the criteria in s. NR 104.02 (3) (b) (2).
- (7) SITE-SPECIFIC CRITERIA. A criterion contained within this section may be modified by rule for a specific surface water segment or waterbody. A site-specific criterion may be adopted in place of the generally applicable criteria in this section where site-specific data and analysis using scientifically defensible methods and sound scientific rationale demonstrate a different criterion is protective of the designated use of the specific surface water segment or waterbody.

Note: Reservoirs, two-story fishery lakes and water bodies with high natural background phosphorus concentrations are the most appropriate water bodies for site-specific criteria.

Note: When placing a water body on the 303 (d) list as impaired for phosphorus, the department considers factors such as frequency and duration of criterion exceedances, the time of year of the exceedance and the magnitude of each exceedance above the applicable criterion. The department may also choose to consider other factors such as the concentration of suspended algae and floating plants; density of benthic algae; macrophyte density; minimum and daily change in dissolved oxygen levels due to diurnal swings; water clarity; and natural background phosphorus concentrations. The 303 (d) list is a list of impaired waters established by the department and approved by US EPA pursuant to 33 USC 1313 (d) (1) (A) and 40 CFR 130.7. Information on frequency and duration is contained in the department's impaired waters listing guidance, "Wisconsin Consolidated Assessment and Listing Methodology."

History: Cr. Register, July, 1975, No. 235, eff. 8–1–75; am. Register, October, 1986, No. 370, eff. 11–1–86; renum. from NR 102.04, Register, February, 1989, No. 398, eff. 3–1–89; am. Register, November, 1992, No. 443, eff. 12–1–92; CR 10–035; r. and recr. Register November 2010 No. 659, eff. 12–1–10; renumbering of (2) (fm) made under s. 13.92 (4) (b) 1., Stats., Register November 2010 No. 659.

NR 102.07 Lake Michigan and Lake Superior thermal standards. History: Cr. Register, September, 1973, No. 213, eff. 10-1-73; r. and recr. Register, July, 1975, No. 235, eff. 8-1-75; renum. from NR 102.05, Register, February, 1989, No. 398, eff. 3-1-89; CR 07–111: r. Register September 2010 No. 657, eff. 10-1-10.

NR 102.08 Mississippi river thermal standards. History: Cr. Register, July, 1975, No. 235, eff. 8–1–75; renum. from NR 102.06, Register, February, 1989, No. 398, eff. 3–1–89; CR 07–111: r. Register September 2010 No. 657, eff. 10–1–10.

NR 102.09 Review of thermal standards. History: Cr. Register, July, 1975, No. 235, eff. 8–1–75; am. Register, February, 1977, No. 254, eff. 3–1–77; renum. from NR 102.07, Register, February, 1989, No. 398, eff. 3–1–89; CR 07–111: r. Register September 2010 No. 657, eff. 10–1–10.

- NR 102.10 Outstanding resource waters. (1) The following surface waters are designated as outstanding resource waters:
- (a) National wild and scenic rivers. All rivers designated under the national wild and scenic rivers act, as amended, 16 USC 1271 to 1287, except those portions flowing through Indian reservations, including:
- 1. St. Croix river between the northern boundary of the Hudson city limits and the St. Croix flowage dam in Douglas county except that the portion of the St. Croix river from the northern boundary of the St. Croix Falls city limits to a distance one mile below the STH 243 bridge at Osceola shall be classified exceptional resource waters under s. NR 102.11.
- 2. Namekagon river between its confluence with the St. Croix river and the outlet of Lake Namekagon in Bayfield county.
- (b) *State wild and scenic rivers*. All state wild and scenic rivers designated under s. 30.26, Stats., including:
 - 1. Pike river and its headwater branches in Marinette county.
- Pine river and its headwater branches in Florence and Forest counties.
- 3. Popple River and its headwater branches in Florence and Forest counties.
- 4. The portion of the Brunsweiler River (Martin Hanson Wild River) from the point in Ashland County at which it leaves T44N R4W S22 QSW QQSW downstream to the point at which it crosses the boundary of the Chequamegon–Nicolet National Forest at T45N R4W S22 QNW.
- 5. Portions of the Totagatic River in Bayfield, Sawyer, Washburn, Douglas, and Burnett Counties as described in the following table:

- SEG 1: From the outlet of Totogatic Lake located in Bayfield County to the upstream end of Nelson Lake at the southern edge of the walleye spawning refuge located in Sawyer County.
- SEG 2: From a point 500 feet below the dam in the Totogatic Wildlife Area located in Washburn County to the upstream end of the Colton Flowage located in Washburn County.
- SEG 3: From a point 500 feet below the dam that forms the Colton Flowage located in Washburn County to the point where the river crosses the Washburn–Douglas County line immediately above the upstream end of the Minong Flowage.
- SEG 4: From the bridge on CTH "I" that crosses the river located in Washburn County to the confluence of the river with the Namekagon River located in Burnett County.

Note: Section NR 302.02 (1) contains a detailed description of the extent of the Pike, Pine, and Popple river systems designated as Wild Rivers.

- (c) Wolf river upstream of the northern Menominee county line.
 - (d) The following Class I trout waters:
 - 1. Adams county Big Roche–a–Cri creek
 - 2. Barron county Yellow river
 - 3. Bayfield county Flag river, Sioux river
- Burnett county North Fork Clam river, South Fork Clam river
- Chippewa county Duncan creek, Elk creek, McCann creek
- Dane county Black Earth creek above the easternmost CTY KP crossing
 - 7. Door county Logan creek
- 8. Douglas county Bois Brule river and its tributaries including the waters of Lake Superior within a ½ mile semi-circular arc centered at the middle of the river mouth
 - Dunn county Elk creek
- 10. Florence county Brule river including Montagne creek and Riley creek tributaries; tributaries to the Pine–Popple rivers including Chipmunk, Cody, Haley, Haymarsh, Lamon Tangue, Lepage, Lunds, Martin, Olson, Patten, Pine, Riley, Rock, Simpson, Seven Mile, Wakefield and Woods creeks; Little Popple river (T38N R19E S3)
 - 11. Forest county Brule river
 - 13. Kewaunee county Little Scarboro creek
- 14. Langlade county Clearwater creek, Drew creek, Evergreen river, South Branch Oconto river
- 15. Lincoln county Center fork New Wood creek, Little Pine creek, Prairie river
- 16. Marathon county Holt creek, Spranger creek, Plover river
- 17. Marinette county Cedarville creek, Otter creek, Holmes creek, East Thunder creek, North fork Thunder river, Eagle creek, Little Eagle creek, Plumadore creek, Meadow brook, Upper Middle Inlet creek, Middle Inlet creek, Wausaukee river, Little Wausaukee creek, Coldwater brook, Medicine brook, South Branch Miscauno creek, Miscauno creek, Swede John creek, South Branch Pemebonwon river, Spikehorn creek, Silver creek, Little Silver creek, Sullivan creek; tributaries to the Pike river including Little South Branch Pike river, Camp D creek, Camp F creek, Camp 9 creek, Cole creek, Glen creek, Harvey creek, North Branch Harvey creek, South Branch Harvey creek, Hemlock creek, Holloway creek, K.C. creek, Little Harvey creek, Lost creek, MacIntire creek, Phillips creek, Sackerson creek, Shinns branch, Sidney creek, Smeesters creek, Springdale brook, Whiskey creek
- 18. Marquette county Chaffee creek, Lawrence creek, Tagatz creek
 - 19. Monroe county Rullands Coulee creek

20. Oconto county — First South Branch Ocontor river, Sic- plot of South Branch Coottor river, Bulls Pond creek 21. Polts county — Clam river, McKenzie creek 22. Portage county — Emmons creek. Radley creek, Sannes creek. Tomorrow river. Nace Crtou) creek 23. Richland county — Camp creek 24. Shebroygan county — Nichols creek 25. St. Croix county — Kimickimic river above STH "35" 26. Vermon county — Rullands Coulee creek, Spring Coulee creek, Timber Coulee creek 27. Vilas county — Deerskin river, Plum creek 28. Walworth county — Bulf creek, Potawatomic creek, Jackson creek, Leers creek, Peterson creek, Radley creek, Sannes creek, Spanding recek, Trout creek, Whitcomb creek, Little Wolf river (vorth Branch Little Wolf river) 30. Wasshara county — Camper creek without creek, Little Wolf river (vorth Branch Little Wolf river) 31. Baaron county — Wellow river 42. Burnett county — Pethfigo river 43. Forest county — Bruin creek, Tribin creek, Jackson creek, Leers creek, Pethfigo river 45. Branch County — Wellow river 46. Baay- ger 47. Vilas county — Wellow river 47. Vilas county — Hilm creek 48. Walworth county — Bulf cree creek, Wilnicomb creek, Little Wolf river (vorth Branch Little Wolf river) 48. Walworth fire river with the work of the creek with the work of the w						
22. Portage county — Emmons creek, Radley creek, Sannes creek Timbor viver, Nace (Trout) creek 23. Richland county — Camp creek 24. Sheboygan county — Nichols creek 25. St. Croix county — Kinchickimic river above STH "35" 26. Vernon county — Rullands Coulee creek, Spring Coulee creek. Timber Coulee creek 27. Vilas county — Bluff creek, Potawatomi creek, Van Slyke creek 28. Walworth county — Bluff creek, Fotawatomi creek, Van Slyke creek 29. Waupaca county — Emmons creek, Griffin creek, Jacksson creek, Leers creek, Peterson creek, Referson creek, Leerson creek, Leerson creek, Leerson creek, Rulleworth (North Barnach Little Wolf river) 30. Waushara county — Chaffec creek, Willow creek north of Redgrantic, Mecan river north of Richford, Little Pine creek, West Branch White river 2. Burnett county — Worth Fork Clam river 3. Forest county — Bluff very (North Barnach Little Wolf river) 3. Forest county — Pitte writer 4. Grant county — Willow river 4. Grant county — Pitte writer 5. Marinette county — Pitte writer 6. Polik county — Bluff very (Pitte writer) 6. Polik county — McKenzic creek 7. Vilas county — Pittem creek 7. Vilas county — Pittem creek 8. SEG 1: Origin to Outfall in Mellen at NW/SSW/s 86 T-44N R2W 8. SEG 2: Outlet of Moquab Lake to origin of Wild River designation under par, (b) 4, at the koundary of the Chequames goon—Ricolet he coundary of the Chequames goon—Ricolet New SEG 3: All portions including par, (b) 4, at the houndary of the Chequames goon—Ricolet National Forest (T45N RW S22 SW W of SW W 4 SEG 4: Find of Wild River under par, (b) 4, at the houndary of the Chequames goon—Ricolet National Forest (T45N RW S22 SW W of SW W Wild River under par, (b) 4, at the houndary of the Chequames goon—Ricolet National Forest (T45N RW S22 SW W of Ricolet River Wildle of the river mouth W mild River to county of the Chequames goon—Ricolet National Forest (T45N RW S22 SW W of River Wildle of the river mouth W mildle of the river	ond South Branch Oconto river, South Br		1h.	& Bay-	Marengo River	Inlet of Marengo
creek. 7 John or own river. Nace (Trout) creek 23. Richard county — Camp creek 24. Sheboygan county — Nichols creek 25. St. Croix county — Minickinnic river above STH "35" 26. Vernon county — Rimickinnic river above STH "35" 27. Vilas county — Deerskin river. Plum creek 28. Walworth county — Bluff creek, Potawatomi creek, Van Slyke creek. 29. Waupaca county — Emmons creek, Griffin creek, Jackson creek, Leers creek, Peterson creek, Miltown to reek, Little Woif river (North Branch Little Woif river) 30. Waushara county — Chaffee creek, Wiltown creek north of Redgranite, Meean river north of Richford, Little Pine creek. 28. Burnett county — North Fork Clam river 29. Burnett county — North Fork Clam river 20. Burnett county — Pethtigo river 40. Forat county — Pethtigo river 41. Barron county — Vellow river 42. Burnett county — Pethtigo river 43. Forest county — Pethtigo river 45. Polk county — Michael Creek 47. Vilas county — Pethtigo river 45. Polk county — Michael Creek 47. Vilas county — Pethtigo river 48. SEG 1: Origin to Outgal in Mellen at NW/4/SW/4 S6 74. An R.P.W 56. T44N R.P.W 57. Seg 2: Outlet of Moquah Lake to Origin of Wild in Mellen at NW/4/SW/4 S6 74. AN R.P.W 57. Seg 3: All portions included as Wild River under pair, (b) 4. a. SEG 3: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair, (b) 4. a. SEG 4: End of Wild River under pair,	<u>-</u>					SEG 2: Outlet of
23. Richland county — Camp creek 24. Sheboygan county — Nichols creek 25. St. Croix county — Siminkininic river above STH "35" 26. Vernon county — Rullands Coulee creek, Spring Coulee creek, Timinkininic river above STH "35" 27. Vilas county — Deerskin river, Plum creek 28. Walworth county — Bluff creek, Potawatomi creek, Van Slyke creek 29. Waupaca county — Emmons creek, Griffin creek, Jackson creek, Leers creek, Peterson creek, Rinfin creek, Jackson creek, Leers creek, Peterson creek, Leers creek, Peterson creek, Rinfin creek, Jackson creek, Leers creek, Peterson creek, Rinfin creek, Jackson creek, Leers creek, Peterson creek, Pe						
24. Shebonyan county — Nichols creek 25. St. Croix county — Kimnickimic river above STH "35" 26. Vermon county — Rimnickimic river above STH "35" 27. Vilas county — Deerskin river, Plum creek 28. Walworth county — Bluff creek, Potawatomi creek, Van Slyke creek 29. Waupaca county — Emmons creek, Griffin creek, Jackson creek, Leers creek, Peterson creek, Rafley creek, Sannes creek, Spaulding creek. Trust creek, Whitcomb erreek, Little Wolf river (North Branch Little Wolf river) 30. Wawshara county — Chaffee creek, Willow creek north of Richford, Little Pine creek, West Branch While river 31. Barron county — Petlow river 42. Burnett county — Pethlog river 43. Forest county — Brule river, Peshtigo river 44. Grant county — Brule river, Peshtigo river 45. Marinette county — Pethlog river 46. Polik county — McKenzie creek 47. Vilas county — Plum creek 48. Saw-yer 48. Fork Chippewa Special River of SEG 6 Outlet of Barker Lake to Inlet of Hander Lake to Outland in Mellen at NW-XSW-M, 56 T-44N R2W 49. SEG 3: Outlet of Moquah Lake to origin of Wild River and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Inlet of Spider Lake Brunsweiler River SEG 2: Outlet of Moquah Lake to origin of Wild River and rivers or portions included as Wi						
25. St. Croix county — Kinnickinnic river above STH "35" 26. Vernon county — Rullands Coulee creek, Spring Coulee creek, Timber Coulee creek 27. Vilas county — Deerskin river, Plum creek 28. Walworth county — Bluff creek, Potawatomi creek, Van Slyke creek 29. Waupaca county — Emmons creek, Griffin creek, Jackson creek, Leers creek, Peterson creek, Rulley creek, Jackson creek, Leers creek, Peterson creek, Rulley creek, Jackson creek, Emberd Conflece with Chippewa Flowage Creek, Spaulding creek, Trout creek, Willow creek north of Redgrantie, Mecan river north of Richford, Little Pine creek, West Branch Little Wolf river) 30. Waushara county — Chaffee creek, Willow creek north of Redgrantie, Mecan river north of Richford, Little Pine creek, West Branch White river 2. Burnett county — Poth Fork Clam river 2. Burnett county — Poth Fork Clam river 3. Forest county — Brule river, Peshtigo river 4. Grant county — Pethtigo river 5. Polk county — McKenzie creek 7. Vilas county — Pethtigo river 6. Polk county — McKenzie creek 7. Vilas county — Pethtigo river 6. Polk county — McKenzie creek 7. Vilas county — Pum creek (1) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW-XSW Vas So T44N R2W SEG 2: Outlet of Moquah Lake to origin of Wild River ander par, (b) 4, at T44N R4W S22 SW Va of SW Va SEG 3: All portions included as Wild River under par, (b) 4. At T44N R4W S22 SW Va of SW Va SEG 3: All portions included as Wild River under par, (b) 4. At the boundary of the Chequame-gon-Nicolet National Forest (T45N R4W S22 Va NW) to the Bad River Indian Res- SEG 1: Draft of Red Cadar River Superior within a Variel are centered at the middle of the river mouth Variel are centered at the middle of the river mouth Variel are centered at the middle of the river mouth.						
26. Kernon county — Rullands Coulec creek, Spring Coulec creek, Timber Coulec creek 27. Vilas county — Deerskin river, Plum creek 28. Walworth county — Bluff creek, Potawatomi creek, Van Slyke creek 29. Watpaca county — Emmons creek, Griffin creek, Jackson creek, Leers creek, Peterson creek, Radley creek, Sames creek, Spandling creek, University of the Miles of Pelican Lake to Confluence with 194 (Chippewa Flowage Chippewa Flowage) 30. Waushara county — Chaffie creek, Whitcomb creek, Little Wolf river) 43. Forest county — Pethod for Kelam river 3. Forest county — Penheir creek 4 Grant crounty — Brule river, Peshtigo river 4. Grant crounty — Brule river, Peshtigo river 4. Grant crounty — Brule river, Peshtigo river 6. Polk county — McKenzie creek 7. Vilas county — Pethod river, Castle Rock creek 7. Vilas county — Pethod river, Castle Rock creek 8. Marinette county — Peshtigo river 9. Folk county — McKenzie creek 9. Vilas county — Pitter creek 1. Barron County — Brule river, Peshtigo river 1. Grant creek 1. Grant creek creek 1. Barron Engle Creek 1. Barron County — Brule river, Peshtigo river 1. Barron County — Pitter creek 1. Grant creek creek 1. Barron County — Pitter creek 1. Grant creek creek 1. Barron County — Brule river, Peshtigo river 1. Barron County — Pitter creek 1. Barron County — Pitter Creek 1. Grant River designation under par, (b) 4, at the boundary of the Chequamegon—Nicolet 1. Barron County Creek			1n	Ashland	E. Fork Chippewa	SEG1: T42N R1E
creek, Timber Coulee creek 27. Vilas county — Deerskin river, Plum creek 28. Walworth county — Bluff creek, Potawatomi creek, Van Slyke creek 29. Waupaca county — Emmons creek, Griffin creek, Jackson creek, Leters creek, Peterson creek, Radley creek, Sannes creek, Spauling creek, Trout creek, Willow creek indeed friver (North Branch Little Wolf river) 30. Waushara county — Chaffee creek, Willow creek north of Redgrantie, Mecan river north of Richford, Little Pine creek, West Branch White river (e) The following Class II rout waters: 1 Barron county — Yellow river 2. Burnett county — Proshtigo river 4. Grant county — Big Green river, Castle Rock creek 5. Marinette county — Preshtigo river 4. Grant county — Pelm creek 7. Vilas county — Pelm creek (f) The following closd or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW/SSW/s S6 T44N R2W SEG 3: Outlet of Moquah Lake to origin of Wild River designation under par, (b) 4. at T44N R4W S22 SW ½ of SW ½ SEG 3: All por- tions included as Wild River under par, (b) 4. SEG 3: Bayfield SEG 1: Origin to Inlet of Spider Lake Upper Pine Creek SEG 2: All within Barron County All-Class I Port- orions including as Wild River under par, (b) 4. T44N R4W S22 SW ½ of SW ½ SEG 3: All por- tions included as Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N R4W S22 Wild River under par, (b) 4. T44N	•		тр.			
28. Walworth county — Bluff creek, Potawatomi creek, Van 29. Waupaca county — Emmons creek, Griffin creek, Jack- 30. Waushara county — Emmons creek, Griffin creek, Jack- 30. Waushara county — Chaffee creek, Willow creek north 30. Waushara county — Chaffee creek, Willow creek north 67 Redgranite, Mecan river north of Richford, Little Pine creek, West Branch White river (e) The following Class II trout waters: 1. Barron county — Yellow river 2. Burnett county — Brule river, Peshtigo river 4. Grant county — Brule river, Peshtigo river 5. Marinette county — Peshtigo river 6. Polk county — McKenzie creek 7. Vilas county — Pethog river 6. Polk county — McKenzie creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW1/4SW1/4S 64 144N R2W Brunsweiler River SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW ½ of SW ½ SEG 3: All portions included as Wild River designation under par. (b) 4. at the boundary of the Chequame-gon-Nicolet National Forest (1748) R4W S22 ¼ NW) to the Bad River Indian Res- SEG 4: Outlet of Blaisdell Lake to Inlet of Blaisdell Lake to Inlet of Hunter Lake to Inlet of Florest of Class 1 & II Portions SEG 3: Outlet of Moquah Lake to origin of Wild River ander par. (b) 4. at the boundary of the Chequame-gon-Nicolet National Forest (1748) R4W S22 ¼ NW) to the Bad River Indian Res- SEG 4: End of Cranberry River & Tirbs. SEG 1: Origin to Mild River are entered at the middle of the waters of Lake Superior within a Mile semi-circ cut of the river mouth in Mile Res at the boundary of the Chequame-gon-Nicolet National Forest (1748) R4W S22 ¼ NW) to the Bad River Indian Res- SEG 5: Outlet of Spider Lake Superior within a Mile Semi-circ cut of the river mouth in Mile Res at the middle of the river mouth in Mile Res at the middle of the river mouth in Mile Res at the middle of the river mouth in Mile Res at the middle of the river mouth in Mile Res at the Mile Re		ee creek, Spring Coulee		yer		
Slyke creek 29. Waupaca county — Emmons creek, Griffin creek, Jackson creek, Leers creek, Peterson creek, Radley creek, Sannes creek, Spaulding creek, Trout creek, Whitcomb creek, Little Wolf river) 30. Waushara county — Chaffee creek, Willow creek north of Redgranite, Meean river north of Richford, Little Prine creek, Willow creek north of Redgranite, Meean river north of Richford, Little Prine creek, Willow creek north of Redgranite, Meean river north of Richford, Little Prine creek, Willow creek north of Redgranite, Meean river north of Richford, Little Prine creek, Willow creek north of Redgranite, Meean river north of Richford, Little Prine creek, Willow creek north of Redgranite, Meean river north of Richford, Little Prine creek 1. Barron county — Pethug river 2. Burnett county — Brule river, Peshtigo river 4. Grant county — Peshtigo river 6. Polk county — Peshtigo river 6. Polk county — Peshtigo river 6. Polk county — Pum creek (I) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW5/3SW4/s S6 T44N RZW SEG 3: Coulted of Moquah Lake to origin of Wild River designation under par, (b) 4. at T44N RZW SEG 3: All portions included as Wild River under par, (b) 4. at the boundary of the Chequane-gon-Nicolet National Forest (T45N RAW S22 4/8 NW) to the Bad River Indian Res- SEG 4: End of Wild River segment under par, (b) 4. at the boundary of the Chequane-gon-Nicolet National Forest (T45N RAW S22 4/8 NW) to the Bad River Indian Res- SEG 5: Outlet of Caraberty River & Tribs. SEG 5: Outlet of Caraberty River & Tribs. SEG 5: Outlet of Caraberty River & Tribs. SEG 5: Outlet of Charlet Caraberty River & Tribs. SEG 5: Outlet of Charlet Caraberty River & Tribs. SEG 5: Outlet of Charlet Caraberty River & Tribs. SEG 5: Outlet of Charlet Caraberty River & Tribs. SEG 5: Outlet of Charlet Caraberty River & Tribs. SEG 5: Outlet of Charlet Caraberty River & Tribs. SEG 5: Outlet of Charlet Caraberty River & Tribs. SEG 5: Outlet o	27. Vilas county — Deerskin river,	Plum creek				Glidden
29. Waupaca county — Emmons creek, Griffin creek, Jackson creek, Leters creek, Peterson creek, Radley creek, Sannes creek, Spating creek, Trout creek, Willow creek north of Richford, Little Wolf river (North Branch Little Wolf river) 30. Waushara county — Chaffee creek, Willow creek north of Redgranite, Mecan river north of Richford, Little Pine creek, West Branch White river (e) The following Class II trout waters: 1. Barron county — Yellow river 2. Burnett county — Poshtigo river 4. Grant county — Big Green river, Castle Rock creek 5. Marinette county — Peshtigo river 6. Polk county — Pulm creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NWV/SW/s 66 T44N R2W Brunsweiler River SEG 2: Outlet of Moquah Lake to origin to Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par (b) 4. at T44N R4W S22 SW ½ of SW ½ SEG 3: All portions included as Wild River under par. (b) 4. at T44N R4W S22 SW ½ of SW ½ SEG 4: End of Wild River under par. (b) 4. at T44N R4W S22 SW ½ of SW ½ SEG 4: End of Wild River under par. (b) 4. at the boundary of the Chequamegon-Nicolet National Forest (T45N R4W S22 ½ N NW) to the Bad River Indian Res-	_	, Potawatomi creek, Van				
son creek, Leters creek, Peterson creek, Radley creek Sannes creek, Spudling creek, Trout creek, Whitcomb creek, Little Wolf river (North Branch Little Wolf river) 30. Waushara county — Chaffee creek, Willow creek north of Redgrantie, Mecan river north of Richford, Little Pine creek, West Branch White river (e) The following Class II trout waters: 1. Barron county — Yellow river 2. Burnett county — Brule river, Peshtigo river 4. Grant county — Brule river, Peshtigo river 6. Polk county — Brule river, Castle Rock creek 5. Marinette county — Peshtigo river 6. Polk county — Peshtigo river 6. Polk county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW/45W/4 S6 T44N R2W SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par (b) 4. at T44N R4W S22 SW ¼ of SW ¼ SEG 3: All portions included as Wild River under par. (b) 4. SEG 4: End of Wild River segment under par. (b) 4. at T44N R4W S22 Wild River under par. (b) 4. at the boundary of the Chequame gon-Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River Indian Res-	· •	ook Griffin arook Iook				
creek, Spaulding creek, Trout creek, Whitcomb creek, Little Wolf river (North Branch Little Wolf river) 30. Waushara county — Chaffee creek, Willow creek north of Redgranite, Mecan river north of Richford, Little Pine creek, West Branch White river (e) The following Class II trout waters: 1. Barron county — Yellow river 2. Burnett county — North Fork Clam river 3. Forest county — Brule river, Peshtigo river 4. Grant county — Brule river, Peshtigo river 4. Grant county — Peshtigo river 6. Polk county — Brule river, Peshtigo river 6. Polk county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW/ASW/4 S6 T44N R2W Brunsweiler River SEG 2: Outlet of Moquah Lake to Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to Inlet of Spider Lake SEG 3: Outlet of Moquah Lake to Inlet of Spider Lake SEG 3: Outlet of Moquah Lake to Inlet of Spider Lake SEG 3: Outlet of Moquah Lake to Inlet of Spider Lake SEG 3: All portions included as Wild River under par, (b) 4. at T44N R4W S22 SW 4 of SW 4 SEG 4: End of Wild River under par, (b) 4. at T44N R4W S22 SW 4 of SW 4 SEG 4: End of Wild River under par, (b) 4. at T45N R4W S22 SW 4 NW) to the Bad River Inlation Res- 1. Sec 4: End of Wild River under par, (b) 4. at T45N R4W S22 SW 4 NW) to the Bad River Inlation Res- 1. Sec 5: Outlet of All-Class 1 Portion including the waters of Lake Superior within a 4 mile semi-circular arc centered at the middle of the river mouth at mile and the middle of the river mouth at the middle of the river mouth at mile middle of the river mouth.						Chippewa Flowage
N. Walshalard colonly— Clafford, Little Pine creek. West Branch White river (e) The following Class II trout waters: 1. Barron county — Yellow river 2. Burnett county — Brule river, Peshtigo river 4. Grant county — Brule river, Peshtigo river 6. Polk county — McKenzie creek 7. Vilas county — Peshtigo river 6. Polk county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW4/SW4/SW 56 T44N RZW Ashland Brunsweiler River SEG 2: Outlet of Moquab Lake to origin of Wild River designation under par. (b) 4. at T44N RAW S22 SW 4 of SW 4. at the boundary of the Chequame-gon—Nicolet National Forest (T45N RAW S22 4/4 NW) to the Bad River Indian Res-	creek, Spaulding creek, Trout creek, White					Pelican Lake to
West Branch White river (e) The following Class II trout waters: 1. Barron county — Wellow river 2. Burnett county — Brule river, Peshtigo river 4. Grant county — Brule river, Peshtigo river 4. Grant county — Brule river, Castle Rock creek 5. Marinette county — Brule river, Castle Rock creek 6. Polk county — Peshtigo river 6. Polk county — Peshtigo river 6. Polk county — Pum creek 6. Polk county — Pum creek 6. Marinette county — Pum creek 6. The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River 8. SEG 1: Origin to Outfall in Mellen at NW/48/W/4 S6 T44N R2W 8. SEG 1: Origin to Inlet of Spider Lake 1						
1. Barron county — Yellow river 2. Burnett county — North Fork Clam river 3. Forest county — Brig Green river, Castle Rock creek 5. Marinette county — Beshtigo river 6. Polk county — Peshtigo river 6. Polk county — Peshtigo river 7. Vilas county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW¼SW¼ S6 T44N R2W SEG 1: Origin to Inlet of Spider Lake to Origin of Wild River designation under par. (b) 4, at T44N R4W S22 SW ¼ of SW ¼ SEG 3: Outlet of Hunter Lake to Inlet of Barker Lake to Inlet of B		mora, Entire 1 me creek,				SEG 4: Outlet of
2. Burnett county — North Fork Clam river 3. Forest county — Brule river, Peshtigo river 4. Grant county — Brule river, Peshtigo river 6. Polk county — McKenzie creek 7. Vilas county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: Id. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW½SW½ 56 T44N RZW Brunsweiler River SEG 2: Outlet of Moquah Lake to Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW½ of SW¼ SEG 4: End of Wild River under par. (b) 4. at the boundary of the Chequame-gon—Nicolet National Forest (T45N R4W S22 ⅓ NW) to the Bad River Indian Res-	(e) The following Class II trout water	rs:				
3. Forest county — Brule river, Peshtigo river 4. Grant county — Big Green river, Castle Rock creek 5. Marinette county — Peshtigo river 6. Polk county — McKenzie creek 7. Vilas county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW\\\38W\\\48W\\48S\\48W\\48S\\48W\\48S\\48W\\48S\\48W\\48S\\48W\\48S\\48W\\48W						
4. Grant county — Big Green river, Castle Rock creek 5. Marinette county — Peshtigo river 6. Polk county — McKenzie creek 7. Vilas county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: Id. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NWY-KSWY4 S6 T44N R2W Brunsweiler River SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW 4 of SW 4 SEG 3: All portions included as Wild River under par. (b) 4. at the boundary of the Chequamegon—Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River Indian Res- National Forest (T45N R4W S22 ¼ NW) to the Bad River Indian Res-						SEC 5: Outlet of
5. Marinette county — Peshtigo river 6. Polk county — Hum creek 7. Vilas county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NWV4SWV4 S6 T44N R2W Brunsweiler River SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW ¼ of SW ¼ SEG 3: All portions included as Wild River under par. (b) 4. at the boundary of the Chequamegon—Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River Indian Res-		-				
6. Polk county — McKenzie creek 7. Vilas county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW1/45W1/456 T44N R2W Brunsweiler River SEG 1: Origin to Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par, (b) 4, at T44N R4W S22 SW 1/4 of SW 1/4 SEG 3: All portions included as Wild River under par, (b) 4. at the boundary of the Chequamegon-Nicolet National Forest (T45N R4W S22 1/4 NW) to the Bad River Indian Res- 11. Barron Engle Creek Class I & II Portions (Class I & II Portions (Class I & II Portions) 12. Barron Engle Creek Class I & II Portions (Class I & II Portions) 13. Barron Engle Creek Class I & II Portions (Class I & II Portions) 14. Bearron Red Cedar River SEG 1: Outlet of Red Cedar Lake to Inlet of Rice Lake SEG 2: All within Barron County 15. Barron Red Cedar River SEG 1: Outlet of Red Cedar Lake to Inlet of Red Cedar River SEG 1: Outlet of Red Cedar River SEG 1: Outl	•					
7. Vilas county — Plum creek (f) The following cold or warm water streams and rivers or portions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW/4SW/4 S6 T44N R2W Brunsweiler River SEG 1: Origin to Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW ¼ of SW ¼ SEG 3: All portions included as Wild River under par. (b) 4. at the boundary of the Chequame-gon-Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River (T45N R4W S22 ¼ NW) to the Bad River Indian Res- SEG 1: Outlet of Red Cedar River SEG 1: Outlet of Red Cedar Lake to Inlet of Rice Lake Upper Pine Creek Red Cedar River SEG 1: Outlet of Red Cedar Lake to Inlet of Rice Lake Upper Pine Creek Above Dallas Flowage All-Class I Portion including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. SEG 3: All portion including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. SEG 4: End of Wild River segment under par. (b) 4. at the boundary of the Chequame-gon-Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River Indian Res- SEG 1: Outlet of Red Cedar River Red Cedar River SEG 1: Outlet of Red Cedar River Red Cedar River SEG 1: Outlet of Red Cedar River Red Cedar River SEG 1: Outlet of Red Cedar River Red Cedar River Red Cedar River SEG 1: Outlet of Rice Lake SEG 2: All within Barron County Barron County Above Dallas Flowage All-Class I Portion including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth.	•	51				
Class I & II Portions thereof:	-		1t.	Barron	Engle Creek	
tions thereof: 1d. Ashland Bad River SEG 1: Origin to Outfall in Mellen at NW¼SW¼ S6 T44N R2W Brunsweiler River SEG 1: Origin to Inlet of Red Cedar Lake to Inlet of Rice Lake SEG 1: Outlet of Red Cedar Lake to Inlet of Rice Lake SEG 1: Outlet of Red Cedar Lake to Inlet of Rice Lake SEG 1: Outlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW ¼ of SW ¼ SEG 3: All portions included as Wild River under par. (b) 4. SEG 3: All portions included as Wild River under par. (b) 4. SEG 4: End of Wild River segment under par. (b) 4. at the boundary of the Chequamegon—Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River Indian Res- SEG 4: Fork Iron All—Class I Portion		streams and rivers or por-			History Consts	
Outfall in Mellen at NW½SW¼ S6 T44N R2W Brunsweiler River SEG 1: Origin to Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW ⅓ of SW ⅓ SEG 3: All portions included as Wild River under par. (b) 4. at the boundary of the Chequamegon—Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River Indian Res- Next Creek SEG 1: Outlet of Red Cedar River Lake Supcide Red Cedar River Red Red Red Cedar River Red Red Red Red Red Red Red	tions thereof:				ніскеў Стеек	
at NW1/4SW1/4 S6 T44N R2W Brunsweiler River SEG 1: Origin to Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW 1/4 of SW 1/4 SEG 3: All portions included as Wild River under par. (b) 4. SEG 4: End of Wild River segment under par. (b) 4. at the boundary of the Chequame- gon—Nicolet National Forest (T45N R4W S22 1/4 NW) to the Bad River Indian Res- Red Cedar Lake to Inlet of Rice Lake Inlet	1d. Ashland Bad River				Red Cedar River	SEG 1: Outlet of
Brunsweiler River SEG 1: Origin to Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW ½ of SW ½ SEG 3: All portions included as Wild River under par. (b) 4. SEG 3: All portions included as Wild River under par. (b) 4. SEG 4: End of Wild River segment under par. (b) 4. at the boundary of the Chequame-gon—Niccolet National Forest (T45N R4W S22 ½ ¼ NW) to the Bad River Indian Res- Brunsweiler River SEG 2: Outlet of Moquah Lake to Upper Pine Creek Above Dallas Flowage Bark River All—Class I Portion including the waters of Lake Superior within a ½ mile semi—circular arc centered at the middle of the river mouth. All—Class I Portion including the waters of Lake Superior within a ½ mile semi—circular arc centered at the middle of the river mouth. All—Class I Portion All—Class I Portion All—Class I Portion including the waters of Lake Superior within a ½ mile semi—circular arc centered at the middle of the river mouth.						
Inlet of Spider Lake SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW ¼ of SW ¼ SEG 3: All portions included as Wild River under par. (b) 4. SEG 4: End of Wild River segment under par. (b) 4. at the boundary of the Chequame- gon-Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River Upper Pine Creek Above Dallas Flowage All-Class I Portions including the waters of Lake Superior within a ¼ mile semi- circular arc centered at the middle of the river mouth Waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. All-Class I Portion including the waters of Lake Superior within a ¼ mile semi-circular arc centered at the middle of the river mouth. All-Class I Portion All-Class I Portion		T44N R2W				
SEG 2: Outlet of Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW 1/4 of SW 1/4	Brunsweiler River	Inlet of Spider			Rock Creek	
Moquah Lake to origin of Wild River designation under par. (b) 4. at T44N R4W S22 SW ¼ of SW ¼ SEG 3: All portions included as Wild River under par. (b) 4. SEG 3: All portions included as Wild River under par. (b) 4. SEG 4: End of Wild River segment under par. (b) 4. at the boundary of the Chequamegon–Nicolet National Forest (T45N R4W S22 ¼ NW) to the Bad River Indian Res-					Upper Pine Creek	
River designation under par. (b) 4. at T44N R4W S22 Superior within a SW ½ of SW ½ SEG 3: All portions included as Wild River under par. (b) 4. Big Brook All SEG 4: End of Wild River segment under par. (b) 4. Big Brook All Seg 4: at the boundary of the Chequamegon—Nicolet National Forest (T45N R4W S22 ½ NW) to the Bad River Indian Res-						· ·
under par. (b) 4. at T44N R4W S22 SW ½ of SW ½ SEG 3: All portions included as Wild River under par. (b) 4. SEG 4: End of Wild River seg- ment under par. (b) 4. at the boundary of the Chequame- gon-Nicolet National Forest (T45N R4W S22 ½ NW) to the Bad River Indian Res- the waters of Lake Superior within a ½ mile semi- circular arc centered at the middle of the river mouth All-Class I Portion tion including the waters of Lake Superior within a ¼ mile semi-cir- cular arc centered at the middle of the river mouth.		C	2.	Bayfield	Bark River	
SW ½ of SW ½ SEG 3: All portered at the middle of the river mouth wild River under par. (b) 4. SEG 4: End of Wild River seg-ment under par. (b) 4. at the boundary of the Chequamegon–Nicolet National Forest (T45N R4W S22 ½ NW) to the Bad River Indian Res- SEG 3: All portered at the middle of the river mouth wild esemi–circular arc centered at the middle of the river mouth wild mile semi–circular arc centered at the middle of the river mouth. All—Class I Portion tion including the waters of Lake Superior within a ½ mile semi–circular arc centered at the middle of the river mouth.						the waters of Lake
SEG 3: All portered at the middle of the river mouth Wild River under par. (b) 4. SEG 4: End of Wild River seg-Wild River seg-Tribs. Wild River seg-Tribs. Waters of Lake Superior within a Waters o		T44N R4W S22				1
tions included as Wild River under par. (b) 4. SEG 4: End of Wild River seg- Wild River seg- ment under par. (b) 4. at the boundary of the Chequame- gon-Nicolet National Forest (T45N R4W S22 1/4 NW) to the Bad River Indian Res- Big Brook All Cranberry River & All-Class I Portion including the waters of Lake Superior within a 1/4 mile semi-cir- cular arc centered at the middle of the river mouth.						
Wild River under par. (b) 4. SEG 4: End of Wild River seg- Wall Class I Portion seg- Water s						
SEG 4: End of Wild River seg- wild River seg- ment under par. (b) 4. at the boundary of the Chequame- gon-Nicolet National Forest (T45N R4W S22 1/4 NW) to the Bad River Indian Res- SEG 4: End of Cranberry River & All-Class I Portion including the waters of Lake Superior within a 1/4 mile semi-cir- cular arc centered at the middle of the river mouth. East Fork Iron All-Class I Portion		Wild River under				of the river mouth
Wild River seg- ment under par. (b) 4. at the boundary of the Chequame- gon-Nicolet National Forest (T45N R4W S22 1/4 NW) to the Bad River Indian Res- Tribs. Tribs. Tribs. Tribs. Superior within a V4 mile semi-cir- cular arc centered at the middle of the river mouth. All-Class I Pot-		par. (b) 4.			Big Brook	All
ment under par. (b) 4. at the boundary of the Chequame- gon-Nicolet National Forest (T45N R4W S22 1/4 NW) to the Bad River Indian Res- National Fork R4N Fork Indian Res- National Fork Indian Res- National Fork Waters of Lake Superior within a 1/4 mile semi-cir- cular arc centered at the middle of the river mouth.						
4. at the boundary of the Chequame- gon–Nicolet National Forest (T45N R4W S22 1/4 NW) to the Bad River Indian Res- 4. at the boundary Superior within a 1/4 mile semi–cir- cular arc centered at the middle of the river mouth. All–Class I Portion					Tribs.	
gon–Nicolet cular arc centered National Forest at the middle of (T45N R4W S22 the river mouth. 1/4 NW) to the Bad River Indian Res- East Fork Iron All–Class I Portion						
National Forest at the middle of (T45N R4W S22 the river mouth. 1/4 NW) to the Bad River Indian Res- East Fork Iron All-Class I Portion						
1/4 NW) to the Bad River Indian Res- East Fork Iron All-Class I Portion		National Forest				at the middle of
River Indian Res- East Fork Iron All-Class I Portion						the river mouth.
ervation Boundary River & Tribs.		River Indian Res-				All-Class I Portion
		ervation Boundary			Kiver & Tribs.	

East Fork White River	All-Class I Portion	2d.	Bayfield & Ash-	Beartrap Creek	SEG 1: Origin to Bad River Indian
Eighteen Mile Cr. & Tribs.	All–Class I Portion		land		Reservation Boundary
Fish Creek (Main)	All including the waters of Lake Superior within a 1/4 mile semi–circular arc centered	2h.	Bayfield, Ashland & Saw- yer	West Fork Chip- pewa River	SEG 1: Origin (Outlet of Chip- pewa Lake) to Inlet of Day Lake
Long Lake Branch	at the middle of the river mouth.				SEG 2: Outlet of Day Lake to Inlet of Upper Clam Lake
& Tribs.	Drummond Lake to White River				SEG 3: Outlet of
	All–Class I Portions				Upper Clam Lake to Inlet of Lower Clam Lake
No. Fork Fish Creek & Tribs.	All–Class I & II Portions				SEG 4: Outlet of Lower Clam Lake
Onion River & Tribs.	All–Class I Portions including the waters of Lake				to Inlet of Cattail Lake
	Superior within a ½ mile semi–cir-cular arc centered at the middle of the river mouth.				SEG 5: Outlet of Cattail Lake to Inlet of Meadow Lake
Pikes Creek & Tribs.	All–Class I Portion including the waters of Lake Superior within a				SEG 6: Outlet of Meadow Lake to Inlet of Partridge Crop Lake
	¹ / ₄ mile semi–cir- cular arc centered at the middle of the river mouth.				SEG 7: Outlet of Partridge Crop Lake to Inlet of Moose Lake
Sioux River & Tribs.	All–Class I & II Portions including the waters of Lake Superior within a ¹ / ₄ mile semi–cir-				SEG 8: Outlet of Moose Lake to Sawyer County Highway "B"
	cular arc centered at the middle of	2p.	Bayfield, Sawyer,	Totagatic River	SEG 1: All portions included
So. Fork White River	the river mouth. All–Class I Portion		Wash- burn, Douglas		as Wild River under SEG 1 of par. (b) 5.
Thompson Creek	All-Class I Portion		& Burnett		
Twenty Mile Creek	All–Class I & II Portions				SEG 2: All
White River	All-Class I Portion				portions included as Wild River
Whittlesey Creek & Tribs.	All–Class I Portions including the waters of Lake Superior within a ½ mile semi–circular arc centered at the middle of				under SEG 2 of par. (b) 5., and the 500 feet immedi- ately downstream of the dam in the Totagatic Wildlife Area in Washburn
	the river mouth.				County

3.

Burnett

North Fork Clam

Tributaries to the N. & S. Forks of the Clam River

River

SEG 3: All por-	4.	Dane	Mt. Vernon Creek	All-Class I Portion
tions included as Wild River under	5.	Door	Mink River	All
SEG 3 of par. (b) 5., the 500 feet immediately downstream of the	5m.	Douglas	Amnicon River	SEG 1: Origin (Outlet of Amnicon Lake) to Inlet of Lyman Lake
dam that forms the Colton Flowage, and from the end of the Wild River designation at the Douglas/Washburn County line to the inlet of Minong Flowage SEG 4: All				SEG 2: Outlet of Lyman Lake to mouth at Lake Superior, including the waters of Lake Superior within a 1/4 mile semi-cir- cular arc centered at the middle of the river mouth.
portions included			Moose River	All
as Wild River under SEG 4 of			Spruce River	All
par. (b) 5. County Highway "H" to Confluence with Clam River			St. Croix River	SEG 1: Outlet of Upper St. Croix Lake to Inlet of St. Croix Flowage
All–Class I & II	6.	Forest	Allen Creek	All
Portions			Brule Creek	All
			Elvoy Creek	All
			Jones Creek	Class I & II portions
			Otter Creek (T37N R14E S23, North Otter Creek)	All
	6m.	Forest & Langlade	Swamp Creek	SEG 1: Outlet of Lake Lucerne to Mole Lake Indian Reservation Boundary
				SEG 3: All below Mole Lake Indian Reservation Boundary to Con- fluence of Wolf River
	7.	Grant	Little Green River	All
	7m.	Iron & Ashland	Tyler Forks	SEG 1: Origin in Iron County to Bad River Indian Reservation East- ern Boundary in Ashland County
				SEG 3: From Bad River Indian Res- ervation Southern Boundary to Con- fluence with Bad River
			Potato River	SEG 1: Origin to Bad River Indian Reservation

Boundary

15

Price,

Rusk &

Sawyer

16.

13			DEFARTMENT OF IN	AIUKAL	KESOUKC	E3	Nn 102.10
8.	Iron,	Flambeau River	SEG 1: Turtle-	17.	Richland	Elk Creek	All
0.	Ashland & Price	Tamocaa Tavei	Flambeau Flowage (Outlet @ Turtle– Flambeau Dam) to	18.	Rusk	Devils Creek	All–Class I & II Portions
0	I - C	David Carles	Inlet of Upper Park Falls Flowage			Soft Maple Creek	SEG 1: Origin to Rusk County Highway "F"
9.	LaCrosse	Berge Coulee Creek	All			So. Fork Main	Class I & II Por-
10.	Langlade	Elton Creek Evergreen Creek	Class I Portion All			Creek	tions (T35N R3W S28 downstream to
		Mayking Creek	All				T34N R4W S11)
		Michelson Creek	All			Swift Creek	Outlet of Island Lake to Inlet of
		Mid Branch Embarrass River	Class I Portion	19.	Couls	Otter Creek	Fireside Lake From headwaters
10m.	Lincoln	New Wood River	Origin (T33N R4E S14) to Conflu- ence with Wiscon- sin River	19.	Sauk	Otter Creek	to southern section line of T11N R6E S33
11.	Marathon	Falstad Creek	Class II Portion			Parfrey's Glen	From headwaters to CTH DL
		So. Branch Embarrass River	Class I Portion	20.	Sawyer	Benson Creek	All-Class I Portion
12.	Marinette	No. Branch Beaver Creek	Entire River & tributaries			Couderay River	SEG 1: Origin at Outlet of Billy Boy Flowage to Inlet of
13.	Oneida	Noisy Creek	Class II Portion				Grimh Flowage
		Squirrel River	Outlet of Squirrel Lake to Conflu- ence with Toma- hawk River				(Including Waters within Lac Courte Oreilles Indian Reservation)
		Tomahawk River	SEG 2: Outlet of			Eddy Creek	All-Class I Portion
			Willow Flowage Dam to Inlet of			Grindstone Creek	All-Class I Portion
			Lake Nokomis			Knuteson Creek	SEG 1: Outlet of
14.	Pierce	Kinnickinnic River	From Powell Dam to St. Croix River				Wise Lake to Inlet of Knuteson Lake
15.	Polk	Sand Creek & Tribs	All–Class I & II Portions				SEG 2: Outlet of Knuteson Lake to
15e.	Polk &	Clam River	SEG 1: Outlet of				Inlet of Lake Che- tek
	Burnett		Clam Falls Flow- age to Inlet of Clam Lake			Little Weirgor Creek & Tribs	All–Class I & II Portions
			SEG 2: Outlet of			McDermott Brook	All
			Lower Clam Lake to Section Line @			Mosquito Brook	All-Class I Portion
			T39N R16W S21/22			Teal River	Outlet of Teal Lake to Conflu-
15m.	Price	Elk River	SEG 1: Headwa- ters to Inlet of Musser Lake				ence with West Fork Chippewa River
	Price & Lincoln	Spirit River	Outlet of Spirit Lake to Inlet of Spirit River Flow-	20m.	Sawyer & Rusk	Thornapple River	SEG 1: Origin to Rusk County Highway "J"
			0.00				

All-Round L. Dam

downstream to Jxn

with No. Fork

Flambeau R.

age

So. Fork Flambeau

River

SEG 1: Dam at

to Inlet of Radis-

son Flowage (T38N R7W S13)

Chippewa Flowage

Chippewa River

NR 102.10

1		
WISCONSIN	ADMINISTR	ATIVE CODE

21.	Shawano	Middle Br. Embarrass R.	Origin to but not including Homme Pond	23.	Wash- burn	Beaver Brook	All–Class I Portion
		No. Br. Embarrass	Origin to CTH J			Sawyer Creek	All–Class I & II Portions
		R. So. Br. Embarrass	Origin to but not			So. Fork Bean Brook	All–Class I Portion
21.0	Taylor 6	R.	including Tigerton Pond SEC 1: Confly			Stuntz Brook	Origin to Confluence with Name-
21g.	Taylor & Chip- pewa	Yellow River	SEG 1: Confluence with South Fork Yellow River to Inlet of Chequa-	23m.	Wash- burn &	Bear Creek	kagon River SEG 1: Outlet of Kekegama Lake to
			megon Waters Flowage		Barron		Inlet of Bear Lake SEG 2: Outlet of
			SEG 2: Outlet of Chequamegon				Bear Lake to Inlet at Stump Lake
			Waters Flowage (at Miller Dam) to		n) (a) The ce waters:	following lakes are d	esignated as outstanding
			State Highway	1.	Ashland	Bad River Slough	
21	TT 1 0	6.1	64/73			Kakagon Slough	
21r.	Taylor & Price	Silver Creek	SEG 1: Origin to Westboro Sanitary District Outfall			Lake Superior with line of the islands w Island National Lak	
22.	Vilas	Allequash Creek & Springs	Class I & II Portions	2.	Barron	Bear Lake (T36N R Washburn County)	12W S2; also in
		Brule Creek	All			Red Cedar Lake	
		East Br. Blackjack	All			(also in Washburn C	County)
		Cr.	a			Sand Lake	
		Elvoy Creek & Springs	Class I & II Portions	2	D £: -1 J	Silver Lake	
		Manitowish River	SEG 1: Adjacent	3.	Bayfield	Bark Bay Slough Diamond Lake	
		Waintowish River	to Dam Road			Lake Owen	
			Downstream to				in ½ mile of the shore-
			Inlet of Boulder Lake			line of the islands w Island National Lak	ithin the Apostle
			SEG 2: Outlet of Boulder Lake to Inlet of Island			Lower Eau Claire L County)	ake (also in Douglas
			Lake			Middle Eau Claire l	Lake
		Mishonagon Creek	Class I & II Por-			Namekagon Lake	
		Siphon Creek	tions All			Pike Chain of Lake Buskey Bay, Hart, 7	Twin Bear, Eagle,
		Spring Meadow Creek	Class I Portion			Flynn and Hildur L Star Lake	akes)
		Tamarack Creek	All			Upper Eau Claire L	ake
		Trout River	SEG 1: Outlet of	4.	Burnett	Big Sand Lake	
		Hout Kivei	Trout Lake to Lac Du Flambeau			McKenzie Lake (als County)	so in Washburn
			Indian Reservation Eastern Boundary			Middle McKenzie I County)	Lake (also in Washburn
22m.	Vilas &	Wisconsin River	SEG 1: Origin			Sand Lake (T40N F	R15W S25)
	Oneida		(Outlet of Lac	4m.	Chippewa	Chain Lake (also in	Rusk County)
			Vieux Desert) to Inlet of Water-	5.	Columbia	Crystal Lake (T12N	I R10E S1)
			smeet Lake	6.	Douglas	Bardon Lake (Whit	efish Lake)
						Bond Lake	
						Lake Nebagamon	
						Lower Eau Claire L County)	ake (also in Bayfield
						St. Croix (Gordon)	-
						Upper St. Croix Lal	ke.

7.	Florence	Edith Lake			Smith Lake
		Keyes Lake			Spider Lake
		Lost Lake			Teal Lake
		Perch Lake			Whitefish Lake
		Riley Lake, South	18.	Vilas	Black Oak Lake
8.	Forest	Butternut Lake			Crab Lake
		Franklin Lake			Crystal Lake (T41N R7E S27)
		Lucerne Lake (Stone)			Lac Vieux Desert
		Metonga Lake			North Twin Lake
9.	Iron	Catherine Lake			Pallette Lake (Clear)
		Cedar Lake			Partridge Lake
		Gile Flowage			Plum Lake
		Hewitt Lake			South Twin Lake
		Owl Lake			Star Lake
		Trude Lake			Stormy Lake
		Turtle-Flambeau Flowage			Trout Lake
9m.	Marinette	Caldron Falls Flowage (also in Oconto			White Sand Lake (T42N R7E S26)
		County)	19.	Walworth	Lulu Lake
10.	Oconto	Archibald Lake	20.	Washburn	Bass Lake (T40N R10W S17)
		Bass Lake (T32N R15E S9)	20.	vusilouiii	Bear Lake (T36N R12W S2; also in
		Bear Paw Lake			Barron County)
		Boot Lake			Long Lake
		Caldron Falls Flowage (also in Marinette			McKenzie Lake (also in Burnett County)
		County)			Middle McKenzie Lake (also in Burnett
		Chain Lake			County)
11.	Oneida	Big Carr Lake			Red Cedar Lake (also in Barron County)
		Clear Lake (T39N R7E S16)			Shell Lake
		Little Tomahawk Lake			Stone Lake (T39N R10W S24)
		Tomahawk Lake	21.	Waukesha	Spring Lake (T5N R18E S9)
		Two Sisters Lake	22.	Waupaca	Graham Lake (Nelson)
		Willow Flowage			North Lake
12.	Polk	Pipe Lake	23.	Waushara	Gilbert Lake
13.	Price	Cochran Lake			Lucerne Lake (Egans)
		Tucker Lake			Norwegian Lake
14.	Rusk	Bass Lake (T34N R9W S16)			Pine Lake (Springwater)
		Fish Lake	(2)	The waters	in sub. (1) and (1m) may not be lowered in
		Island Chains of Lakes (Chain {also in	qualit	•	
		Chippewa County }, Clear, McCann, and Island Lakes)			ters, or portions thereof, may be added to, or
		Three Lakes No. 1 (T36N R9W S25)			e outstanding resource waters designation aking process under the provisions of ch. 227,
15.	St. Croix	Bass Lake (T30N R19W S23)		and s. NR 2	
13.	St. CIOIX	Perch Lake			r, February, 1989, No. 398, eff. 3–1–89; am. (1) (d), cr. (1)
16	Coule				No. 403, eff. 8–1–89; cr. (1) (f) and (1m), am. (2), Register, 6–1–93; am. (1m) 6., 9. and 11., cr. (1m) 9m., Register, Feb-
16.	Sauk	Devils Lake			f. 3–1–98; CR 05–089: am. (1) (d) 8., (f) 2., (1m) 1. and 3. 507, eff. 8–1–06; CR 05–105: renum. (1) (f) 1. to be 1t. and
17.	Sawyer	Barker Lake Blaisdell Lake	am., cr.	(1) (f) 1d., 1h., 1	p., 2d., 2h., 2p., 5m., 6m., 7m., 10m., 15e., 15m., 15s., 20m.,
			Novem	ber 2006 No. 611	3m., am. (1) (f) 3., 8. 13., 18., 20., 22., and 23., Register, eff. 12–1–06; reprinted to correct error in (1) (d) 6. Register
		Evergreen Lake			R 09–123: am. (1) (b) 1., 2., (d) 10., 17., 22., 29., 30., (f) 1d., 22m., (1m) (a) 2. to 6., 9m., 10., 13., 14., 17., 18., 20., cr. (1)
		Grindstone Lake			4m. Register July 2010 No. 655, eff. 8–1–10; renumber of under s. 13.92 (4) (b) 1., Stats., Register July 2010 No. 655.
		Lac Court Oreilles	(1111) to	(IIII) (a) made t	inder s. 13.72 (4) (6) 1., Stats., Register July 2010 100. 033.
		Lake Chippewa (Chippewa Flowage)			xceptional resource waters. (1) Surface
		Nelson Lake			ide valuable fisheries, hydrologically or geo-
		Osgood Lake			atures, outstanding recreational opportunities, ntal settings, and which are not significantly
		Perch Lake (T42N R6W S25)			an activities may be classified as exceptional
		Round Lake (Big Round)			all the following surface waters are designated

Sand Lake

resource waters. All the following surface waters are designated

as exceptional resource waters:

- (a) Class I trout waters listed in Wisconsin Trout Streams publication 6–3600 (80) that are not listed in s. NR 102.10.
 - (b) Other Class I trout waters:
- 1. Abraham Coulee creek in section 29, township 20 north, range 8 west from its headwaters to the upstream crossing of Oak Ridge Drive in Trempealeau county.
- 2. Bear creek originating in section 3, township 20 north, range 7 west in Trempealeau county.
- 3. Biser creek originating in section 19, township 12 north, range 3 west in Sauk county.
- 4. Bostwick creek from CTH M upstream 6.2 miles to the headwaters in LaCrosse county.
- 5. Bufton Hollow creek originating in section 19, township 12 north, range 2 west in Richland county.
- 6. Columbus creek originating in section 29, township 20 north, range 6 west in Jackson county.
- 7. Dutch creek originating in section 12, township 19 north, range 8 west in Trempealeau county.
- 8. Joe Coulee creek originating in section 1, township 20 north, range 7 west in Trempealeau county.
- 9. Little creek originating in section 21, township 20 north, range 6 west in Jackson county.
- 10. Marble creek originating in section 30, township 10 north, range 3 east in Sauk county.
- 11. Marshall creek originating in section 4, township 11 north, range 1 west in Richland county.
- 12. Martin creek originating in section 23, township 6 north, range 2 east in Iowa county.
- 13. South Bear creek originating in section 2, township 12 north, range 2 west in Richland county.
- 14. Spring brook downstream from CTH Y south of Antigo to its confluence with the Eau Claire river in Marathon county.
- 15. Spring Valley creek from the headwaters to SE 1/4, SE 1/4, section 33, township 16 north, range 1 east in Monroe county.
- 16. Unnamed creek 2–12 originating in section 36, township 20 north, range 7 west in Trempealeau county.
- 17. Unnamed creek 4–9 originating in section 4, township 11 north, range 1 west in Richland county.
- 18. Unnamed creek 5–6 originating in section 6, township 19 north, range 8 west in Trempealeau county.
- 19. Unnamed creek 7–4 originating in section 6, township 20 north, range 7 west in Trempealeau county.
- 20. Unnamed creek 8–9 originating in section 5, township 20 north, range 7 west in Trempealeau county.
- 21. Unnamed creek 8–14 originating in section 1, township 20 north, range 8 west in Trempealeau county.
- 22. Unnamed creek 9–13 originating in section 4, township 20 north, range 6 west in Jackson county.
- 23. Unnamed creek 10–8 originating in section 3, township 11 north, range 1 west in Richland county.
- 24. Unnamed creek 10–10 originating in section 14, township 20 north, range 6 west in Jackson county.
- 25. Unnamed creek 11–4 originating in section 1, township 20 north, range 7 west in Trempealeau county.
- 26. Unnamed creek 11–7 originating in section 2, township 20 north, range 7 west in Trempealeau county.
- 27. Unnamed creek 13–3a originating in section 19, township 20 north, range 6 west in Jackson county.
- 28. Unnamed creek 13–3b originating in section 6, township 20 north, range 6 west in Trempealeau county.
- 29. Unnamed creek 15–13 originating in section 1, township 20 north, range 8 west in Trempealeau county.
- 30. Unnamed creek 15–4 originating in section 3, township 20 north, range 6 west in Trempealeau county.

- 31. Unnamed creek 16–2 originating in section 22, township 20 north, range 6 west in Jackson county.
- 32. Unnamed creek 17–5 originating in SE 1/4, section 5, township 20 north, range 6 west in Jackson county.
- 33. Unnamed creek 24–3a originating in section 18, township 11 north, range 1 west in Richland county.
- 34. Unnamed creek 26–7 originating in section 2, township 21 north, range 5 west in Jackson county.
- 35. Unnamed creek 34–2 originating in section 17, township 20 north, range 8 west in Trempealeau county.
- 36. Unnamed creek 34–15 originating in section 27, township 20 north, range 7 west in Trempealeau county.
- 37. Unnamed stream originating in section 33, township 10 north, range 3 east in Sauk county.
- 38. Washington Coulee creek originating in section 29, township 20 north, range 6 west in Jackson county.
 - (c) The following Class II trout waters:
- Ashland county White river above the Bad River Indian reservation
 - 2. Bayfield county White river
 - 3. Dane county Mt. Vernon creek
 - 4. Forest county North Branch Oconto river
 - 5. Grant county Blue river
 - 6. Iowa county Blue river
- 7. Langlade county Prairie river, South Branch Oconto river
 - 8. Lincoln county Prairie river
 - 9. Marquette county Mecan river
- 10. Oconto county North Branch Oconto river, South Branch Oconto river
 - 11. Pierce county Rush river
 - 12. Portage county Tomorrow river
 - 13. Richland county Willow creek
 - 14. St. Croix county Willow river, Race Branch

Bad River

15. Waushara county — Mecan river

Ashland

lg.

(d) The following cold or warm water streams and rivers or portions thereof:

SEG 2: Outfall in

-6			Mellen at NE½SW¼ S6 T44N R2W to Bad River Indian Reservation Boundary
1r.	Ashland & Sawyer	East Fork Chip- pewa River	SEG 2: Ashland County Highway "N" to Confluence of Rocky Run Creek (Includes Glidden POTW)
1t.	Barron	Brill River	All–Class II Portion
2.	Crawford	Copper Creek	All
		Plum Creek	All
		Sugar Creek	From headwaters to T10N R6W S10
		Tainter Creek	From Vernon County Line to CTH B

16-3

3.	Dane	Blue Mounds Branch	All			Hefty Cr., Center Branch	All
		Deer Creek	All			Liberty Creek	All
		Dunlap Creek	All			Norwegian Creek	All
		Elvers Creek	All			Richland Creek	All
		(Bohn Cr.)	A 11			Ross Crossing	All
		Flynn Creek	All			Sylvester Creek	All
		Fryes Feeder Creek	All			Spring Valley Creek	All
		Garfoot Creek	All			Ward Creek	All
		Milum Creek	All	13.	Green &	Allen Creek	Below Evansville
		Rutland Branch	All	13.	Rock	Alleli Cleek	below Evalisville
		Ryan Creek	All All	14.	Iowa	Harker-Lee-Mar-	From headwaters
		Schalpbach Creek Sixmile Creek	All			tin System	to T6N R2ES10
		Spring Creek	All	15.	Iron	Manitowish River	All
		(Lodi)	All	15m.	Iron & Ash-	Vaughn Creek	SEG 1: Origin to
4.	Dane, Sauk, Iowa, Grant,	Wisconsin River	From below Prairie du Sac to Prairie du Chien		land		Bad River Indian Reservation Boundary
_	Richland, Crawford	Tink o Di		16.	Jackson	Trempealeau River	From STH 95 at Hixton to CTHP at Taylor
5.	Dane & Green	Little Sugar River	Above New Glarus	17.	Jefferson & Rock	Allen Creek	All
		Story Creek (Tipperary)	All	18.	Kewaunee	Casco Creek	From T24N R24E
		Sugar River	All	10.	Kewaunce	Casco Cleek	S19 downstream
6.	Dunn	Sand Creek	From Chippewa County Line to				of Rock Ledge to Kewaunee River
7.	Eau Claire	Lowes Creek	mouth From Hwy 37 &	19.	La Crosse	Bostwick Creek	From headwaters to County Hwy
7.	Lau Claire	Lowes Cleek	85 upstream to headwaters			Coon Creek	'O' All
8.	Fond du Lac	Feldner's Creek	From headwaters to Mischo's Mill- pond			Dutch Creek	From headwaters to Russian Coulee Road (section 8)
		Auburn Lake Creek (Lake Fif- teen Creek)	Entire Creek above & below Auburn Lake	20.	Lafayette	Galena River	From headwaters to Buncombe Road
9.	Forest	Armstrong Creek	All	21.	Langlade	East Br. Eau	From STH 64
		Middle Br. Peshtigo R.	All		C	Claire R.	upstream to fire- lane crossing in
		North Br. Peshtigo R.	All				T33N R11E S35 SW1/4
		North Br. Popple R.	All			Hunting River	From Fitzgerald Dam Road down-
		West Br. Arm- strong Creek	Class II Portion				stream to T33N R11E S1
10.	Grant	Doc Smith Branch Little Platte River	All From Arthur	22.	Lincoln	North Br. Prairie River	From headwaters to CTHJ to T33N R8E
			downstream to			Silver Creek	All
11	Crost 0	Dia Cama Daria	Platte River	23.	Manitowoc	Branch River	All
11.	Grant & Iowa	Big Spring Branch	to Blue River	24.	Monroe	Big Creek	From headwaters to Acorn Rd (S7)
12.	Green	Burgy Creek	All			Farmers Valley	From headwaters
		Gill Creek Hefty Creek,	All All			Creek & Tribs	to I-90 (S19)
		North Branch				Soper Creek	All

		Bearskin Creek	From Tomahawk River to Little			E. Branch Mill Creek	All
25m.	Oneida &	Wisconsin River	Bearskin Lake SEG 2: Hat Rap-			Happy Hollow Creek	All-Trib to Willow Creek
	Lincoln		ids Dam to Lin- coln County A crossing			Higgins Creek	All-Trib to Mill Creek
			SEG 4: Grandfa- ther Dam to Inlet			Hood Hollow Creek	All–Trib to Mill Creek
			of Alexander Lake			Jacquish Hollow Creek	All–Trib to Wil- low Creek
26.	Pierce	Big River Cady Creek	Class I Portion From CTH P			Kepler Branch	All-Trib to Mill Creek
		Trimbelle River	upstream All			Mill Creek	From headwaters to above Boaz
26b.	Polk	St. Croix River	From the northern boundary of the			Miller Branch	All–Trib to Mill Creek
			St. Croix Falls city limits to a			Pine Valley Creek	All–Trib to Mill Creek
			distance one mile below the STH 243 bridge at			Ryan Hollow	All–Trib to West Branch Mill Creek
26c.	Polk &	Clam River	Osceola SEG 3: Section			Wheat Hollow Creek	All
200.	Burnett		Line @ T39N R16W S21/22 to			W. Branch Mill Creek	All
			Inlet of Clam River Flowage	28.	Rock	Bass Creek	All
			SEG 4: Outlet of Clam River Flow-			East Fork Rac- coon Cr.	All
			age to Confluence			Little Turtle Creek	All
			with St. Croix			Raccoon Creek	All
26g.	Price	North Fork Jump River	River SEG 1: Origin			Spring Brook (T2N R14E S27)	All
		River	(outlet of Cran- berry Lake) to			Turtle Creek	All
			Inlet of Spring Creek Flowage			Unnamed Creek T2N R14E S31	All
			SEG 2: Outlet of Spring Creek	29.	Rusk	Big Weirgor Creek	All-Class III Portion
			Flowage to Confluence with South Fork Jump River			Main Creek	Rusk County Highway P to Inlet of Holcombe Flowage
26n.	Price, Rusk & Taylor	Jump River	SEG 1: Confluence of the North Fork Jump River and South Fork Jump River to the Village of Jump			Soft Maple Creek	SEG 2: Rusk County Highway "F" to Confluence with Chippewa River
			River	30.	Rusk, Tay-	Jump River	From Village of
26r.	Price, Saw- yer, Rusk	Flambeau River	SEG 2: Crowley Dam to Inlet of		lor & Chip- pewa		Jump River down- stream to Hol- combe Flowage
26	Device - 0-	Couth E-d- I	Big Falls Flowage	31.	Sauk	Beaver Creek	All
26w.	Price & Taylor	South Fork Jump River	Origin to Conflu- ence with North Fork Jump River			(Trib to Dell Creek)	
27.	Richland	Babb Hollow	All–Trib to Mill Creek			Camels Creek (Trib to Dell Creek)	All
		Hanzel Creek (Hansell)	All-Trib to Melancthon Cr.			Dell Creek	All
		Melancthon Creek	Class II Section	31m.	Sawyer	Couderay River	SEG 2: Dam at Grimh Flowage to
		Coulter Hollow Creek	All-Trib to Mill Creek				Confluence with Chippewa River

32.	Shawano	Kroenke Creek	Class II Portion	40.	Waukesha	Genesee Creek	Above STH 59				
		Red River	From Lower Red			Mukwonago River	From Eagle				
			Lake Dam to Wolf River				Springs Lake to Upper Phantom Lake				
		West Br. Red River	Class II Portion			Oconomowoc River	From below North Lake to Okauchee				
33.	Sheboygan	Ben Nutt Creek	Class II Portion to Junction with Mill Creek	41.	Waupaca	Blake Brook &	Lake Class II Portion				
34.	St. Croix	Apple River	From NSP plant below CTH I to Mouth			Branches Little Wolf River	From junction with Wolf River upstream to Man-				
		Cady Creek	All			m, D,	awa Dam				
		Willow River	Extend Class II Portion into Delta in Lake Mallilieu	42.	Waupaca, Outagamie,	Waupaca River Embarrass River	Class II portion From Wolf River upstream to dam				
35.	St. Croix & Pierce	St. Croix River	From No. Bound- ary of Hudson City limits to the river mouth in	43.	& Shawano Waushara	Lower Pine River	at Pella From below Wild Rose Mill pond to dam at Poy Sippi				
35m.	Taylor &	Silver Creek	Pierce Co. SEG 2: Westboro			entified in sub. (1) m vided in ch. NR 207.	ay not be lowered in				
00111	Price		Sanitary District Outfall to Conflu- ence with South Fork Jump River	(3) deleted the rule	Surface waters from, the exce	s, or portions thereof, eptional resource water	may be added to, or as designation through ons of ch. 227, Stats.,				
36.	Trempeal- eau	Buffalo River	From Hwy 53 to Strum Pond	Histor July, 198	y: Cr. Register, Fe 9, No. 403, eff. 8-	-1-89; cr. (1) (d), Register	3–1–89; cr. (1) (c), Register, May, 1993, No. 449, eff.				
37.	Vernon	Bishop Branch	All	6–1–93; CR 05–105: renum. (1) (d) 1. to be 1t., cr. 1g., 1r., 15m., 25m 26r., 26w., 31m., 35m., and 38m., am. 29., Register November 2006 12–1–06; CR 09–123: am. (1) (b) 1., 5., 12., 15., 16., 23., 27., 33., 34., 3							
		Cheyenne Valley	All				2010 No. 655, eff. 8–1–10.				
		Creek		NR 102.12 Great Lakes system. (1) The Great Lakes system includes all the surface waters within the drainage basin							
		Coon Creek	From La Crosse county line to Chaseburg	of the (Great Lakes.		-				
		Frohock Valley Creek	All	tent wit	(2) For the purpose of administering ch. NR 207 and consistent with chs. NR 105 and 106, the waters identified in sub. (1) are to be protected from the impacts of persistent, bioaccumulating						
		Hornby Creek	All		•	voiding or limiting to the maximum extern these substances.					
		Reads Creek	All	•			n shall be managed to				
		Tainter Creek	All	prevent	t any new or in	creased discharges of	f the following pollu-				
38.	Vilas	Manitowish River	From Rest Lake Dam downstream to Iron County line	chlorob PCB's. increas	Penzene, 2,3,7, For purpose ed discharges of	8 TCDD, octachlorous es of administering of of these pollutants shall	ane, toxaphene, hexa- styrene, mercury and ch. NR 207, new or Il be prohibited unless ion, that the new or				
38m.	Vilas & Oneida	Wisconsin River	SEG 2: State Highway 70 to Inlet at Rainbow Flowage (Oneida County Line)	ogy in vention or other	ed discharge is process or cont a, municipal pr er means of co	necessary after utilizerol using waste minimetreatment programs,	ation of best technol- ization, pollution pre- material substitution e technologies which				
			SEG 3: Outlet of Rainbow Flowage	Histor (2), Regi	y: Cr. Register, Fe	bruary, 1989, No. 398, eff.	3–1–89; r. and recr. (1), am. 15–089: cr. (3) Register July				
			(Oneida County Highway "D" to Inlet of Rhine- lander Flowage (T37N R8E S8 SE ¹ / ₄ NE ¹ / ₄)	waters and aqu	not included in atic life water	s. NR 102.05 (1) (b)	waters. All surface 1., 2., 3. or 5. are fish 3–1–89.				
39.	Washington & Fond du Lac	E. Branch Milwaukee R.	From Long Lake outlet to STH 28	NR 102.14 Taste and odor criteria. (1) At certain concentrations, substances may not be toxic to humans, but may impart undesirable taste or odor to water or aquatic organisms							

NR 102.14

ingested by humans. The taste and odor criterion is derived to prevent substances from concentrating in surface waters or accumulating in aquatic organisms to a level which results in undesirable tastes or odors to human consumers.

- **(2)** The taste and odor criterion is derived as follows:
- (a) For substances which impart tastes and odors to waters, the taste and odor criterion shall equal that threshold concentration (TC_w) below which objectionable tastes or odors to human consumers do not occur. Threshold concentrations for substances imparting tastes and odors to water are listed in Table 1.

Substance	Threshold
	Concentration (ug/L)1
Acenaphthene	20
Chlorobenzene	20
2-Chlorophenol	0.1
3-Chlorophenol	0.1
4-Chlorophenol	0.1
Copper	1000
2,3–Dichlorophenol	0.04
2,4-Dichlorophenol	0.3
2,5-Dichlorophenol	0.5
2,6-Dichlorophenol	0.2
3,4-Dichlorophenol	0.3
2,4-Dimethylphenol	400
Hexachlorocyclopentadiene	1
2-Methyl-4-Chlorophenol	1800
3-Methyl-4-Chlorophenol	3000
3-Methyl-6-Chlorophenol	20
Nitrobenzene	30
Pentachlorophenol	30
Phenol	300
2,3,4,6-Tetrachlorophenol	1
2,4,5–Trichlorophenol	1
2,4,6–Trichlorophenol	2
Zinc	5000

¹ A threshold concentration expressed in micrograms per liter (ug/L) can be converted to milligrams per liter (mg/L) by dividing the threshold concentration by

(b) For substances which impart tastes or odors to aquatic organisms, the taste and odor criterion shall be calculated as follows:

105.10.

- (c) The lower of the taste and odor criteria derived as specified in pars. (a) and (b) is applicable to surface waters classified as public water supplies. The taste and odor criteria derived as specified in par. (b) are applicable to cold water and warm water sport fish communities.
- (d) Threshold concentrations for substances imparting tastes or odors to water (TC_w) other than those listed in Table 1 and threshold concentrations for substances imparting tastes or odors to aquatic organisms (TC_f) shall be selected by the department using its best professional judgment.

History: Cr. Register, February, 1989, No. 398, eff. 3–1–89; am. (2) (b) and (c), Register, August, 1997, No. 500, eff. 9–1–97.

Subchapter II — Water Quality Standards For Temperature

NR 102.20 Purpose. The purpose of this subchapter is to establish water quality standards for temperature pursuant to s. 281.15 (1), Stats. Water quality standards for temperature shall protect fish and other aquatic life from mortality, immobilization, loss of equilibrium, impaired growth, adverse reproductive effects, and other sub–lethal effects.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.22 Definitions. In this subchapter, the following definitions are applicable to terms used:

- (1) "Acute effects" means any effect resulting in death or immobilization. For temperature, the acute criteria of this subchapter are based on Upper Incipient Lethal Temperature (UILT) values that are not representative of immediate lethality.
- (2) "cfs" means cubic feet per second, usually pertaining to stream or effluent flow.
- (3) "Cold shock" means exposure of aquatic organisms to a rapid decrease in temperature and a sustained exposure to low temperature that induces abnormal behavioral or physiological performance and may lead to death.
- **(4)** "Daily maximum temperature" means the highest allowed water temperature for a calendar day, outside a mixing zone allowed in this subchapter.
- (5) "Great Lakes" means the open Wisconsin waters of Lake Superior, Lake Michigan, Green Bay and Chequamegon Bay, as well as adjoining open waters that exhibit characteristics of Lake Superior, Lake Michigan, Green Bay or Chequamegon Bay, or in other ways are determined by the department to be equivalent to these waters.
- **(6)** "Maximum weekly average temperature" means the highest allowed arithmetic mean of all daily maximum temperatures during a calendar week, outside mixing zone allowed in this subchapter.
 - (7) "mgd" means million gallons per day.
- **(8)** "Sub-lethal effects" means effects resulting in inadequate gonad development, gamete production and viability, spawning or growth.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.23 Categories of standards applicable to temperature. The department shall establish water quality standards for temperature to protect the following:

- (1) Public health and welfare uses, as established in s. NR 102.04 (7) and (8).
- (2) Fish and other aquatic life uses as established in s. NR 102.04 (3). For exclusive purpose of the application of water quality standards for temperature, the warm water sport fish and warm water forage fish communities, as defined in s. NR 102.04 (3) (b) and (c), are treated together as warm water communities.

(3) Great Lakes communities as defined in s. NR 102.22 (6). This use exists only for the regulation of discharges of heat. **History:** CR 07–111: cr. Register September 2010 No. 657, eff. 10–1–10.

NR 102.24 General water quality criteria for temperature. (1) There may be no temperature changes that may adversely affect aquatic life.

(2) Natural daily and seasonal temperature fluctuations shall be maintained.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.245 Temperature criteria for limited aquatic life communities. (1) For the purposes of temperature criteria, all surface waters classified as diffused surface waters, wetlands and wastewater effluent channels, as defined in s. NR 104.02 (1), shall be characterized as limited aquatic life communities.

- (2) The department may, as appropriate, characterize other surface waters not identified in sub. (1) as limited aquatic life communities.
- **(3)** The temperature in waters classified as limited aquatic life shall be restricted as follows:
- (a) Temperatures at any point in waters classified as wastewater effluent channels may not exceed 120°F.
- (b) Temperatures at any point in waters classified as wetlands shall not exceed the standards in ch. NR 103.
- (c) Temperatures at any point in waters not identified in par.
 (a) or (b) may not exceed 86°F. Additionally, all conditions of ch.
 NR 103 shall be met.

Note: The department recognizes there are legitimate concerns that not all wetlands and ephemeral streams are the biological equivalents of other limited aquatic life waters, and is in the process of re-evaluating the wetland and ephemeral stream

classifications to determine if and when full fish and aquatic life conditions should be applied.

History: CR 07–111: cr. Register September 2010 No. 657, eff. 10–1–10.

NR 102.25 Ambient temperatures and water quality criteria for the protection of fish and other aquatic life.

- (1) GENERAL. In the absence of site—specific ambient temperature data or water quality criteria as determine in s. NR 102.26 or 102.27, respectively, the applicable ambient temperatures, sublethal water quality criteria, and acute water quality criteria shall be as specified in subs. (2) to (5). For determinations made in subs. (2) to (5), all of the following conditions shall apply:
- (a) The ambient temperature, sub-lethal water quality criterion, and acute water quality criterion specified for any calendar month shall be applied simultaneously to establish the protection needed for each identified fish and other aquatic life use.
- (b) Sub-lethal water quality criteria are to be applied as maximum weekly average temperatures.
- (c) Acute water quality criteria are to be applied as daily maximum temperatures.
- (d) Water quality criteria for temperature shall be applied in accordance with the mixing zone provisions of s. NR 102.05 (3).
- (e) Final acute and sub-lethal water quality criteria for temperature specified in or developed pursuant to ss. NR 102.24 to 102.26 shall not be exceeded at any point outside the mixing zone. Additionally, site-specific mixing zone studies may be required when deemed appropriate by the department.
- **(2)** NON-SPECIFIC WATERS. The values listed in Table 2 shall be the applicable ambient temperatures, sub-lethal and acute water quality criteria for temperature for the protection of fish and aquatic life unless other values specified in subs. (3) to (5) are applicable or approved by the department pursuant to s. NR 102.26 or 102.27.

Table 2
Ambient Temperatures and Water Quality Criteria for Temperature for Non-Specific Waters
(All values are expressed as degrees Fahrenheit)

		Cold ⁴		Wai	rm — La	rge ⁵	Wa	rm — Sm	ıall ⁶	LFF ⁷		
Month	Ta ¹	SL ²	A ³	Ta	SL	A	Ta	SL	A	Ta	SL	A
JAN	35	47	68	33	49	76	33	49	76	37	54	78
FEB	36	47	68	33	50	76	34	50	76	39	54	79
MAR	39	51	69	36	52	76	38	52	77	43	57	80
APR	47	57	70	46	55	79	48	55	79	50	63	81
MAY	56	63	72	60	65	82	58	65	82	59	70	84
JUN	62	67	72	71	75	85	66	76	84	64	77	85
JUL	64	67	73	75	80	86	69	81	85	69	81	86
AUG	63	65	73	74	79	86	67	81	84	68	79	86
SEP	57	60	72	65	72	84	60	73	82	63	73	85
OCT	49	53	70	52	61	80	50	61	80	55	63	83
NOV	41	48	69	39	50	77	40	49	77	46	54	80
DEC	37	47	69	33	49	76	35	49	76	40	54	79

- 1 Ta = ambient temperature
- 2 SL = sub-lethal criteria
- 3 A = acute criteria
- 4 Cold = waters with a fish and aquatic life use designation of "cold water community"
- 5 Warm Large = waters with a fish and aquatic life use designation of "warm water sport fish community" or "warm water forage fish community" and unidirectional 7Q10 flows ≥ 200 cfs (129 mgd)
- 6 Warm Small = waters with a fish and aquatic life use designation of "warm sport fish community" or "warm water forage fish community "and unidirectional 7Q10 flows < 200 cfs (129 mgd)
- 7 LFF = waters with a fish and aquatic life use designation of "limited forage fish community"

(3) SPECIFIC LARGE RIVERS. The values listed in Table 3 shall be the applicable ambient temperatures, sub-lethal and acute water quality criteria for temperature for the protection of fish and aquatic life for the identified water segments unless other values are approved by the department pursuant to s. NR 102.26 or 102.27.

Table 3
Ambient Temperatures and Water Quality Criteria for Temperature for Specific Large Rivers

(All values are expressed as degrees Fahrenheit)

	Miss	Mississippi River ⁴			Rock River ⁵			Upper Wisconsin River ⁶			Lower Wisconsin River ⁷			Lower Fox River ⁸		
Month	Ta ¹	SL ²	A^3	Ta	SL	A	Ta	SL	A	Ta	SL	A	Ta	SL	A	
JAN	32	49	75	33	49	76	33	49	76	32	49	75	35	49	76	
FEB	33	50	76	35	50	76	33	50	76	32	50	75	35	50	76	
MAR	36	52	76	38	52	77	35	52	76	37	52	77	38	52	77	
APR	47	55	79	49	55	79	44	55	78	48	55	79	50	55	80	
MAY	60	65	82	64	65	84	60	65	82	61	65	83	62	65	83	
JUN	72	75	85	71	75	85	70	75	85	71	75	85	73	76	85	
JUL	76	80	86	74	79	86	75	80	86	75	80	86	77	81	87	
AUG	76	79	86	73	79	85	73	79	85	74	79	86	76	80	86	
SEP	67	73	84	66	72	84	65	72	84	67	72	84	68	73	85	
OCT	54	61	81	54	61	81	51	61	80	53	61	80	53	61	80	
NOV	40	50	77	40	50	77	39	50	77	40	50	77	42	50	78	
DEC	33	49	76	34	49	76	33	49	76	33	49	76	35	49	76	

¹ Ta = ambient temperature

(4) INLAND LAKES AND IMPOUNDMENTS. The values listed in Table 4 shall be the applicable ambient temperatures, sub-lethal and acute water quality criteria for temperature for the protection of fish and aquatic life for inland lakes and impoundments unless other values are approved by the department pursuant to s. NR 102.26 or 102.27.

Table 4

Ambient Temperatures and Water Quality Criteria for Temperature for Inland Lakes and Impoundments

(All values are expressed as degrees Fahrenheit)

		Northern ⁴		Southern ⁵					
Month	Ta ¹	SL^2	A^3	Ta	SL	A			
JAN	35	49	76	35	49	77			
FEB	34	52	76	39	52	78			
MAR	35	55	76	41	55	78			
APR	41	60	78	49	60	80			
MAY	55	67	81	58	68	82			
JUN	67	75	85	70	75	86			
JUL	72	79	86	77	80	87			
AUG	71	79	86	76	80	87			
SEP	63	72	84	67	73	85			
OCT	52	61	80	54	61	81			
NOV	43	50	78	42	50	78			
DEC	35	49	76	35	49	77			

¹ Ta = ambient temperature

² SL = sub-lethal criteria

³ A = acute criteria

⁴ Mississippi River = applies to any portion of Wisconsin's Mississippi River reach

⁵ Rock River = applies to waters downstream of Lake Koshkonong

⁶ Upper Wisconsin River = applies to waters upstream of Petenwell Dam

⁷ Lower Wisconsin River = applies to waters downstream of Petenwell Dam to the confluence with the Mississippi River

⁸ Lower Fox River = applies to waters downstream of the Lake Winnebago outlet

² SL = sub-lethal criteria

³ A = acute criteria

⁴ Northern = applicable for those lakes and impoundments north of State Highway 10

⁵ Southern = applicable for those lakes and impoundments south of State Highway 10

⁽⁵⁾ Great lakes waters. The values listed in Table 5 shall be the applicable ambient temperatures, sub-lethal and acute water quality criteria for the protection of fish and aquatic life for Great Lakes waters identified in s. NR 102.22 (5) unless other values are approved by the department pursuant to s. NR 102.26 or 102.27.

Table 5

Ambient Temperatures and Water Quality Criteria for Temperature for Great Lakes Waters of Wisconsin (All values are expressed as degrees Fahrenheit)

-					L	ake M	lichiga	ın										
	Southern ⁴			Northern ⁵		Northern ⁶		Southern ⁷			Lake Superior ⁸			Chequamegon Bay ⁹				
Month	Ta ¹	SL^2	A^3	Ta	SL	\mathbf{A}	Ta	SL	A	Ta	SL	A	Ta	SL	A	Ta	SL	\mathbf{A}
JAN	35	49	75	35	43	69	34	43	69	35	43	69	35	41	69	35	41	69
FEB	35	52	75	35	47	69	33	47	69	34	46	69	34	46	69	35	46	69
MAR	41	54	77	36	52	70	35	52	69	37	52	70	34	51	69	35	51	69
APR	47	58	79	40	57	71	39	58	70	43	59	70	35	57	69	38	57	69
MAY	56	64	81	48	63	72	44	64	71	48	65	72	41	63	70	50	63	72
JUN	66	70	83	57	68	75	48	69	72	54	70	73	49	69	72	59	69	74
JUL	70	75	83	62	71	77	53	71	73	59	71	74	55	72	73	62	72	75
AUG	70	75	83	64	71	78	56	69	73	63	70	76	57	71	73	64	71	76
SEP	65	70	83	61	66	77	53	64	73	60	64	74	57	64	73	60	66	74
OCT	54	60	80	54	58	74	48	55	72	53	57	73	50	55	72	49	57	72
NOV	39	49	76	44	49	71	42	47	70	45	49	71	43	45	70	39	48	70
DEC	37	46	75	37	44	70	36	44	69	38	44	70	38	42	69	35	43	69

- 1 Ta = ambient temperature
- 2 SL = sub-lethal criteria
- 3 A = acute criteria
- 4 Southern Green Bay = waters south of the Brown County line to the Fox River mouth
- 5 Northern Green Bay = waters north of the Brown County line to the northernmost point on Washington Island
- 6 Northern Lake Michigan = waters north of the Milwaukee River mouth (downtown Milwaukee)
- 7 Southern Lake Michigan = waters south of the Milwaukee River mouth (downtown Milwaukee)
- 8 Lake Superior = waters in Lake Superior except those in Chequamegon Bay
- 9 Chequamegon Bay = waters within the region enclosed by Chequamegon Point and a straight line west to the mainland

History: CR 07–111: cr. Register September 2010 No. 657, eff. 10–1–10.

NR 102.26 Site-specific ambient temperatures.

- (1) DEVELOPMENT OF SITE-SPECIFIC AMBIENT TEMPERATURES. An owner or operator of a facility with a discharge subject to regulation under this chapter may submit a request to the department for the determination of a site-specific ambient temperature. The department may approve, disapprove or approve with modifications the request for the site-specific ambient temperature. The request for site-specific ambient temperatures shall include all of the following:
- (a) A demonstration that the data used to derive the ambient temperatures in s. NR 102.25 do not apply to the specific water segment or body in question.
- (b) Site-specific water temperature that represents the ambient temperature of the site. For purposes of this paragraph, data must be:
- 1. Collected daily using a continuous recorder or similar device that takes measurements at least hourly, except as follows:
- a. Monthly data sets may be missing no more than 10 days of temperature data for the months of December through February,
- b. Monthly data sets may be missing no more than 5 days of temperature data for the months of March through November.
- 2. Collected for each month in which the request for site–specific ambient temperatures is requested,
 - 3. Collected at any time since October 1987,
 - 4. Collected for at least 2 consecutive years.
- (c) Calculated daily average temperatures from the data from par. (b).
- (d) Calculated monthly average temperatures from the daily average temperatures in par. (c) for each individual month that data has been collected. Alternatively, calculated monthly average temperatures directly from the data from par. (b) for each individual month.
 - (e) All individual monthly averages organized by month.

(f) A determination of the monthly site–specific ambient temperatures by calculating the geometric mean of all monthly averages for each given month.

NR 102.26

- (g) Alternative methods for developing site-specific ambient temperatures, if the department approves the method as representative of ambient temperatures as those in pars. (a) to (d).
- (2) USE OF SITE-SPECIFIC AMBIENT TEMPERATURES TO ESTABLISH ACUTE CRITERIA. Once site-specific ambient temperatures have been approved by the department in accordance with sub. (1), the acute water quality criteria listed in Table 6 will be applicable for the protection of fish and other aquatic life.
- (3) USE OF SITE-SPECIFIC AMBIENT TEMPERATURES TO ESTABLISH SUB-LETHAL CRITERIA. Once site-specific ambient temperatures have been approved by the department in accordance with sub. (1), the sub-lethal water quality criteria applicable for the protection of fish and other aquatic life shall be calculated as follows:
- (a) Use Table 7 to determine the appropriate sub-lethal criteria for the fish and other aquatic life use.
 - (b) Modify the sub-lethal criteria as follows:
- 1. If a sub-lethal criterion from par. (a) is less than the site-specific ambient temperature from sub. (1) for a given month, increase the sub-lethal criterion to be equal with the site-specific ambient temperature.
- 2. If a sub-lethal criterion from par. (a) is greater than an acute criterion for a given month from sub. (2) decrease the sub-lethal criterion to be equal with the acute criterion.
- (c) Perform a fifth order polynomial regression of the 12 monthly sub-lethal criteria resulting from par. (b). Using the resulting equation of the regression, calculate the final sub-lethal criteria for each month by replacing the "x" variables in the equation with a numeric representation for each month, where January "x" = 1, for February "x" = 2, ... and for December "x" = 12.
- (d) The final sub-lethal criteria from par. (c) shall be used in combination with the site-specific ambient temperatures developed in sub. (1) and the acute criteria determined in sub. (2).

Table 6 **Acute Criteria Across All Ambient Temperatures**

(All values are expressed as degrees Fahrenheit)

		Iı	nland Wa	aters		Great Lakes Waters							
1 Ta	2 Cold	3 Warm	4 LFF	5 N Lake	6 S Lake	7 SGB	8 NGB	9 NLKMI	10 SLKMI	11 LKSUP	12 CB		
32	68	75	77	75	76	74	69	69	69	68	68		
33	68	76	77	76	76	74	69	69	69	69	69		
34	68	76	77	76	76	75	69	69	69	69	69		
35	68	76	77	76	77	75	69	69	69	69	69		
36	68	76	78	76	77	75	70	69	69	69	69		
37	69	77	78	77	77	75	70	70	70	69	69		
38	69	77	78	77	77	76	70	70	70	69	69		
39	69	77	79	77	78	76	71	70	70	70	70		
40	69	77	79	77	78	76	71	70	70	70	70		
41	69	78	79	78 78	78 78	77	71	70	70	70	70		
42	69	78	79	78 78	78 70	77	71	70 7 0	70	70 7 0	70		
43	69	78	80	78	78 70	77	71	70	70	70	70		
44	70 70	78	80	78	79 70	78 78	71	71	71	71	71		
45	70 70	79 70	80	79 70	79 70	78	71	71	71	71	71		
46	70 70	79 70	80	79 70	79	78	72	72	72	71	71		
47	70 70	79 70	81	79 70	80	79 70	72	72	72	71	71		
48	70 70	79 79	81	79 80	80	79 70	72 73	72 72	72 72	72	72		
49 50	70 70	79 80	81 81	80 80	80 80	79 79	73 73	72 73	72 73	72 72	72 72		
	70 71	80	82	80	81	80	73	73	73	72	72 72		
51 52	71	80	82 82	80	81	80	73	73 73	73	72	72 72		
53	71	80	82	81	81	80	73 74	73	73	72	72		
53 54	71	81	82	81	81	80	74 74	73	73	73	73		
5 5	71	81	83	81	82	81	74	73	73	73	73		
56	72	81	83	81	82	81	75	73	73	73	73		
57	72	82	83	82	82	81	75	73	73	73	73		
58	72	82	83	82	82	81	75	74	74	73	73		
59	72	82	84	83	83	81	76	74	74	74	74		
60	72	82	84	83	83	82	76	74	74	74	74		
61	72	83	84	83	83	82	77	75	75	74	74		
62	72	83	84	83	84	82	77	75	75	75	75		
63	73	83	85	84	84	82	78	76	76	75	75		
64	73	84	85	84	85	82	78	77	77	76	76		
65	73	84	85	84	85	83	78	77	77	76	76		
66	73	84	85	85	85	83	79	78	78	77	77		
67	74	84	86	85	85	83	79	78	78	77	77		
68	74	85	86	85	85	83	80	79	79	78	78		
69	74	85	86	85	86	83	80	79	79	78	78		
70	74	85	86	86	86	83	81	80	80	79	79		
71	74	85	87	86	86	84	81	81	81	79	79		
72	75	85	87	86	86	84	82	81	81	80	80		
73	75	85	87	86	86	84	82	82	82	80	80		
74	75	86	87	86	87	84	82	82	82	81	81		
75	75	86	88	87	87	85	83	83	83	81	81		
76		86	88	87	87	85	83	83	83	82	82		
77		87	88	87	87	85	84	84	84	83	83		
78		87	88	87	88	86	84	84	84	83	83		
79		87	89	88	88	86	84	84	84	83	83		
80		87	89	88	88	86	84	84	84	83	83		
81		88	89	88	88	86	84	84	84	83	83		

		Iı	nland Wa	iters		Great Lakes Waters							
1 Ta	2 Cold	3 Warm	4 LFF	5 N Lake	6 S Lake	7 SGB	8 NGB	9 NLKMI	10 SLKMI	11 LKSUP	12 CB		
82		88	89	88	89	87	84	84	84	84	84		
83		88	90	89	89	87	84	84	84	84	84		
84		88	90	89	89	88	85	85	85	84	84		
85		89	90	89	89	88	85	85	85				
86		89	90	89	90	89							
87		89	91	90	90	89							
88		90	91	90	90	89							
89		90	91	90	91	89							
90		91	91	91	91								
91		91	92	91	92								
92			92		92								

- 1 Ta = ambient temperature
- 2 Cold = waters with a fish and other aquatic life use designation of "cold water community"
- 3 Warm = waters with a fish and other aquatic life use designation of "warm water sport fish community" or "warm water forage fish community"
- 4 LFF = waters with a designation of "limited forage fish community"
- 5 N Lake = applicable for those lakes north of State Highway 10
- 6 S Lake = applicable for those lakes south of State Highway 10
- $7 \text{ } SGB = Green Bay waters south of the Brown County line to the Fox River mouth}$
- 8 NGB = Green Bay waters north of the Brown County line to the northernmost point on Washington Island
- 9 NLKMI = Lake Michigan waters north of the Milwaukee River mouth (downtown Milwaukee)
- 10 SLKMI = Lake Michigan waters south of the Milwaukee River mouth (downtown Milwaukee)
- 11 LKSUP = waters in Lake Superior except those in Chequamegon Bay
- 12 CB = Chequamegon Bay waters within the region enclosed by Chequamegon Point and a straight line west to the mainland

Table 7
Raw Monthly Sub-Lethal Criteria for Use In Determining Final Sub-Lethal Criteria with Site-Specific Ambient Temperatures

(All values are expressed as degrees Fahrenheit)

Month	C	W-L	W-S	LFF	NIL	SIL	MR	RR	UWR
January	47	50	50	54	50	50	50	50	50
February	45	50	50	54	50	50	50	50	50
March	53	54	54	54	54	54	54	54	54
April	59	65	65	64	63	64	65	65	65
May	59	70	70	75	70	70	70	70	70
June	67	72	72	75	72	72	72	72	72
July	68	74	74	75	75	74	74	74	74
August	68	78	78	77	77	77	78	78	78
September	52	87	87	92	87	87	87	87	87
October	52	54	54	54	54	54	54	54	54
November	50	50	50	54	50	50	50	50	50
December	46	50	50	54	50	50	50	50	50

Month	LWR	LFR	SGB	NGB	SLM	NLM	LS	СВ
January	50	50	50	44	44	44	42	42
February	50	50	50	43	43	43	43	43
March	54	54	54	54	52	54	52	52
April	65	65	60	59	61	60	58	58
May	70	70	66	64	67	65	65	65
June	72	72	70	67	68	67	67	67
July	74	74	70	68	68	68	69	69
August	78	78	71	67	67	67	69	69
September	87	87	83	79	79	79	79	79
October	54	54	50	50	50	50	45	54
November	50	50	47	47	47	47	44	46
December	50	50	47	45	45	45	43	44

C = Cold = waters with a fish and other aquatic life use designation of "cold water community"

W-L = Warm -Large = waters with a fish and other aquatic life use designation of "warm water sport fish community" or "warm water forage fish community" and unidirectional 7Q10 flows ≥ 200 cfs (129 mgd)

- W-S = Warm Small = waters with a fish and other aquatic life use designation of "warm water sport fish community" or "warm water forage fish community" and unidirectional 7Q10 flows < 200 cfs (129 mgd)
- LFF = waters with a designation of "limited forage fish community"
- NIL = Northern Inland Lakes = applicable for those lakes north of State Highway 10
- SIL = Southern Inland Lakes = applicable for those lakes south of State Highway 10
- MR = Mississippi River = applies to any portion of Wisconsin's Mississippi River reach
- RR = Rock River = applies to waters downstream of Lake Koshkonong
- UWR = Upper Wisconsin River = applies to waters upstream of Petenwell Dam
- LWR = Lower Wisconsin River = applies to waters downstream of Petenwell Dam to the confluence with the Mississippi River
- LFR = Lower Fox River = applies to waters downstream of the Lake Winnebago outlet
- SGB = Green Bay waters south of the Brown County line to the Fox River mouth
- NGB = Green Bay waters north of the Brown County line to the northernmost point on Washington Island
- SLM = Lake Michigan waters south of the Milwaukee River mouth (downtown Milwaukee)
- NLM = Lake Michigan waters north of the Milwaukee River mouth (downtown Milwaukee)
- LS = Lake Superior = waters in Lake Superior except those in Chequamegon Bay
- CB = Chequamegon Bay = waters within the region enclosed by Chequamegon Point and a straight line west to the mainland

History: CR 07–111: cr. Register September 2010 No. 657, eff. 10–1–10; renumbering of (1) (b) 1. a. and b. made under s. 13.92 (4) (b) 1., Stats., Register September 2010 No. 657.

NR 102.27 Site-specific water quality criteria.

- (1) GENERAL. A water quality criterion developed pursuant to this subchapter may be modified by the department for a particular surface water segment or waterbody. The site–specific water quality criterion shall only be applicable to the identified surface water segment or body. The development of a site–specific water quality criterion shall include all of the following:
- (a) Information showing data used to derive the water quality criterion do not apply to the specific water segment or body.
- (b) Consideration of the guidance provided in Chapter 3.7 of the Water Quality Standards Handbook, Second Edition, U.S. EPA, 8/15/1994.
- (c) Information showing the site–specific water quality criterion is consistent with the guidelines provided in sub. (2).
- (d) Any additional information necessary to derive site-specific water quality criterion.

Note: Site-specific water quality criteria are subject to U.S. Environmental Protection Agency approval under federal regulations.

(2) SITE-SPECIFIC WATER QUALITY CRITERIA DEVELOPMENT. (a) The department may promulgate site—specific water quality criteria for temperature when it determines that the data used to derive the water quality criteria published in this subchapter do not apply to the specific water segment or body in question. In making the determination, the same approach used to develop the water quality criteria in s. NR 102.25 may be used to develop site—specific water quality criteria by recalculating the water quality criteria based upon the actual species that are associated with the specific site.

- (b) Alternative methods for developing site–specific water quality criteria may be used if it is determined that those alternative methods will protect against sub–lethal and acute impacts in the fish and aquatic life community of a specific site.
- (c) A water quality criterion developed via alternative methods shall be reviewed by the department and shall be adopted as a rule under this chapter before it can be applied on a site–specific basis.
- (3) Any water quality criterion modified for site–specific conditions shall be promulgated by the department and approved by the U.S. Environmental Protection Agency before it is applied on a site–specific basis.

History: CR 07-111: cr. Register September 2010 No. 657, eff. 10-1-10.

NR 102.28 Cold shock standard. Water temperatures of discharges shall be controlled in a manner as to protect fish and aquatic life uses from the deleterious effects of cold shock.

History: CR 07–111: cr. Register September 2010 No. 657, eff. 10–1–10.

NR 102.29 Rate of temperature change standard.

Temperature of a water of the state or a discharge to a water of the state may not be artificially raised or lowered at such a rate that it causes detrimental health or reproductive effects to fish or aquatic life of the water of the state.

History: CR 07–111: cr. Register September 2010 No. 657, eff. 10–1–10.

NR 102.30 Variances to water quality standards for temperature. The provisions of ss. 283.15 and 283.17, Stats., are applicable to the water quality standards in this subchapter. History: CR 07–111: cr. Register September 2010 No. 657, eff. 10–1–10.